CORROTECH ITK LTD.

Hong Kong

INDUSTRIAL PIPES & TUBING

- Seamless
- Welded
- Thick-Walled
- Special Alloys
- Stainless Steel
- Titanium
- Nickel Alloys
- Duplex

OD: 1/8" – 48" **Wall Thickness: SCH 5S – SCH XXS**

For Oil & Gas, Chemical, Power & Marine Industries www.pipefittings-hg.com

ABOUT CORROTECH ITK LTD.

CorroTech ITK Ltd. Hong Kong

is a Hong Kong-based supplier specializing in industrial pipes and tubing for critical applications in corrosive and high-temperature environments.

Headquarters: THE CAPITAL, 61-65 Chatham Road South, Tsim Sha Tsui, Hong Kong

Email: itk.ltd.com@gmail.com

WhatsApp: +852 5344 5428

Website: https://pipefittings-hg.com/

Trusted Supplier Since 2018

OUR EXPERTISE IN INDUSTRIAL PIPES

CorroTech ITK Ltd. Hong Kong

- Direct partnerships with certified manufacturers (ISO 9001, ASME, PED)
- Custom engineering per ASME, EN, GOST standards
- Materials: Carbon Steel, Stainless Steel, Titanium, Nickel Alloys, Duplex
- Full documentation: MTC 3.1, EN 10204, material certificates
- Third-party inspection available (SGS, BV, TUV)
- Flexible payment via Hong Kong entities

Global logistics: CIF/FOB/DDP worldwide
End-to-end supply chain support from Hong Kong

For Oil & Gas, Chemical, Power & Marine Industries www.pipefittings-hg.com

INDUSTRIES WE SERVE

CorroTech ITK Ltd. Hong Kong

- Oil & Gas Refining
- Petrochemical & Chemical Processing
- Power Generation (Thermal, Nuclear, Combined Cycle)
- LNG & Cryogenic Applications
- Marine & Offshore
- Desalination & Water Treatment
- Food & Beverage, Pulp & Paper

Engineered solutions for extreme service conditions
Corrosion-resistant | High-temperature | Pressure-rated

TYPES OF PIPES & TUBING

CorroTech ITK Ltd. Hong Kong

SEAMLESS PIPES (SMLS)

Manufactured without welding seam

High pressure & temperature integrity

WELDED PIPES (ERW / SAW)

Electric Resistance Welded (ERW)

Submerged Arc Welded (SAW) – for large diameters

SPECIAL ALLOY PIPES

Inconel, Hastelloy, Monel, Zirconium

Custom alloy compositions per client spec

CLAD PIPES (Bimetallic)

Carbon steel base + corrosion-resistant cladding

Explosion-bonded or roll-bonded interface

Performance-optimized selection for service life extension

WELDED & SPECIAL ALLOY PIPES — SPECIFICATIONS

CorroTech ITK Ltd. Hong Kong

WELDED PIPES (ERW / SAW)

Manufacturing: Electric resistance welded or submerged arc welded

Sizes: OD 1/2″ – 48″ (DN15 – DN1200)

Wall Thickness: SCH 10 – SCH 80 (up to 40mm)

Standards: ASTM A358, A409, A671, A672

Advantages: Cost-effective for large diameters, consistent wall

SPECIAL ALLOY PIPES

Materials: Titanium Gr.2/5, Inconel 625/825, Hastelloy C-276, Monel 400

Applications: Highly corrosive, high-temperature services

Standards: ASTM B861, B444, B622, B165

CLAD PIPES (Bimetallic)

Construction: Carbon steel backing + corrosion-resistant alloy liner

Liner Materials: SS 316L, Duplex, Titanium, Inconel

Applications: High pressure + corrosion resistance

Standards: API 5LD, ASTM A831

MATERIAL SPECIFICATIONS — CARBON & STAINLESS STEEL

CorroTech ITK Ltd. Hong Kong

CARBON STEEL

- ASTM **A106 Gr.B/C**
- ASTM **A333 Gr.6**
- ASTM **A335 P11**
- ASTM **A335 P22**
- ASTM **A335 P91**
- **Applications:** High-temp service, cryogenic, power boiler tubing

STAINLESS STEEL

- ASTM A312 **TP304**
- ASTM A312 **TP304L**
- ASTM A312 **TP316**
- ASTM A312 **TP316L**
- ASTM A312 **TP321**
- ASTM A312 **TP347**
- **904L**

Carbon steel: Strength & weldability | **Stainless steel:** Corrosion resistance & thermal stability
Dual-material capability for full-service environment coverage

MATERIAL SPECIFICATIONS — ALLOY, DUPLEX, TITANIUM, NICKEL

CorroTech ITK Ltd. Hong Kong

ALLOY STEEL

- ASTM A335 P5
- ASTM A335 P9
- ASTM A335 P11
- ASTM A335 P22
- ASTM A335 P91

DUPLEX / SUPER DUPLEX

- ASTM A790 S31803/S32205
- ASTM A790 S32750
- ASTM A790 S32760

TITANIUM

- ASTM B861 Gr.1
- ASTM B861 Gr.2
- ASTM B861 Gr.5
- ASTM B861 Gr.7
- ASTM B361 Gr.12

NICKEL ALLOYS

- Inconel 625 - ASTM B444
- Inconel 825 - ASTM B423
- Monel 400 - ASTM B165
- Monel K-500 - ASTM B164
- Nickel 200/201 - ASTM B161/ B163

DIMENSIONAL STANDARDS & SCHEDULES

CorroTech ITK Ltd. Hong Kong

STANDARD SPECIFICATIONS

ASME B36.10M
Welded and Seamless Wrought Steel Pipe
Carbon & alloy steel pipe dimensions

ASME B36.19M
Stainless Steel Pipe

Dimensions for seamless & welded SS pipes

EN 10220
Seamless steel tubes

Dimensions, tolerances, mass per unit length

GOST 8732 / 10704
Russian standards for pipes
Hot-rolled seamless (8732) & welded (10704) tubes.

PIPE SCHEDULES

SCH 5S | SCH 10S | SCH 10 | SCH 20 | SCH 30 | SCH 40 | SCH 80 | SCH 120 | SCH 160 | SCH XXS

Schedule defines wall thickness relative to OD
Critical for pressure rating, corrosion allowance & service life

APPLICATIONS BY INDUSTRY — OIL & GAS AND PETROCHEMICAL

CorroTech ITK Ltd. Hong Kong

OIL & GAS REFINING

- Crude oil & gas transmission — API 5L, ASTM A333
- Refinery process lines — ASTM A312 TP316/321
- Offshore platforms — Duplex 2205/2507, seawater resistant
- Subsea pipelines — LSAW, thick-walled

PETROCHEMICAL & CHEMICAL

- Ethylene plant piping — High-temp alloy steel
- Acid transfer lines — SS 316L, Hastelloy, Titanium
- High-pressure steam — ASTM A335 P91
- Cryogenic service — SS 304L, 316L

Oil & Gas: Pressure integrity + environmental resilience | Petrochemical: Corrosion immunity + thermal precision
Same material science, tailored for distinct process hazards

APPLICATIONS BY INDUSTRY — POWER, MARINE, FOOD & PHARMA

CorroTech ITK Ltd. Hong Kong

POWER GENERATION

- Boiler tubes — ASTM A213 T11/T22/T91
- Steam lines — ASTM A335 P91
- Feedwater heaters — SS 304/316
- Nuclear components — Special grades per ASME III

MARINE & OFFSHORE

- Seawater cooling — Titanium Gr.2, Cu-Ni 90/10, 70/30
- Desalination plants — Duplex 2507, Titanium
- Ballast systems — SS 316L, Super Duplex
- Offshore drilling — High-strength alloys

FOOD & BEVERAGE / PHARMACEUTICAL

- Sanitary tubing — ASTM A269, polished finish
- CIP/SIP systems — SS 316L, electropolished
- High-purity water — SS 304L/316L, passivated

SPECIAL SERVICE CONDITIONS

CorroTech ITK Ltd. Hong Kong

- Cryogenic service (LNG, liquid nitrogen) — SS 304L, Inconel
- High temperature (>600°C) — Inconel, high-temp alloys
- Corrosive media (acids, chlorides) — Titanium, Hastelloy, PTFE-lined
- Abrasive media (slurry, catalyst) — ceramic-lined, reinforced
- High cycle fatigue — optimized ply design, low spring rate

Engineered response to physics-driven failure modes
Thermal shock | Chemical attack | Erosion | Mechanical resonance

QUALITY CONTROL & MANUFACTURER QUALIFICATIONS

CorroTech ITK Ltd. Hong Kong

MANUFACTURER QUALIFICATIONS

- ISO 9001:2015 — Quality Management System
- ISO 14001:2015 — Environmental Management
- ISO 45001 — Occupational Health & Safety
- Welding Procedure Qualification (WPQR / WPS per ASME IX)
- NDT Personnel Certification (ASNT Level II/III)
- Authorized Inspection Agency (AIA) partnership

End-to-end traceability from raw material to delivery
Third-party verified compliance across all critical processes

Certified competence, not just certified documents
Systematic rigor | Independent validation | Process transparency

CERTIFICATIONS & DOCUMENTATION PACKAGE

CorroTech ITK Ltd. Hong Kong

PRODUCT CERTIFICATIONS

- PED 2014/68/EU — Category I to IV (as applicable)
- ASME Section VIII Div.1 / Div.2 (on request)
- ASTM / EN / GOST compliance certificate
- GOST-R / EAC Certification (for CIS markets)
- NACE MR0175 / ISO 15156 (for sour service)

THIRD-PARTY INSPECTION

- SGS — Available on request
- Bureau Veritas (BV)
- TUV Rheinland / TUV SUD
- Lloyd's Register DNV GL
- Client-appointed inspector welcome

DOCUMENTATION INCLUDED WITH SHIPMENT

- MTC
- NDT UT/RT/PT/MT

WHY CHOOSE CORROTECH

CorroTech ITK Ltd. Hong Kong

DIRECT MANUFACTURER ACCESS	No middlemen — competitive pricing, faster lead times Direct communication with production teams
FULL SIZE RANGE	From 1/8" to 48" OD — all schedules available Large diameter pipes up to 48+"
MATERIAL FLEXIBILITY	CS, SS, Duplex, Titanium, Nickel Alloys — all available Clad pipes for cost optimization
FULL DOCUMENTATION	MTC 3.1, ASME, PED, GOST — ready for customs & audits Complete traceability from melt to shipment
QUALITY ASSURANCE	Dimensional inspection, NDT, third-party available 100% hydrostatic testing per standard
FLEXIBLE PAYMENT	Hong Kong entity — smooth international transactions T/T, L/C, flexible structures
GLOBAL LOGISTICS	CIF/FOB/DDP — we handle shipping to your facility Wooden crates, bundle packing, weather-resistant
FAST RESPONSE	Commercial offer within 24 hours Technical proposal within 48 hours

End-to-end control: From raw material sourcing to on-site delivery
Manufacturer-direct | Full-spec ready | Audit-proof documentation

REFERENCE PROJECTS

CorroTech ITK Ltd. Hong Kong

INDUSTRIES & APPLICATIONS

- Refinery crude units — Middle East
- Ethylene plant piping — Southeast Asia
- LNG facility cryogenic lines — Asia Pacific
- Offshore platform seawater systems — North Sea
- Power plant steam lines — Eastern Europe
- Chemical acid transfer — India

TYPICAL PROJECT SPECIFICATIONS

- in" Seamless SS 316L: 6" SCH 40S, ASTM A312, 5000m
- 2205 Welded Duplex 2205: 12" SCH 10S, ASTM A790, 2000m
- Gr.2 Gr.2 Titanium Gr.2: 4" SCH 40S, ASTM B861, 1000m
- Alloy Steel P91: 8" SCH 80, ASTM A335, 1500m

MATERIALS SUPPLIED

- 50%
- 20%
- P91

CONTACT US & REQUEST FOR QUOTATION

CorroTech ITK Ltd. Hong Kong

CONTACT INFORMATION

Email: itk.ltd.com@gmail.com

WhatsApp: +852 5344 5428

Website: https://pipefittings-hg.com/

Address: THE CAPITAL, 61-65 Chatham Road South, Tsim Sha Tsui, Hong Kong

Business Hours: Monday - Friday: 9:00 - 18:00 (HKT)

Weekend: By appointment

REQUEST FOR QUOTATION

Pipe type (Seamless / Welded / Special Alloy)

Size (OD / DN) and schedule (wall thickness)

Material grade (ASTM / EN / GOST)

Length (random / fixed)

Applicable standards (ASME / EN / GOST / PED)
Quantity (meters / tons / pieces)

Delivery destination and required date

WE GUARANTEE

Commercial offer within 24 hours | Full documentation package with every shipment | Technical support for material selection | Quality guarantee per international standards | On-time delivery