






Bike-Share Usage in London Network Analysis

This manuscript ([permalink](#)) was automatically generated from [uiceds/cee-492-term-project-fall-2022-jiaotonguniv@60aa509](#) on December 5, 2022.

Authors

- **Mulin Wan**
•  [mulin-wan](#)
CEE, University of Illinois Urbana-Champaign
- **Jingwen Yao**
•  [jingwenyao000](#) •  [Yaojune](#)
CEE, University of Illinois Urbana-Champaign
- **Yunze Guo**
•  [cyfcx2](#)
CEE, University of Illinois Urbana-Champaign
- **Bo-Yang Wang**
•  [byw-5](#)
CEE, University of Illinois Urbana-Champaign

Abstract

1 Introduction

Description

1.1 Proposal

Recently, bike-sharing in big cities has become an important part of residents' daily life, and its role in urban transportation system has never been more significant. By making bicycles available for short-distance excursions in metropolitan areas, governments hope that traffic, noise, and air pollution could reduce as the usage of motorized vehicles decreased. However, it takes great effort to maintain a well-functioned bike sharing system. To ensure that citizens could have constant access to the bikes, predicting the usage and dispatching bikes across different stops become crucial since one can easily imagine that usage would vary across different time and space. There are a lot of machine learning projects done on predicting total bike share usage in an entire city, this research plans to build on that and try to develop a usage predicting model on a single-stop scale, which is relatively rare at the moment.

We choose London as the area to work on. Looking at the spatiotemporal bike-sharing data in London, we could explore patterns, describe variations, or model the data in many different ways. From the two data sets, we may have a chance to take a peek at the residents' bike-renting behavior through many angles. Previous work has shown that weather is a key driver for variation in usage. ^[1]
^[2]^[3] Aside from weather, We believe there are a lot more important factors such as peak/off-peak hours, weekday/weekend, bike-stop location etc. By utilizing these data sets, we hope to find as many correlations between the users behavior and various factors. Also, since we are working on data collected before the outbreak of the COVID-19, we assume that peoples' behavior shown in the

datasets are still valid now. The datasets would be introduced in the following sections, including why do we choose them and how we are going to implement them in our research.

1.2 Data set:

The two main datasets were downloaded from Kaggle, titled “London bike sharing data set” and “London and Taipei Bike-Share Data.”

1.2.1 London bike sharing data set

This dataset shows how many bike-sharing transactions took place in the entire London area each hour in 2015 to 2016. Because the usage in this dataset is the summation across all the stops in the city, we could have a more general feel of how major variables such as weather conditions and time affect bike share usage, excluding the effect of the location of the stop on its usage.

Table 1: Description of London_merged.csv

Object	Description
timestamp	timestamp field for grouping the data
cnt	the count of a bike sharing
t1	real temperature in Celsius
t2	apparent temperature in Celsius
hum	humidity in percentage
windspeed	wind speed in km/h
isholiday	boolean field - 1 holiday / 0 non holiday - refers to bank holidays
isweekend	boolean field - 1 if the day is weekend / 0 if a working day
season	category (0-spring; 1-summer; 2-autumn; 3-winter)
weathercode	different weather condition

Table 2: Description of weathercode

weathercode	Description
1	clear; mostly clear but have some values with haze/fog
2	scattered clouds / few clouds
3	broken clouds
4	clear; cloudy
7	clear; light rain shower / rain / light rain
10	clear; rain with thunderstorm
26	snowfall
90	freezing fog

1.2.2 London and Taipei Bike-Share Data

This data set contains every single bike rental transaction in a total of 802 bike-sharing stops in the London area from 2017 until the COVID-19 outbreak. This dataset gives us the microscopic view, also allowing us to verify the results we got from analyzing the first dataset in each stop. Most importantly, we now have a chance to create a predictive model on a single-stop scale.

Each transaction provides the following information:

Table 1: Description of London.csv

Object	Description
rental_id	id of people who rent the bike
duration	duration of rental
bike_id	id of bike
end_rental_date_time	date and time of end rental
end_station_id	id of end station
end_station_name	name of end station
start_rental_date_time	date and time of start rental
start_station_id	id of end station
start_station_name	name of start station
start_rental_date_time	date and time of start rental

Our final goal is to apply and optimize machine learning models that accurately forecast the number of ride-sharing bikes that will be used in any given 1 hour time-period and help users manage their travel time, as well as for service providers to better dispatch bikes to maintain service quality, using the information available.

1.2.3 Link of dataset:

[London and Taipei bike sharing](#)

[London bike sharing](#)

2 Exploratory Data Analysis

In this section, we look at different factors affecting the usage of the bike sharing system in London. We first plot the average usage per hour in the first dataset(1.2.1 London bike sharing data set) along with the factors that we are interested. Then we look for micro trends in specific bike-stop that contradicts with the big trends we found.

2.1 Data Wrangling

2.1.1 Data cleaning process

Both of the csv files need to be restructured in some ways before the analyzing process. For instance, the exact time is stored as strings:

"2015/1/4 12:00:00 AM"

Information such as date and time could be extracted from within. The somehow trickier part is the day-of-the-week. We add a certain number to the date and take the remainder after divided by 7 to get the day-of-the-week.

2.2 Analysis and Visualization

2.2.1 Large trends

In this section, we hope to find out how different factors affect the average usage per hour in 2015-2016.




Figure1: Hourly average usage on weekdays

Figure1 shows how average bike-sharing usage distribute in different hours in a weekday. In the image, one could easily spot a double-peaked distribution. This comes with no surprise - the rush hour in weekdays generates a lot of commuting demands, and apparently people turn to bike-sharing in these hours. On average, over three thousand people rented a bike at 08:30 everyday, the busiest time in terms of bike-sharing usage.




Figure2: Hourly average usage on weekends

Figure2 shows how the new bike share demand distribute in different hours in weekends. Base on the image, we can speculate that Londoners are most active between 11:00 and 19:00 on weekends.




Figure3: Hourly average usage between different weekdays

Figure3 generally agrees with Figure1. During rush hours, bike-sharing usage climates. There are not many conclusions to make according to this figure, except that usage characteristics are mostly the same during Tuesday to Thursday. Consider a two-working-day span that lies in Tuesday to Thursday, with nearly identical weather conditions, we could speculate that these two days would have similar bike-sharing usage. Mondays and Fridays on the other hand, are seen to have slight difference to their weekday counterparts.




Figure4: Hourly average usage between different days in the weekend

Figure4 shows that the overall difference of new bike share between the two days of the weekend is not big except one logical difference: since Monday is a working day, Sunday's usage at night can be seen to be smaller than Saturday.




Figure5: Average usage/hour between different months

In figure 5, the hourly trend is still similar to that in figure1. Meaning in a given day regardless of the month, rush hour still generates the most bike-share usage. However, large differences between months could be spotted, especially between the April to October period and the November to March period. We can easily come to a conclusion that users are less willing to ride a bike in the cold.




Figure6: Hourly average usage between seasons



Figure7: Average usage/hour between seasons

According to figure6 and figure7, it can be seen that the demand for new bike share in London is relatively higher in summer and autumn overall, especially in summer. Winter is undoubtedly the lowest, but in this image it can be seen that the demand for new bike share is lower in spring than in autumn. We can speculate that people are more willing to rent a bike in the season of relatively higher temperature, and the weather in autumn is more suitable for bike share than spring in the London area.



Figure8: Average usage/hour in different temperatures

In figure8, temperatures over 34 degree Celsius are all recorded as 34. If we neglect the last bar, we can see that bike-sharing usage gradually increases until the temperature reaches 30, and then went downwards.




Figure9: Bike-share usage under 7 weather conditions

This pie chart shows the how users utilize the bike sharing system in different weather conditions. Basically, when the weather is good, people tend to utilize the bike sharing system more often, which is easy to understand. In London, raining doesn't bother this city that much since Londoners have developed a certain life style or fashion to accommodate their unique weather condition. This phenomenon can also be spotted right here, since there is not a huge difference in usage between "cloudy", "light rain" and "thunderstorm".

2.2.2 Contradictions with the major trends (Individual behaviors varying across bike stop locations)

In the previous section, we have come up with some speculations, such as:

During weekdays, usage during rush hours are often higher than non-peak hours. Usage in weekdays are often higher than weekends. Usage in warmer days are often higher than colder days.

But as we move closer the the actual stop-by-stop prediction, we need to understand how the location and the characteristic of each stop changes how the large trends' impact on those stops. The main data set (1.2.2 London.csv) provides a chance to look extremely closely to certain stops in certain time spans, for us to verify out speculations, or to discover new revelation.




Figure10: Bike-share stops in London area

In the data set there are 802 stops, as shown in the figure above. We will be looking at two stops:

Triangle Car Park, Hyde Park : Located right in the middle of the famous tourist attraction Hyde Park. (Will be later denoted as Hyde) Queen Street 1, Bank : Located in the central of business districts . (Will be later denoted as CBD)

And we will see how different conditions affect them respectively.



Figure11: CBD and Hyde Park Comparison, Winter versus Summer

In figure11, we can see the date is set on 12/02 ~ 12/08 and 06/17 ~ 06/23 (2019). They are both regular non-holiday weeks with little to none precipitation. Although we almost came a conclusion that usage in winter is almost always lower than that of summer, in the busy business district, we can hardly tell the impact from weather. On the other hand, bike-share usage took a great hit from summer to winter in Hyde Park. Meaning tourist activities are significantly lower in cold times.

Bike stops near tourist attractions can have another trait different than the speculations we made from observing large trends. We can see in June, Hyde Park attracts large amount of bike usage in weekends. This serves as a reminder that weekdays do not always have larger usage than weekends when predicting.



Figure12: The effect of Rain and National Holidays

In figure12, we can see the date is set on 05/06 ~ 05/12 and 05/13 ~ 05/19 (2019). 05/06 (Mon) is a national holiday in UK. Also, there are heavy rainfall during 2019/05/08 ~ 09. We can see the national holiday having drastic on usage in CBD, causing a giant difference between the two Mondays, 05/06 and 05/13. However Hyde Park was not that severely affected. From the figure we can also see less bike usage on 2019/05/08 ~ 09, regardless the location. Comparing to the result in Figure11, it is safe to say that precipitation affects bike users in CBD more than low temperature. But is this

phenomenon universal across London? Or is this a business district thing? We may need to look for other proofs.

3 Predictive Modeling

We have chosen the following three stops to perform the prediction. They are Storey's Gate (N.o. 762), Abingdon Green (N.o. 582) and Abbey Orchard Street (N.o. 108). The three stops form a triangle with no other stops near them. This triangle is located near the iconic Big Ben and Westminster Abbey.

3.1 Existing variables for predicting

Based on the data and information we are able to gather, these are the variables to begin with.

Variables	Description
yr	2017,18 or 19
season	What season of the year
mnth	What month of the year
weekday	What day of the week
hr	What time of the day
holiday	Is the day a holiday or not
workingday	Is the day a working day or not
temp	Temperature in Celsius
precipitation	The amount of precipitation

3.2 New variables, one-hot encoding and feature scaling

We believe that the usage in the previous hour in the same stop and the neighboring stops would also help predicting the usage in the next hour, so three columns were added to the dataset, which is 762_lag, 583_lag and 108_lag.

***ROUGH (will add more content in final draft)

Categorical data such as yr, season, mnth, weekday, hr, holiday, workingday should be handled by one-hot encoding to help the model work better.

Other variables such as temperature and precipitation should be scaled.

3.3 Training

3.3.1 Splitting the data

As the data has been explored, the next step is to train a regression model and predict the bike sharing number(cnt):

To validate the training model, we split the data set into two subsets; the first subset is used to train the model, and the second (and smaller) one is used to validate the model by comparing the predicted labels to the known labels. The data is randomly split to about 7:3. We realize it by the `train_test_split` function in the 'scikitlearn' library in python. And the result is four data sets:

- **X_train:** The feature values we'll use to train the model
- **y_train:** The corresponding labels we'll use to train the model
- **X_test:** The feature values we'll use to validate the model
- **y_test:** The corresponding labels we'll use to validate the model

The next step is to train the model with a proper regression method. The group used a linear regression algorithm, which is basic and commonly used, to find a linear relationship between X and y.

3.4 Evaluate Trained Model




Figure14: Predicted and Actual Bike Sharing Number of Linear Regression

It is a generally diagonal trend with several deviation values. The group uses mean square error to identify our model's error level, and the result is 814512. One reasonable explanation is linear regression can only clearly show the data trend, but it cannot cover too much data in a data set. To improve the power of our model, the group also uses the decision tree method, and the result of MSE is 97082:




Figure15: Predicted and Actual Bike Sharing Number of Decision Tree

A more intuitive way to compare the improvement of the model is using the coefficient of determination(R-squared).

***ROUGH (will add more content in final draft: overfitting/underfitting)

Evaluation Metrics	Linear Regression	Decision Tree
MSE	814512	97082
R^2	0.31	0.91

As the R^2 is more than 90% now, the improvement of the model is obvious.

***ROUGH (will add more content in final draft: overfitting/underfitting and discussion)




Figure15: Best prediction results for the three stops

Stop | 762 | 583 | 108 |
 Model used | RF | RF | RF |
 R^2 | 0.68 | 0.56 | 0.72 |

Table: Best prediction results for the three stops

3.5 Model Discussion and Conclusion

***ROUGH (will add more content in final draft)

Why are results worse for individual stop predictions?

1. Because we are not able to get hourly weather data for 2017~2019, so we right now we assume weather conditions are uniform through the day, obviously that won't be correct.
2. Too many 0-usage hours and small sample size, compared to the first dataset which record the usage across the whole city.
3. ... to be replenish in the final draft

4 Discussion

***ROUGH (will add more content in final draft)

Based on what was done in previous sections, we have completed a preliminary forecast for the number of shared bikes that will be used in any given 1 hour time period with reasonable accuracy. Regarding to helping the service provider, we have also given some ideas about bike distribution in each station, providing some help in maintaining service quality, which basically achieved our objective.

However, there are still much progress to make in a future study to make the model more accurate, have more constructive opinions, and possess more guidance value.

First of all, this model is just a preliminary analysis or a starting point. For future study, we could try to:

1. In order to solve the problem of small sample sizes, we could try to group stops with similar traits (school/ business/ tourist) together and predict them as a whole (using k-means or other methods).
2. We could also predict the count of users returning the bikes, and create an alarm system when a stop has low bike amount (Numbers of bike at full capacity - (Rent counts - Return Counts)).
3. Improve our ML model. Our model has combined all of the factors together with the same weight, which is not very accurate when it comes to determining the main influential factor when arranging shared bikes. Further work on finding out how each factor influences the outcome should be done to make the model more accurate.
4. Expand the scale. In order to find out the patterns quicker, we chose to use a limited dataset, which is not comprehensive enough. In the future, we will expand the dataset to include more circumstances to optimize the model.
5. Generate more ideas. The model is made to aid the service providers with arranging bikes efficiently and spending less time when selecting a new bike station. In the future, we will take more geographic information, political information, economical information and cultural information into consideration, making predictions about which place is eager to have a bike station and how many bikes should be provided at least.

References

[1] AndersOhrn (2020) Bike-share usage in London and Taipei Network, Kaggle. Available at: <https://www.kaggle.com/datasets/ajohrn/bikeshare-usage-in-london-and-taipei-network> (Accessed: October 24, 2022).

[2] Mavrodiev, H. (2019) London Bike Sharing Dataset, Kaggle. Available at: <https://www.kaggle.com/datasets/hmavrodiev/london-bike-sharing-dataset/discussion?resource=download> (Accessed: October 24, 2022).

[3] N, N. (2021) Predicting bike-share users with machine learning, Medium. Towards Data Science. Available at: <https://towardsdatascience.com/predicting-no-of-bike-share-users-machine-learning-data-visualization-project-using-r-71bc1b9a7495> (Accessed: November 23, 2022).