

# CEE 492 Team Uhhh Project

This manuscript ([permalink](#)) was automatically generated from [uiceds/cee-492-term-project-fall-2022-team-uhhh@6b02c38](#) on September 23, 2022.

## Authors

---

- **Robert Wiggins**

 [XXXX-XXXX-XXXX-XXXX](#) ·  [BobbyWiggles](#) ·  [bobbythewiggler](#)

Department of Civil and Environmental Engineering, University of Illinois Urbana-Champaign · Funded by Grant XXXXXXXX

- **YongjianMa**

 [0000-0001-8374-9401](#) ·  [YongjianMa](#)

Department of Civil and Environmental Engineering, University of Illinois at Urbana-Champaign

- **Muhammad**

 [XXXX-XXXX-XXXX-XXXX](#) ·  [hanzla07](#)

Department of Civil and Environmental Engineering, University of Illinois Urbana-Champaign

# Effects of Energy Consumption Industries on Carbon Emissions by Country

---

Written by: Yongjian Ma, Muhammad Hanzla Rafaqat, Robert Wiggins

Description:

The datasets of interest are housed within a collection of datasets titled “Compiled Datasets for CDP Analytics Competition.” The dataset was published to Kaggle by user “seraphimstreets.” and features data collected and cited from several reputable organizations, such as Organization for Economic Co-operation Development, The Institute for Health metrics and Evaluation, and The World Resource Institute.

The first dataset in question is titled “Percent of Energy Consumption by Country.” The dataset is a CSV file containing 11 columns of data. The first three columns include the country and year the data in each row was obtained from, as well as the corresponding country codes. The next eight columns list the percentages of each industry’s energy consumption within each country in a given year. The industries recorded include coal, gas, oil, hydroelectric, nuclear, solar, wind, and biomass.

The second dataset in question is titled “CO2 Emissions by Country.” The dataset is also a CSV file containing 4 columns of data. The first three columns again include the country and year the data in each row was obtained from, as well as the corresponding country codes. The last column lists the CO2 emissions from each country in a given year.

Proposal:

With the increasing amount of CO2 emissions worldwide and the difficulty of establishing meaningful efforts to combat the increasing climate crisis, it is integral to pinpoint the major contributors to climate change and work to lower the CO2 emissions produced by these contributors as much as possible. With the dataset collection in question, there seems to be an abundance of data available to determine the major contributors to climate change, as well as the energy industries that contribute the least amount of CO2 emissions. Our group plans to use these datasets to analyze how each energy industry contributes to CO2 emissions within each country and determine which industries require the most changes and limitations to curb the increasing effects of climate change.

Furthermore, total annual CO2 emissions deviate between countries, as some countries have become more industrialized than others over the years. Therefore, our group is also interested in analyzing the contributions of each country's industries to climate change and determining the countries that require the most changes and limitations to carbon emissions as well, in order to curb the effects of climate change without directly targeting less industrialized countries who do not contribute nearly as much.

Source:

<https://www.kaggle.com/datasets/seraphimstreets/environmentequity-starterpack>

This manuscript is a template (aka "rootstock") for [Manubot](#), a tool for writing scholarly manuscripts. Use this template as a starting point for your manuscript.

The rest of this document is a full list of formatting elements/features supported by Manubot. Compare the input ( `.md` files in the `/content` directory) to the output you see below.

## Basic formatting

---

**Bold text**

**Semi-bold text**

Centered text

Right-aligned text

*Italic text*

Combined *italics and bold*

~~Strikethrough~~

1. Ordered list item
2. Ordered list item

- a. Sub-item
- b. Sub-item
  - i. Sub-sub-item
- 3. Ordered list item
  - a. Sub-item

- List item
- List item
- List item

subscript: H<sub>2</sub>O is a liquid

superscript: 2<sup>10</sup> is 1024.

[unicode superscripts](#)<sup>0123456789</sup>

[unicode subscripts](#)<sub>0123456789</sub>

A long paragraph of text. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Putting each sentence on its own line has numerous benefits with regard to [editing](#) and [version control](#).

Line break without starting a new paragraph by putting two spaces at end of line.

## Document organization

---

Document section headings:

# Heading 1

## Heading 2

---

### Heading 3

#### Heading 4

##### Heading 5

###### Heading 6

**A heading centered on its own printed page**

Horizontal rule:

---

Heading 1's are recommended to be reserved for the title of the manuscript.

Heading 2's are recommended for broad sections such as *Abstract*, *Methods*, *Conclusion*, etc.

Heading 3's and Heading 4's are recommended for sub-sections.

## Links

---

Bare URL link: <https://manubot.org>

[Long link with lots of words and stuff and junk and bleep and blah and stuff and other stuff and more stuff yeah](#)

[Link with text](#)

[Link with hover text](#)

[Link by reference](#)

## Citations

---

Citation by DOI [\[1\]](#).

Citation by PubMed Central ID [\[2\]](#).

Citation by PubMed ID [\[3\]](#).

Citation by Wikidata ID [\[4\]](#).

Citation by ISBN [\[5\]](#).

Citation by URL [\[6\]](#).

Citation by alias [\[7\]](#).

Multiple citations can be put inside the same set of brackets [\[1,5,7\]](#). Manubot plugins provide easier, more convenient visualization of and navigation between citations [\[2,3,7,8\]](#).

Citation tags (i.e. aliases) can be defined in their own paragraphs using Markdown's reference link syntax:

## Referencing figures, tables, equations

---

Figure [1](#)

Figure [2](#)

Figure [3](#)

Figure [4](#)

Table [1](#)

Equation [1](#)

Equation [2](#)

## Quotes and code

---

Quoted text

Quoted block of text

Two roads diverged in a wood, and I—  
I took the one less traveled by,  
And that has made all the difference.

Code `in the middle` of normal text, aka `inline code`.

Code block with Python syntax highlighting:

```
from manubot.cite.doi import expand_short_doi


def test_expand_short_doi():
    doi = expand_short_doi("10/c3bp")
    # a string too long to fit within page:
    assert doi == "10.25313/2524-2695-2018-3-vliyanie-enhansera-copia-i-
        insulyatora-gypsy-na-sintez-ernk-modifikatsii-hromatina-i-
        svyazyvanie-insulyatornyh-belkov-vtransfetsirovannyh-geneticheskikh-
        konstruktsiyah"
```

Code block with no syntax highlighting:


```
Exporting HTML manuscript
Exporting DOCX manuscript
Exporting PDF manuscript
```

## Figures

---




**Figure 1: A square image at actual size and with a bottom caption.** Loaded from the latest version of image on GitHub.



**Figure 2: An image too wide to fit within page at full size.** Loaded from a specific (hashed) version of the image on GitHub.





**Figure 3: A tall image with a specified height.** Loaded from a specific (hashed) version of the image on GitHub.



**Figure 4: A vector `.svg` image loaded from GitHub.** The parameter `sanitize=true` is necessary to properly load SVGs hosted via GitHub URLs. White background specified to serve as a backdrop for transparent sections of the image.

## Tables

**Table 1:** A table with a top caption and specified relative column widths.

<i>Bowling Scores</i>	Jane	John	Alice	Bob
Game 1	150	187	210	105
Game 2	98	202	197	102
Game 3	123	180	238	134

**Table 2:** A table too wide to fit within page.

	Digits 1-33	Digits 34-66	Digits 67-99	Ref.
pi	3.14159265358979323846264338327950	288419716939937510582097494459230	781640628620899862803482534211706	<a href="#">piday.org</a>
e	2.71828182845904523536028747135266	249775724709369995957496696762772	407663035354759457138217852516642	<a href="#">nasa.gov</a>

**Table 3:** A table with merged cells using the `attributes` plugin.

	Colors	
Size	Text Color	Background Color
big	blue	orange
small	black	white

## Equations

A LaTeX equation:

$$\int_0^\infty e^{-x^2} dx = \frac{\sqrt{\pi}}{2} \tag{1}$$

An equation too long to fit within page:

$$x = a + b + c + d + e + f + g + h + i + j + k + l + m + n + o + p + q + r + s + t + u + v + w + x + y + z + 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 \tag{2}$$

## Special

**⚠ WARNING** The following features are only supported and intended for `.html` and `.pdf` exports. Journals are not likely to support them, and they may not display correctly when converted to other formats such as `.docx`.

LINK STYLED AS A BUTTON

Adding arbitrary HTML attributes to an element using Pandoc's attribute syntax:

Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot. Manubot Manubot Manubot. Manubot Manubot. Manubot.

Adding arbitrary HTML attributes to an element with the Manubot `attributes` plugin (more flexible than Pandoc's method in terms of which elements you can add attributes to):

Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot. Manubot Manubot Manubot. Manubot Manubot. Manubot.

Available background colors for text, images, code, banners, etc:

white lightgrey grey darkgrey black lightred lightyellow lightgreen lightblue lightpurple red orange yellow green blue purple

Using the [Font Awesome](#) icon set:

✓ ? ★ 🔔 ⓧ ⋮



### Light Grey Banner

useful for *general information* - [manubot.org](https://manubot.org)



### Blue Banner

useful for *important information* - [manubot.org](https://manubot.org)



### Light Red Banner

useful for *warnings* - [manubot.org](https://manubot.org)

# References

---

1. **Sci-Hub provides access to nearly all scholarly literature**  
Daniel S Himmelstein, Ariel Rodriguez Romero, Jacob G Levernier, Thomas Anthony Munro, Stephen Reid McLaughlin, Bastian Greshake Tzovaras, Casey S Greene  
*eLife* (2018-03-01) <https://doi.org/ckcj>  
DOI: [10.7554/elife.32822](https://doi.org/10.7554/elife.32822) · PMID: [29424689](https://pubmed.ncbi.nlm.nih.gov/29424689/) · PMCID: [PMC5832410](https://pubmed.ncbi.nlm.nih.gov/PMC5832410/)
2. **Reproducibility of computational workflows is automated using continuous analysis**  
Brett K Beaulieu-Jones, Casey S Greene  
*Nature biotechnology* (2017-04) <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6103790/>  
DOI: [10.1038/nbt.3780](https://doi.org/10.1038/nbt.3780) · PMID: [28288103](https://pubmed.ncbi.nlm.nih.gov/28288103/) · PMCID: [PMC6103790](https://pubmed.ncbi.nlm.nih.gov/PMC6103790/)
3. **Bitcoin for the biological literature.**  
Douglas Heaven  
*Nature* (2019-02) <https://www.ncbi.nlm.nih.gov/pubmed/30718888>  
DOI: [10.1038/d41586-019-00447-9](https://doi.org/10.1038/d41586-019-00447-9) · PMID: [30718888](https://pubmed.ncbi.nlm.nih.gov/30718888/)
4. **Plan S: Accelerating the transition to full and immediate Open Access to scientific publications**  
cOAlition S  
(2018-09-04) <https://www.wikidata.org/wiki/Q56458321>
5. **Open access**  
Peter Suber  
*MIT Press* (2012)  
ISBN: 9780262517638
6. **Open collaborative writing with Manubot**  
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter  
*Manubot* (2020-05-25) <https://greenelab.github.io/meta-review/>
7. **Opportunities and obstacles for deep learning in biology and medicine**  
Travers Ching, Daniel S Himmelstein, Brett K Beaulieu-Jones, Alexandr A Kalinin, Brian T Do, Gregory P Way, Enrico Ferrero, Paul-Michael Agapow, Michael Zietz, Michael M Hoffman, ... Casey S Greene  
*Journal of The Royal Society Interface* (2018-04) <https://doi.org/gddkhn>  
DOI: [10.1098/rsif.2017.0387](https://doi.org/10.1098/rsif.2017.0387) · PMID: [29618526](https://pubmed.ncbi.nlm.nih.gov/29618526/) · PMCID: [PMC5938574](https://pubmed.ncbi.nlm.nih.gov/PMC5938574/)
8. **Open collaborative writing with Manubot**  
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter  
*PLOS Computational Biology* (2019-06-24) <https://doi.org/c7np>  
DOI: [10.1371/journal.pcbi.1007128](https://doi.org/10.1371/journal.pcbi.1007128) · PMID: [31233491](https://pubmed.ncbi.nlm.nih.gov/31233491/) · PMCID: [PMC6611653](https://pubmed.ncbi.nlm.nih.gov/PMC6611653/)