






Scenario 1: Connect to screen session pts-0.5678



Scenario 2 (1/2): submit 1-proc, 48-hour interactive job to batch queue



Scenario 2 (2/2): submit 1-proc, 48-hour interactive job to batch queue



❌ pieshell command builder

⊗ qsub ⊗ -I ⊗ -l procs=1 ⊗ -l walltime=48:00:00 ⊗ -q batch

Clear Explore... Macro... Execute

submit job

❌ interactive

path to submit script:






❌ # processors: 1

❌ max run time: 48 : 00 : 00


destination queue:

batch


Scenario 3 (1/2): replace “git” commands w/ “file perms.” commands




Scenario 3 (2/2): replace “git” commands w/ “file perms.” commands



Scenario 4 (1/2): recursively set group write perms on ~/group_project



Scenario 4 (2/2): recursively set group write perms on ~/group_project



❌ pieshell command builder

⊗ chmod ⊗ -R ⊗ g+w ⊗ ~/group_project

Clear Explore... Macro... Execute

⚠ name of file or directory:

~/group_project

❌ recursive

permissions:

	read	write	execute	setuid
owner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
group	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
world	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

☐ sticky bit