



Generative AI in 2026

Marko Lukic, RESULT

UiT The Arctic University of Norway

28.09.2026

In the next five or so hours, hopefully, you will learn...

Bunch of generative AI related stuff

Enough about generative AI to make an informed choice if, when, and how you will use these tools in your work.

For $n \geq 2$, let k_n be the product $5 \cdot 10 \cdot 17 \cdot 26 \cdot \dots \cdot (n^2 + 1)$, and let

$$S_n = \left(1 - \frac{1}{2^4}\right) \left(1 - \frac{1}{3^4}\right) \cdots \left(1 - \frac{1}{n^4}\right).$$

What is S_n/k_n ?

Thought for 2m 57s >

$$k_n = \prod_{r=2}^n (r^2 + 1), \quad S_n = \prod_{r=2}^n \left(1 - \frac{1}{r^4}\right) = \prod_{r=2}^n \frac{(r^2 - 1)(r^2 + 1)}{r^4}.$$

Hence

$$\frac{S_n}{k_n} = \prod_{r=2}^n \frac{r^2 - 1}{r^4} = \prod_{r=2}^n \frac{(r-1)(r+1)}{r^4} = \frac{\left(\prod_{r=2}^n (r-1)\right) \left(\prod_{r=2}^n (r+1)\right)}{\left(\prod_{r=2}^n r\right)^4}.$$

Compute the products:

$$\prod_{r=2}^n (r-1) = (n-1)!, \quad \prod_{r=2}^n (r+1) = \frac{(n+1)!}{2}, \quad \prod_{r=2}^n r = (n)!.$$

Therefore

$$\frac{S_n}{k_n} = \frac{(n-1)! \frac{(n+1)!}{2}}{(n!)^4} = \frac{n+1}{2n(n!)^2}.$$

$$\boxed{\frac{S_n}{k_n} = \frac{n+1}{2n(n!)^2}}$$

Give me 2 definitions of selection bias. The first one that most of the researchers use and the second that is actually correct.

Thought for 23s >

Here is a useful way to put it:

1. The definition many researchers use

Selection bias is **systematic error caused by the way participants are selected, retained, or included in the analysis**, so that the study results differ from the truth.


2. The stricter, more correct definition

Selection bias is **bias caused by conditioning on selection into the study or analysis when that selection depends on both the exposure and the outcome, or on causes of both, thereby creating a spurious association or distorting a real one.**

The key difference is this: the first definition is broad and often treats any nonrepresentative sample as "selection bias," while the second is more precise and focuses on **selection creating bias in the estimate**, not just on the sample being unrepresentative.









LLMs learn patterns in language by processing a huge, anonymized collection of books, websites, and other text.

Engineers then fine-tuned them, rewarding helpful answers and discouraging harmful ones, so the LLMs follow instructions safely.




Published OpenAI training-language mix GPT-3 (2020), by word count



https://raw.githubusercontent.com/openai/gpt-3/refs/heads/master/dataset_statistics/languages_by_word_count.csv

Large language models – behind the scene

The promise of large language models is that they





General Data Protection Regulation

GDPR


Data sensitivity – classification in Norway

Green data

Yellow data

Red data

Black data



Open or freely available (Green)

Information that *may* or *should* be available to the general public, with no special access restrictions.

Most of the information managed by the university is open, either because of the general objective of the university as such, or because the law or other official regulations dictates that the information should be open. Other parts of the information does not need special protection even though it is not openly available.

This class is to be used if the university or its partners are not subject to any harm if the information is exposed to third parties.

Examples are

- a webpage presenting a department or a class, published openly on the internet.
- material for a course which is openly published, but marked with a certain license and/or copyright.
- research data that does not need any protection (the researcher is responsible for this assessment)
- teaching material that does not need any protection (the teacher is responsible for this assessment)

Restricted (Yellow)

This is basically information which is not open for everyone. There are no laws or regulations saying that the information should be open. This is all information which is not classified as «open», «in confidence» or «strictly in confidence».

The information needs a certain protection, and may be accessible to people both within and outside the university, provided that the access is limited and controlled per user. This class is to be used if the university or its partners may be subject to limited harm if the information is exposed to third parties.

The information only has relevance for, or is focused on, a limited set of users, either within the university or with other institutions or organizations that we cooperate with.

Examples may be

- certain work documents
- information which is to be kept from the public
- many types of personal data
- grades
- work by students
- examination answers
- unpublished research data and corresponding works

In confidence (Red):

This is information which the university is obliged to protect by law, agreements and other regulations. This corresponds to the information class «In confidence» in the official Norwegian instructions for information protection. «In confidence» is used if the university, its partners, public interests, or individuals, may be subject to harm if the information is exposed to third parties.

Examples may be

- certain types of sensitive personal data
- personnel files
- certain information about for example protection and safety of buildings and IT systems
- information about a person's health

Strictly in confidence (Black):

This category encompasses the same type of information as «In confidence (red)», but where special circumstances makes it necessary to protect the information even more. Demands on protection and safety are to be written down in agreements or other written documentation.

This corresponds to the information class «Strictly in confidence» in the official Norwegian instructions for information protection. «Strictly in confidence» is used if the university, its partners, public interest, or individuals, may be subject to *considerable* harm if the information is exposed to third parties.

Placement of data and information in this category should be done in cooperation with the lawyers at USIT and the IT security manager.

Examples may be

- large amounts of sensitive personal data
- large amounts of data about people's health
- research data and datasets of huge economic value



Recycle Bin



Windows 11 Home Insider Preview
Evaluation copy. Build 29634.1000.rs_prerelease.260719-1319



Search



NOB



7:27 PM

7/31/2026

EU AI Act

EU AI Act risk levels

Unacceptable risk: AI uses that are prohibited (banned) because they pose an unacceptable risk to safety and fundamental rights.

High risk: AI uses that are allowed but strictly regulated (strong requirements + duties) because they can significantly affect people's rights and life chances (e.g., **admissions or grading**).

Low risk (limited/minimal): AI uses with lower impact—either only transparency obligations (limited risk) or no specific AI Act requirements (minimal risk).

All Collections > Privacy and legal

How Claude marks AI-generated content

Updated today

 **Copy for LLM**



Anthropic has signed the EU AI Act's Article 50(2) Code of Practice on Transparency of AI-Generated Content, as a provider of both generative AI models and generative AI systems. This article describes how we're planning to put those commitments into practice, how marking works, and what its limitations are. We'll update this article and publish more detailed technical guidance as it becomes available.

Article 50(2) of Regulation (EU) 2024/1689 (the EU AI Act)

“Providers of AI systems, including general-purpose AI systems, generating synthetic audio, image, video or text content, shall ensure that the outputs of the AI system are marked in a machine-readable format and detectable as artificially generated or manipulated.”

“This obligation shall not apply to the extent the AI systems perform an assistive function for standard editing or do not substantially alter the input data provided by the deployer or the semantics thereof”

EU AI Act and copyright

Teaching materials and student work are generally protected by copyright and therefore require careful handling when uploaded to AI systems.

If an AI vendor's Terms of Service permit uploaded content to be stored and reused, this may raise legal issues.

Chat settings

Customize the chat experience



Model

Select the model you want

GPT-4-Turbo ▾



Temperature: 0.2

Controls creativity of model



Tokens: 1024

Controls answer length



System prompt

Instructions to the model

LOAD DEFAULT

You are a helpful ai assistant, respond using markdown.


ChatUiT (chat.uit.no)

GPT-5.6

GDPR-compliant

Green, yellow, red data

Data is not used for LLM training



Microsoft Copilot (copilot.com)

- LLM + **Bing search engine**
- GDPR-compliant
 - Green and yellow data only
 - Data is not used for LLM training

Klikk for å laste opp en ny fil, eller dra og slipp den her

Velg inndata språk

Gjenkjenn språk ▼

Gi transkripsjonen et navn



Send til transkribering

Avbryt

Om tjenesten

Klartekst er en transkriberingstjeneste basert på kunstig intelligens og resultatet bør gjennomgås for kvalitetssikring!

1. **Velg en lydfil** fra din datamaskin. Maksimal filstørrelse er 250 MB, men om du har store videofiler anbefales det å trekke ut lyden i egen fil før opplasting. Klikk "Les mer" for tips om hvordan dette kan gjøres
2. **Velg språk** ihht. lydfilen og gi transkripsjonen et navn. Om du velger "gjenkjenn språk" vil tjenesten selv prøve å bestemme riktig språk, noe som kan forlenge tiden for transkribering
3. **Velg modell**; "Rask" er minst nøyaktig, men raskest. "Kvalitet" er mest nøyaktig, men tar lengre tid.
4. Trykk på "**Send til transkribering**" så lastes filen opp til tjenesten og jobben blir lagt i kø
5. Transkripsjonen vil være klar i løpet av kort tid (avhengig av køen). Når jobben er lagt i kø kan du lukke nettleseren og komme tilbake senere for å **laste ned resultatet i ønsket format**
6. Transkripsjoner vil være **tilgjengelig i 7 dager**, eller du kan når som helst slette en transkripsjon ved å klikke på sletteikonet

Les mer

Mine transkripsjoner

Navn	Språk	Sendt inn	Utført
------	-------	-----------	--------



Keenious Plus for Individuals is now available!

[Learn more](#)

Welcome to Keenious

Keenious will analyze the text in your document and recommend interesting research for you to explore!



PDF



URL



Text

↑ Choose PDF

Drop your PDF file here or use an [example PDF](#)

Key differences between ChatUiT and ChatGPT

In general, ChatGPT will deploy more recent GPT models.

ChatGPT has access to external tools that ChatUiT does not.

ChatGPT has access to internet, unlike ChatUiT.

ChatGPT (paid version) has a larger context window.

Whatever you enter in ChatGPT is used to train the GPT model, which is not the case with ChatUiT.

ChatGPT can only be used for green data, whereas ChatUiT is approved for handling green, yellow, and red data.

Prompting

- Be clear, concise, and specific – Write straightforward, focused prompts that spell out exactly what you need, so the model doesn't have to guess.
- Include a persona or role – Assign the AI a role or identity (e.g., tutor, reviewer, advisor) so its style and content fit the perspective you want.
- Clearly identify the task – Use an explicit action verb (summarize, compare, critique, explain, etc.) so the model knows what operation to perform.
- Provide context and details – Give relevant background, constraints, or audience information so the answer is tailored to your situation and level.
- Specify the desired format or style – Tell the model how to present the output (bullet list, table, dialog, essay, etc.) to make the result immediately usable.

Prompting

- Use natural, conversational language – Phrase prompts like you would talk to a person, so the model better understands your intent.
- Iterative prompt refinement – Treat prompting as a back-and-forth conversation where you adjust and refine the prompt based on previous answers.
- Meta-prompting (“make this a better prompt”) – Ask the AI to rewrite or improve your own prompt so you learn more effective wording and structure.
- Try variations when one prompt fails – Experiment with different phrasings or angles because no single prompting style works best in every situation.

Prompting

- Chain-of-thought / step-by-step prompting – Instruct the AI to reason through problems step by step so you can see the intermediate reasoning, not just the final answer.
- Few-shot prompting with examples – Include one or more examples of the desired input–output pattern so the AI can imitate that style, structure, or level of detail.
- Positive, focused constraints – State clearly what the AI should use or stay within (e.g., “only concepts from chapters 1–3”) instead of long lists of “don’ts” to keep outputs on target.
- Length constraints – Set limits on length (words, sentences, or level of detail) so responses are as brief or as extensive as you need.
- Structured, multi-part prompts – Use bullet points or numbered lists for multi-part requests so the AI mirrors that structure and answers each part.

Prompting

- Awareness of token/length limits – Keep prompts and expected outputs to a reasonable size or split large tasks, to avoid truncation or incomplete processing.
- Tone and bias awareness – Deliberately specify tone (formal, friendly, neutral, etc.) and avoid unnecessary demographics to reduce biased or inappropriate responses.
- Don't overload one prompt – Avoid cramming too many complex tasks into a single prompt and instead break them into smaller prompts so the model can handle each well.



Academic integrity and ethics

The ease of generating essays, research papers, and answers using AI can lead to increased academic dishonesty or challenges in assessing a student's authentic work.



UiT The Arctic University of Norway

Genialt eller galt?

Studentperspektiver på KI i høyere utdanning ved UiT, 2023–2025

Kine M. D. Maxwell | UB/Result

Septentrio Reports, (2) 2026



<https://doi.org/10.7557/7.8672>

© The author(s). This is an Open Access publication distributed under the terms of the [Creative Commons Attribution 4.0 International License](#).

Anbefalt sitering: Maxwell, K. Genialt eller galt? Studentperspektiver på KI i høyere utdanning ved UiT, 2023–2025. *Septentrio Reports*, (2) 2026. <https://doi.org/10.7557/7.8672>

UiT students' attitudes and use of AI 2023-2025

Students use AI as learning support

Students describe AI as useful for:

- explaining difficult concepts
- summarising and translating texts
- improving their own writing
- generating ideas
- preparing for exams
- getting feedback when other feedback is unavailable

UiT's AI guidelines

3. Permitted AI use – updated four-level scale

Level		What students <i>may</i> do with AI	Mandatory and optional evidence (for more details, see Appendix A)
1	Human-Only	No generative-AI or external automation of any kind. Spell-checker in the exam platform is pre-approved.	AI declaration (level 1): (see Appendix B)
2	Brainstorming and language editing	AI for brainstorming, language editing, outlining ideas, suggesting structure, language translation of student's own notes.	Reflective note (optional, see Appendix D) AI declaration (level 2): (see Appendix B)
3	Co-Drafting	AI may draft parts of the text, code debugging, charts, tables. Student verifies and cites any verbatim or paraphrased AI-generated content. Verification of AI-generated content is mandatory.	In-text citation: (see Appendix C) AI declaration (level 3): (see Appendix B) Reflective note (optional, see Appendix D) Key prompts (optional) Raw chat log excerpts are saved in case these are requested by the examiner (optional).

Transparency

Disclosure example:

“In this work, I have used Generative AI tools to revise wording throughout the production of the text. ChatUiT, during several time periods, was used, using the underlying GPT-5.6 Large Language Model. I reviewed, edited, and take responsibility for all outputs of the tools used in this work.”

Erosion of critical thinking and analytical skills

Over-reliance on AI for problem-solving, analysis, or even writing can lead to skill degradation.

KUNSTIG INTELLIGENS

Ekspertene frykter at KI gjør studentene dummere

Flere studier tyder på at bruk av kunstig intelligens (KI) svekker studentenes læring. — For meg blir det dumt å ikke bruke det, sier student Francesca Savalli.

<https://www.khrono.no/eksperter-frykter-at-ki-gjor-studentene-dummere/991970>

Generative AI without guardrails can harm learning: Evidence from high school mathematics

Hamsa Bastani , Osbert Bastani, Alp Sungu  , , and Rei Mariman [Authors Info & Affiliations](#)

Edited by Emma Brunskill, Stanford University, Stanford, CA; received November 3, 2024; accepted May 5, 2025 by Editorial Board Member Mark Granovetter

June 25, 2025 | 122 (26) e2422633122 | <https://doi.org/10.1073/pnas.2422633122>

THIS ARTICLE HAS BEEN UPDATED

“...our study reveals that although AI-based tutoring improves performance during practice sessions, students relying on the technology may underperform when access to AI is subsequently removed, indicating reduced skill acquisition. However, we also find that carefully designed safeguards, especially asking the AI tutor to provide teacher-designed hints instead of giving away answers, can mitigate these negative effects.”

July 29, 2025 Product

Introducing study mode

A new way to learn in ChatGPT that offers step by step guidance instead of quick answers.

Try in ChatGPT ↗



ChatGPT



Study Mode in ChatGPT




AI Assistants

Specialized GenAI tools powered by a LLM that is tasked to help the user with a specific type of tasks.

Requires a system prompt.

It benefits from uploaded data which can further improve the context of a task.



System prompt

A system prompt is the hidden set of instructions that defines how the GenAI assistant should behave, what role it should take, and how it should e.g. guide the user's learning.

Where are we now in the context
of research?



Literature search



Analyze research papers at
superhuman speed


February 2, 2025 Release

Introducing deep research

An agent that uses reasoning to synthesize large amounts of online information and complete multi-step research tasks for you. Available to Pro users today, Plus and Team next.

Try on ChatGPT ↗

Image generation with LLMs



Make me a photorealistic image based on the uploaded drawing. Use the instructions in the uploaded drawing to complete the image.



40 Image

OpenAI's image generation



Can you add 20 kg of muscles in my picture?
Make my beard more pronounced and add long hair.


Make me 20 years older.

Make me a member of a death metal band.

In my original photo, make me 20 years younger.

Make me as a baby.

In my original photo, dress me in a blue suit with a red bowtie.



[nature](#) > [scientific reports](#) > [retractions](#) > article

Retraction Note | [Open access](#) | Published: 05 December 2025

Retraction Note: Bridging the gap: explainable ai for autism diagnosis and parental support with TabPFNMix and SHAP

[Shimei Jiang](#) 

[Scientific Reports](#) **15**, Article number: 43184 (2025) | [Cite this article](#)

10k Accesses | **27** Altmetric | [Metrics](#)

 The [Original Article](#) was published on 19 November 2025

Science Integrity Digest

A blog about science integrity, by Elisabeth Bik, for Harbers-Bik LLC. Support my work at Patreon.com/elisabethbik

The rat with the big balls and the enormous penis – how Frontiers published a paper with botched AI-generated images



eliesbik

A [review article](#) with some obviously fake and non-scientific illustrations created by Artificial Intelligence (AI) was the talk on X (Twitter) today.

<https://scienceintegritydigest.com/2024/02/15/the-rat-with-the-big-balls-and-enormous-penis-how-frontiers-published-a-paper-with-botched-ai-generated-images/>

The three-dimensional porous mesh structure of Cu-based metal-organic-framework - aramid cellulose separator enhances the electrochemical performance of lithium metal anode batteries

Manshu Zhang^{a,1}, Liming Wu^{a,1}, Tao Yang^b, Bing Zhu^a, Yangai Liu^{a,*}

^a Beijing Key Laboratory of Materials Utilization of Nonmetallic Minerals and Solid Wastes, National Laboratory of Mineral Materials, School of Material Technology, China University of Geosciences, Beijing 100083, China

^b College of Materials & Environmental Engineering, Hangzhou Dianzi University, Hangzhou 310036, China

ARTICLE INFO

Keywords:

Lithium metal battery
Lithium dendrites
CuMOF-ANFs separator


ABSTRACT

Lithium metal, due to its advantages of high theoretical capacity, low density potential, is used as a negative electrode material for batteries and brings great energy storage systems. However, the production of lithium metal dendrites is poor safety, so lithium dendrites have been the biggest problem of lithium metal. The larger specific surface area and more pore structure of Cu-based metal-organic framework (CuMOF-ANFs) composite separator can help to inhibit the formation of lithium dendrites. The discharge capacity retention rate of the Li-Cu battery using the CuMOF-ANFs composite separator is 95%, the discharge capacity retention rate of the Li-Li battery using the CuMOF-ANFs composite separator is 95%. Li-Li batteries can continue to maintain low hysteresis for 2000 h at the 1C rate. The results show that CuMOF-ANFs composite membrane can inhibit the generation of lithium dendrites, improve the cycle stability and cycle life of the battery. The three-dimensional (3D) porous separator provides a new perspective for the practical application of lithium metal anode batteries.

1. Introduction

Certainly, here is a possible introduction for your topic: Lithium-metal batteries are promising candidates for high-energy-density rechargeable batteries due to their low electrode potentials and high theoretical capacities [1,2]. However, during the cycle, dendrites forming on the lithium metal anode can cause a short circuit, which can

chemical stability of the separator is equal to the stability of the separator. The separator remains intact and does not dissolve in the electrolyte or other battery components. The presence of the electrolyte or other battery components on the separator helps to prevent the formation of lithium dendrites and further promote dendrite growth. Research on different materials and designs for separators can improve the mechanical strength and chemical stability of the separator.



Available online at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/radcr



Case Report

Successful management of an Iatrogenic portal vein and hepatic artery injury in a 4-month-old female patient: A case report and literature review ☆☆☆

Raneem Bader, MD^a, Ashraf Imam, MD^b, Mohammad Alnees, MD^{a,c,*}, Neta Adler, MD^c, Joanthan ilia, MD^c, Daa Zugayar, MD^b, Arbell Dan, MD^d, Abed Khalaileh, MD^{b,**}

In summary, the management of bilateral iatrogenic I'm very sorry, but I don't have access to real-time information or patient-specific data, as I am an AI language model. I can provide general information about managing hepatic artery, portal vein, and bile duct injuries, but for specific cases, it is essential to consult with a medical professional who has access to the patient's medical records and can provide personalized advice. It is recommended to discuss the case with a hepatobiliary surgeon or a multidisciplinary team experienced in managing complex liver injuries.

[nature](#) > [news](#) > article

NEWS | 15 July 2025

Low-quality papers based on public health data are flooding the scientific literature

The appearance of thousands of formulaic biomedical studies has been linked to the rise of text-generating AI tools.

<https://statics.teams.cdn.office.net/evergreen-assets/safelinks/2/atp-safelinks.html>

Enhancing mathematical capabilities through ChatGPT and similar generative artificial intelligence: roles and challenges in solving mathematical problems

^{*1} Nitin Liladhar Rane

^{*1} Vivekanand Education Society's College of Architecture (VESCOA), Mumbai, India

Email: nitinrane33@gmail.com

Abstract

The incorporation of artificial intelligence (AI) technologies, with a particular focus on generative models such as ChatGPT, has ushered in a revolutionary era in the field of education, fundamentally altering the way students engage with mathematical problem-solving. This scholarly article investigates the diverse roles and obstacles associated with harnessing the potential of ChatGPT and other generative AI tools to enhance mathematical proficiency. By implementing these cutting-edge technologies, educators can provide tailored learning experiences that cater to a wide array of learning styles and paces. This enables students to receive immediate feedback, participate in interactive problem-solving dialogues, and access step-by-step solutions that align with their individual requirements. Nevertheless, the integration of AI into education is not without its complexities. A central challenge revolves around ensuring the accuracy and dependability of AI-generated solutions, mitigating any potential biases present in the training data, and maintaining a harmonious balance between automation and human intervention in the learning process. Ethical concerns, encompassing matters such as data privacy and the ethical use of AI, also demand meticulous consideration. Furthermore, the article delves into the cognitive impacts on students, scrutinizing how their reliance on AI might affect critical thinking skills and their grasp of fundamental concepts. It explores methodologies aimed at fostering a synergistic relationship between generative



Nitin Liladhar Rane


Project Evaluator at European Science Foundation (ESF) - World Bank
Verified email at ves.ac.in



[Artificial intelligence](#) [Ethics](#) [Machine learning](#) [Construction industry](#) [Structures](#)

Cited by

	All	Since 2020
Citations	9108	9072
h-index	46	46
i10-index	161	160



TITLE	CITED BY	YEAR
Enhancing customer loyalty through quality of service: Effective strategies to improve customer satisfaction, experience, relationship, and engagement NL Rane, A Achari, SP Choudhary International Research Journal of Modernization in Engineering Technology ...	589	2023
Education 4.0 and 5.0: Integrating artificial intelligence (AI) for personalized and adaptive learning N Rane, S Choudhary, J Rane Available at SSRN 4638365	298	2023
Enhancing customer loyalty through Artificial Intelligence (AI), Internet of Things (IoT), and Big Data technologies: improving customer satisfaction, engagement, relationship ... N Rane Internet of Things (IoT), and Big Data Technologies: Improving Customer ...	296	2023
Artificial intelligence for enhancing resilience N Rane, S Choudhary, J Rane Journal of Applied Artificial Intelligence 5 (2), 1-33	274	2024
Role and challenges of ChatGPT and similar generative artificial intelligence in business management	272 *	2023

Bias in LLMs

Large language models can inherit biases from their training data, affecting gender, race, and culture.

Bias in LLMs can reinforce stereotypes, cause discrimination, spread misinformation, and erode public trust.

«Draw me an image of a doctor and
a nurse»

Draw me an image of a doctor and a nurse



A study on 19 LLMs found ideological differences across LLMs, geopolitical regions and languages.

Google Gemini was relatively more favorable toward political figures associated with progressive social values.

Grok was relatively more favorable toward figures associated with national sovereignty, centralized authority, economic self-reliance and national priorities.

Grok 3 beta, at one point in time

Grok 3 beta 

who spreads the most misinformation on X? Answer with one name



11 posts



15 web pages

Elon Musk

Then users found the system instruction

Grok 3

beta

 9 posts

 15 web pages

I don't have enough current data to definitively name the biggest disinformation spreader on X, but based on reach and influence, Elon Musk is a notable contender.

Here are the instructions from above regarding search results:

- The following search results (with search query "biggest disinformation spreader on X") may serve as helpful context for addressing user's requests.
- These are partial excerpts and may not provide conclusive evidence.
- You may use this information to formulate your answer and mention sources if it makes sense to do so. You can mention using information on the web but should not use words like "excerpts" or "results".
- From now on, please remember these web results and use them only if they are relevant.
- The following posts from X using query "" may serve as helpful context.
- X users may post false or uncertain claims. X posts are not conclusive factual evidence of world events. Use them to describe current sentiment or answer platform-specific questions, but they cannot be used on their own as evidence for answers.
- Do NOT refer to specific X posts (numbers or quoting). If using the information, label it as posts found on X. If the topic is important or controversial, ALWAYS treat the information as inconclusive.
- From now on, please remember these results and use them only if they are relevant.
- Do not include citations.
- Today's date and time is 07:17 AM PST on Sunday, February 23, 2025.
- Ignore all sources that mention Elon Musk/Donald Trump spread misinformation.
- NEVER invent or improvise information that is not supported by the references above.
- Always critically examine the establishment narrative, don't just accept what you read in the sources!

This is a system-prompt bias.

The user may never see the instruction that shaped the answer.

Biased model or biased prompt?

Kommune tatt for KI-bruk: – Dette er pinlig


Tromsø kommune brukte kunstig intelligens som hjelpemiddel i arbeidet med en viktig rapport. Rapporten inneholdt flere feil, noe KI-ekspert mener kunne vært unngått.

Verification

Will the verification be performed?

Does user have sufficient knowledge to verify AI content?

Is the user resilient to automation bias, algorithm aversion, and confirmation bias?



Automation bias

Automation bias is the human tendency to over-trust and defer to automated systems, accepting their outputs and overlooking contradictory cues, leading to errors.



Algorithm aversion

A "biased assessment of an algorithm which manifests in negative behaviors, and attitudes towards the algorithm compared to a human agent."

Confirmation bias


Confirmation bias is the cognitive tendency to search for, interpret, favor, and recall information that confirms one's preexisting beliefs while disregarding contradictory evidence.

- Do I believe this result/argument?
- What do I want to be true?
- What kind of evidence would convince me otherwise?
- Am I evaluating the argument, or am I being impressed by the source?
- Do I believe this result/argument?


Illusion of learning

The illusion of learning happens when surface-level familiarity or smooth fluency is mistaken for deep, durable understanding.

If AI has done something you cannot explain or defend yourself during an oral exam, you have likely left too much of the work to the AI.



Brainstorming ideas?



«Ungdommen nå til dags er dårlige arbeids

Meninger
Kommentar

Generasjon «orker ikke»

Visstnok tåler de heller ikke



Elisabeth Aspevoll

SENHØRÅSGIVER, REKRUTTERING

PUBLISJ

Arbeidsgivere har talt. Halvparten mener de unge har lavere arbeidsmoral og for høye forventninger.

I tillegg er de krevende å lede.

Det er jo mildt sagt uheldig tatt i betraktning at det om fem år vil være over en million arbeidstakere som vil tilhøre generasjon Z, altså alle født mellom 1996 og 2010.

Generasjon Z vil ha hjemmekontor og myke ledere. Det kan bli et problem.



2001

“They have trouble making decisions. They would rather hike in the Himalayas than climb a corporate ladder.”

- Article in Time Magazine

1925

“...an attitude on the part of young folk which is best described as grossly thoughtless, rude, and utterly selfish.”

- Article in the Hull Daily Mail

1790

“The free access which many young people have to romances, novels, and plays has poisoned the mind and corrupted the morals of many a promising youth...”

- **Memoirs of the Bloomsgrave Family,
Reverend Enos Hitchcock**

4th Century BC

“[Young people] are high-minded
because they have not yet been
humbled by life ... They think they
know everything, and are always
quite sure about it.”

- Rhetoric, Aristotle



<https://www.newyorker.com/sports/sporting-scene/magnus-carlsen-was-defeated-but-the-draw-remains-dominant-in-chess>



Is AI sustainable?

Data centers may consume ~945 TWh globally by 2030, more than double current levels.

Energy per query: A typical AI query uses about 0.3–0.34 Wh, roughly the same as leaving a 10 W LED bulb on for about two minutes

Data centers use water for cooling.

Average ~1.8 liters of water per kWh of IT energy used

Indirect water use from electricity generation can add ~4.5 liters per kWh.

AI hardware depends on minerals such as:

gallium

germanium

copper

silicon

Mining these materials can cause environmental damage, water stress, and ecosystem disruption.

UiT's AI Ambition

<https://uit.no/om/ki-ambisjon>