Amzad Food

Design system, UI screens, interaction guide and implementation handoff

Good food.
Thoughtfully designed.

amzad food
নিরাপদ খাবার, আপনার অধিকার

Current project documentation

A bilingual Bangladeshi food storefront built with Next.js, React and TypeScript. This guide documents the implemented interface, visual foundations, customer flows and latest local changes as of 9 November 2026 (Asia/Dhaka).

Baseline	Scope
Latest local commit	62c07a3 - live search, quantity previews, mobile and checkout refinements.
Implementation status	Frontend demonstration. No database, backend API, real authentication or admin dashboard.
Document evidence	Current source files and local Git history. UI diagrams are schematics. No fresh end-to-end browser audit is claimed.

Guide map: 02 Overview / 03 Design foundations / 04 Components / 05 Home / 06 Catalog and search / 07 Product detail / 08 Checkout / 09 Orders and supporting screens / 10 Interactions / 11 Architecture / 12 Updates and acceptance.

Project overview & screen map

A shared shell connects discovery, purchase previews and customer support.

Screen / route	Purpose and principal UI
/	Home: category rail, hero, brand strip, top-selling cards, product discovery, brand story, reviews and blog content.
/products/	Catalog: product filters, search, category controls, sorting and product cards.
/products/[slug]/	Product detail: gallery, product information, purchase controls, tabbed information, reviews and related products.
/checkout/	Guest delivery form, payment preview, coupon entry, cart summary and local order confirmation.
/my-orders/	Browser-saved orders, status filters, details and explicit sample previews.
/track-order/	Order lookup, progress timeline, line items, address and support.
/blogs/ and /blogs/[slug]/	Editorial cards and article pages; supporting product discovery.
/faq/	Frequently asked questions and support contact options.

Shared interface

Desktop navigation includes the brand, navigation links, product search, account preview, cart and menu. Mobile adds a compact support strip, responsive header, category browsing and fixed bottom navigation. Chat and support access sit alongside the shopping experience.

Primary customer journey

Discover a product → select a pack → add to cart or order now → review delivery and totals → create a local preview order → inspect history or tracking. The final commercial order still requires a backend and operational confirmation.

Design foundations

Current CSS uses shared variables plus screen-specific overrides; these are observed styles, not a fully centralized token library.



Deep green	Action orange	Price green	Cream	Border
#234c3b	#ff6418	#009b31	#f6f5ef	#dfe4dc

Foundation	Current implementation
Brand and hierarchy	Green expresses food, trust and identity. Orange highlights offers and purchase actions. Green prices distinguish value. Cream and white create quiet content surfaces.
Typography	Gelasio for editorial headings; Plus Jakarta Sans for body and controls; Manrope for product names; Anek Bangla for Bengali. Noto Sans Bengali is also imported.
Type scale	Product names around 13.5-15.5 pt-equivalent CSS pixels depending on viewport; price sizes around 18-23px in top selling; compact controls around 10-13px. Promotional heading roughly 33-39px.
Spacing	Observed recurring increments: 4, 6, 8, 10, 12, 16, 20, 24 and 28px. Product detail groups now use a 10px gap; quantity buttons use 8px gaps.
Surfaces and borders	White product/form surfaces, pale green or cream backgrounds, thin gray-green borders, restrained shadows and rounded corners.
Icons and images	Lucide icons and Font Awesome; raster product PNGs, collection hero artwork, brand logo and local payment SVGs.

Responsive design

An important mobile breakpoint is 800px; the promotional popup switches to a stacked layout at 600px. Top-selling products use two columns and three rows per page. Mobile card buttons retain separate order and cart controls.

Implementation detail: globals.css contains repeated selectors and a universal 8px !important radius rule. Component-specific radius exceptions are required where the design calls for circles or larger corners. Consolidating this cascade would make future maintenance easier.

Reusable UI components

The component system is implemented in TSX and global CSS.

Component	States and usage
Product card	Image, selling/discount badge, quick-view button, bilingual name, current/old price, pack selector, Order Now and cart button.
Quantity preview	Demo pack variants show one, two or three copies of the same artwork. Weight/volume variants scale the artwork. A quantity chip identifies the selected option.
Buttons	Primary purchase/offer actions, outlined card actions, compact icon buttons, active quantity pills and muted secondary dismissal.
Search suggestions	A floating, scrollable results panel: match count, image, English/Bangla name, price and link. Up to eight matches are shown.
Form field	Label, input, optional marker, hint or validation message. Phone combines fixed +880 prefix, short divider and editable number.
Dialogs and drawers	Offer popup, account preview, quick view and cart-related surfaces. Shared dialog utility supports Escape, focus trapping and focus restoration where applied.
Status and feedback	Cart count badges, selected variants, in-cart button state, toast notifications, validation errors, empty and not-found states.

State design rules


Use a clear active state for pack selection, text for errors, and an empty-state message when a search has no matches. Keep current price and old price distinct. Preserve visible keyboard focus and text labels for icon actions.

Dummy imagery boundary

Quantity previews reuse existing product artwork rather than representing approved packaging photography. Demo variant prices are proportional calculations. Replace the preview variants and imagery with an approved inventory catalog before live selling.

Home screen

Editorial discovery with immediate access to purchase controls.



Source-based layout schematic; not a browser screenshot. Proportions are illustrative.

Screen composition

Support strip and navigation lead into category browsing and a rotating collection hero. Brand content and top-selling products build the shopping layer. Story, honey promotion, reviews, impact content, blogs and footer support provide additional context.

Top-selling products

The current grid presents six cards per page in two columns and three rows. Quantity selection updates price and demo imagery. Quick view opens the selected variant context; Order Now sends the selected line toward checkout; cart adds it without leaving the card.


Promotional popup

Opens after approximately five seconds. The compact split layout combines a deep-green product panel, cream product spotlight, minimal editorial headline and an orange Shop offers action. Free delivery is advertised for orders of BDT 1,000 or more. Mobile stacks the artwork above the offer content.

Dismiss using the close button, Maybe later, backdrop or Escape. The current timer is component-based; there is no persistent once-per-customer suppression.

Catalog & live search

Keyword discovery works without a server request.



Source-based layout schematic; not a browser screenshot. Proportions are illustrative.

Live header search

Typing a non-empty query opens suggestions while the search form has focus. Matching is case-insensitive across English product name, Bangla name, category and brand. Multi-word queries require every word to appear in the searchable text. Results retain catalog order; this is not fuzzy matching or typo correction.

Results and navigation

The panel shows the total match count and up to eight products with thumbnails and prices. A result link opens its product detail page. An empty result explains that no products were found. Leaving the search form hides suggestions; moving focus into a result keeps the panel available. Desktop search handles Escape to close.


Catalog controls

The catalog has its own search input and filter state, including category, brand, price and product type. Active filter chips can be cleared. Sorting supports featured order and price ascending/descending. Product-section pagination derives page size from visible column count and configured row limit.

The header suggestion list is independent of the active home category. Header search submission keeps the existing shop-navigation behavior. Catalog-page filtering and header search are separate state scopes.

Product detail & quick view

Selected product context links discovery to purchase.



Source-based layout schematic; not a browser screenshot. Proportions are illustrative.

Detail page

Product-specific routes use the catalog slug. The product gallery and purchase area establish the product context; information tabs separate description, ingredients/nutrition and shipping/returns. Related product cards invite further exploration. Reviews provide a separate feedback layer.

Quick view

The eye icon on a product card opens a dialog using the selected variant price, unit and image. Add-to-cart and order actions preserve that card variant. Closing the dialog returns users to the card context through the shared modal focus behavior.

Variant and image interaction


Selecting a demo pack updates the active pill, current and old price, image arrangement and quantity label. One pack uses a single image; two and three packs use overlapping repeated artwork. Weight and volume variants use progressively larger previews. The card cart line includes the chosen label in its name.

Content ownership

Ingredients, nutritional values, product claims, package sizes and photography need owner-approved data. Placeholder or unapproved values must not be treated as inventory truth. Product names are currently used in cart identity; immutable product and variant IDs remain backend handoff work.

Checkout & order preview

A guest checkout interface with local validation and browser persistence.



Source-based layout schematic; not a browser screenshot. Proportions are illustrative.

Delivery form

Collects full name, Bangladesh mobile number, optional email, street address, district, area/thana, address type and optional notes. Area options depend on the district. Validation checks full name length, phone format, optional email, address length and valid location selections.

Phone field update

The +880 prefix and number sit inside a single rounded border with a short vertical divider. Inner input borders and focus shadows are removed. A subtle green outer focus state keeps the field visually unified; validation retains an error border.

Checkout rule	Implemented preview behavior
Delivery	BDT 60 below BDT 1,000 merchandise subtotal; automatically free at or above BDT 1,000 before promo discounts.
Coupons	WELCOME10: 10% discount. AMZAD50: BDT 50 off at BDT 500 minimum. FREESHIP: shipping offer at BDT 1,000 minimum.
Payment and ETA	Cash on Delivery enabled. Card, bKash and Nagad are disabled placeholders. Browser estimate is two to three delivery days, skipping Fridays.
Completion	Creates a device-only order preview; stores it locally and clears the cart only after local save succeeds. This is not a server-confirmed purchase.

Orders, content & support

Customer follow-up screens share the same storefront shell.

Screen / feature	Behavior and boundaries
My Orders	Loads orders saved on the current browser. Status tabs support browsing and empty states. Sample orders are explicit previews rather than automatic real history.
Track Order	Looks up local order IDs and displays order lines, totals, progress, address and support. Demo tracking exists as a labeled preview.
Order lifecycle	Customer statuses: Processing, Approved, Delivered, Completed, Cancelled and Returned. Legacy Ready to Ship/Shipped values map to Approved.
Invoice	Order record can be generated through the local invoice helper. It includes items, discounts, delivery, totals and customer details; it is not payment confirmation.
Account dialog	Sign In and Create Account forms, password visibility and social controls are UI previews. No account is actually created or authenticated.
Blogs and FAQ	Local content and static routes. FAQ supports common questions and contact access; editorial content can direct users back to products.
Support chat	Scripted browser responses and local order helpers. WhatsApp/phone provide real contact destinations; chat is not an AI or live-agent backend.
Prayer and feedback	Prayer schedule UI is sample content. Footer feedback opens a prefilled WhatsApp message. Newsletter service is not connected.

Persistence boundary

Cart uses amzad-cart; orders use amzad-orders; checkout details use af_checkout_fields. Stored data is specific to the browser/device and can be lost when storage is cleared. No cross-device account sync or courier status feed is implemented.

Interaction specification

Triggers, visible response and state transitions for the principal flows.

Trigger	Response / resulting state
Type in header search	Filter catalog keywords immediately; show count and up to eight linked products, or an empty result message.
Choose a quantity pill	Set selected variant; update price, old price, active style, image arrangement and quantity chip.
Press card cart button	Add chosen line; clamp quantity to 1-20; persist and synchronize cart; reflect in-cart state.
Press Order Now	Use the chosen line and route into the checkout flow.
Open / close a dialog	Set open state; shared modal utility locks scrolling, owns Escape/Tab handling and restores prior focus where applied.
Switch category or sort	Recompute displayed products. Product-section page resets when product set, sorting or page size changes.
Submit invalid checkout	Expose field-level errors; block successful local order creation until fields pass validation.
Submit valid checkout	Create local preview; successful storage allows confirmation and cart clearing. Storage failure preserves cart and reports the problem.
Switch order status tab	Display matching browser orders or a relevant empty state.
Use mobile search navigation	Open search and move the viewport to the top; mobile header cart icon remains visible in dark green.

Keyboard and motion

Links remain keyboard-focusable. The shared dialog hook traps Tab for the topmost dialog and supports Escape. Search result links use a visible focus style. Offer reveal and quantity-preview animation respect reduced-motion preferences.

These behaviors are source-reviewed descriptions, not certification of keyboard, screen-reader or touch performance. Validate actual focus order, announcements and overlay stacking in browser QA.

Technical architecture & handoff

Static frontend with local state; backend services remain future work.

Layer	Location / responsibility
Framework	Next.js 14 + React 18 + TypeScript; App Router pages in app/.
Shared shell and shopping	Storefront.tsx owns navigation, search, home sections and exported ProductCard. Other components handle dialogs, gallery, orders, chat and content.
Catalog and business helpers	app/lib/products.ts, cart.ts, offers.ts, orders.ts, order-status.ts, checkoutLocations.ts and related helpers.
Styling and assets	app/globals.css plus chat-widget.css; assets under public/ including products, icons, logo, hero and payment imagery.
Export / deployment	next.config.mjs uses output: export, /amzad-food-website base path, trailing slashes and unoptimized images. Existing deployment targets GitHub Pages.
Local commands	npm ci; npm run dev. Open localhost:3001/amzad-food-website/. Production: npm run build creates out/.
Checks	npx tsc --noEmit; node scripts/check-frontend.cjs; npm run build; python3 scripts/check-static-export.py. npm run lint exists but ESLint configuration is not supplied.

Backend requirements

Add an authoritative catalog and inventory, immutable product/variant IDs, server-side totals and promotion checks, authenticated order persistence, guest order verification, payment integration if required, courier updates and approved content management. Agree administrative scope separately.

Existing API_CONTRACT.md is a proposal, not an implemented API. Existing handoff/audit documents include historical findings; where they differ, this guide uses the current source for the November update.

Latest updates & acceptance

Local state documented on 9 November 2026. No remote push is included.

Update	Current outcome
Offer popup	Reduced copy and font weight; deep-green product stage, cream spotlight, orange action, responsive stacking and reduced-motion handling.
Top-selling grid	Expanded from two rows to three: six product cards per page in the two-column layout.
Quantity artwork	Dummy image counts for pack variants; scaled artwork for weight/volume options; visible selected quantity chip.
Mobile header	Dark-green cart icon fixes white-on-white visibility while preserving orange cart count.
Live search	Immediate keyword suggestions with images, bilingual product names, price, total match count and empty state.
Phone field	Unified border, short country-code divider, removed inner outline and subtle outer focus treatment.
Card spacing	More space between name, price, quantity controls and purchase buttons; mobile included.
Saved baseline	c44766d: popup and top-selling updates. 62c07a3: live search, quantity previews and UI refinements. Working tree was clean after the latest save.

Verification record

TypeScript checks passed during the recent component changes. Whitespace diff checks passed for the CSS refinements. This PDF is based on source review and conversation update records; a new production build and full browser interaction audit were not performed for this documentation task.

Recommended acceptance pass

Check desktop and mobile layouts; type English/Bangla search queries and no-match queries; switch every pack size; add and remove cart items; verify the BDT 1,000 delivery boundary; test invalid checkout and local save failure; review popup focus and Escape; inspect empty orders and sample previews; approve real product data and imagery.

Source index: README.md; next.config.mjs; app/layout.tsx; app/globals.css; app/components/Storefront.tsx, OfferPopup.tsx, ProductDetails.tsx, AuthModal.tsx, ChatWidget.tsx; app/checkout/page.tsx; app/lib/products.ts, cart.ts, offers.ts, orders.ts, order-status.ts, useModalDialog.ts; docs/FRONTEND_AUDIT.md and docs/BACKEND_HANDOFF.md.