

PVR INOX (Customer App, M-Site, Website & Admin Portal)

Product Requirement Document (PRD-User Stories)

September 15, 2025





Business Functional Requirements

OVERVIEW

The purpose of a User Story document is to capture requirements from the end-user's perspective, focusing on *who* needs a feature, *what* they need, and *why* they need it.

EXECUTIVE SUMMARY

The PVR INOX mobile application is a comprehensive movie ticket booking platform designed to enhance the cinema-going experience. It allows users to browse movies, select showtimes, and book tickets for their preferred cinemas through an intuitive interface. The app incorporates advanced seat booking functionality with real-time ticket availability and detailed seat selection options.

Users can explore movies through personalized recommendations, watch trailers, and access detailed movie descriptions. It also enables pre-ordering of food and beverages, ensuring a seamless experience during the visit. The app supports multiple payment options, integrates loyalty programs, and offers subscription management for regular users.

With features like booking history, personalised notifications, and promotional offers, the platform ensures an engaging and convenient experience. It also includes robust search and filter capabilities, allowing users to easily find the desired content. Designed to cater to cinema lovers, the app prioritizes convenience, personalisation, and user engagement.

PROJECT SCOPE

Approved Scope URL:

https://docs.google.com/document/d/1oZR944V_A5vfDs-oZhD_GzgEH5_5wvXi/edit#heading=h.2zobbf96miuv

VERSION MANAGEMENT

Version No.	Description Updates	Created Date	Created By	Requested Approval Date	Approved Date	Approved By
V1.0	User Stories Initiation (COLOR CODED IN BLACK) - Milestone 2	15th September, 2025	Appinventiv	19th September, 2025	16th Oct, 2025	PVR INOX Team
V2.0	User Stories Initiation (COLOR CODED IN PURPLE) - Milestone 3	29th September, 2025	Appinventiv	9th October, 2025	27th Oct, 2025	PVR INOX Team
V3.0	User Stories Initiation (COLOR CODED IN BLUE) - Milestone 4	29th September, 2025	Appinventiv	9th October, 2025	27th Oct, 2025	PVR INOX Team
V4.0	User Stories Initiation (COLOR CODED IN DARK YELLOW 3) - Milestone 5	2nd December, 2025	Appinventiv	8th December, 2025	2nd Jan, 2026	PVR INOX Team
V5.0	User Stories Initiation (COLOR CODED		Appinventiv			PVR INOX Team

	IN DARK Green 2) - Milestone 6					
V6.0	User Stories Initiation (COLOR CODED IN DARK Cyan 3) - Milestone 7		Appinventiv			PVR INOX Team
V7.0	User Stories Initiation (COLOR CODED IN DARK Cyan 3) - Milestone 8 & 9		Appinventiv			PVR INOX Team

TABLE OF CONTENT

1. Splash Screen.....	8
2. Tutorial/Walkthrough Screens.....	10
3. Register/Login Screens.....	12
4. OTP Verification Screen - For Phone Number.....	39
5. Complete Your Profile.....	46
6. Profile Completion > Email Verification & Edit Profile.....	49
7. Logout.....	56
8. Location Permission.....	58
9. City Selection.....	62
10. Cinemas listing & detail page.....	65
11. Cinema format/Experience.....	85
12. Now Showing Movies Details page.....	90
13. Global Search.....	106
14. Coming Soon.....	113
15. Homepage (Progressive).....	124

16. Error page & Maintenance page.....	150
17. Events listing & detail page.....	152
18.	161
19. Seat Layout Screen.....	161
20. Checkout Screen.....	169
21. Select Payment Method.....	194
22. My Bookings (Movies & Events).....	217
23. Quick Book.....	234
24. Personalization Recommendations.....	246
25. Curated Shows.....	266
26. Promoted Offers.....	269
27. Explore Food.....	271
28. Adhoc Vouchers (Offers for you).....	285
29. Retail offers (For App/M-site).....	303
30. Gift Card.....	307
31. Star Pass.....	329
32. Gyftr / Voucher Gram.....	338
33. M-Coupon.....	347
34. Privilege Plus.....	358
35. Passport.....	370
36. Offers & Discounts.....	395
37. Movie Jockey.....	404
38. Promotions.....	426
39. Informational Content Pages.....	429
40. Careers / Job Application.....	437
41. Request forms.....	440
42. Early Access Show.....	445
43. Trailer Screening Show.....	450
44. Deeplinks -.....	453
45. Analytics (GA4) -.....	453
46. Notifications -.....	453
47. Fandom.....	453
1. Admin Login.....	463
2. Forgot Password.....	469
3. Admin Profile.....	474
4. Change Password.....	479
5. Tutorial Screen Management.....	481
6. Customer Management.....	493
7. Countries - Location Management.....	503
8. Cities - Location Management.....	506
9. Experience Management.....	516
10. Format Management.....	527

11. Cinema Management.....	533
12. Amenities Management.....	548
13. Now Showing - Movies Management.....	555
14. Coming Soon - Movies Management.....	567
15. Movie Master - Movies Management.....	578
16. Movie Data Provider - Movies Management.....	588
17. Curated Shows Category - Movies Management.....	592
18. Trending Movies/ Events.....	599
19. Now Showing Sequence.....	605
20. Events Management.....	608
21. Global Maintenance.....	617
22. Nudge Management.....	620
23. Booking Management - Reports.....	624
24. User Show Time - Reports.....	639
25. Food Category Management.....	641
26. Food Items Management.....	646
27. Preferences Management.....	649
28. Offers - Offers Management.....	652
29. Vouchers - Offers Management.....	655
30. Retail Vouchers - Offers Management.....	659
31. Email SMS Action.....	662
32. Adhoc Vouchers.....	664
33. In-Cinema Food Section - Static Management.....	668
34. Pay Mode Management.....	670
35. Passport Management.....	680
36. Passport Master.....	683
37. Gift Card Master.....	688
38. Gift Card Section - Static Management.....	691
39. App100 Cinema Performers - Reports.....	694
40. APP100 Redemption - Reports.....	696
41. APP100 Error Reports - Reports.....	697
42. Customer Feedback (Movie Ratings) - Reports.....	699
43. Passport Purchase - Reports.....	701
44. Gift Card Purchase - Reports.....	705
45. Gift Card Redemption - Reports.....	708
46. Offers & Vouchers - Reports.....	710
47. M - Coupon - Static Management.....	713
48. Privilege Plus - Static Management.....	716
49. Passport Notifications – Reports.....	719
50. Gift Card Retry - Gift Cards Management.....	721
51. Terms of Use - Static Management.....	723
52. Privacy Policy - Static Management.....	727

53. Frequently Asked Questions - Static Management.....	731
54. Contact Information - Static Management.....	735
55. Social Media Handles - Static Management.....	738
56. About Us.....	741
57. Terms & Conditions - Static Management.....	751
58. Corporate Bookings – Static Management.....	755
59. Bulk Gift Cards – Static Management.....	757
60. Careers Page - Static Management.....	760
61. News Management.....	763
62. Jobs - Jobs Management.....	768
63. Departments - Jobs Management.....	772
64. Job Requests - Reports.....	775
65. Customer Experience - Reports.....	777
66. Corporate Bookings - Reports.....	779
67. Bulk Gift Cards - Reports.....	781
68. Promotions Management.....	782
69. User Management - Role Based Access Control.....	792
70. Role Management - Role Based Access Control.....	797
71. Trailer Screening Show (TSS) Management- Screening Management.....	802
72. EAS Management- Screening Management.....	807
73. Deeplinks Management.....	813
74. Global Configurations.....	816
75. Affiliates Management.....	819
76. Version Management.....	823
77. Templates Management.....	826
78. Booking Experience - Reports.....	831
79. Audit Reports - Reports.....	833
80. TSS - Reports.....	836
81. EAS - Reports.....	839
82. Investor Presentation - Financials.....	843
83. Annual Reports - Financials.....	845
84. Quarterly Reports - Financials.....	847
85. Subsidiary Report - Financials.....	850
86. Other Reports - Financials.....	851
87. Investor Support - Financials.....	854
88. Scheme of Merger PVR & INOX - Financials.....	857
89. Statement of Deviation (s) or variation(s) - Financials.....	859
90. Badges Management.....	861
91.	863
92. Configuration Management - Global Configurations.....	863

APP - BUSINESS FUNCTIONAL REQUIREMENTS

1. Splash Screen

1.1. USE CASE

Use Case No.	UC 1
Use Case Name	Splash Screen
App/M-site Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=428-1388&t=0seinsE92y0uUeZf-0
Use Case Description	A splash screen is a graphical presentation or introductory screen that appears when an app is launched. Its purpose is to provide a visual transition between the user's action on opening the app and the app's actual content loading.
Primary Actor	Customer - App User
Secondary Actor	System (App), App Store/Play Store
Triggering Event	Users initiate the app launch by tapping the app icon on their device.
Pre-Condition	• The app has been installed on the user's device. • The user launches the app.
Post Condition	• The splash screen is displayed for a specific duration. • The app's main content or home screen is loaded after the splash screen.
Basic Flow	• UC 1.1.1. User opens app/m-site • UC 1.1.2. Splash screen appears within 1–2 seconds. • UC 1.1.3. User will be displayed with the below mentioned attributes on the Splash screen: a. Logo b. Tagline • UC 1.1.4. Splash screen remains visible for 2–3 seconds or until resources finish loading. • UC 1.1.5. System checks for updates in parallel. • UC 1.1.6. If no update required → transition to home/next screen.
Alternate Flow	Soft Update Detected: • 3UCA 1.1.1. App: “Update Now” or “Skip for Now.”
Exception Flow	Force Update Detected:

	• UCE 1.1.1. W.r.t to point UC 1.1.6. If update is mandatory, the user will be displayed with the prompt and will be mandatorily asked to update the application and will be redirected to the App Store/Play Store.
Business Rules	• The splash screen will remain visible for a duration of 2–3 seconds or until the application's essential resources have finished loading (whichever is longer). • The screen will automatically transition to the next screen. • Version updates can happen separately for each platform and for each brand. This will be managed via admin panel > version management.
Validation messages	• If Force Update is available, the application will display the validation message as "Update Required. Please update to the latest version to continue." • If Soft Update is available, the application will display the validation message as "Update Available. New features and improvements are available." along with CTA for 'Update Now' or 'Skip for Now'. • If there is a network issue, the application will display a message as "Internet connection failed. Please check your connection and try again."
Configurable from admin	• Version Control managed via Admin > version management
Admin Link	Version Management - PVR INOX_Product Requirement Document

2. Tutorial/Walkthrough Screens

2.1. USE CASE

Use Case No.	UC 2
Use Case Name	Tutorial Screens
App/M-site Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=428-1394&t=0seinsE92y0uUeZf-0
Use Case Description	New users will be shown a series of tutorial screens (once, immediately after app installation) to introduce key app features. The screens contain header text, sub-text, media (image in PNG or JPG or GIF), and navigation CTAs (Next, Previous, Skip, Get Started). Admins can dynamically manage these screens via Admin Panel > Tutorial Screen Management. Returning users will not see the tutorial again.
Primary Actor	New App User
Secondary Actor	System (App), Admin (for configuration)
Triggering Event	First-time launch of the app after installation.
Pre-Condition	• The app is freshly installed. • Tutorial content is configured from the admin panel.

Post Condition	• The user successfully completes or skips the tutorial and lands on Login/Signup/Homepage. • The tutorial will not reappear on the next launch.
Basic Flow	• UC 2.1.1. The user launches the app for the first time. • UC 2.1.2. The system displays tutorial screen sequences as configured from the admin panel. • UC 2.1.3. User will be displayed with the following: a. Header text b. Sub-text c. Image in PNG or JPG or Gifs d. and navigation CTAs like Next, Previous, Skip, Get Started • UC 2.1.4. Users can swipe/click “Next” to move forward, swipe/click “Previous” to go back. • UC 2.1.5. On the final screen, the user taps “Get Started” CTA → redirected to Login screen/Homepage.
Alternate Flow	• UCA 2.1.1. User taps “Skip” on any screen → Immediately redirected to Login/Homepage, tutorial completion flag saved. • UCA 2.1.2. Admin updates tutorial screens → Changes reflected dynamically for new installs.
Exception Flow	• UCE 2.1.1. If there are no tutorial screens configured → Skip tutorial and go directly to Login/Signup/Homepage. • UCE 2.1.2. If the media fails to load due to network issue → application will display error text as “Internet connection failed. Please check your connection and try again.” • UCE 2.1.3. If media fails to load due to the respective API issue → application will show the error but will allow the user to navigate the user to login screen
Business Rules	• Tutorial screens will be visible only on first launch after installation. • Content (header, subtext, media) is dynamically configurable from the Admin Panel. • Once skipped/completed, the tutorial will not reappear unless the app is reinstalled or app cache is cleared.
Validations	• If there is a network issue, the application will display a message as “Internet connection failed. Please check your connection and try again.” • If media fails to load due to the respective API issue → “Unable to load. Please try again.”
Configurable from admin	• Content (header, subtext, media) is dynamically configurable from the Admin Panel > tutorial screen management • No of screens will be based on the active number of tutorial screen in the admin panel.
Admin link	PVR INOX_Product Requirement Document

3. Register/Login Screens

3.1. USE CASE

Use Case No.	UC 3
Use Case Name	Register/Login Screens/Social logins
App/M-site Wireframes URL	Register/Login Screen: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0 If a New User is Identified: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0 New User > Email Verification: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0 Device limit Reached: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0 Social Login Flow: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0 Social Sign In Failed: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0 Account Deactivation by Admin: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0
Website Wireframe URL	Register/Login Screen: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=440-3650&t=0seinsE92y0uUeZf-0 New User > Email Verification: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=440-4397&t=0seinsE92y0uUeZf-0 Device limit Reached: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=39-171&p=f&t=0seinsE92y0uUeZf-0

	Account Deactivation by Admin: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=39-171&p=f&t=0seinsE92y0uUeZf-0 Social Login Flow: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=440-4245&t=0seinsE92y0uUeZf-0 Social Sign In Failed: https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=440-4248&t=0seinsE92y0uUeZf-0
Use Case Description	This use case defines the process by which a user can register or login into the application via: ● Manual registration/login (Phone + OTP + Registration details) ● Social sign-in (Google, Apple) ● Guest access with limited functionality Note: It also covers account merging, multi-device login handling, business rules, and error/validation scenarios.
Primary Actor	End User (New User, Existing User, or Guest User)
Secondary Actor	Authentication System (OTP service, OAuth APIs) Admin > Admin Panel (Terms & Conditions, Privacy Policy) Admin (for account activation/deactivation)
Triggering Event	For App: ● The user launches the app and selects Register/Login or chooses Continue as Guest. ● The user attempts to perform an action that requires authentication (e.g., booking tickets, accessing account/profile, applying offers), and the system redirects them to the Login screen. For Web: ● The user, while browsing the website in guest mode, clicks on the Login button from the homepage or header navigation. ● The user attempts to perform an action that requires authentication (e.g., booking tickets, accessing account/profile, applying offers), and the system redirects them to the Login screen.
Pre-Condition	For App ● The user has installed the application. ● Network connectivity is available. ● OTP/Social authentication services are active.

	For web: • The user has a stable internet connection. • The PVR INOX website is accessible. • The user is browsing in guest mode (not logged in). • OTP/Social authentication services are active.
Post Condition	For App • Success: User is logged in and navigated to Home screen or to the page where authentication was required with appropriate permissions (full access for registered & logged in users, restricted for guest users). • Failure: User remains on login/registration screen with appropriate error messages displayed. For web: Success • The user is logged in and redirected to the homepage, or to the page where authentication was required. • Users gain full access to website features. Failure: • The user remains on the relevant screen (Login, OTP Verification, or Registration) with an appropriate error message.
Basic Flow	• UC 3.1.1.(A) User opens app → chooses one of: A. Manual Login (Existing User/New User) a. Registration (New User) B. Social Login (Google) C. Continue as Guest • UC 3.1.1.(B) For web, User clicks on Login option from: • Homepage button, • Header/navigation bar, or • While performing a restricted action (e.g., booking tickets, accessing offers, profile). • User Choose one of the following options from the login screen: A. Manual Login (Existing User/New User) a. Registration (New User) B. Social Login (Google) A. <u>Manual Login (Existing User/New User):</u> • UC 3.1.2. The user is presented with a phone number input field on the login screen. a. The app can automatically detect and pre-fill the phone number field (only for apps, not web). b. If multiple SIMs are present, the user will be prompted to select one.

- c. Users can cancel the auto-filled number prompt and enter a different number manually.
- d. If the system detects that one sim is an international number and another one is Indian, upon selecting the international number, the application will blank out the phone number field and highlight it red with the validation message as “Please enter a valid phone number.”
- UC 3.1.3. If a number exists → an OTP screen is shown.
- UC 3.1.4. OTP is sent & verified (auto-check after last digit).
 - The system detects the incoming OTP message.
 - The app automatically reads the OTP from the SMS and populates the OTP field.
 - The app will also allow the user to copy and paste the OTP.
- UC 3.1.5. On success → the user is navigated to the Home screen or to the page where authentication was required
- a. Registration (New User):**
- UC 3.1.6. The user is presented with a phone number input field on the login screen.
 - The app can automatically detect and pre-fill the phone number field (only for apps, not web).
 - If multiple SIMs are present, the user will be prompted to select one.
 - Users can cancel the auto-filled number prompt and enter a different number manually.
 - If the system detects that one sim is an international number and another one is Indian, upon selecting the international number, the application will blank out the phone number field and highlight it red with the validation message as “Please enter a valid phone number.”
- UC 3.1.7. If the number is not found → an OTP screen is shown.
- UC 3.1.8. OTP is sent & verified (auto-check after last digit).
 - The system detects the incoming OTP message.
 - The app automatically reads the OTP from the SMS and populates the OTP field.
 - The app will also allow the user to copy and paste the OTP.
- UC 3.1.9. Users will navigate to the Registration Details screen.
- UC 3.1.10. Users will enter the mandatory fields on the registration detail page i.e.:
 - First Name
 - Last Name
 - Email
 - Users will have the option to confirm your email via OTP (this will be an optional skippable step)

- Users will be displayed with OTP Entry Field – 6-digit numeric field.
- Send OTP for verification.
- Resend OTP Option – Available after a defined time interval (60 seconds). Resend OTP interval is configurable from admin > global configurations.
- On OTP success → navigate to registration screen.
- If the email is not verified, status will be 'Unverified' and it will be shown in the profile section.
- If the email is verified, status will be 'Verified' and it will be shown in the profile section. Clicking on this icon display a message - "Email is verified."
- Checkbox stating "I agree to opt-in to whatsapp notifications for transactions." This will be optional but by-default it will be checked.
- Checkbox stating "I agree to opt-in to all the notifications for promotions." This will be optional but by-default it will be checked.
- Clicking on the submit button will create an account and navigate the user to the Home screen or to the page where authentication is required.
- At the time of registration, the fetched or selected city will also be saved as the user's Registered City, based on the following:
 - For App
 - If the user registers immediately after app launch, the first auto-fetched/selected city will be saved as the registered city.
 - If the user selects a city before registration (browsing in guest mode), the selected city will be saved as the registered city after successful registration.
 - For Web/M-site,
 - Since city selection occurs before registration, the selected/auto-fetched city during registration will be saved as the registered city.
- The registered city of users can not be changed. So there will be two cities - registered city & current/saved city (which can be changed if the user changes their location. These two cities are displayed in the Admin Panel → customer management.
- After account creation:
 - For Transactional Notification:

- The system automatically triggers the WhatsApp Opt-in API to register the user's consent for transactional notifications.
- Upon successful opt-in, the customer receives a confirmation message on WhatsApp for transactional notifications.
- Customers can opt out of WhatsApp notifications anytime by sending "STOP" to the official WhatsApp number, or using the Opt-out option under **My Account** → **Notification Preferences**.

■ For Promotional Notification:

- Promotional Messages can be sent through various channels i.e. Email, SMS, Push Notification and WhatsApp.
- By giving consent for promotional messages, by default all channels will be set for the customer.
- The system automatically triggers the WhatsApp Opt-in API to register the user's consent for promotional notifications.
- Upon successful opt-in, the user receives a confirmation message on WhatsApp/Email/SMS.
- Any update made in SFMC (e.g., user unsubscribes from Email) will be synced with the app/web/m-site in real time and vice versa (any changes made on app/web/m-site will be synced with the SFMC).
- Customers can manage or update their promotional message and channel preferences under **My Account** → **Notification Preferences**.

B. Social Login (Google/Apple), For web (Only Google)

- UC 3.1.11. Users tap on Sign in with Google (Android/iOS/web) or Apple (iOS only).
- UC 3.1.12. OAuth will be initiated and the system will fetch the following details as added by the user in his Google/Apple Account:
 - Email
 - First Name
 - Last Name
- UC 3.1.13. The system checks if the social ID exists in the database.
 - Yes → Redirect the user directly to the Home screen or to the page where authentication was required .
 - No → The system will ask the user to provide the Missing details on the new screen i.e.:
 - Email (prepopulated and verified)

- First Name (prepopulated if available and editable)
 - Last Name (prepopulated if available and editable)
 - Phone Number (editable)
 - Checkbox for 'I agree to opt-in to WhatsApp notifications for transactions.' This will be optional but by default checked.
 - CTA for Get OTP
- UC 3.1.14. Once a user enters all the details and clicks on Get OTP CTA , the system will be prompted with OTP verification.
 - The system detects the incoming OTP message.
 - The app automatically reads the OTP from the SMS and populates the OTP field.
 - The app will also allow the user to copy and paste the OTP.
- UC 3.1.15. On successful OTP verification→
 - An account is created with the following details:
 - Social ID (Google/Apple) linked to this account. (this parameter is only be captured in admin & database)
 - Primary Email (same as social email id and verified)
 - Phone Number (primary identifier, verified)
 - Name (First and Last)
 - The user is navigated to the Home screen or the page where authentication was required.
 - For subsequent social logins, the user is not asked to enter details again and is redirected directly to Home or the page where authentication was required.

C. Guest Login:

- UC 3.1.16. The user taps "Continue as Guest."
- UC 3.1.17. Users are redirected to the Home screen with restricted functionality (no bookings until logged in, no offers applied until logged in, no personalization until logged in, etc.).
- UC 3.1.18. If the guest attempts to perform a restricted action (e.g., booking tickets, applying offers, accessing profile), The system redirects the user to the Login Screen. After successful login/registration, the user is redirected back to the same page/flow (e.g., booking flow) to continue where they left off.
- UC 3.1.19. **Multi-Device Login:**
 - A maximum of 2 devices can be logged in simultaneously. The number of devices will be configurable from the admin panel, having 1-5 dropdowns.
 - On the 3rd login attempt, the oldest session is identified and a warning popup is displayed with options Cancel or Continue.

	○ Clicking on Cancel will navigate the user back to the login page. ○ Clicking on Continue will logout the user from that old used device and will allow continuation on this device. ○ If the user kills the app without choosing the Cancel or Continue button in the popup → System treats it as Cancel → user is redirected back to the Login page. ○ If the user has already manually logged out from the other device → No popup is displayed, and login continues normally on the new device.
Alternate Flow	● UCA 3.1.1. Resend OTP for email verification: Available after 60 seconds if OTP is not received. Resend OTP interval is configurable from admin > global configurations. ● UCA 3.1.2. Email Verification Skipped: User continues with status “Unverified” until verified later from profile. ● UCA 3.1.3. Captcha on Web: Google Captcha v3.0 runs if suspicious activity is detected. ● UCA 3.1.4. Social Login with Existing Phone Number ○ Case 1: When a user signs up using a social account (Google or Apple): ■ If there is no existing customer with the same Social ID or email, a temporary user record is created in Aerospike. ■ The user is then prompted to verify their phone number. ■ After phone number verification: ● If no other account is associated with that phone number, the user is logged in. ● If another account exists with the same phone number but a different email, the customer is prompted with a popup message: “Your phone number is already registered with another email ID. Would you like to replace that email with this one or continue with a different phone number?” With these CTAs: ○ “Replace existing email” → The existing account is merged, the Primary Email is replaced with the Social Email (marked as verified), and the customer is logged in. ○ “Use another phone number” → The user returns to the phone verification step to enter a different number. ○ Case 2: If a customer already exists with the same Social ID, the user is signed in instantly → a new session is created, and access is granted without additional steps.

	○ Case 3: If a customer exists with the same email ID as the Social Email ID, the user is signed in instantly — a new session is created, access is granted, and both the socialId and socialEmail fields are updated while marking the email as verified. ● UCA 3.1.5. Edit Emails: When editing an email address that is currently linked to a Google or Apple account, the system displays a popup having the message: “Updating your email will unlink your account from your social login. Do you want to continue?” with CTAs: ○ Yes → The account is delinked from the associated social login. ○ No → No changes are made, and the user remains on the Edit Profile page.
Exception Flow	● UCE 3.1.1. If the wrong OTP is entered → the user will stay on the OTP page and an error message will be displayed. ● UCE 3.1.2. If OTP is expired → “OTP expired” message will be displayed along with the option to resend. ● UCE 3.1.3. Too many failed attempts (3) → Lock screen for 10 minutes with error: “Too many failed attempts. Try again after 10 minutes.” ● UCE 3.1.4. OTP requested too many times --> “You've requested OTP too many times. Please wait 10 minutes before trying again.” ● UCE 3.1.5. Social login fails (OAuth error) → Error message with manual login option or Continue as Guest will be displayed. ● UCE 3.1.6. If an admin has deactivated a user’s account, upon logging in the user will be displayed with the Popup: “Your account has been deactivated by the admin. Please contact support at [Email/Phone].” along with option to copy email and phone and also navigate to dialer pad (for phone number) ○ If a user has an active session, at the time of deactivation (by admin), the session will be terminated. The user will be logged out when he launch the app/web/m-site.
Business Rules	● OTP rules: ○ 6-digit numeric OTP. ○ Valid for 2 minutes. This will be configurable from the admin panel > global configuration. ○ Resend OTP enabled after 60 seconds. Resend OTP interval will be configurable from the admin panel > global configuration. ○ Max 3 OTP requests per 10 minutes. Maximum number of OTP requests allowed and Time window in which those requests are counted will be configurable from the admin panel > global configuration. ○ No of times OTP requests can be sent (i.e. 3), number of wrong OTP attempts allowed by the user and seconds within which OTP will be sent, is all configured from the admin panel from global configuration. ● Multi-device login:

	○ A maximum of 2 devices can be logged in simultaneously. The number of devices will be configurable from the admin panel, having 1-5 dropdowns. ○ 3rd device login forces logout of the oldest session. ○ Each will have its own session, and the booking flow of one device will not replicate on the other device. ○ The information related to bookings and all the other user specific data will remain the same across all devices for both the brands PVR, INOX (when logged in from INOX app) ● A single Email can be verified on multiple accounts. ● After successful registration, user can be redirected to: ○ Either Complete profile screen: (If the user initiates login), ○ Or Page where authentication required: (if system initiates login for authentication) ● Guest user restrictions: ○ Booking & Ticketing Restrictions ■ Cannot book movie tickets. This can only be done after login and OTP verification. ■ Cannot pre-book or order F&B items. This can only be done after login and OTP verification. ● Note: Guest users can purchase only Food from Whatsapp bot after login. ■ Cannot cancel or modify any booking (as no booking allowed). ■ Cannot view E-Tickets, QR Codes, or Tracking IDs. ○ Account & Personalization Restrictions ■ Cannot set or manage movie alerts (WhatsApp/SMS notifications). ■ Cannot mark favorite cinemas or movies. ■ Cannot access programs (PVR INOX Passport, Privilege Plus). ■ Cannot provide feedback or ratings for movies/F&B. ■ Cannot view or manage booking history or F&B order history. ○ Offers & Promotions Restrictions ■ Cannot apply promo codes, vouchers, or special offers. ■ Cannot purchase or redeem Gift Cards. ○ Admin-Triggered/Transactional Restrictions
--	--

	■ Cannot receive transactional notifications (WhatsApp/SMS), only promotional banners can be viewed. ■ Cannot access account-related settings (Profile, My Preferences, Opt-in/Opt-out). ■ Cannot contact support via WhatsApp Chatbot (Haptik).
Validations	Phone Number ● If the user enters the Invalid phone number i.e. not starting from 9,8,7,6→ “Please enter a valid phone number.” ● Validation Rule: Must contain exactly 10 digits (numeric only) ● Phone code +91 will remain static For Email verification via OTP ● Wrong OTP → “You have entered invalid OTP.” ● OTP expired → “OTP expired.” ● Too many failed attempts (3) → Lock screen for 10 minutes with error: “Too many failed attempts. Try again after 10 minutes.” ● OTP requested too many times --> “You've requested OTP too many times. Please wait 10 minutes before trying again.” ● Maximum number of OTP requests allowed and Time window in which those requests are counted will be configurable from the admin panel > global configuration. On Registration Detail page: ● The submit button will get enabled after entering First Name, Last Name and Email. Verification of email via OTP is a skippable step. ● If the entered email is not valid, the user will be displayed with the message as “Please enter a valid email.” as Email should be in the format name@example.com.” First Name ● Mandatory field. ● Must be 1–30 characters. ● Only alphabets (A–Z, a–z), dots and spaces allowed. ● SQL Injection prevention should be ensured. ● Cannot contain numbers or special characters (e.g., @, #, \$, %). ● Error message: ○ “Please enter a valid first name.” Last Name ● Mandatory Optional field. ● Must be 1–30 characters. ● Only alphabets (A–Z, a–z), dots and spaces allowed. ● SQL Injection prevention should be ensured.

	● Cannot contain numbers or special characters (e.g., @, #, \$, %). ● Error message: ○ “Please enter a valid last name.” Email ● Mandatory field. ● SQL Injection prevention should be ensured. ● Must follow standard email format: name@example.com. ● Allowed characters: ○ Alphanumeric (A–Z, a–z, 0–9) ○ Period (.), underscore (_), hyphen (-) before @ ○ Valid domain name after @ (must contain at least one dot .) ● Not allowed: ○ Multiple @ symbols ○ Spaces or special characters like ! # \$ % ^ & * ○ Consecutive dots (e.g., abc..xyz@gmail.com) ● Length constraints: ○ Minimum: 5 characters ○ Maximum: 100 characters ● Error message: ○ “Please enter a valid email.” ● If Social login failed due to the network issue → “We couldn't sign you in with Google/Apple. This might be due to network issues or authentication problems.’ ● Inactive account → “Your account has been deactivated by the admin. Please contact our support team for assistance at [Email/Phone].” along with option to copy email and phone and also navigate to dialer pad (for phone number) ● If Device limit reached - message will be “Device Limit Reached, By logging in this device, you will be logged out of another device (Device Name - last used xx days/months/years ago).
Configurable from admin	● OTP resend duration ● OTP validity time ● Maximum number of OTP requests and time window ● Number of failed OTP attempts and retry window ● Maximum number of logged-in devices ● Support email and phone for 'account deactivation prompt' ● Terms & Condition and Privacy Policy
Admin Link	Customer Management:  PVR INOX_Product Requirement Document Global Configurations -  PVR INOX_Product Requirement Document

4. OTP Verification Screen - For Phone Number

4.1. USE CASE

Use Case No.	UC 4
Use Case Name	OTP Verification Screen
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=440-3413&t=0seinsE92y0uUeZf-0
Use Case Description	After entering the phone number and requesting an OTP, the user is taken to the OTP screen where they must enter a 6-digit OTP for authentication. The system validates the OTP in real-time and navigates the user forward on success.
Primary Actor	End User
Secondary Actor	Authentication System (OTP Service)
Triggering Event	The user enters a phone number and taps Get OTP.
Pre-Condition	• The user has entered a valid 10-digit phone number. • OTP has been sent to the provided number.
Post Condition	For App, • Success: User enters valid OTP → Verified → Navigated to Home Screen • Failure: User enters invalid/expired OTP → Remains on OTP screen with error message. For Web, • Success → ○ For existing active users → login is completed, and the user is redirected to the homepage or to the page where authentication was required. ○ For new users → the system redirects the user to the Registration Details Screen. • Failure → ○ Login/registration is not completed. ○ The user remains on the Verify Phone Number screen with an appropriate error message and options (e.g., resend OTP, edit number)

Basic Flow	● UC 4.1.1. The user is on OTP Screen. ● UC 4.1.2. User will be displayed with the following: ○ Phone number - that was added on previous screen ○ Edit option - clicking on this will navigate the user to the previous screen where the user's number that user has entered before will be pre-populated and editable. Users will be able to edit the number and proceed ahead with the flow. ○ OTP entry field (6-digit numeric) ○ Resend OTP enabled after 60 seconds. ● UC 4.1.3. The user enters OTP. ○ The system detects the incoming OTP message. ○ The app automatically reads the OTP from the SMS and populates the OTP field. ○ The app will also allow the user to copy and paste the OTP. ● UC 4.1.4. System auto-validates OTP when the last digit is entered. ● UC 4.1.5. If OTP is correct → User navigated directly to Home Screen.
Alternate Flow	● UCA 4.1.1. If OTP is not received, the user taps Resend OTP (enabled after 60 seconds; configurable from admin > global configuration). ● UCA 4.1.2. A new OTP is sent, and the user re-enters OTP.
Exception Flow	● UCE 4.1.1. If the wrong OTP is entered → the user will stay on the OTP page and an error message will be displayed. ● UCE 4.1.2. Too many failed attempts (3) → Lock screen for 10 minutes with error: "Too many failed attempts. Try again after 10 minutes." ● UCE 4.1.3. OTP requested too many times --> "You've requested OTP too many times. Please wait 10 minutes before trying again." ● UCE 4.1.4. If OTP is expired → "OTP expired" message will be displayed along with the option to resend.
Business Rules	● OTP must be 6 digits and numeric. ● OTP validity: 2 minutes (configurable from admin > global configuration). ● Resend OTP enabled after 60 seconds. Resend OTP Interval is configurable from admin > global configuration ● Max 3 OTP requests allowed in 10 minutes per user. Maximum number of OTP requests and time window will be configurable from the admin panel > global configurations. ● Auto-verification must trigger on entry of the 6th digit (no manual submit button needed). ● No of times OTP requests can be sent (i.e. 3), number of wrong OTP attempts allowed by the user and seconds within which OTP will be sent, is all configured from the admin panel from global configuration.
Validations	● Wrong OTP: "You have entered invalid OTP." ● Expired OTP: "OTP expired."

	- Too many failed attempts (3) → Lock screen for 10 minutes with error: “Too many failed attempts. Try again after 10 minutes.” - OTP requested too many times --> “You've requested OTP too many times. Please wait 10 minutes before trying again.”
Configurable from admin	- OTP resend duration - OTP validity time - Maximum number of OTP requests and time window - Number of failed OTP attempts and retry window
Admin Link	Global Configurations -  PVR INOX_Product Requirement Document

5. Complete Your Profile

5.1. USE CASE

Use Case No.	UC 5
Use Case Name	Complete Your Profile
App/M-site Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0
Website Wireframe URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=440-4424&t=0seinsE92y0uUeZf-0
Use Case Description	New users will be nudged to complete their profile by filling in additional personal information (Gender, Date of Birth, Marital Status, Anniversary). The prompt will continue to reappear until all required details are provided.
Primary Actor	End User (New User)
Secondary Actor	System Backend
Triggering Event	The user logs in or signs up for the first time and navigates to the home page.
Pre-Condition	The user has successfully registered/logged in, but the profile is incomplete.
Post Condition	- Success: User submits details → Profile updated under Profile section. - Skipped: User chooses “May be later” → Prompt hidden temporarily but will reappear on next app open/home navigation.
Basic Flow	- UC 5.1.1. Users log in or sign up. - UC 5.1.2. The system checks if the profile is incomplete. - UC 5.1.3. Profile Completion Nudge is displayed with fields: - Gender (optional), - Date of Birth (optional), Min age allowed is 13 so the calendar should restrict the age selection below that age. - Marital Status (optional), - Anniversary Date (Calendar Picker) – visible only if Marital Status = Married – Optional

	● UC 5.1.3.(B) For web, the system displays the Profile Completion screen with the following fields and options: ○ Gender (Radio button: Male, Female, Other) – Optional ○ Date of Birth (Calendar Picker – DD/MM/YYYY) – Optional - Min age allowed is 13 so the calendar should restrict the age selection below that age. ○ Marital Status (Dropdown: Single, Married) – Optional ○ Anniversary Date (Calendar Picker) – visible only if Marital Status = Married – Optional only if unmarried is selected, mandatory if unmarried is selected. ○ Submit button ○ Skip for now option ● UC 5.1.4. The user enters details. ● UC 5.1.5. User taps Submit → Data saved under Profile section → User navigates to Home screen. ● UC 5.1.6. The added details will also be reflected on the admin panel under customer management.
Alternate Flow	● UCA 5.1.1. User taps Skip for now → Prompt dismissed temporarily → Redirected to Home screen. ● UCA 5.1.2. Nudge reappears every time the user opens the app and lands on Home until details are completed.
Exception Flow	● UCE 5.1.1. If saving fails due to technical error, display an error message.
Business Rules	● None of the fields (Gender, DOB, Marital Status) are mandatory. ○ If marital status is married, then an anniversary date is mandatory. ● The nudge will continue to appear until all fields are completed, even if the user keeps skipping. ○ Refer to link for frequency & logic - PVR INOX - Nudge Matrix ● Data saved should be stored under the Profile section. ● Anniversary Date must be a past or present date and it cannot be a future date. ● Date of Birth cannot be less than 13 years. ● The anniversary date must be at least 18 years after the date of birth.
Validations	● Save error: “Unable to update profile. Please try again.” ● If the user fills in marital status as ‘married’ and forgot to select the anniversary date, the system will display the error message as “Please select anniversary date.” ● If you successfully updated the profile, “Your profile has been updated successfully.”

Admin Link	Customer Management:  PVR INOX_Product Requirement Document
------------	--

6. Profile Completion > Email Verification & Edit Profile

6.1. USE CASE

Use Case No.	UC 6
Use Case Name	Profile Completion > Email Verification & Edit Profile
App/M-site Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0
Website Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1068-1923&t=0seinsE92y0uUeZf-0
Use Case Description	Users can view and update their profile details including Full Name, Email ID (with verification status), Gender, Date of Birth, Marital Status, and Anniversary. The phone number remains non-editable. Email verification is done through OTP.
Primary Actor	End User
Secondary Actor	System (Profile Service, OTP Service)
Triggering Event	User navigates to Account (profile icon) > Profile.
Pre-Condition	- The user is logged in. - The profile page is accessible.
Post Condition	- Profile updated with latest values. - Verified status displayed for Email if OTP verified. - Success message shown after save.
Basic Flow	- UC 6.1.1. User opens Account (profile icon) > Profile. - UC 6.1.2. User will be displayed with the below fields: - Full Name (Editable) - Phone Number (Non-editable) - Email ID (Editable, with Verified/Unverified status) - Clicking on verified icon → display message “Email is verified”. - Gender (Dropdown: Male, Female, Prefer not to say) - Date of Birth (DD/MM/YYYY, min age 13) - Marital Status (Dropdown: Single, Married) - Anniversary (Visible only if Married, must be past/present date) - UC 6.1.3. Users edit fields. - UC 6.1.4. If Email changed → Option to verify via OTP (6-digit). - UC 6.1.5. On OTP success → Email status updated to Verified. - UC 6.1.6. User taps Save → Profile updated → Success message shown. - UC 6.1.7. User taps on Cancel → Last status will remain maintained. - UC 6.1.8. The updated details will also be reflected in the admin panel > customer management section.

	UC 6.1.9. Avatar selection ● On edit profile, user can use an avatar for profile image. ● An avatar will be shown along with user personal details ● Options: View / Edit ● View Avatar ○ The user taps “View”. ○ System opens a full-view/avatar preview screen showing the currently selected avatar. ○ Users can close the view and return to the Edit Profile. ● Edit Avatar ○ The user taps “Edit”. ○ The system displays the Avatar Selection Gallery containing available avatars. ○ The user browses and taps an avatar to select it. ○ System updates: ■ User’s profile avatar ■ Profile image shown across the app
Alternate Flow	● UCA 6.1.1. User skips Email verification → Email remains with status “Unverified.” ● UCA 6.1.2. If OTP is not received → User taps Resend OTP (enabled after 60 sec)
Exception Flow	● UCE 6.1.1. Wrong OTP entered → Stay on OTP screen with error. ● UCE 6.1.2. Expired OTP → show error msg “OTP expired”, “Resend code” CTA enabled to request a new one.
Business Rules	● Phone numbers are always non-editable. ● One Email can be associated with multiple phone numbers. There will not be 1:1 relation between them ● Minimum age requirement: 13 years. Underaged selection of DOB will not be allowed in the calendar. ● The anniversary date cannot be in the future. ● OTP resend CTA enabled and allowed after 60 seconds. The OTP Resend Interval is configurable from admin panel > global configuration management. ● If the user’s email is not verified, a nudge will reappear prompting them to verify it . ○ Refer to link for frequency & logic of nudge- PVR INOX - Nudge Matrix
Validations	● Email format invalid: “Please enter a valid email.” ● OTP invalid: “You have entered invalid OTP.” ● OTP expired: “OTP expired.” First Name ● Mandatory field. ● Must be 1–30 characters. ● SQL Injection prevention should be ensured.

	- Only alphabets (A–Z, a–z), dots and spaces allowed. - Cannot contain numbers or special characters (e.g., @, #, \$, %). - Error message: “Please enter a valid first name.” Last Name Mandatory Optional field. - Must be 1–30 characters. - SQL Injection prevention should be ensured. - Only alphabets (A–Z, a–z), dots and spaces allowed. - Cannot contain numbers or special characters (e.g., @, #, \$, %). - Error message: “Please enter a valid last name.” Email - Mandatory field. - SQL Injection prevention should be ensured. - Must follow standard email format: name@example.com. - Allowed characters: - Alphanumeric (A–Z, a–z, 0–9) - Period (.), underscore (_), hyphen (-) before @ - Valid domain name after @ (must contain at least one dot .) - Not allowed: - Multiple @ symbols - Spaces or special characters like ! # \$ % ^ & * - Consecutive dots (e.g., abc..xyz@gmail.com) - Length constraints: - Minimum: 5 characters - Maximum: 100 characters - Error message: “Please enter a valid email.” - Profile Save Success: “Your profile has been updated successfully.”
Configurable from admin	- OTP resend duration - OTP validity time - Maximum number of OTP requests and time window - Number of failed OTP attempts and retry window
Admin Link	Customer Management:  PVR INOX_Product Requirement Document

7. Logout

7.1. USE CASE

Use Case No.	UC 7
Use Case Name	Logout

App/M-site Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=0-1&p=f&t=0seinsE92y0uUeZf-0
Website Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1068-2204&t=0seinsE92y0uUeZf-0
Use Case Description	Allows the user to securely log out of the platform. A confirmation popup is displayed before logging out, asking the user to confirm the action.
Primary Actor	End User
Secondary Actor	System
Triggering Event	User taps on Logout from the Account/Settings menu.
Pre-Condition	Users must be logged in.
Post Condition	- If user confirms → Session terminated, user logged out and redirected to Login/Welcome screen. - If the user cancels → User remains logged in and stays on the current screen.
Basic Flow	- UC 7.1.1. The user selects the Logout option. - UC 7.1.2. The system displays a confirmation popup: “Are you sure you want to logout?” with ‘Confirm’ and ‘Cancel’ options. - UC 7.1.3. If the user taps Confirm → System logs the user out → Session cleared → Redirect to Login/Welcome screen.
Alternate Flow	UCA 7.1.1. If the user taps Cancel → Confirmation popup closes, the user remains logged in.
Exception Flow	UCE 7.1.1. If logout action fails due to network/system error → Show error message: “Unable to logout. Please try again.”
Business Rules	- Logout must clear session data (tokens, cached credentials). - Logout should not delete saved preferences (e.g., cinema preferences, personalization data). - On re-login, the user should enter credentials/OTP again.
Validations	- Confirmation Message: “Are you sure you want to logout?” - Logout Failure: “Unable to logout. Please try again.”

8. Location Permission

8.1. Use Case

Use Case No.	UC 8
Use Case Name	Location Permission
Use Case Description	Whenever a user reaches the Home screen (either after logging in or continuing as a guest), the system requires a city to proceed. The user is prompted to grant location access, after which the system either detects the city automatically using the Location Service or enables manual city selection. The detected or selected city is stored and used to display location-based content.

Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend Location Service
Triggering Event	When the user accesses the Home screen (after logging in or continuing as a guest), the system checks whether a city is already available (either from prior selection or automatic detection). If not, the system triggers the Location Permission process.
Pre-Condition	- The user has launched the app or is accessing the website/M-site. - Network connectivity is available. - The location service is active.
Post Condition	Success: - The system successfully identifies a valid city — either automatically (via location detection) or manually (through user selection). - Location-based content is displayed accordingly. - For logged-in users, the identified city is stored with the user profile; for guest users, it is maintained locally for the active session. Failure: - If location detection fails due to network, service, or API issues, the system displays an error message on manual city selection screen — “We couldn’t detect your location. Please select it manually.”
Basic Flow	UC 8.1.1. The user accesses the Home screen (after logging in or continuing as a guest), the system checks whether a valid city is already available (saved or locally stored). - If a city is available, it proceeds to load location-based content. - If not, the system initiates the Location Permission process. UC 8.1.2. The system displays the location permission options: - App: The system displays an “Enable Location” screen with two CTAs: - Enable Location/Use current location - Select Location Manually - If the user taps Enable Location, the native OS popup appears with options: - Allow while using the app - Allow this time - Don’t allow - Web/M-site: Permission banner appears with options: - Allow while visiting the site - Allow this time - Never allow

	UC 8.1.3. Based on user selection: ● Allow while using the app / visiting the site → ○ The system detects the city based on the customer's nearest cinema location. ○ For logged-in users, the detected city is saved in the user profile. ○ For guest users, the detected city is stored locally for the active session. ○ The user is navigated to the Home screen with location-based content. ● Allow This Time → ○ The system detects and maps the city for the current session only. ○ For logged-in users, the detected city is saved in profile. ○ For guest users, the detected city is stored locally until session expiry. ○ When the session ends, location permission will be requested again in the next session. ● Don't allow/Never allow → ○ The system triggers manual city selection. ○ For logged-in users, the manually selected city is saved in profile. ○ For guest users, the manually selected city is stored locally for the current session. UC 8.1.4 – City Change Detection For subsequent app/web/m-site launches (after the app is killed or the browser is closed), if location permission is granted, the system detects the city again using the Location Service. If the detected city ≠ saved city, the system displays a city-change nudge: “Seems like your current city has changed from {Saved City} to {Detected City}. Would you like to update your city selection?” ● Options: Yes / No ○ Yes: The detected city is updated as the new saved city. ○ No: The system retains the previously saved city. Refer to link for frequency & logic - PVR INOX - Nudge Matrix
Alternate Flow	UCA 8.1.1 – User dismisses or closes the permission prompt If the user closes or dismisses the location permission popup without selecting any option, → The system triggers manual city selection to proceed. UCA 8.1.2 – User denies location access (Don't Allow / Never Allow) If the user selects “Don't Allow” on the app or “Never Allow” on the web/m-site: ● On subsequent launch after the guest session expires: ○ Web/M-site: ■ The system directly displays the manual city selection prompt.

	■ If location permission is reset manually, the Permission banner appears. ○ App: The system displays an “Enable Location” screen with the following CTAs: ■ Enable Location ■ Select Location Manually → triggers manual city selection screen. ○ If the user taps Enable Location, a popup appears with the message: “Turn on location services to allow PVR to experience more accurate movie recommendations.” Options: Settings / Cancel ■ Settings: Redirects the user to the device’s settings page to manually enable location permission for the app. ■ Cancel: Returns the user to the “Enable Location” screen.
Exception Flow	UCE 8.1.1. Location detection fails due to network or API error → “We couldn’t detect your location. Please select it manually.” → redirects to the manual city selection. UCE 8.1.2. If user is in Non-Serviceable City (with Location Enabled): ● If the fetched city is not serviceable, the system automatically updates the user’s selected city to the suggested nearby serviceable city. UCE 8.1.3. In case of auto-detection, if the fetched city (as per defined logic) is a subcity → system shows that sub-city on the header and content of all pages will be updated accordingly.
Business Rules	● Data Storage ○ For guest users: ■ The selected or detected city is stored locally for the current session. ■ If the user manually changes the city, the local record is updated with the newly selected city. ■ When the session expires, the local data is cleared, and the user is prompted again for city selection or location access. ○ For logged-in users: ■ The first detected or manually selected city is saved in the user profile. ■ If a logged-in user manually changes the city only to explore other city content, the change is also saved to the user profile. ■ The profile city is also updated only when the user confirms a city change via the city-change nudge. ● When the detected city differs from the saved city: The system displays a

	city-change nudge asking the user to confirm updating the saved city. • The system uses the customer's location (latitude and longitude) to find the nearest cinema. The city of that nearest cinema will be set as the customer's location. • User saved location also shown in admin under customer management. • There will be two cities - registered city (can't be changed) & current/saved city (which can be changed if the user changes their location. These two cities are displayed in the Admin Panel → customer management.
Validations	• If the Location Service fails, the system must display an error message → "We couldn't detect your location. Please select it manually." → redirects to the manual city selection.
Admin Link	Customer Management: ☰ PVR INOX_Product Requirement Document

9. City Selection

9.1. Use Case

Use Case No.	UC 3
Use Case Name	City Selection
Use Case Description	This use case defines how a user manually selects a city (and sub-city, if applicable) on the app/web/m-site. Manual city selection is required when location permission is denied, skipped, or automatic detection fails. The system displays: • Popular cities with images at the top. • A scrollable list of other cities. • A search bar for looking up a city. If the selected city has sub-cities, a sub-dropdown allows further selection.
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend Location Service
Triggering Event	• The user accesses the app/web/m-site and either skips or denies location permission, or the system fails to auto-detect the location. • The user explicitly chooses to change the city: ○ In App: option available at the top of the screen.

	○ M-site: option available at the top of the screen. ○ In Web: option available in the Header/Navigation Bar.
Pre-Condition	● The user has installed the app or is accessing the website. ● Network connectivity is available. ● Location permission has been denied, skipped, or automatic detection has failed. ● The list of cities and sub-cities is configured and available in the Admin Panel > City Management module. ● For voice search, microphone access permission must be granted.
Post Condition	Success: ● The user selects a city (and sub-city, if applicable); the system saves the selection. ● Homepage content for app/web/m-site update according to the selected city. Failure: ● The city selection is not saved until a valid city selection is made.
Basic Flow	UC 9.1.1. The user opens the City Selection screen. UC 9.1.2. System displays: ● CTA - “Tap to share location” ○ On tap → system fetches location automatically (More info is in UC 8) ● Popular cities with images at the top. ● All cities/sub cities in a scrollable list. ● A search bar to look up a specific city. ○ Users can search for a city by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8. UC 9.1.3. The user selects a city from the list or search results. UC 9.1.4. If the selected city contains sub-cities (e.g., Mumbai, Delhi-NCR), a sub-dropdown appears for further selection. UC 9.1.5. The user selects the sub-city (if applicable). UC 9.1.6. The system saves the selected city (and sub-city, if any) and updates the Home screen & other screens content as per location.
Alternate Flow	UCA 9.1.1. If the user wants to change the city selection but closes City Selection without choosing → System retains the previous city. (only in case, user city is already saved) UCA 9.1.2. Users search for a city that is not in the list → System display “City not found” message and allow selection from the existing list. UCA 9.1.3. If location is already shared, CTA changes "Tap to share location" to "Use Current Location".

Exception Flow	UCE 9.1.1. System fails to load the city list due to network or server issues → Show an error message. UCE 9.1.2. If the user denies microphone permission or the device blocks it, the system displays a popup message - “Text: To give you the best PVR experience, please turn on microphone permissions in your device settings.” with CTAs -Settings/cancel. ○ Settings - Redirect to device settings ○ Cancel - continue with text search
Business Rules	● If the City is marked as Popular from the admin panel, it will be shown at the top along with its name and image, else it will be shown in the scrollable list. ● The sequencing order for popular cities is configured from the Admin Panel. ● In the listing section, all cities & sub cities are sequenced alphabetically from A to Z (Not managed from Admin Panel but managed from backend). ● The search bar should return matching cities (cities & subcities) from the configured city list; if none, display “City not found.” e.g. If a user searches for Delhi, the system returns results - Delhi & Delhi NCR. ● Search must support partial and case-insensitive matches (e.g., “del” and “Del” should yield the same results). ● Search must support Alias name of cities. E.g. If a user searches (voice/text) for Gurgaon, the result shows Gurugram. ● The selected city (and sub-city, if applicable) updates all content as per the location. ● City and sub-city data must be sourced from the Admin Panel > City Management module. ● The sub city dropdown contains an “All” option → the selected city will be selected. (e.g. Customers can select “Delhi NCR” as a city.) ● The sub-city dropdown includes an “All” option → selecting it will automatically select the main city (e.g., choosing “All” under sub-cities of “Delhi NCR” will select “Delhi NCR” as the city) ● Search Criteria: Search is performed based on the name of the city. ● Voice search will not proceed until permission is granted. ● Search must support partial and case-insensitive matches ● If an image for a popular city is not available, a generic placeholder image will be shown in its place.
Validations	● Users search for a city that is not in the list → “City not found” ● Search bar ○ Minimum Characters: The user must type at least 2 characters before the search starts. ○ Allowed Characters:

	■ Alphabets (A–Z, a–z) ■ Spaces and hyphens ○ Disallowed Characters: ■ Numbers, special symbols, or emojis (@ # \$ % ^ & * ()) ■ Leading/trailing spaces ○ Search Matching: ■ The search should be case-insensitive (e.g., “del” and “Del” should yield the same results). ■ Partial matches should be supported.
Configurable from admin	● Popular City Name & Images ● Priority of popular city ● All city list ● Sub City list
Admin Link	Cities - Location Management:  PVR INOX_Product Requirement Document

10. Cinemas listing & detail page

10.1. Use Case

Use Case No.	UC 10
Use Case Name	Explore Cinemas
Use Case Description	This use case defines how a user can explore cinemas in their selected city via List view or Map view. The user can: ● View a list or map of cinemas sorted by favorites, most visited, or nearest first. ● Search for a cinema by name. ● View cinema details including address, shows, distance, and directions. ● Filter cinemas on the map based on distance, time, etc. ● Mark a cinema as my favorite. ● Find list of movies & events playing in cinema
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend Location Service
Triggering Event	The user selects Cinemas from the navigation: ● App/M-site: Bottom Navigation Panel ● Web: Header/Navigation Bar ● The user scans a QR code or clicks on deeplink.

Pre-Condition	● The user has installed the app or is accessing the website/m-site. ● The user has enabled location permission and selected a city. ● Network connectivity is available. ● Cinema and movie/event information is available in the system backend. ● For voice search, microphone access permission must be granted. ● For Map view: ○ Location permission is enabled.
Post Condition	Success: ● The user can view the cinema list or map view with details, apply filters, and mark favorites. Failure: ● If location or city is not set → prompt user to enable location or select city. ● If cinema data fails to load → show error message.
Basic Flow	UC10.1.1. User selects Cinemas from navigation: ● App/M-site: Bottom Navigation Panel ● Web: Header/Navigation Bar UC10.1.2. For list & map view, System verifies location permission is enabled or a city is selected. ● For map view, System verifies location permission is enabled. If it is not given then the system will ask the user to grant location access first then proceed. UC10.1.3. System displays the list of cinema in two modes: ● List view ● Map view ● Users can switch between these views at any time. ○ By default, map view will be displayed if all required attributes are available. ○ The default view (map/list view) on the cinema listing page is configurable from the Admin Panel. List View flow (For App/M-site) UC10.1.4. Cinema Listing Page displays a list of cinemas: ● Details per cinema: ○ Name (with “Adfree Shows” if applicable) ○ Address, distance, directions, accessibility (on hover/tap - display the accessibility details) ○ Favorite icon ○ Sorting of cinema: Priority order → ■ Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status. ■ Personalization (shown as “Recommended” tag): Most visited cinemas

(based on the user's movie ticket bookings) are displayed next.

- **Note:** With/Without tag will be decided when designs get finalised.
- Remaining cinemas are displayed in ascending distance order from the user's location.
- User actions:
 - Tap a cinema: Redirects to Cinema Detail Page (UC10.1.7)
 - Mark a cinema as favorite: Favorite status saved and ~~reflected in sorting~~ updated sorting should reflect on the next visit, allowing the user to mark multiple cinemas as favourite in the same session
 - Expand/Collapse - to view "Now Showing movies/events"
- "Now Showing" movies/events carousel displays a list of movies/events with total count of movies/events.
 - ~~■ The sequencing of these movies/events follows a priority order based on the number of shows available in each cinema on that particular day.~~
 - The sequencing of movies/events in the carousel follows a priority order based on the total number of shows available on Showbiz for that specific cinema.
 - In case the movie name is long, it will be truncated based on available UI space on the user's device to avoid abrupt display.
 - By default, the top cinema card/tile is displayed in an expanded view to showcase "Now Showing" movies/events.
 - Clicking on any movie → redirect the user to the ~~movie detail page~~ Cinema Details page. The selected movie should appear on top, followed by other movies as per the defined sequence.

Users can switch to Map view (UC10.1.5)

Map View Flow (Default view) - M4

~~UC10.1.5. User switches to Map View.~~

- ~~● System verifies location permission is enabled. If it is not given then the system will ask the user to grant location access first then proceed.~~
- ~~● The system checks whether the fetched city has the minimum number of cinemas required to enable Map View:~~
 - ~~○ If the city has 10 or more cinemas (or the value configured in Global Configuration), Map View is enabled.~~
 - ~~○ If the city does not meet the minimum cinema count, Map View remains disabled.~~

UC10.1.6. The system displays a Map View showing:

- User's current location.
- Cinema markers plotted on a map.
- Filters: (Distance, Showtime, Genre, Language, 'Format & Experience', etc.)
 - By default no filters are applied except distance which is set to 5 km.
 - Distance min-max range & default set is managed from the Admin Panel.
 - If no cinemas are available within a 5 km radius, the system will automatically expand the distance range until at least one cinema is found (up to the maximum defined range).
 - If no cinemas are found even after reaching the maximum range, a popup will appear with a message: "We couldn't find any cinemas near your location. Would you like to view all cinemas in your city, even if they're farther away?"
Option: Yes/No
 - Yes: The distance filter will be disabled, and all cinemas in the selected city will be displayed.
 - No: Redirect to list view
 - The showtime filter will be static - 12:00 AM to 11:59 PM.

UC10.1.6.1. Based on the applied filters,

- The list of cinemas will be displayed on the map.
 - By default, the first cinema in the list will be auto-selected.
- Sorting of cinema: Priority order →
 - Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status.
 - Personalization (shown as "Recommended" tag): Most visited cinemas (based on the user's movie ticket bookings) are displayed next.
 - Note: With/Without tag will be decided when designs get finalised.
 - Remaining cinemas are displayed in ascending distance order from the user's location.

UC 10.1.6.2. Based on the selected cinema & applied filters,

- The list of "Now Showing" movies and events is displayed.
 - By default, the first movie in the list is auto-selected.
- Movie/Event listing sequence logic:
 - Movies/events are listed based on the maximum number of available showtimes in the selected cinema for the day, shown in descending order.

UC10.1.6.3. User interactions on Map View:

- Tap a cinema name (View Showtimes) → displays available show slots under different formats (e.g., Atmos, Luxe, or no specific format if standard - movies with no format is the mainstream show movies) for the selected movie based on applied filters. Showtime card includes:
 - Start time

- Language, Movie Format (Secondary i.e. 3D), Experience/format , Accessibility icons (wheelchair), Subtitle.
- Color-coded status: Available / Filling Fast / Sold Out / ~~Lapsed~~
- For web, on hover on showtime (except lapsed showtimes) → displays price for different seat categories.
- For app/m-site, on long press on showtime (except lapsed showtimes) → displays price for different seat categories.
- Clicking any showtime → redirects to booking flow → seat selection → displays a list of popup with “Accept & Continue:” CTA.
- Tap “View All Movies” on Cinema card → Redirects to Cinema Detail Page which displays all currently running movies/events at the cinema. (UC10.1.7.)
- Tap Directions → opens the location in an external map service (Google Maps/Apple Maps) with that cinema’s coordinates auto-filled on the map.
- User can recenter to their current location & zoom in/out on map manually.

Map View Flow (Default view) - Updated flow

UC 10.1.5. User clicks on “Cinema”.

- System checks if the selected city on the homepage meets the minimum cinema threshold required for Map View.
 - If threshold not met →
 - User is redirected to List View along with a flash message - “Map View is not available in the selected city. Please change the city to access it.”
 - Map View option remains disabled (hidden).
 - Content is displayed as per the city selected on the homepage.
 - If threshold met → proceed to Location Permission Check
- System checks if location permission is enabled.
 - If location permission is disabled:
 - User is redirected to Map View centered on the city centre of the selected city on the homepage. A flash message appears: "Enable location access for a better experience and more accurate nearby results."
 - If location permission is enabled:
 - System fetches the user’s current location (fetched city).
 - System checks if fetched city = selected/saved city.
 - If not equal, the user is redirected to Map View centered on the city centre of the selected city on the homepage.
 - If the parent city (Delhi NCR or Mumbai All) is manually selected, then map view launched centered on the

	parent city center coordinates. ○ Note: Map View is accessible for parent cities (e.g., Delhi-NCR, Mumbai All) as well, provided threshold criteria are met and parent city is manually selected. In such cases, the map will always be centered on the selected parent city's central coordinates. City centre coordinates must be stored for Mumbai-All and Delhi-NCR to support parent city centering. ● If equal, the user is redirected to Map View centered on the user's current location. Business Rules: 1. On the Map View, the distance is calculated from the active pin location and displayed accordingly in the cinema list. The pin location can be: ● City centre (when location permission is not granted or city mismatch case) ● Manually selected location pin ● User's current location (when permission is granted and city conditions are satisfied) 2. The city change option on top remains enabled in Map View. Change Location on Map View UC 10.1.5.1. User taps on Edit icon from Map ● System displays the Location/Landmark Selection Screen having: ○ The name of the Selected City/Sub-city on Map view (Non-editable) ○ Informative Text – "To change the city, click on top left corner" ○ Option to Search Location/Landmark in the city ■ The user enters a location/landmark (e.g. Sector 76) → system will display suggested results only for locations within the selected city. Google Place API will be integrated for this search. Note: The screen must include an additional UI cue (e.g. instructional subtitle or helper text such as "Please search and select a location/landmark to proceed") beyond just the screen title, to make it clearly intuitive to the user that selecting a landmark is mandatory before proceeding. ■ Clicking on "Proceed" CTA → The user is redirected to Map View, centered on the selected location/landmark. The distance of the cinema will be calculated from the user's selected pin location. ○ Option to Close the screen ■ The user is redirected back to Map View retaining previous state.
--	--

UC 10.1.5.2. User taps on City Change icon on top navigation

- System displays the City Selection Drawer as discussed in City Selection flow having:
 - Tap to share Location
 - Manual city selection
- When user selects a city manually:
 - The system follows the same process as used when the user taps on “Cinema”.
 - All validations and checks are considered on the newly selected city, including:
 - Minimum cinema threshold validation
 - Location permission check
 - Fetched city vs selected city comparison
 - Parent city / sub-city validation (if applicable)
- When user selects “Tap to share location”
 - system checks for location permission.
 - If location permission is disabled → OS permission prompt is shown.
 - If user does NOT allow permission:
 - The system does not fetch user location.
 - No change is made to the currently selected city.
 - The user remains on the City Selection Drawer.
 - Map/List view continues to show content as per the previously selected city.
 - If location permission is enabled or allowed by the user
 - The system fetches the user’s current location.
 - The system identifies the nearest cinema.
 - The city of the nearest cinema is auto-selected.
 - The system follows the same process as used when the user taps on “Cinema”, considering the newly identified city.

Rest flow is the same as M4 UC 10.1.6.

For App/M-site

UC10.1.7. Cinema Detail Page displays:

- Banner image with favorite icon
- Cinema name, address, distance
 - For app & m-site, if the address is too long, it will be truncated with a “Read More” CTA. When the user taps on “Read More,” the complete address will be displayed in a popup.
- Number of shows (as per available data on showbizz)

- List of amenities (sequence would be managed from Admin panel)
- Book a Movie section
- A list of other nearby cinemas close to that cinema. (Max 5)
 - If there is no nearby cinema → this section won't display.

UC10.1.7.1. Book a Movie section displays:

- Date Filter (last date would be as per the available data on showbizz)
- Search option to find specific movies in that cinema.
 - Users can search for movies by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8.
- Primary filter → Experience filter
 - The sequence of experience will be based on the number of audi in the city.
 - In case 2 experience audi number overlap, display as per the priority given in the admin panel.
 - Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.
 - The applied experience filters will be displayed first.
- Other filters: Accessibility, Genre, Language, Price, Showtime, etc.
 - All the filters options are dynamically updated as per the available data of movies/events' showtimes.
 - By default no filters are applied.
 - Filters will be arranged in alphabetical orders.
- List of applied filters (if applicable)
- A list of movies and events running in that cinema.
 - Movies & events listings are sorted by available showtime count in that cinema (Max first) for the selected date. The same sequencing logic will continue even after filters are applied.

UC10.1.7.2. Each movie tile displays:

- Name
- Movie poster
- Censor Rating (U/A, A, etc.)
- Genre(s)
- Language Tags (Hindi, English, Tamil, etc.)
- Movie Tags (New Release, Date Tag, Re-release)
- Duration
- Movie format - IMAX/ICE
- Expandable/Collapsible option
 - By default, the top movie/event card/tile is displayed in an expanded view to showcase showtimes.

Each event tile displays:

- Name
- Event poster
- Category (s)
- Language Tags (Hindi, English, Tamil, etc.)
- Event Tags (Live)
 - When event has been started, tags is fetched from showbiz
- Duration
- Event date
 - If event is scheduled for multiple date
 - Event is already started → System displays “Started on Date”.
 - Event is not started → System displays “Starts on Date”.
- Expandable/Collapsible option
 - By default, the top movie/event card/tile is displayed in an expanded view to showcase showtimes.

UC10.1.7.3. On expansion, the movie/event tile displays showtimes under different formats (e.g., Atmos, Luxe, or no specific format if standard - movies with no format is the mainstream show movies), including:

Note: Format names may include brand identifiers (e.g., Kotak Luxe, Dolby Atmos, etc.) as updated through the Admin Panel.

Cinemas Audi that do not have a specific format assigned will be categorized as Mainstream shows:

- Start time
- Language, Movie Format (Secondary i.e. 3D), Experience/format , Accessibility icons (wheelchair), Subtitle.
- Color-coded status: Available / Filling Fast / Sold Out / ~~Lapsed~~.
- For web, on hover on showtime (except lapsed showtimes) → displays price for different seats
- For app/m-site, on long press on showtime (except lapsed showtimes) → displays price for different seats
- Clicking any showtime → redirects to booking flow → seat selection → Continue → displays a list of popup with “Accept & Continue:” CTA.
- Popup list -
 - Important information:
 - Details related to the cinema, such as elevator construction updates or digital payment availability, will be displayed here.
 - This information is adhoc and fetched from ShowBiz and shown at top.
 - For Selected format:

- You've selected an IMAX cinema, but the movie format for this showtime is not IMAX. You'll still enjoy a premium viewing experience, but it won't include the IMAX format features.
- The cinema experience(s) on which this popup appears will be managed from the Admin Panel.
- The popup text message will come from the backend; the cinema experience name (e.g., IMAX, ICE, etc.) will change dynamically based on global configuration.
- Cinema Terms & Conditions
 - Generally, global Terms & Conditions will be displayed here.
 - If a specific cinema has its own Terms & Conditions, ~~those will override the global one~~ they will be appended at the end of the global Terms & Conditions..
 - This configuration is managed through the Admin Panel (Cinema Management) section.
- Experience Terms & Conditions
 - This configuration is managed through the Admin Panel (Experience Management section).
- Adult Movie
 - This movie has been rated 'A' and is for audiences above the age of 18. Please carry a valid photo ID/age proof to the cinema. No refund of tickets once bought.
 - This text message is configured from Admin Panel → Movie management and appears only on A rated movies which comes from showbizz.
- Note: Only the relevant popups applicable to the selected movie and cinema will be displayed; others will remain hidden.
- The sequence is managed from the admin panel.

For web (Merged view)

- List View
 - System displays a merged Cinema Page that combines Cinema Listing and Cinema Detail on a single screen:
 - Left Panel: Cinema Listing (as per UC10.1.4).
 - User can collapse/expand this panel.
 - When collapsed, a floating CTA appears: "View Other Cinemas" to reopen the list.
 - Right Panel: Cinema Detail section (as per UC10.1.7).
- Map view
 - System displays a merged Cinema Page that combines Cinema Listing map

	view and Cinema Detail on a single screen. It is similar to a merged list view of cinema with an add-on of map, allowing users to view both cinema details and the cinema's location on the map simultaneously. ○ Filters on Map view - (Distance, Showtime, Genre, Language, 'Format & Experience', etc.) ■ Based on the applied filters, the list of cinemas will be displayed on the map. ■ Based on the selected cinema & applied filters, The list of "Now Showing" movies and events is displayed. ■ Based on the selected cinema, movie & applied filters, available show slots under different formats are displayed. ■ After changing the date and distance, all other filters will be reset. ● All interactions and functionalities remain identical to App/M-site flows, except for the layout adjustment except search functionality on detail page (on web, search functionality won't be there)
Alternate Flow	UCA 10.1.1. Tap directions → opens external maps service (Google Maps/Apple Maps) with that cinema's coordinates auto-filled on the map UCA 10.1.2. On Map view, Filters return zero results → display "Sorry, no cinemas found under the selected filter." UCA 10.1.3. Filters: ● On the cinema detail page, the user applies filters → system updates movie count. ● Users can choose to reset filters anytime. UCA 10.1.4. Guest user marks a cinema as favorite → Redirect to login screen.
Exception Flow	UCE 10.1.1. If the user denies microphone permission or the device blocks it, the system displays: "Microphone access is required for voice search." ● If two or more cinemas have the same distance from the user, cinemas will be sorted randomly. ● If two or more cinemas have been marked as favorite, cinemas will be sorted based on the distance from the user. ● If two or more movies/events have the same showtimes count, the system sorts the movie list randomly. The same is applicable on showtime formats (e.g., Atmos, Luxe.) ● If the user denies microphone permission or the device blocks it, the system displays a popup message - "Text: To give you the best PVR experience, please turn on microphone permissions in your device settings." with CTAs -Settings/cancel. ○ Settings - Redirect to device settings ○ Cancel - continue with text search

	UCE 10.1.2. Map View – Slow API Response Handling If the API is taking longer than expected to respond, the system displays a loader along with an informational message: “Fetching data, please wait...”
Business Rules	● Location & City ○ A city must be selected to access list view or map view. ● Cinema Sorting & Display ○ Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status. ○ Personalization (shown as “Recommended” tag): Most visited cinemas (based on the user’s movie ticket bookings) are displayed next. ■ Note: With/Without tag will be decided when designs get finalised. ○ Remaining cinemas are displayed in ascending distance order from the user’s location. ○ Adfree cinemas are labeled with “Adfree Shows” ■ This value is retrieved from Showbiz under the 'Business Place' attribute. Based on this, it is incorporated into the cinema listing. This attribute is retrieved from showbizz and displayed in the admin panel as well and accordingly shown here. ● Cinema Distance: ○ If the user has enabled the location, the distance of the cinema will be calculated from the user's current location. ○ If the user hasn’t enabled location & selected a city, the distance of cinema from the user & “Get Direction” CTA will not be shown. Instead of it “Enable location to get direction” CTA will be displayed (except map view). ○ If location services are enabled and the user manually selects a different city, the distances for all cinemas in that city will be calculated from the user’s current location rather than from the selected city. ○ If location service is not enabled, the distance of the cinema will be calculated from selected city lat/long for sorting the cinema list. ● Cinema listing/detail - Now showing ○ The sequencing of these movies/events follows a priority order based on the number of shows available in each cinema on that particular day. ○ In case the movie name is long, it will be truncated based on available UI space on the user’s device to avoid abrupt display. ● Tag Logic - Now showing: ○ New Release: Active for 7 days post-release (configurable via Admin Panel). ○ Re-release: Active for content re-launched after configured (from global configuration) threshold (e.g., 6 months). ○ Date Tag: Displayed when showtimes are opened in advance.

- **Mark as favorite**
 - Favorite status must be saved and reflected in sorting immediately. Updated sorting should reflect on the next visit, allowing the user to mark multiple cinemas as favourite in the same session
 - Only logged users can mark a movie as their favorite.
- **Map View Specific Rules**
 - Map displays cinemas nearest to the user by default.
 - Filters dynamically refresh both map markers and movie/cinema list.
 - Map View is enabled only if the fetched city meets the minimum cinema count (default 10, managed via Global Configuration).
 - If Map View is not eligible, the system defaults to List View.
- **Cinema Detail – Amenities**
 - Display icons or labels for amenities like parking, recliner seats, etc.
 - Sequence is managed from Admin Panel
- **Censor ratings**
 - U: Suitable for all age groups.
 - U/A: Parental guidance advised
 - U/A 7+: Suitable for viewers aged 7+. Parental guidance advised
 - U/A 13+: Suitable for viewers aged 13+. Parental guidance advised
 - U/A 16+: Suitable for viewers aged 16+. Parental guidance advised
 - A: Restricted to adults (18+). Valid ID may be required at the venue
 - S: Restricted to a special category of viewers as per certification guidelines.
 - T.B.A: Certification pending.
 - All Ages: Suitable for all age groups
- **Movie Booking Section**
 - Date selector:
 - Displays current and upcoming dates only.
 - By default, the current date is selected and visually highlighted.
 - The last date will be based on the available show data from Showbizz.
 - Experience filter must display above the listing.
 - The sequence of experience will be based on the number of audi in the city.
 - In case two or more experiences' audi number overlap, display as per the priority given in the admin panel.
 - Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.
 - The applied experience filters will be displayed first.
 - By default, the top movie card/tile is displayed in an expanded view, showcasing showtimes.

	○ Movies/events listing are sorted by available showtime count in that cinema for the day. ● Movie Card Expansion: ○ Only one movie card/tile can be expanded at a time. ○ When a user expands a movie card/tile, the list automatically scrolls to bring all the showtimes of that movie into view on the screen. ○ Expandable movie cards display all showtimes for the day, including past, current, and upcoming slots. ○ Showtimes will be displayed in ascending order. ● Format Definition for showtime categorization: ○ Format names may include brand identifiers (e.g., Kotak Luxe, Dolby Atmos) as configured in the Admin Panel. ○ Movies without any assigned premium or specific format will be categorized as Mainstream shows. Label “Mainstream shows” won’t display on frontend. ○ The mainstream shows will be displayed at the top, followed by other formats in descending order of available showtimes. ● Showtimes and associated seat categories (on hover) Status: ○ Showtimes are color-coded based on availability: Available, Filling Fast, Sold Out, Lapsed. ○ Available - If more than 20% of the seats are left, the color shown is green. It is still clickable. ○ Filling Fast - If less than 20% of the seats are left, the color shown for the slot is yellow (Filling fast). It is still clickable. ○ Sold out - If less than 10% of the seats are left, the color shown is red. Clicking on it, the system displays a flash message: “Show Unavailable. Sorry, this show is houseful so it is no longer open for booking.” ■ User can close the flash message or it will disappear after some time. ○ Any movie showtime having less than 10% of seats left, will not be shown under quick bookings (Homepage). ○ Note: If the showtime is already past, users can still book the movie until the ‘movie stop time’ configured in Showbizz. After the stop time, booking will be disabled for that showtime. ○ If a show has already started, users can still book the movie until the “movie stop time” has passed, as configured in Showbizz. Once the stop time is reached, booking for that showtime will be disabled. ○ Note: The color codes and % of filling fast will be configurable from admin panel > global configuration section. ● Popup List ○ By default, all popup messages are displayed in an expanded view (after
--	---

clicking on showtime) and have an option to collapse.

- The sequence is managed from the admin panel.

- **Search:**

- Search Criteria: Search is performed based on the name of the entity
- Voice search will not proceed until permission is granted.
- Search must support partial and case-insensitive matches.

- **Image fallback handling**

- If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place.

- **Multiple error handlings**

- If the same error occurs three times, the user will be redirected to the homepage or wherever the use case applies. An alert email regarding the error will be sent to a configurable email address (set from the admin panel).

The email will include the following details:

- Device - Device name and its OS version
- App Platform and Version
- Error Type
- Date & Time Log
- Triggering Event > Page name

- **Filters** - (All filters and its options listing will be in alphabetical order)

- Distance - (0-25 km) → Used at Map view
 - Slider 0 to 25 km
 - Distance min-max range & default set is managed from the Admin Panel.
 - If no cinemas are available within a 5 km radius, the system will automatically expand the distance range until at least one cinema is found (up to the maximum defined range).
 - If no cinemas are found even after reaching the maximum range, a popup will appear with a message: “We couldn’t find any cinemas near your location. Would you like to view all cinemas in your city, even if they’re farther away?” Option: Yes/No
 - Yes: The distance filter will be disabled, and all cinemas in the selected city will be displayed.
 - No: Redirect to list view”
- Showtime (12.00 AM to 11.59 PM) → Used at Map view & Cinema detail page
 - Slider - 12.00 AM to 11.59 PM
 - The interval for selection would be - 1 hour
- Language (Based on fetched movies) → Used at Map view & Cinema detail

page

- Hindi, English, Tamil, Telugu, Punjabi, Bengali, Marathi, Gujarati, etc.
- Genre (Based on fetched movies) → Used at Map view & Cinema detail page
 - Action, Drama, Comedy, Thriller, Romance, Horror, Sci-Fi, Adventure, etc.
- Cinema Experience (as per the priority logic) → Used at Cinema detail page
 - IMAX, 4DX, MX4D, ScreenX, Playhouse, Director Cut, Gold Class, etc.
- Accessibility (Based on fetched data) → Used at Map view & Cinema detail page
 - Wheelchair Accessible, Subtitle, etc.
- Price → Used at Map view & Cinema detail page
 - Slider for price range - Min to max will be dynamic.
 - Users can select in-between the price range. (e.g. 150-250)
- When the user applies secondary filters, the system displays the result count on the filter screen upfront.

- **On Movie Click from the carousel of cinema listing page**

- User is redirected to the ~~Movie Detail Page~~ → Cinema Details Page (for the selected cinema).
- The selected movie appears on top.
- Remaining movies are displayed below as per the defined sequencing logic (descending show count).
- The default selected date is the nearest show date of the selected movie.

- **Date Change Behaviour** - If user changes the date:

- If the selected movie is available on the newly selected date:
 - System maintains the priority order.
 - Selected movie remains on top.
 - Other movies follow as per defined sequencing logic.
- If the selected movie is NOT available on the selected date:
 - System follows the defined sequencing logic for that date.
 - Movies are displayed in descending order of show count for that day.
- If user again selects a date where the originally selected movie is available:
 - System maintains the priority order.
 - Selected movie appears on top.
 - Other movies follow as per defined sequencing logic.

- **Filter Behaviour** - If user applies a filter:

- If after applying the filter the selected movie is available:

	■ System maintains the priority order. ■ Selected movie appears on top. ■ Other movies follow as per defined sequencing logic. ○ If selected movie is NOT available after applying filter: ■ System follows the defined sequencing logic for showcasing other movies. ○ If user resets the filter: ■ System maintains the priority order (selected movie on top, followed by other movies as per defined logic). ● Nearby Cinema Behaviour - If user selects another nearby cinema: ○ System does NOT maintain the previous priority override. ○ Sequencing follows the defined logic of that selected cinema (descending order of show count).
Validations	● Map Filters ○ Filters return zero results → display “Sorry, no cinema found under the selected filter.” ● Accessibility icon message - ○ Ramp - “This auditorium is wheelchair-friendly and equipped to support manual wheelchair users.” ○ Wheelchair - “This auditorium offers accessible seating for wheelchair users, along with nearby seats for companions so you can enjoy the movie together.” ● Cinema Detail Movie Search ○ If a movie search in Cinema Detail Page returns no match → display “No movie found”. ● Cinema detail page ○ Filters return zero result → “Sorry, no movies found under the selected filter.”
Configurable from admin	● Cinema list ● movies/events list ● Experience logic elements ○ Experience list and order ● Terms & Conditions ● Format Change info ● Format (e.g., Atmos, Kotak Luxe, etc.) ● Experience filter sequence
Admin Link	Cinema Management:

11. Cinema format/Experience

11.1. Use Case

Use Case No.	UC 11
Use Case Name	Cinema Format / Experience
Use Case Description	This use case defines the process by which a user can explore different cinema experiences (e.g., PXL, 4DX, IMAX, Gold). Users can view available experiences, explore experience details including videos, descriptions and features, and discover movies currently playing in that experience across the selected city.
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend Location Service
Triggering Event	The user selects Cinema Format / Experience section from the navigation: - App/M-site: Bottom Navigation Panel > More>Experience - Web: Header/Navigation Bar
Pre-Condition	- The user has installed the app or is accessing the website/M-site. - The user has enabled location permission and selected a city. - Network connectivity is available. - Cinema format/experience is available in the system backend. - For voice search, microphone access permission must be granted.
Post Condition	- Users can view available cinema experiences and details. - Users can search and view movies available under each experience. - Users can proceed to book movies based on selected experience.
Basic Flow	UC11.1.1. The user opens the Cinema Format / Experience section via the bottom navigation panel (App/M-site - more) or header navigation bar (Web). UC11.1.2. System verifies that location permission is enabled or a city is selected. UC11.1.3. System displays a cinema experiences page consisting of: - Banner image - If a video/trailer is available, it will auto-play on the screen after 3 seconds (during those 3 seconds, the banner image remains visible). - If multiple videos/trailers are available, the latest video/trailer will auto-play. - Once the video playback is completed, the banner image is shown again. - If a video is not available, only the experience poster is displayed. - A horizontal carousel showing all available experiences in the selected city.

- The sequence of experience will be based on the number of audi in the city.
- In case two or more experiences' audi number overlap, display as per the priority set in the admin panel.
- Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.
- Selecting an experience in the carousel updates the banner and movie list below.
- Experience Features/Description section
- Option to watch more experience video (CTA-"Treasure the Experience of <IMAX>")
 - If multiple videos are available, only then this CTA appears, clicking on it → show list of all videos → clicking on any video → a playback screen opens where the YouTube video auto-play
- Search Bar to search movies available under the selected experience.
 - Users can search for movies by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8.
- Listing of Now showing movies playing in the selected experience:
 - Movies Listing sequence
 - Movies are displayed based on no of shows available for that experience in that city.
 - In case the movie name is long, it will be truncated based on available UI space on the user's device to avoid abrupt display.
 - Movie card contains:
 - Name
 - Movie poster
 - Censor Rating (U/A, A, etc.)
 - Genre(s)
 - Language Tags (Hindi, English, Tamil, etc.)
 - Movie Tags (New Release, Date Tag, Re-release)
 - Experience/Format
 - Duration
 - Applicable bank offers
 - CTAs:
 - Clicking on the movie card → redirects to the movie detail page (Book movie section) with pre-filter applied for the selected experience.
- List of Coming soon Movies in the selected experience:
 - Sorting of upcoming movies:
 - Movies are shown in ascending order of release date.
 - If multiple movies are released on the same date, their order is determined randomly.

	○ Movie card contains: ■ Poster, Name, ■ Censor Rating, ■ Genre, ■ Language(s), ■ Release Date, ■ Experience/Format ■ In case if an alert is set for the movie → Display number of cinema in the city in which city this Alert is set for ■ CTA: ● View Details (click on movie card) → redirects to Movie Detail Page ● “Set Alert” to set an alert ● “Delete Alert” to delete an alert (if alert is already set)
Alternate Flow	● Multiple Trailers: ○ If multiple trailers/videos are available for an experience, clicking Watch Trailer/video displays a transient list of all trailers/videos along with names, allowing the user to play any selected trailer. ● If now showing & upcoming movies are not available for selected experience → Display: ““There are currently no movies showing in <IMAX>. Please check back later.” ● Video fails to play → display “Unable to play video. Please try again.” ● City/location not selected → prompt user to select city or enable location.
Exception Flow	● System fails to fetch movies for a selected experience→ display an error message. ● Video playback API fails → display an error message ● If the user denies microphone permission or the device blocks it, the system displays a popup message - “Text: To give you the best PVR experience, please turn on microphone permissions in your device settings.” with CTAs -Settings/cancel. ○ Settings - Redirect to device settings ○ Cancel - continue with text search
Business Rules	● Experience Listing Order ○ The sequence of experience will be based on the number of audi in the city. ○ In case two or more experiences’ audi number overlap, display as per the priority set in the admin panel. ○ Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option. ● Now Showing Movies Listing sequence ○ Movies are displayed based on no of shows available for that experience in

	that city. ○ In case the movie name is long, it will be truncated based on available UI space on the user's device to avoid abrupt display. ● Censor ratings ○ U: Suitable for all age groups. ○ U/A: Parental guidance advised ○ U/A 7+: Suitable for viewers aged 7+. Parental guidance advised ○ U/A 13+: Suitable for viewers aged 13+. Parental guidance advised ○ U/A 16+: Suitable for viewers aged 16+. Parental guidance advised ○ A: Restricted to adults (18+). Valid ID may be required at the venue ○ S: Restricted to a special category of viewers as per certification guidelines. ○ T.B.A: Certification pending. ○ All Ages: Suitable for all age groups ● Coming soon Movies Sequence ○ Movies are shown in ascending order of release date. ○ If multiple movies are released on the same date, their order is determined randomly. ● Movie Display ○ Only movies available in the selected Experience and city are shown. ○ If "now showing" movies are not available → "now showing" movies section won't appear ○ If "coming soon" movies are not available → "coming soon" movie section won't appear. ○ If both types of movies are not available → display a message. ● Booking CTA ○ Clicking on the movie card → redirects to the movie detail page (Book movie section) with pre-filter applied for the selected experience. ● Video Playback: ○ Trailers and videos are played within the app/web/m-site using the native player. When the user taps on a video card, a playback screen opens where the YouTube video auto-plays. No redirection to YouTube occurs. ● Search: ○ Search Criteria: Search is performed based on the name of the entity ○ Voice search will not proceed until permission is granted. ○ Search must support partial and case-insensitive matches. ● Image fallback handling ○ If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place. ● Multiple error handlings
--	---

	○ If the same error occurs three times, the user will be redirected to the homepage. An alert email regarding the error will be sent to a configurable email address (set from the admin panel). The email will include the following details: ■ Device ■ Version ■ Error Type ■ Date & Time Log ■ Triggering Event
Validations	● If a video fails to load or play → shows an error message “Unable to play video. Please try again.” ● System fails to fetch movies for a selected experience→ display “Unable to load movies. Please try again.” ● If no movies available in Now Showing and Coming Soon for a selected experience → Display: ““There are currently no movies showing in <IMAX>. Please check back later.”
Configurable from admin	● Experience priority ● Experience data (content & video)
Admin Link	Experience Management:  PVR INOX_Product Requirement Document

12. Now Showing Movies Details page

12.1. Use Case

Use Case No.	UC 12
Use Case Name	Now Showing Movies Detail page
Use Case Description	This use case defines the process by which a user can view detailed information for a selected movie and proceed to booking through the Movie Detail Page, which consists of two main sections — Book Movie and Movie Details. The page dynamically retrieves data from Showbizz, TMDB/Moviebuff, and Admin Panel, and displays it within the app/web/m-site interface based on the selected city
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend (Showbizz, TMDB/Moviebuff, Admin Panel) Location Service
Triggering	User selects a movie from the movie listing (from homepage, cinema listing, experience

Event	detail page) to view its details.
Pre-Condition	The user has selected a city or allowed location access. Active internet connection is available. Movie data is synced from the Admin Panel. For voice search, microphone access permission must be granted.
Post Condition	User can view all details related to the selected movie. User can view cinemas and showtimes for the selected movie. User can initiate the booking flow.
Basic Flow	UC12.1.1. User selects a movie from the listing. System displays the Movie Detail Page (Book Movie section), which includes: • Experience Nudge (if applicable): Displayed after loading of page having a condition - The nudge appears after the page has loaded, and is triggered only when the selected movie is also available in one or more premium experiences (e.g., IMAX, Director's Cut, 4DX, GOLD, INSIGNIA). ○ "Also available in <IMAX, 4DX> at a marginally higher cost of <₹X>." Options: Apply filters / Know More / Skip ■ Apply Filters - Filters applies for that experience ■ Know more - Redirect to the experience detail page ■ Skip - No action/ close the nudge ○ Note: After the nudge is dismissed or applied, the informational text "Also available in <IMAX, 4DX> at a marginally higher cost of <₹X>." with a "toggle" to apply/remove filter will remain visible within the Book Movie section, ensuring that users can still read about the premium format options and apply filter for it. ■ If user apply that experience filter manually, toggle will also be enabled and vice versa. Refer to link for frequency & logic - PVR INOX - Nudge Matrix • Movie poster with key info: Name, Genre, Censor Rating, Duration, Release Date, Languages, Synopsis, Format(s), Secondary format, caption type (if applicable), Movie Rating. • If a video/trailer is available, it will auto-play on the screen after 3 seconds (during those 3 seconds, the movie poster remains visible): ○ If multiple videos/trailers are available, the latest video/trailer will auto-play. ○ Once the video playback is completed, the movie poster is shown again. ○ If a trailer is not available, only the movie poster is displayed. • Option to watch other trailers video (CTA- "Watch Trailer") ○ If multiple videos are available, only then this CTA appears, clicking on it

	→show list of all videos → clicking on any video → a playback screen opens where the YouTube video auto-play • Promotional banner (managed from Admin Panel) • Users will be able to share the movie details via native sharing kit. Following details will be shared with the other user: ○ Poster Image ○ Text as “Checkout this ‘movie name’ that I found on the PVR INOX app.” along with the Deep-Link to view the Movie slot page (clicking on which will navigate the user to the slot selection page of that movie) in the app (if the receiver device has app) or MSite (if no app). • System displays the Movie Detail Page consisting of two main sections: ○ Book Movie (default view section) ○ Movie Details Book Movie UC12.1.2. Book Movie Section contains: UC12.1.2.1 Date Filter (last date would be as per the available data on showbizz) UC12.1.2.2 Search option to find specific cinemas having showtimes for that movie • Users can search for cinema by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8.. UC12.1.2.3 Primary filter → Experience filter ○ The sequence of experience will be basis on the number of audi in the city. ○ In case two or more experiences’ audi number overlap, display as per the priority given in the admin panel. ○ Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option. ○ The applied experience filters will be displayed first. Note: When a user is redirecting from the experience detail page, that experience filter will be auto-applied on this page. UC12.1.2.4 Other filters: Accessibility, Distance, Language, Price, Showtime, Special Tags, etc. ○ Option to reset filters. ○ All the filters options are dynamically updated as per the available data of movies’ showtimes. ○ Distance min-max range & default set is managed from the Admin Panel. ○ Filters will be arranged in alphabetical orders. ○ If user hasn’t enabled location, a CTA will appear on the distance filter: “Enable Location for Distance Filter” • Users can apply filters on Movie Detail Page that affect cinemas and showtime
--	--

counts.

Note - If personalization comes, most used filter will become Primary filter.

UC12.1.2.5 List of applied filters (if applicable)

UC12.1.2.6 List of cinemas where the selected movie is playing. (Also show a message stating count of showtimes in total cinemas i.e. “20 showtimes in 10 cinemas”)

- Sorting of cinema: Priority order →
 - Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status.
 - Personalization (shown as “Recommended” tag): Most visited cinemas (based on the user’s movie ticket bookings) are displayed next.
 - Note: With/Without tag will be decided when designs get finalised.
 - Remaining cinemas are displayed in ascending distance order from the user’s location.
- The same sequencing logic will continue even after filters are applied.

UC12.1.2.7 Each cinema tile displays:

- Name
- Address
- Direction button
- Distance from user location
- Accessibility icon (on hover/tap - display the accessibility details)
- Amenities info (shows list of amenities)
- Favorite icon to mark as favorite
- Expandable/collapsible option for view showtime
 - By default, the top cinema card/tile is displayed in an expanded view to showcase showtimes.
- On expansion, the cinema tile displays showtimes under different formats (e.g., Atmos, Luxe, or no specific format if standard - movies with no format is the mainstream show movies).
- Note:
 - Format names may include brand identifiers (e.g., Kotak Luxe, Dolby Atmos, etc.) as updated through the Admin Panel.
 - Cinemas Audi that do not have a specific format assigned will be categorized as Mainstream shows.

UC12.1.2.8 Showtime card contains:

- Start time
- Language, Movie Format (Secondary i.e. 3D), Experience/format , Accessibility icons (wheelchair), Subtitle.

- **Color-coded status:** Available / Filling Fast / Sold Out / Lapsed
- For web, on hover on showtime (except lapsed showtimes) → displays price for different seats
- For app/m-site, on long press on showtime (except lapsed showtimes) → displays price for different seats
- Clicking any showtime → redirects to booking flow → seat selection → Continue → displays a list of popup with “Accept & Continue:” CTA.

UC12.1.2.9 Popup list -

- Important information:
 - Details related to the cinema, such as elevator construction updates or digital payment availability, will be displayed here.
 - This information is adhoc and fetched from ShowBiz and shown at top.
- For Selected format:
 - You’ve selected an IMAX cinema, but the movie format for this showtime is not IMAX. You’ll still enjoy a premium viewing experience, but it won’t include the IMAX format features. (managed from Admin Panel → only format on which this popup appears. Text will be static here)
 - The cinema experience(s) on which this popup appears will be managed from the Admin Panel.
 - The popup text message will come from the backend; the cinema experience name (e.g., IMAX, ICE, etc.) will change dynamically based on configuration.
- Cinema Terms & Conditions
 - Generally, global Terms & Conditions will be displayed here.
 - If a specific cinema has its own Terms & Conditions, they will be appended at the end of the global Terms & Conditions.
 - This configuration is managed through the Admin Panel (Cinema Management) section.
- Experience Terms & Conditions
 - This configuration is managed through the Admin Panel (Experience Management section).
- Adult Movie
 - This movie has been rated ‘A’ and is for audiences above the age of 18. Please carry a valid photo ID/age proof to the cinema. No refund of tickets once bought.
 - This text message is configured from Admin Panel → Movie management and appears only on A rated movies which comes

from showbizz.

- Note: Only the relevant popups applicable to the selected movie and cinema will be displayed; others will remain hidden.
- The sequence is managed from the admin panel.

UC12.1.2.10 No Suitable Showtime Found:

- If users do not find a suitable showtime in the movie detail page (Book Movie section).
- System provides an option to Submit Preference by clicking on the CTA - "Pickup your time", System verifies location permission is enabled. If it is not given then the system will ask the user to grant location access first then only proceed.
- User can select:
 - Time
 - A list of movie versions of selected movies.
 - Same movie with different HO codes will be displayed here like in this case can be - Jolly LLB 3 Telugu, Jolly LLB 3 Hindi
 - CTA - "Next"
- System checks if any showtime(s) are available as per the given time[(+- 30 min, configurable from backend API) for the selected movie on showbizz for any date.
 - If available, a prompt appears displaying:
 - Distance filter: (0-25 km, by default 5 km is set) - Distance min-max range & default set is managed from the Admin Panel.
 - If no cinemas/showtimes are available within a 5 km radius, the system will automatically expand the distance range until at least one cinema/showtime is found (up to the maximum defined range).
 - If no cinemas/showtimes are found even after reaching the maximum range, the distance filter will be disabled, and all cinemas/showtimes in the selected city will be displayed within the given time duration
 - Date - for which matching showtime slots are available.
 - By default the current date or available next date is selected.
 - Text message - "We found {X} showtime(s) of this movie around your selected time."
 - {X} = total number of matching showtimes returned by the system
 - Count is calculated based on:

	○ Selected movie version ○ Selected time ($\pm$ 30 minutes logic) ○ Selected date ○ Applicable distance logic ■ List of cinemas along with available showtimes for the selected date. ● By clicking on any showtime, the user is redirected to the booking flow (the popup for adhoc, cinema terms and conditions, different experience, adult movie will also be followed as per the above defined flow). ■ CTA - "Still not satisfied with the showtime?". ● Clicking on it displays a new prompt having a cinema listing. ○ If not available, a new prompt appears having: ■ Distance filter: (0-25 km, by default 5 km is set) - Distance min-max range & default set is managed from the Admin Panel. ● If no cinemas are available within a 5 km radius, the system will automatically expand the distance range until at least one cinema is found (up to the maximum defined range). ● If no cinemas are found even after reaching the maximum range, the distance filter will be disabled, and all cinemas in the selected city will be displayed within the given time duration ■ Text Message - ● If cinemas are available in the defined range of filter → displays a message: "{X} cinema(s) found," ○ {X} = total number of cinemas returned by the system for the selected city ● If cinemas are not available in the defined range of filter up to max range → distance filter disabled, and displays a message: "No nearby cinemas found. Showing all cinemas in the selected city." ■ A list of cinemas → list will appear basis on selected distance range ● User selects cinema (multi-select) ■ CTA - "Submit Preference" ● The system displays an acknowledgment message
--	---

	confirming that the preference has been submitted. • A backend report is generated and displayed in the Admin panel under > Reports > User show time. UC12.1.2.11 Also playing section - displays list of other Now Showing Movies in that city up to a limit of 10. UC12.1.2.12 Offer section → clicking on any offer shows details of the offer. UC12.1.2.13 Option to switch between sections - Movie Details & Book Movie Movie Details UC12.1.14. Movie details section contains: • Synopsis - movie info, Genre, Censor Rating, Duration, Release Date, Languages, CC/OC availability, etc. • Cast & Crew Details: Image, Name, Role, Profession; clicking navigates to profile with DOB, Biography, Social links, Known For, Images (downloadable option along with resolution & size → 1920 x 1080, Full HD, size 5 MB) • Trailer(s) (if multiple, sorting is random) • Backdrops → When the user clicks on a backdrop, it opens in an image viewer. The viewer provides options such as next, previous, and an option to download the backdrop image. On the image viewer, image resolution (1920 x 1080, Full HD, size 5 MB) also displays. • Offers - clicking on it shows the offer details in expanded view/popup. • Also playing movies → Now showing movies (up to 10) • For App/M-site → a fixed CTA at bottom: “Book Now” → redirect to Book now section • Option to switch Book now section Note: The sub section will be dynamic on the basis of content availability.
Alternate Flow	UCA12.1.1. Multiple Trailers: • If multiple trailers are available for a movie, clicking Watch Trailer displays a transient list of all trailers along with names and languages, allowing the user to play any selected trailer. UCA12.1.2. Filter Reset: • Users apply filters dynamically → system updates count. Users can choose to reset filters anytime. • Adfree Shows filter applied → cinemas displayed with Adfree label ○ Cinema having Director’s cut format/experience will be displayed here. UCA 12.1.3 If no premium experience showtimes are available, the experience nudge & text is not displayed.
Exception	UCE12.1.1. No Cinemas Found:

Flow	If no cinemas are available within applied filters, the system displays an error message. UCE12.1.2.Showtime Sold Out: If the user clicks a showtime that is Sold Out, system displays a flash message. UCE12.1.3. Trailer Playback Failure: If a trailer fails to load or play, the system displays an error message. UCE12.1.4. Booking Redirection Failure: If the user cannot proceed from showtime selection to seat booking, the system displays an error message. UCE12.1.5. Submit Preference Failure: If submitting preference (time, movie, distance) fails, the system displays an error message. UCE12.1.6. Submit Preference (as a guest user) If a guest user tries to submit their preferences after selecting a cinema (last step), they will be redirected to the login page. Upon successful login, the user will be redirected back to the same screen to submit the preferences UCE12.1.7. Microphone permission denied: ● If the user denies microphone permission or the device blocks it, the system displays a popup message - “Text: To give you the best PVR experience, please turn on microphone permissions in your device settings.” with CTAs -Settings/cancel. ○ Settings - Redirect to device settings ○ Cancel - continue with text search
Business Rules	● Video Playback: ○ Trailers and videos are played within the app/web/m-site using the native player. When the user taps on a video card, a playback screen opens where the YouTube video auto-plays. No redirection to YouTube occurs. ● Experience nudge logic: ○ If multiple premium experiences are available, the system displays the nudge in the following order of priority (managed by Admin Panel): ■ IMAX ■ Director’s Cut / INSIGNIA

	■ 4DX ■ GOLD / LUXE ○ The admin panel allows configuration of: ■ On which experiences this nudge appear ■ The display priority. ● Censor ratings ○ U: Suitable for all age groups. ○ U/A: Parental guidance advised ○ U/A 7+: Suitable for viewers aged 7+. Parental guidance advised ○ U/A 13+: Suitable for viewers aged 13+. Parental guidance advised ○ U/A 16+: Suitable for viewers aged 16+. Parental guidance advised ○ A: Restricted to adults (18+). Valid ID may be required at the venue ○ S: Restricted to a special category of viewers as per certification guidelines. ○ T.B.A: Certification pending. ○ All Ages: Suitable for all age groups ● Date Filter: ○ Displays current and upcoming dates only. ○ By default, the current date is selected and visually highlighted. ○ The last date will be based on the available show data from Showbiz. ● Experience filter logic: ○ The sequence of experience will be based on the number of audi in the city. ○ In case two or more experiences' audi number overlap, display as per the priority given in the admin panel. ○ Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option. ○ The applied experience filters will be displayed first. ● Filters:- All filters and its options listing will be in alphabetical order except Experience filter ○ Accessibility → Wheelchair Accessible, Subtitle, Adfree shows, etc. ○ Distance - (0-25 km) → ■ Slider 0 to 25 km ■ Distance min-max range & default set is managed from Admin Panel. ■ If user hasn't enabled location, a CTA will appear on the distance filter: "Enable Location for Distance Filter" ○ Language → Hindi, English, Tamil, Telugu, Punjabi, Bengali, Marathi,
--	---

Gujarati, etc.

- Price →
 - Slider min to max
 - Max range defined as per available data on showbizz
- Showtime (12.00 AM to 11.59 PM) →
 - Slider - 12.00 AM to 11.59 PM
- Special tags → Senior citizen, Student specials, etc.
 - SC or SO is received from Showbiz corresponding to a movie show (session)
 - If no such showtime is available, the filter won't appear.
- When the user applies secondary filters, the system displays the result count on the filter screen upfront

- **Search**

- Search Criteria: Search is performed based on the name of the entity
- Voice search will not proceed until permission is granted.
- Search must support partial and case-insensitive matches.

- **Cinema Sorting logic:** Priority given to

- Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status.
- Personalization (shown as "Recommended" tag): Most visited cinemas (based on the user's movie ticket bookings) are displayed next.
 - Note: With/Without tag will be decided when designs get finalised.
- Remaining cinemas are displayed in ascending distance order from the user's location.
- Adfree cinemas are labeled with "Adfree Shows"
 - This value is retrieved from Showbiz under the 'Business Place' attribute. Based on this, it is incorporated into the cinema listing. This attribute is retrieved from showbizz and displayed in the admin panel as well and accordingly shown here.

- **Cinema Distance:**

- If the user has enabled the location, the distance of the cinema will be calculated from the user's current location.
- If the user hasn't enabled location & selected a city, the distance of the cinema from the user & "Get Direction" CTA will not be shown. Instead of it "Enable location to get direction" CTA will be displayed.
- If location services are enabled and the user manually selects a

different city, the distances for all cinemas in that city will be calculated from the user's current location rather than from the selected city.

- If location service is not enabled, the distance of the cinema will be calculated from selected city lat/long for sorting the cinema list.

- **Mark as favorite**

- Favorite status must be saved and Updated sorting should reflect on the next visit, allowing the user to mark multiple cinemas as favourite in the same session
- Only logged users can mark a movie as their favorite.

- **Accessibility icon message -**

- Ramp - "This auditorium is wheelchair-friendly and equipped to support manual wheelchair users."
- Wheelchair - "This auditorium offers accessible seating for wheelchair users, along with nearby seats for companions so you can enjoy the movie together."

- **Cinema Card Expansion:**

- Only one cinema card/tile can be expanded at a time.
- By default, the top cinema card/tile is displayed in an expanded view, showcasing showtimes.
- When a user expands a cinema card/tile, the list automatically scrolls to bring all the showtimes of that cinema into view on the screen.
- Expandable cinema cards display all showtimes for the day, including past, current, and upcoming slots.
- Showtimes will be displayed in ascending order.

- **Format Definition for showtime categorization:**

- Format names may include brand identifiers (e.g., Kotak Luxe, Dolby Atmos) as configured in the Admin Panel.
- Movies without any assigned premium or specific format will be categorized as Mainstream shows. Label "Mainstream shows" won't display on frontend.
- The mainstream shows will be displayed at the top, followed by other formats in descending order of available showtimes.

- **Showtimes and associated seat categories (on hover) Status:**

- Showtimes are color-coded based on availability: Available, Filling Fast, Sold Out, Lapsed.
- Available - If more than 20% of the seats are left, the color shown is green. It is still clickable.
- Filling Fast - If less than 20% of the seats are left, the color shown for

the slot is yellow (Filling fast). It is still clickable.

- Sold out - If less than 10% of the seats are left, the color shown is red. Clicking on it, the system displays a flash message: "Show Unavailable. Sorry, this show is houseful so it is no longer open for booking."
 - User can close the flash message or it will disappear after some time.
- Lapsed – If the showtime booking has been closed, the color shown is grey. It is not clickable.
- Any movie showtime having less than 10% of seats left, will not be shown under quick bookings (Homepage)
- **Note:** If the showtime is already past, users can still book the movie until the 'movie stop time' configured in Showbizz. After the stop time, booking will be disabled for that showtime.
- If a show has already started, users can still book the movie until the "movie stop time" has passed, as configured in Showbizz. Once the stop time is reached, booking for that showtime will be disabled.
- **Note:** The color codes and % of filling fast will be configurable from admin panel > global configuration section.

- **Movie Sorting Logic (Also playing section):**

- The "Also Playing" section displays other Now Showing movies currently running in the selected city.
- The movie whose detail page the user is currently viewing will not appear in the "Also Playing" list.
- Movies are sorted according to the number of showtimes available in the city (can be overridden via Admin Panel).
- Admin can mark a movie to be shown on top priority (city wise).
- Admin can mark more than one movie to be shown on top priority (city wise).
 - In such cases, sorting will be based on the default logic along with the descending total number of showtimes (as per ShowBiz data).
- **Note:** Movies with no showtimes available in the selected city will not be displayed in the Now Showing list, even if they are marked as top priority.
- This section displays movies up to a limit of 10.

- **Tag Logic (Also Playing):**

- New Release: Active for 7 days post-release (configurable via Admin Panel).

	○ Re-release: Active for content re-launched after configured (from global configuration) threshold (e.g., 6 months). ○ Date Tag: Displayed when showtimes are opened in advance. ● Submit Preference: ○ Only logged users can submit the preferences. In case of guest user, the user is redirected to the login screen. ○ Location permission must be enabled for this features ● Popup List ○ By default, all popup messages are displayed in an expanded view (after clicking on showtime) and have an option to collapse. ○ The sequence is managed from the admin panel. ● Image fallback handling ○ If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place. ● Multiple error handlings ○ If the same error occurs three times, the user will be redirected to the homepage. An alert email regarding the error will be sent to a configurable email address (set from the admin panel). The email will include the following details: ■ Device ■ Version ■ Error Type ■ Date & Time Log ■ Triggering Event
Validations	● No Cinemas Found: ○ If no cinemas are available within applied filters, system displays: "Sorry, no cinemas found under the selected filter." ● Showtime Sold Out: ○ If the user clicks a showtime that is Sold Out, system displays a flash message: "Show Unavailable. Sorry, this show is houseful so it is no longer open for booking." ● Trailer Playback Failure: ○ If a trailer fails to load or play, system displays: "Unable to play video. Please try again." ● Booking Redirection Failure: ○ If the user cannot proceed from showtime selection to seat booking, system displays: "Unable to start booking. Please try again."

	● Submit Preference Failure: ○ If submitting preference (time, movie, distance) fails, system displays: “Unable to submit your preference. Please try again later.”
Admin Link	Now Showing Movies Management -  PVR INOX_Product Requirement Document

13. Global Search

13.1. Use case

Use Case No.	UC 13
Use Case Name	Global Search – Movies, Cinemas, Events, and Experiences
Use Case Description	This use case defines the process by which a user can search for movies, cinemas, events, or experiences using keyword-based text input or voice commands. The system provides real-time predictive suggestions as the user types or speaks, displays categorized results with relevant attributes, and redirects the user to the corresponding detail page upon selection.
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend
Triggering Event	● The user taps on the global search bar icon to initiate a text or voice search for a movie, cinema, event, or experience.
Pre-Condition	● User has selected a city or granted location access ● Search data (Movies, Cinemas, Events, Experiences) is synced from Showbizz/Admin Panel. ● Active internet connection is available. ● For voice search, microphone access permission must be granted.
Post Condition	● Relevant search suggestions and results are displayed dynamically. ● Users can navigate to the corresponding detail page based on selection. ● If no results are found, a proper message is displayed to the user.

Basic Flow	UC 13.1.1. User Initiates Search: • User taps/clicks on the Search Bar from the app or homepage header. • The search bar displays the placeholder text: “Search Movies, Cinemas, Events, or Experiences...”. • On tap/click, the text field gains auto-focus, and the keyboard (on app/m-site) or cursor (on web) activates. • The microphone icon (for voice search) becomes visible only when the search bar is active. UC 13.1.2. Category Selection and Default Behavior: • Global search is categorized into three categories: Movies/Events, Cinemas, Experiences. • One category is always selected; predictive and suggestive results are displayed based on the currently selected category only. • When the search is initiated from a specific listing page, the search defaults to the category of that page: ○ Movie Listing Page (Homepage): Movies/Events category is selected by default. ○ Cinema Listing Page: Cinemas category is selected by default. ○ Experience Listing Page: Experiences category is selected by default. ○ Events listing page: Movies/Events category is selected by default. ○ On other pages - Movies/Events category is selected by default. • This ensures that predictive and suggestive results immediately match the context of the page. • Users can switch categories manually at any time without clearing the typed keyword. The system dynamically updates results based on the newly selected category while keeping the keyword intact. • Example: ○ User is on the Cinema Listing Page → default category is Cinemas → types “PVR” → predictive results show cinemas only. ○ User switches to Movies → same keyword “PVR” now shows matching movies. UC 13.1.3. User Inputs Search Query: • User begins typing a keyword (minimum 2 characters required to trigger search). • The clear input (×) icon appears once the user types any character, allowing the user to reset the query. • The system starts generating predictive real-time search suggestions for
------------	--

selected categories only.

UC 13.1.4. System Fetches Predictive Results:

- As the user types or modifies input, the system dynamically displays predictive results within the selected categories (Movies, Cinemas, Events, Experiences).
 - For movies/events, results include “Now Showing”, “Coming Soon” movies & events of selected city.
 - For cinema, results include Cinema of selected city.
 - For experience, results include experience available in selected city.
- Predictive results are displayed in a list format with the following attributes:
- Movies:
 - Name
 - Movie poster
 - Censor Rating (U/A, A, etc.)
 - Genre(s)
 - Language Tags (Hindi, English, Tamil, etc.)
 - Movie Tags (New Release, Date Tag, Re-release)
 - Applicable bank offers
 - CTAs:
 - Clicking on the movie card → redirects to the movie detail page (Book movie section)
- Cinemas:
 - Name
 - Address
 - Direction button
 - Distance from user location
 - No of shows (as per data available on showbizz)
 - CTAs
 - Clicking on the cinema card → redirects to the cinema detail page
- Experiences:
 - Experience logo
 - Image
 - Description
 - Watch Experience video
 - CTAs
 - View Details → redirects to experience Info Page
- Events:
 - Name

- Event poster
- Date
- Duration
- Categories
- Language (Hindi, English, Tamil, etc.)
- Event Tags (Live)
 - When event has been started, tags is fetched from showbiz
- Bank offers - If applicable
- CTAs:
 - Clicking on the event card → redirects to the event detail page

UC 13.1.5. System Displays Suggestive Search List (Before Typing):

- If no input is provided or the user has just activated the search bar, the system displays suggestive results:
- **Movies:** Now Showing movies in the selected city following the same logic for Now showing listing.
- **Events:** Displayed based on event date and shown within suggestive results of the movie listings at sequence positions 3 and 4 (if event data is available).
- **Cinemas:** Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status. Remaining cinemas are displayed in ascending distance order from the user's location.
 - If two or more cinemas have been marked as favorite, cinemas will be sorted based on the distance from the user
- **Experiences:**
 - Experiences are displayed based on city availability.
 - The sequence of experience will be based on the number of audi in the city.
 - In case two or more experiences' audi number overlap, display as per the priority given in the admin panel.
 - Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.

UC 13.1.6. Result Ordering Logic:

- **Movies:** Ordered by keyword match relevance.
- **Events:** Ordered by keyword match relevance.
- **Cinemas:** Ordered by proximity to user's current location (nearest first).
- **Experiences:** Ordered by its priority default logic.

UC 13.1.7. User Selects a Result:

	● On selecting a result: ○ Movie: Redirects to movie detail page (Book movie section). ○ Cinema: Redirects to Cinema Detail Page. ○ Experience: Redirects to Experience Detail Page ○ Events: Redirects to Events Detail Page (Book event section). UC 13.1.8. Voice Search: ● The user taps the microphone icon (visible only when the search bar is active), the system checks microphone permission. ○ If already granted: shows ““Listening... Speak the movie name or cinema name or experience name or event name.” prompt and starts capturing input. ○ If not granted: system shows a permission prompt (Allow / Deny). ● If the user denies, voice search is disabled and the user remains on the search input view. ● System shows a message: “Listening... Speak the movie name or cinema name or experience name or event name.” ● Voice input is converted to text, auto-filled in the search bar, and triggers predictive search. ○ If multiple matches found → show predictive list. ○ If no match → show “No matches found. Please try a different keyword.” message. ○ If recognition fails → show “Couldn’t recognize. Please try again.”
Alternate Flow	UCA 13.1.1. Switching Categories with No Results: ● If the user enters a keyword and the selected category has no matching results, the system automatically searches the remaining categories using the same keyword. ● If matching results are found in another category, the system automatically switches to the highest-priority category containing results and displays them. ● Category priority order: Movies/Events → Cinemas → Experiences. ● If multiple categories contain results, the category with the highest priority is selected. ● If no results are found across any category, the system displays: "No matches found. Please try a different keyword." UCA 13.1.2. Voice Search with Multiple Matches: ● If voice input produces multiple matches, the system displays a predictive list of all possible matches for the selected category. ● User selects the correct result to navigate to the corresponding detail page.

	UCA 13.1.3. Suggestive Search Handling: - When no keyword is typed, the system displays suggestive results for the currently selected category only, allowing the user to quickly pick from trending or popular options. UCA 13.1.4. Switching Default Category on Page: - If the user navigates from a specific listing page (Movies, Cinemas, Experiences, Events), the default category is pre-selected based on the page context. - Users can override this by manually switching categories.
Exception Flow	UCE 13.1.1. Voice Recognition Failure: - If the system cannot recognize the voice input, it displays: “Couldn’t recognize. Please try again.” - The user can retry voice input or type the keyword manually. UCE 13.1.2. Microphone Permission Denied: - If the user denies microphone permission or the device blocks it, the system displays a popup message - “Text: To give you the best PVR experience, please turn on microphone permissions in your device settings.” with CTAs -Settings/cancel. - Settings - Redirect to device settings - Cancel - continue with text search - Voice search will not proceed until permission is granted.
Business Rules	Result Ordering: - Movies → keyword match relevance. - Priority → Now Showing → Event → Coming soon - Cinemas → nearest to current location first. - Experiences → Experience priority logic. - Events → keyword match relevance. Search Criteria: Search is performed based on the name of the entity (Movie, Cinema, Event, or Experience) - Search must support partial and case-insensitive matches.. Keyword Retention: Switching categories retains the typed keyword; results update dynamically. Voice Search: - Only active when search bar is focused. Recognition failures shows an error message. - Voice search will not proceed until permission is granted.

	● Minimum Characters: Search is triggered after 2 or more characters are entered. ● Category Enforcement: Only results within the selected category are shown; switching category triggers a new search with the same keyword. ● Cinema Distance ○ If the user has enabled the location, the distance of the cinema will be calculated from the user's current location. ○ If the user hasn't enabled location & selected a city, the distance of cinema from the user & "Get Direction" CTA will not be shown. Instead of it "Enable location to get direction" CTA will be displayed. ○ If location services are enabled and the user manually selects a different city, the distances for all cinemas in that city will be calculated from the user's current location rather than from the selected city. ○ If location service is not enabled, the distance of the cinema will be calculated from selected city lat/long for sorting the cinema list. ● Predictive and Suggestive Search: ○ Predictive: Real-time suggestions as user types. ○ Suggestive: Displayed when the search bar is active but no keyword is entered. ● Image fallback handling ○ If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place. ● Multiple error handlings ○ If the same error occurs three times, the user will be redirected to the homepage. An alert email regarding the error will be sent to a configurable email address (set from the admin panel). The email will include the following details: ■ Device ■ Version ■ Error Type ■ Date & Time Log ■ Triggering Event
Validations	● If no matches are found, system displays message: "No matches found. Please try a different keyword." ● If voice recognition fails → show "Couldn't recognize. Please try again."

14. Coming Soon

14.1. Use case

Use Case No.	UC 14
Use Case Name	Coming Soon Movies & Alerts
Use Case Description	This use case defines the process through which a user can explore movies that are scheduled to release soon, set alerts to be notified when bookings open in their preferred cinemas, and download a calendar view for reference. Users can manage and modify these alerts through the Movie Alerts section available in the “My account” section.
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend
Triggering Event	The user navigates to the homepage section displaying the Coming Soon Movies section. The user clicks on “View All” CTA under the Coming Soon section on the homepage.
Pre-Condition	• User has granted location access • Active internet connection is available. • The user has access to the “Coming Soon” movie section. • For setting an alert, the user must be logged in. • Movie data is synced from Showbizz and Admin Panel. • For voice search, microphone access permission must be granted.
Post Condition	• Alert(s) successfully created and displayed in Movie Alerts. • The system sends notifications (whatsapp/SMS) when booking opens for selected cinemas. • Downloaded calendar PDF contains requested movie information and filters applied.
Basic Flow	UC 14.1.1: For web: • User clicks “View All” CTA on the homepage under the Coming Soon section. • On the homepage, a list of 5 upcoming movies is displayed with a View All CTA. • Clicking this redirects the user to the Coming Soon Movies page. UC 14.1.1 (A): For app/m-site User selects “Coming soon” from top navigation. UC 14.1.2: System displays the Coming Soon Movies page with: UC 14.1.2.1: Filter ○ For App/M-site - Year, Month ○ For web → Year, Month, Week ■ User can apply either the month filter or the week filter. These filters

are single-select.

- If the month filter is applied, all the corresponding weeks under that month will be auto-selected.
- If the week filter is applied, the corresponding month for that week will be auto-selected.”
 - If a selected week spans across two months (e.g., March and April), the later month (April) is auto-selected.
- Year, Month & Week Filters are static for a year.
- By default, the listing displays all “Coming Soon” movies for the entire year until the user applies a filter manually.

UC 14.1.2.2: Search option to find specific movies

- Users can search for movies by either typing a keyword or using voice input.
- User searches for a movie by name → system displays predictive search results including the upcoming movies for the upcoming year → user can select a movie to navigate to its detail page.
- Users can search for movies by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8.

UC 14.1.2.3: Primary filter → Experience filter

- The sequence of experience will be basis on the number of audi in the city.
- In case two or more experiences’ audi number overlap, display as per the priority given in the admin panel.
- Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.
- The applied experience filters will be displayed first.

UC 14.1.2.4: Other filters: Genre, Language, etc.

- Option to reset filters.
- All the filters options are dynamically updated as per the available data of movies’ showtimes.
- By default no filters are applied.
- Filters will be arranged in alphabetical orders.
- Users can apply filters on Movie Detail Page that affect cinemas and showtime counts.

Note - If personalization comes, most used filter will become Primary filter.

UC 14.1.2.5: List of weekly upcoming movies .

- Display Count of movies releasing in that week.
- Sorting of upcoming movies:
 - Movies are shown in ascending order of release date.
 - If multiple movies are released on the same date, their order is determined randomly.
- The same sequencing logic will continue even after filters are applied.

UC 14.1.2.6: Movie details:

- Poster, Name,
- Censor Rating,
- Genre,
- Language(s),
- Release Date,
- Experience/Format
- Hype text
- In case if an alert is set for the movie → Display number of cinema in the city in which city this Alert is set for
- **CTA:**
 - View Details (click on movie card) → redirects to Movie Detail Page

UC 14.1.2.7: User selects a movie to view detailed information:

- Movie poster with key info: Name, Tags, Genre, Censor Rating, Duration, Release Date, Languages, Synopsis, Format(s), Secondary format, caption type (if applicable).
- Option to watch other trailers video (CTA- “Watch Trailer”)
 - If multiple videos are available, only then this CTA appears, clicking on it → show list of all videos → clicking on any video → a playback screen opens where the YouTube video auto-play
- Promotional banner (managed from Admin Panel)
- Users will be able to share the movie details via native sharing kit. Following details will be shared with the other user:
 - Poster Image
 - Text as “Checkout this ‘movie name’ that I found on the PVR INOX app.” along with the Deep-Link to view the Movie detail page (clicking on which will navigate the user to the movie detail section of that movie in the app (if the receiver device has app) or MSite/web (if no app).
- Display the hype text “1K+ fans are hyped for this movie!” that shows the number of customers who have set alerts for that movie.
 - The count will be shown only after a minimum of 100 users have set an alert.
 - The displayed format will follow a rounded style, such as 100+, 200+, 1.1K+, etc.
- Synopsis - movie info, Genre, Censor Rating, Duration, Release Date, Languages, CC/OC availability, etc.
- Cast & Crew Details: Image, Name, Role, Profession; clicking navigates to profile with DOB, Biography, Social links, Known For, Images (downloadable option along with resolution & size → 1920 x 1080, Full HD, size 5 MB)
- Trailer(s) (if multiple, sorting is random)
- Backdrops → When the user clicks on a backdrop, it opens in an image viewer. The

viewer provides options such as next, previous, and an option to download the backdrop image. On the image viewer, image resolution (1920 x 1080, Full HD, size 5 MB) also displays.

- Also playing movies → Now showing (10)
- Releasing in X days
- Option to “Set Alert”
 - If alert is already set →
 - Option to “Update Alert” & “Delete Alert”
 - Number of cinema in which city this Alert is set for (if alert is already set)

UC 14.1.2.8: User taps/clicks “Set Alert”. → system displays a prompt having:

- City Name for which the alert will be set
- A list of nearby cinemas of the city:
 - **Search option** (keyword/voice input) available to find specific cinemas
 - User can select ~~up to 5 cinemas~~ multiple cinemas
- Or**
- Option to select “Any cinema in city”
 - If this is selected then all the cinemas below get selected and users will be notified once the movie is first released in any of the below cinemas.

Note: When a user clicks on “Any cinema in city” → all the cinemas become selected and Search option & cinema selection option remains disabled.

- Enable/Disable Whatsapp notification
 - Case 1:
 - User has already opted-in for WhatsApp transactional notifications → this option (toggle) won’t be displayed.
 - Case 2:
 - User has NOT opted-in for WhatsApp transactional notifications
 - The toggle still appears Enabled (selected) by default.
 - If the user keeps it enabled while saving the alert → the user is considered to have opted-in for WhatsApp transactional notifications globally.
 - All WhatsApp transactional notifications for the account become active.
- User confirms selection. System saves the movie alert for the selected city and shows a confirmation message (“Alert set for ‘Movie Name’ → You’ll receive WhatsApp notifications when booking opens”).
- Once the user sets the alert using the “Set Alert” CTA, the system adds the movie to the **Movie Alerts** section available in the “My Account”.

UC 14.1.2.9: User clicks Download Calendar → selects From Date and To Date (today+1 to 1

year max) → system generates PDF containing:

- Heading: Coming Soon Movies
- Time period requested
- Filters applied (Language, Genre, Format/Experience)
- Movie list having Poster, Name, Release Date, Genre, Language on each card.
- Only filtered results are downloaded if filters are applied.

UC 14.1.2.10: Movie Alerts section displays a list of all movies for which the user has set alerts in the selected city.

- User can view all the movie alerts across all cities by clicking on CTA - “View Alerts of All Cities”
 - User can switch back to the list of movies for which alerts are set in the current city by clicking the CTA ‘View Alerts of Current City’.
- For each movie in the list, the following information is displayed:
 - Movie poster
 - Movie name
 - Censor rating
 - Release date
 - Genre
 - Languages
 - Experience/format
 - Display number of cinema in which city this Alert is set for - “Alert set for 3 cinemas”
 - If alert is displaying for a selected city, the text is “Alert set for 3 cinemas”
 - If alert is displaying for all cities, the text is “Alert set for 3 cinemas in Noida”
 - If an alert is set for a sub-city and parent city is displayed, the movie is displayed for parent city. The text won’t change - “Alert set for 3 cinema in Noida”
 - **CTA:**
 - View Details (click on movie card) → redirects to Movie Detail Page
 - “Delete Alert” to delete an alert
- User can **edit** the alert (modify selected cinemas) or **delete** the alert entirely from the movie detail page.
- After deleting the alert a successful message is displayed - “The movie alert has been successfully removed. You’ll no longer receive notifications for this movie.”
- Any changes (edit/delete) are immediately reflected in the **Movie Alerts** section.

UC 14.1.11: System sends notifications (WhatsApp/SMS) when booking opens for selected cinemas. Notification contains:

	• Movie name (for whatsapp/sms both) & poster (only for whatsapp, not for sms) • Deep link to showtimes page for booking Note: • If the user manually selects individual cinemas, one notification will be sent when showtimes open for booking in any of the selected cinemas. • If the user selects “Any cinema in the city”, they will receive one notification when showtimes open for booking in any cinema in the city. Once the notification is triggered, the movie alert will automatically turn off and be removed from the “Movie Alert” section.
Alternate Flow	UCA 14.1.1: User not logged in → system prompts to log in/register to set alert. UCA14.1.2. Multiple Trailers: • If multiple trailers are available for a movie, clicking Watch Trailer displays a transient list of all trailers along with names and languages, allowing the user to play any selected trailer. UCA14.1.3. No Trailer Available: • If a trailer is not available, only the movie poster is displayed.
Exception Flow	UCE 14.1.1: Movie details unavailable/removed → alert becomes inactive, and user is notified. UCE 14.1.2: If the user denies microphone permission or the device blocks it, the system displays a popup message - “Text: To give you the best PVR experience, please turn on microphone permissions in your device settings.” with CTAs -Settings/cancel. ○ Settings - Redirect to device settings ○ Cancel - continue with text search UCE14.1.3. On the movie alert page → If the user hasn’t set any alert → display a message “No Movie Alerts Found. Set alerts for Coming Soon titles to never miss a release.” with CTA “Explore Coming Soon” that redirects the user to the “coming soon” movie listing page.
Business Rules	• Users can have multiple movie alerts active simultaneously. • Only one active alert can be set per movie per city. If a new alert is created, it will replace the previous one for that city. Alerts are city-specific. • System sends notification when booking opens for any selected cinema of a selected city. • Alerts remain active until booking opens or the user deletes them. • Week starts from Friday and ends on Thursday. • Calendar download allowed from today up to 1 year. • Calendar will be downloaded in pdf format. • In the downloaded pdf calendar, the sequence of movies is the same as in the listing page. • Guest users can also download the upcoming movies calendar.

- Users must be logged in to create, modify, or delete alerts.
- Calendar date selection: only today → 1 year max; past dates disabled.
- Search Criteria: Search is performed based on the name of the entity
- Voice search will not proceed until permission is granted.
- Search must support partial and case-insensitive matches.
- **Movie Sorting Logic (Also playing section):**
 - The “Also Playing” section displays other Now Showing movies currently running in the selected city.
 - The movie whose detail page the user is currently viewing will not appear in the “Also Playing” list.
 - Movies are sorted according to the number of showtimes available in the city (can be overridden via Admin Panel).
 - Admin can mark a movie to be shown on top priority (city wise).
 - Admin can mark more than one movie to be shown on top priority (city wise).
 - In such cases, sorting will be based on the default logic along with the descending total number of showtimes (as per ShowBiz data).
 - **Note:** Movies with no showtimes available in the selected city will not be displayed in the Now Showing list, even if they are marked as top priority.
 - This section displays movies up to a limit of 10.
- **Tag Logic (Also Playing):**
 - New Release: Active for 7 days post-release (configurable via Admin Panel).
 - Re-release: Active for content re-launched after configured (from global configuration) threshold (e.g., 6 months).
 - Date Tag: Displayed when showtimes are opened in advance.
- **Cinema Distance**
 - If the user has enabled the location, the distance of the cinema will be calculated from the user's current location.
 - If the user hasn't enabled location & selected a city, the distance of cinema will not be calculated & “Enable location to get direction” CTA will be displayed.
 - If location services are enabled and the user manually selects a different city, the distances for all cinemas in that city will be calculated from the user's current location rather than from the selected city.
 - If location service is not enabled, the distance of the cinema will be calculated from selected city lat/long for sorting the cinema list.
- **Alert Notification**
 - If the user manually selects individual cinemas, one notification will be sent when showtimes open for booking in any of the selected cinemas.
 - If the user selects “Any cinema in the city”, they will receive one notification when showtimes open for booking in any cinema in the city.

- Once the notification is triggered, the movie alert will automatically turn off and be removed from the “Movie Alert” section.

- **Censor ratings**

- U: Suitable for all age groups.
- U/A: Parental guidance advised
- U/A 7+: Suitable for viewers aged 7+. Parental guidance advised
- U/A 13+: Suitable for viewers aged 13+. Parental guidance advised
- U/A 16+: Suitable for viewers aged 16+. Parental guidance advised
- A: Restricted to adults (18+). Valid ID may be required at the venue
- S: Restricted to a special category of viewers as per certification guidelines.
- T.B.A: Certification pending.
- All Ages: Suitable for all age groups

- **Image fallback handling**

- If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place.

- **Multiple error handlings**

- If the same error occurs three times, the user will be redirected to the homepage. An alert email regarding the error will be sent to a configurable email address (set from the admin panel). The email will include the following details:
 - Device
 - Version
 - Error Type
 - Date & Time Log
 - Triggering Event

Filters -

- Language → Hindi, English, Tamil, Telugu, Punjabi, Bengali, Marathi, Gujarati, etc.
- Genre → Action, Drama, Comedy, Thriller, Romance, Horror, Sci-Fi, Adventure, etc.

Coming Soon Movies

- If a movie’s booking is open for Mumbai and the user is exploring the platform for Delhi, the movie will still be displayed under the Coming Soon section for the Delhi location (until it is released in Delhi).
- After the movie’s release date (EOD), the movie will no longer be displayed under the Coming Soon section.
- If a user sets an alert for a sub-city (e.g., Noida), and later explores the platform under the parent city (e.g., Delhi-NCR), the system displays that the alert is active for Delhi-NCR as well, since Noida cinemas fall under Delhi-NCR.

	● If a user sets an alert for a parent city (e.g., Delhi-NCR), and later explores the platform under a sub-city (e.g., Noida), the alert will be displayed for Noida only if the user had selected Noida cinemas while setting the alert under Delhi-NCR. My Movie Alerts: ● User sets alerts for sub-cities (Noida, Gurugram, Faridabad) for a single movie ○ Under Current City Alerts: ■ If the current selected city is the parent city (Delhi-NCR) → ● The system displays the same Alert for Delhi-NCR as well. (Since selected sub-cities fall under Delhi-NCR.) ○ Under the All Cities Alerts screen → ■ The system displays three separate cards for the same movie — one for each selected sub-city (Noida, Gurugram, Faridabad). ● User sets an alert for parent city (Delhi-NCR) ○ Under Current City Alerts: ■ If the current selected city is a sub-city (e.g., Noida) → ● The system displays: “Alert set for X cinemas.” where X = number of cinemas on which alert is set for the selected city. ■ If the current selected city is the parent city (Delhi-NCR) → ● The system displays: “Alert set for Delhi-NCR.” ○ Under the All Cities Alerts screen → ■ The system displays a single card for the movie with: ■ “Alert set for Delhi-NCR.” ● If a user sets an alert for a movie in Delhi-NCR and selects all cinemas under Delhi-NCR, a separate notification will be sent to the user for each sub-city when showtimes open in those respective sub-cities. ● While setting an alert, the maximum limit of selecting 5 cinemas has been removed. ● If user deletes: ○ Parent city alert → all sub-city alerts removed. ○ Sub-city alert → only that sub-city alert removed.
Validations	● Trailer Playback Failure: If a trailer fails to load or play, system displays: “Unable to play video. Please try again.” ● If there is no upcoming movie in a week after selecting the week filter → display message “No upcoming movies in this week.” ● Download Calendar fails → system shows error message - “Unable to download calendar. Please try again later.” ● User selects more than 5 cinemas → system displays validation message → “Please select a maximum of 5 cinemas”

	• User set an alert for a movie & opt in for whatsapp → display success message → “Alert set for ‘Movie Name’. You’ll receive WhatsApp notifications when booking opens” • User set an alert for a movie & opt out for whatsapp → display success message → “Alert set for ‘Movie Name’. You’ll receive SMS notifications when booking opens” • User update an existing alert & opt in whatsapp → display success message → “Alert updated for ‘Movie Name’. You’ll receive WhatsApp notifications when booking opens” • User update an existing alert opt out whatsapp → display success message → “Alert updated for ‘Movie Name’. You’ll receive SMS notifications when booking opens” • When user deletes an alert for a movie → displays a success message → “The movie alert has been successfully removed. You’ll no longer receive notifications for this movie.”
--	---

15. Homepage (Progressive)

15.1. Use Case

Use Case No.	UC 15
Use Case Name	Homepage
Use Case Description	This use case defines how the app/web/m-site displays the various sections on the Homepage such as: 1. Top Navigation (For app/m-site & web) 2. My Account (For app/m-site/web) 3. Bottom Navigation (For app/m-site) 4. Trending banner (For app/m-site & web) 5. Promotional offer (For app/m-site & web) 6. Quick Book (For app/m-site & web) 7. Scan QR - Movie Booking 8. Cinema near you on map (For app/m-site) 9. Experience CTAs (For app/m-site & web) a. Experience list (For web) 10. Now Showing (For app/m-site & web) 11. Events (For web) 12. Coming Soon (For web) 13. Trailers (For web) 14. Offers (For app/m-site & web) 15. Footer (For web) 16. MJ Jockey (For app/web/m-site)

	17. Notification Prompt (For app) 18. Download app (For web/M-site) 19. Account deletion
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend Location Service
Triggering Event	User opens the Homepage to explore available content.
Pre-Condition	• User has selected a city or allowed location access. • Active internet connection is available.
Post Condition	• All sections are displayed on the Homepage. • Users can interact with the complete app/web/m-site using the multiple sections & navigation menu.
Basic Flow	UC15.1.1 Display Trending Movie/Event Poster Section UC15.1.1.1 When the user navigates to the Homepage, the system fetches the list of trending movies/events from the backend based on the city selected by the user and displays the Trending Movie/event Poster Section at the top of the Homepage UC15.1.1.2 The system determines trending movies/events using the following logic: • Admin Configuration (Top Priority) ○ If the admin marks a movie/event as trending for a particular city, it will take the highest priority over personalisation and base logic. ○ Admin can also mark multiple movies/events as trending. ■ If two or more movies/events are marked trending by the admin, the sequencing will follow basic logic defined below. ○ Admin can also set a number of movies/events to be shown as Trending for PAN India via global configuration. ○ Admin can mark a movie/event as non-trending for a particular city from the Admin Panel; it will not appear in the Trending carousel. (Not applicable for Now Showing listing.) ○ Admin can also set a movie to be displayed in the “In the spotlight” section for a particular city while marking a movie as trending. ○ If the admin has not marked any movie to be displayed in the “In the spotlight” section for a particular city, the top-priority movie (as per applied logic) will be displayed in the “In the spotlight” section. ○ Note:

	■ If the admin marks a movie/event as trending but no showtimes are available in the selected city, that movie/event will not be displayed in the Trending carousel. ● Personalisation Logic (Second Priority) ○ If user personal data is available, trending banners will be shown based on the personalisation engine's logic. ● Base Logic (Third Priority) ○ If no personal data is available, the system will display trending movies/events based on the number of shows available in the selected city. ■ Priority 1: "Releasing on upcoming Friday" & "New Release". ● If more than one movie is there, sorting will be based on descending total number of showtimes (as per ShowBiz data). ■ Priority 2: All other movies/events, ordered by the descending number of showtimes in the city (as per ShowBiz data). ● Combined Logic Application All three logics — Admin Configuration, Personalisation, and Base Logic — will be merged and applied together (without duplicity) wherever applicable to determine the final display sequence on the frontend. UC15.1.1.3 Each trending movie/event is displayed as a banner/poster (image) fetched from Admin Panel along with details such as: ● For Movie → Name, Tags, Genre, Censor Rating, Release Date, Languages, Format(s) ● For Event → Name, Tags, Categories, Age limit, Languages. ● The poster of trending movies/events is configurable from the admin panel. UC15.1.1.4 All the trending movie/event posters will be displayed in a carousel format, auto-rotating after a defined duration. ● Users can manually swipe/scroll through the posters. ● The carousel loop will repeat continuously. UC15.1.1.5 Clicking on a Trending Movie Poster redirects the user to that movie's Movie Detail Page (Book Movie section), as defined in UC 12. Clicking on a Trending Event Poster redirects the user to that event's Event Detail Page (Book Event section), as defined in UC 12. ● From there, user can view movie/event information by clicking on "Movie details"/ "Event details" tab.
--	--

UC15.1.1.6

Trending poster contains -

- Name, Tags, Genre, Censor Rating, Languages, Format(s).
- Next showtime with number of locations:
 - If the next showtime is today, the showtime will be displayed.
 - If the next showtime is tomorrow or any later day, the date/day will be displayed along with showtime.
 - I.e. "Next show 'Today/Tomorrow/Dec 26' at '9.30 PM' * '1/2/3' Location(s)"
- When the user clicks on the showtime, they will be redirected to the movie detail page (Book Movies section). The showtime listing displays the relevant 1–2 cinemas at the top.
 - List other cinemas below, ordered by:
 - User favourites
 - Proximity to the user

UC 15.1.2 Experience list

- System displays a list of experience available in the selected list.
 - The sequence of experience will be basis on the number of audi in the city.
 - In case two or more experiences' audi number overlap, display as per the priority given in the admin panel.
 - Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.
- Experience displays on two sections:
- On top → in the "Discover the experience" section, experience chips are displayed. Clicking on a chip → Redirect to experience detail page.
- On experience section, it contains
 - Banner image
 - If a video/trailer is available, it will auto-play on the screen after 3 seconds (during those 3 seconds, the banner image remains visible).
 - If multiple videos/trailers are available, the latest video/trailer will auto-play.
 - Once the video playback is completed, the banner image is shown again.
 - If a video is not available, only the experience poster is displayed.
 - A horizontal carousel showing all available experiences in the selected city.
 - Selecting an experience in the carousel updates the banner and

description.

- Short Experience Description with “read more” option to display complete description & format features.
- CTA - “Explore movies in <IMAX>”
- Clicking on CTA → redirects the user to the experience detail page.

UC 15.1.3 Now Showing

UC 15.1.3.1. The system displays movies categorized under Now Showing.

UC 15.1.3.2.

- Primary filter → Experience filter (For App & M-site)
 - The sequence of experience will be basis on the number of audi in the city.
 - In case two or more experiences’ audi number overlap, display as per the priority given in the admin panel.
 - Admin can also override the entire sequence from the Admin Panel > Experience management by enabling the override option.
 - The applied experience filters will be displayed first.
- Other Filters: Accessibility, Format & experience, Genre, Language, , etc.
 - Option to reset filters.
 - All the filters options are dynamically updated as per the available data of movies’ showtimes.
 - By default no filters are applied.
 - Filters will be arranged in alphabetical orders.

Note: For App/m-site, Experience filter will be shown as primary filter. For website, Experience filter will be shown under secondary/other filters.

- Users can apply filters on Movie listing Page that affect now showing movie listing counts.

UC 15.1.3.3. List of applied filters (If applicable)

UC 15.1.3.4. Movies are sequenced based on the following logic:

- Movies are sorted according to the number of showtimes available in the city (can be overridden via Admin Panel).
- Admin can mark a movie to be shown on top priority (city wise) in the Now Showing movie section.
- Admin can mark more than one movie to be shown on top priority (city wise).
 - In such cases, sorting will be based on the default logic along with the descending total number of showtimes (as per ShowBiz data).
- **Note:** Movies with no showtimes available in the selected city will not be displayed in the Now Showing list, even if they are marked as top priority.
- No trending logic to be introduced in this section for listing movies.

- The same sequencing logic will continue even after filters are applied.

UC 15.1.3.4. Each movie tile displays:

- Name
- Movie poster
- Censor Rating (U/A, A, etc.)
- Duration
- Genre(s)
- Language Tags (Hindi, English, Tamil, etc.)
- Movie Tags (New Release, Date Tag, Re-release)
- Movie format - IMAX/ICE
- Applicable bank offers
- CTAs:
 - On the web, when the user hovers over a movie on the listing page, the video/trailer will auto-play.
 - If multiple videos are available, the latest video/trailer will auto-play.
 - If no video is available, only the movie poster will be displayed.
 - Once the video playback is completed, the movie poster image is shown again.
 - Clicking on the movie card → redirects to the movie detail page (Book movie section).

UC 15.1.4. Coming soon (For web)

UC 15.1.4.1. System displays upcoming movies categorized under the “Coming soon” section.

UC 15.1.4.2. Movies are sequenced based on the following logic:

- Movies are shown in ascending order of release date.
- If multiple movies are released on the same date, their order is determined randomly.

UC 15.1.4.3. Each movie tile displays:

- Poster, Name,
- Censor Rating,
- Genre,
- Language(s),
- Release Date,
- Movie format - IMAX/ICE
- In case if an alert is set for the movie → Display number of cinema in the city in which city this Alert is set for
- **CTA:**

- View Details (click on movie card) → redirects to Movie Detail Page
- On the web, when the user hovers over a movie on the listing page, the video/trailer will auto-play.
 - If multiple videos are available, the latest video/trailer will auto-play.
 - If no video is available, only the movie poster will be displayed.
 - Once the video playback is completed, the movie poster image is shown again.

UC 15.1.4.4. This section contains max of 5 movies with a “View all” CTA (If more than 6 are available). Clicking on it redirects the user to the Coming soon listing page described in UC 14.

UC 15.1.5 Events Listing

UC 15.1.5.1. System displays a list of events categorized under the “Events” section.

UC 15.1.5.2. Events are sequenced based on the following logic:

- Events are shown in ascending order of event date.
- If multiple events are scheduled on the same date, their order is determined randomly.

UC 15.1.5.3. Event tile/card contains::

- Name
- Event poster
- Category (s)
- Language Tags (Hindi, English, Tamil, etc.)
- Event Tags (Live)
 - Live tag - When event has been started, tags is fetched from showbiz
- Duration
- Applicable bank offers
- Event date
 - If event is scheduled for multiple days →
 - Event is already started → System displays “Started on Date”.
 - Event is not started → System displays “Starts on Date”.
- CTAs:
 - On the web, when the user hovers over an event on the listing page, the video/trailer will auto-play.
 - If multiple videos are available, the latest video/trailer will

	auto-play. • If no video is available, only the event poster will be displayed. • Once the video playback is completed, the event poster image is shown again. ■ Clicking on the event card → redirects to the event detail page (Book event section). UC 15.1.5.4. This section contains max of 5 events with a “View all” CTA (If more than 6 are available). Clicking on it redirects the user to the event listing page described in UC 17. UC15.1.6. Trailers (For web) UC 15.1.6.1. System displays a list of trailers of Now Showing & Coming soon movies categorized under the “Trailers” section. UC 15.1.6.2. Trailers are sequenced based on the following logic: • Trailers of Now Showing movies are displayed first, followed by Coming Soon movies by the nearest release date, with the closest release date appearing first. • If personalization comes, recommendations are based on the user preferred genre. “Recommended” tag appears on the movie card. ○ In case more than one movie is recommended for the same genre, sorting will be based on a descending number of showtimes. UC15.1.6.3. Users can manually scroll through the movie trailers UC15.1.6.4. Trailer will auto-play on the screen after 3 seconds (during those 3 seconds, the movie poster remains visible). ○ If multiple videos/trailers are available, the latest video/trailer will auto-play. ○ Once the video playback is completed, the movie poster is shown again. • If a movie has multiple trailers, clicking on the trailer card displays a list of all available trailers. Selecting any trailer from the list opens a playback screen where the YouTube video auto-plays. UC 15.1.7. Cinema near you on map (For app) - M5 • System checks if the selected city on the homepage meets the minimum cinema threshold required for Map View. ○ If the threshold is not met → this section is collapsed. ○ If threshold met → proceed to Location Permission Check • System checks if location permission is enabled. ○ If location permission is disabled: ■ The system displays nearby cinema based on the city centre along
--	--

with the following details:

- Cinema Name
- CTA: “Enable location”
- It also shows a list of now-showing movies in the selected cinema, along with their next available showtime, and CTAs: “View Cinemas On Map”
 - By clicking on “View Cinemas On Map” → Map view is enabled. Users can see nearby cinemas displayed as markers on the map.
 - When a user taps on any marker, that cinema gets selected, and the now-showing movie list along with the next available showtime for that cinema is displayed (sequence based on the number of shows available in the cinema on that particular day).
- On clicking a movie, the user should be redirected to the Cinema Details page.
 - The selected movie should appear on top, followed by other movies as per the defined sequence.
- Tap “View All Movies At This Cinema” → Redirects to Cinema Detail Page which displays all currently running movies/events at the cinema. (UC10.1.7.)
- Tap “Launch Map view” → redirects the user to the cinema map view with the same location.
- If location permission is enabled:
 - System fetches the user’s current location (fetched city).
 - System checks if fetched city = selected/saved city.
 - If not equal, the system displays nearby cinemas based on the ~~selected city centre~~ user’s location and remaining details are as above.
 - If the parent city (Delhi NCR or Mumbai All) is manually selected, then the system displays nearby cinema for the parent city and centered at the user's current location.
 - If equal, the system displays nearby cinemas based on the user’s location and remaining details are as above.

Business Rule:

1. On the Map View, the distance is calculated from the active pin location. The pin location can be:
 - City centre (when location permission is not granted or city mismatch case)
 - User's current location (when permission is granted and city conditions are satisfied)
2. Manual Landmark selection is not applicable.

UC 15.1.8. Notification Permission Prompt - For App

- User lands on the homepage.
- System checks notification permission status.
 - If notification permission is not granted, a prompt appears.
- Notification Prompt Text:
"Turn on notifications to get updates on new amazing offers."
- Available CTAs:
 - Allow →
 - Triggers the system-level notification permission request.
 - If the user grants access → Notifications enabled and continues on the homepage.
 - May Be Later →
 - Prompt dismissed.
 - User continues on homepage without enabling notifications.

UC 15.1.9 "Download App" CTA for web/M-site

For web:

- "Download App" CTA is visible on the homepage top navigation
- User clicks "Download App".
- System shows a modal containing:
 - QR code for app download
 - App Store & Google Play buttons
- User action outcomes:
 - Scan QR / click a store button → redirected to corresponding app store

For M-site:

- "Download App" CTA is visible on the homepage as a strip on top.
- User taps "Download App".
- System opens a smart app link, which:
 - Redirects Android users → Google Play
 - Redirects iOS users → App Store

UC 15.1.10. Scan QR (Movie Booking)

- User taps “Scan QR” from Home.
- System checks camera permission.
 - Displays permission prompt: “PVR is requesting camera access to enable QR code scanning.”
 - CTA - Allow/Deny
 - If allowed → flow continues
 - Deny → redirect to homepage
- Camera scanner opens.
- User scans the QR code.
- System identifies QR type:
 - Generic QR
 - Cinema-specific QR
 - If the user scans a invalid QR code, the system displays an error message: “Invalid QR Code! Try a new one again.”
- Generic QR Flow
 - System detects Generic QR.
 - System displays the list of cinemas mapped to the QR.
 - User selects a cinema.
 - Rest flow would be same as on cinema detail page.
- Cinema-specific QR Flow
 - System detects Cinema-specific QR.
 - System verifies location permission is enabled. If it is not given then the system will ask the user to grant location access first then proceed.
 - If the QR is scanned out of box-office radius(based on configuration in Admin panel), an error message is displayed “You seem to be scanning the QR from outside the cinema area. Please move closer and try again.”
 - If the user doesn't allow location permission, the system displays a message: “Location access is required to continue. Please enable location and try again.” and redirected back to Homepage.
 - The user is directly taken to the Cinema detail page for that cinema. (No cinema selection required)
- User selects:
 - Movie
 - Showtime
- If the QR is scanned within box office radius (based on configuration in Admin panel) and the Convenience Fee Waiver option is enabled in the Showbizz for

that cinema :

- System marks booking as “Convenience Fee Waiver Applicable”.
- At the payment step, convenience fee is not charged.
- System also capture that this transaction has happened through Generic QR or Cinema specific QR.

UC 15.1.11. Top Navigation bar

For App/M-site

- On app / m-site launch, the system loads the Top Navigation Bar.
- Following tabs are available in the Top Navigation Bar.
 - Screen It
 - Curated Shows
 - ~~Coming Soon~~
 - Events

For Web -

- System loads the Top Navigation Bar based on platform.
- Following tabs are available in the Top Navigation Bar.
 - Home
 - Cinema
 - Experiences
 - Food
 - Passport
 - More (a dropdown) - sequence is configurable
 - Offers
 - About us
 - Privilege Plus
 - Curated shows
 - PVR INOX Kotak Credit Card
 - Gift Card
 - ODR Portal
 - NVSP
 - NEST
 - Bulk Gift Card
 - Corporate Booking
 - Career
 - News
 - Investor
- The current section is highlighted as active.
- User taps/clicks on a tab → System navigates to the selected section/page.

- Tag “New” Logic -
 - If a new item is added to any section/tab in the Navigation Bar, the system displays a “New” tag on that item.
 - The “New” tag is shown only if the item is available for the user’s selected city.
 - Once the user opens/views that new item, the “New” tag is removed for that user.

UC 15.1.12. Bottom Navigation bar (For App/M-site)-

- System loads the Bottom Navigation Bar based on the platform.
- Following tabs are available in the Bottom Navigation Bar.
 - Home
 - Cinema
 - Food
 - Coming Soon
 - More (a dropdown) - sequence is configurable
 - Experiences
 - Passport
 - Offers
 - About us
 - PVR INOX Kotak Credit Card
 - Privilege Plus
 - Curated Shows
 - In-Cinema mode
 - Gift Card
 - ODR Portal (only for M-site)
 - NVSP (only for M-site)
 - NEST (only for M-site)
 - Bulk Gift Card (only for M-site)
 - Corporate Booking (only for M-site)
 - Career (only for M-site)
 - News (only for M-site)
 - Investor (only for M-site)
 - Note: The sequence of these tabs will be coming from Admin > Global Configuration
- The current section is highlighted as active.
- User taps/clicks on a tab → System navigates to the selected section/page.
- Tag “New” Logic -
 - If a new item is added to any section/tab in the Navigation Bar, the

system displays a “New” tag on that item.

- The “New” tag is shown only if the item is available for the user’s selected city.
- Once the user opens/views that new item, the “New” tag is removed for that user.

UC 15.1.12. My Account

For Guest User

- In App by clicking on Avatar, a panel is open containing following options
 - Login → redirect to login page
 - Settings → Clicking on it display following Section:
 - Content
 - FAQ’s
 - Privacy Policy
 - Terms & Conditions
 - Terms of Use

For Logged User

- By clicking on Avatar, left panel is open containing following options
 - User Profile details along with “Edit CTA”
 - Avatar with edit option
 - Email along with Verified tag if verified
 - If not, CTA to Verify Email → redirect OTP verification screen
 - Phone number
 - Settings → Clicking on it display following Section:
 - Manage
 - Manage Preference
 - Content
 - FAQ’s
 - Privacy Policy
 - Terms & Conditions
 - Terms of Use
 - Delete Account
 - Logout
 - My Bookings → More details described in UC -22
 - My Movie Alerts → More details described in UC 14.1.2.10
 - Notification Preferences (For App/M-site/web)
 - System displays two sections:
 - Transactional Alerts

	● Promotional Alerts ■ Transactional Alerts ● Used for booking and ticket-related communication. ● Radio button for Whatsapp and SMS. ● Only one of the options can be selected. ● Changes apply immediately on save. ■ Promotional Alerts ● Used for offers, promotions, and updates. ● User can: ○ Enable/disable All Promotional Alerts, or ○ Manage individual channels (WhatsApp, SMS, Email, Push Notifications) in dropdown. ○ By default, individual channels would be in a collapsed state. ● If all Individual channels are enabled only then “All Promotional Alerts” is turned on. ■ User clicks “Submit Preferences” to confirm preferences.
	UC 15.1.13. Account Deletion ● User navigates to Account > Settings ● User clicks on “Delete Account” CTA ● System displays confirmation modal: ○ Title: Delete Account ○ Message: “After 30 days your data will be permanently deleted. If you reactivate before then, your account will be retained.” ○ Informational Highlights ■ 30-Day Grace Period ■ Text: “Access remains available until final purge.” ■ Permanent Removal ■ Text: “Profile and settings will be erased.” ○ CTAs: ■ Cancel ● Closes popup ● No action taken ■ Delete Account ● Proceeds to OTP Verification flow ○ The user enters OTP. ○ System validates OTP: ■ If valid → proceed

	■ If invalid → show error and allow retry ● On successful OTP verification, ○ User account is marked as “Soft - Deleted” ○ User is logged out from all the devices. ○ Invalidates all active sessions. ○ Account access is disabled. ○ System captures Deletion initiation date in the database. ○ Displays confirmation screen: ■ Title: Account Scheduled for Deletion ■ Message: “Your account has been deleted.” ■ Additional info: “To reactivate your account, simply log in again within 30 days.” ■ CTAs: ● Cancel / Close ● Reactivate ○ Trigger Login & OTP verification ● If user login again using same mobile number after soft deletion request and successfully completes authentication ○ The system changes the account status from Soft Deleted to Active. ○ All user data, bookings, preferences, rewards, and profile information are restored. ○ The user can continue using the platform normally. UC 15.1.14 App Version Display (For Account screen) ● The system displays the current app version number on the Account page. ● Example: App Version: 5.3.1 UC 15.1.15. Footer Footer section contains: ● PVR INOX Logo ● Short description text (Configurable from the admin panel) ● Social Media Links - (Configurable from the admin panel) ○ Facebook ○ Instagram ○ YouTube ○ X (Twitter) ○ LinkedIn ○ Clicking any icon opens the respective platform in the new tab. ● Support Links
--	--

- Privacy Policy
- Terms & Conditions
- Terms of Use
- Customer Experience
- Clicking any link navigates to respective page
- Security Badges
 - Panacea Infosec
 - Norton Secured
 - Clicking any badges → navigates to certification link
- App Download Section
 - App Store badge
 - Google Play badge
 - Clicking redirects to respective app store
- Copyright Section
 - “Copyright © [Year] PVR INOX. All Rights Reserved”
 - Year: Dynamically updated

UC 15.1.16. Social Media links

- On the app bottom of the homepage displays Social Media Links - (Configurable from the admin panel)
 - Facebook
 - Instagram
 - YouTube
 - X (Twitter)
 - LinkedIn
 - Clicking any icon opens the respective platform.

UC 15.1.17. Booking Experience Feedback

- Feedback popup is triggered when user completes booking (Ticket, Ticket + Food) successfully and user navigates from Booking Confirmation Page → Homepage
- The popup contains:
 - Title: “How was your Booking Experience?”
 - Info text: “Your feedback helps us refine your booking experience.”
 - Star rating (1–5)
 - Comment box (optional)
 - Max limit - 500
 - CTAs: Cancel / Submit Review
- The user selects rating (mandatory) and adds comment (optional).

	● If user clicks Submit without rating: Show validation: “Please select a rating” ● On successful submission: ○ Feedback saved against booking ID ○ Popup closes ● On Cancel / Close (X): ○ Popup dismissed ○ No feedback saved ● Feedback popup: ○ Shown only once per booking ○ If dismissed → do not show again for the same booking.
Alternate Flow	Trailers: UCA15.1.1 Multiple Trending Movies ● The rotation interval of trending movies can be configured via Admin Panel (default: 5 seconds per poster). ● Users can pause the carousel by touching/hovering on the poster. UCA15.1.2. Single Trending movies Now Showing: UCA15.1.2. No Trailer Available: If a trailer is not available, only the movie poster is displayed. Coming Soon: UCA 15.1.3: User not logged in → system prompts to log in/register to set alert.
Exception Flow	Trending Movies UCE15.1.1 Data Fetch Failure If the system fails to fetch trending movie data from Showbizz/Admin Panel: ● Display default placeholder banner. Now Showing: UCE15.1.2. Trailer Playback Failure: If a trailer fails to load or play, the system displays an error message.
Business Rules	BR1. Trending movie: ● Location must be enabled or a city must be selected. ● Trending movie logic: The system determines trending movies using the following logic: ○ Admin Configuration (Top Priority)

	■ If the admin marks a movie/event as trending for a particular city, it will take the highest priority over personalisation and base logic. ■ Admin can also mark multiple movies/events as trending. ● If two or more movies/events are marked trending by the admin, the sequencing will follow basic logic defined below. ■ Admin can also set a number of movies/events to be shown as Trending for PAN India via global configuration. ■ Admin can mark a movie/event as non-trending for a particular city from the Admin Panel; it will not appear in the Trending carousel. (Not applicable for Now Showing listing.) ■ Admin can also set a movie to be displayed in the “In the spotlight” section for a particular city while marking a movie as trending. ■ If the admin has not marked any movie to be displayed in the “In the spotlight” section for a particular city, the top-priority movie (as per applied logic) will be displayed in the “In the spotlight” section. ■ Note: ● If the admin marks a movie/event as trending but no showtimes are available in the selected city, that movie/event will not be displayed in the Trending carousel. ○ Personalisation Logic (Second Priority) ■ If user personal data is available, trending banners will be shown based on the personalisation engine’s logic. ○ Base Logic (Third Priority) ■ If no personal data is available, the system will display trending movies/events based on the number of shows available in the selected city. ● Priority 2: “Releasing on Friday” & “New Release”. ○ If more than one movie is there, sorting will be based on descending total number of showtimes (as per ShowBiz data). ● Priority 3: All other movies/events, ordered by the descending number of showtimes in the city (as per ShowBiz data). ○ Combined Logic Application All three logics — Admin Configuration,
--	---

Personalisation, and Base Logic — will be merged and applied together (without duplicity) wherever applicable to determine the final display sequence on the frontend.

- **In the Spotlight section**

- If more than one movie is in the trending list → the top priority movie display in this section.
- If only one movie is in trending → that movie displays in the trending section with showcasing “In the spotlight” section.

BR 2. Now Showing:

- **Movie Sorting Logic:**

- By default, movies are sorted according to the number of showtimes (as per ShowBiz data) available in the city (can be overridden via Admin Panel).
- Admin can mark a movie to be shown on top priority in the Now Showing movie section.
- Admin can mark more than one movie to be shown on top priority.
 - In such cases, sorting will be based on a descending total number of showtimes (as per ShowBiz data).
- **Note:** Movies with no showtimes available in the selected city will not be displayed in the Now Showing list, even if they are marked as top priority.
- No trending logic to be introduced in this section for listing movies.

- **Tag Logic:**

- New Release: Active for 7 days post-release (configurable via Admin Panel).
- Re-release: Active for content re-launched after configured threshold (e.g., 6 months).
- Date Tag: Displayed when showtimes are opened in advance.

- All now showing movies displayed in the “Now Showing” section for the selected/fetched city.

- **Censor ratings**

- U: Suitable for all age groups.
- U/A: Parental guidance advised
- U: Suitable for all age groups.
- U/A: Parental guidance advised
- U/A 7+: Suitable for viewers aged 7+. Parental guidance advised
- U/A 13+: Suitable for viewers aged 13+. Parental guidance advised
- U/A 16+: Suitable for viewers aged 16+. Parental guidance advised

	○ A: Restricted to adults (18+). Valid ID may be required at the venue ○ S: Restricted to a special category of viewers as per certification guidelines. ○ T.B.A: Certification pending. ○ All Ages: Suitable for all age groups ● When the user applies secondary filters, the system displays the result count on the filter screen upfront BR 3. Coming Soon: ● Movies sorting logic: ○ Movies are shown in ascending order of release date. ○ If multiple movies are released on the same date, their order is determined randomly. BR 4. Trailers ● Sequence logic ○ Trailers of Now Showing movies are displayed first, followed by Coming Soon movies in ascending order of their release dates. ○ If personalization comes, recommendations are based on the user preferred genre. “Recommended” tag appears on the movie card. ■ In case more than one movie is recommended for the same genre, sorting will be based on a descending number of showtimes. BR 5. Events ● Events are sequenced based on the following logic: ○ Events are shown in ascending order of event date. ○ If multiple events are scheduled on the same date, their order is determined randomly. BR 6. Image fallback handling ○ If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place. BR 7. Multiple error handlings ○ If the same error occurs three times, the user will be redirected to the homepage. An alert email regarding the error will be sent to a configurable email address (set from the admin panel). The email will include the following details: ■ Device
--	--

	■ Version ■ Error Type ■ Date & Time Log ■ Triggering Event BR 8. Cinema Near You • The limit on Now showing movies is 5. • Now showing movie sequence logic: ○ The sequencing of these movies/events follows a priority order based on the number of shows available in each cinema on that particular day. ○ In case the movie name is long, it will be truncated based on available UI space on the user's device to avoid abrupt display.
Validations	• Trailer Playback Failure: ○ If a trailer fails to load or play, system displays: "Trailer unavailable. Please try again later." • Internet failure: (Applicable everywhere) - For App ○ Display error screen with message: "You're Offline Right Now. Looks like there's no internet. Reconnect to continue."

16. Error page & Maintenance page

16.1. Use Case

Use Case No.	UC 16
Use Case Name	Error Page & Maintenance Page
Use Case Description	This use case defines the system behavior when an Error Page or Maintenance Page needs to be displayed. • The Error Page is shown when the system or service fails to respond or encounters an unexpected error. • The Maintenance Page is displayed when the system is in scheduled or unscheduled maintenance mode
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend Admin Panel
Triggering Event	• Error Page: System failure during user interaction. • Maintenance Page: Admin Panel maintenance flag activated for scheduled or unscheduled downtime.

Pre-Condition	- User tries to open a page or feature. - System checks if the service is available.
Post Condition	User is shown the respective Error Page or Maintenance Page with relevant messaging and CTAs.
Basic Flow	UC 16.1.1. Error Page: (For Web/M-site) - User attempts to access a page or feature. - System encounters an error (e.g., API failure, timeout, 404, or 500 error). - The system displays the Error Page with a standard message and visuals. “404 Error: Page not found” with CTA - “Back to Home” UC 16.1.2. On the app, if the system encounters an error → display an error message on a toaster. UC 16.1.3. Maintenance Page: (For App, web/m-site) - Admin Panel triggers maintenance mode for scheduled or emergency downtime. - When a user attempts to access any page or service → System displays the Maintenance Page. - Page includes a message: “We’re currently undergoing maintenance. Please check back soon.” (message is managed from Admin Panel) - After maintenance completion, Admin Panel deactivates the maintenance flag and normal access resumes.
Exception Flow	If the maintenance page fails to load, system displays a default static message: “Site temporarily unavailable. Please try again later.”
Business Rules	- Maintenance flag and content are managed via Admin Panel. - User sessions and data stay secure. - System must not display any technical error details.
Validations	Ensure static fallback page is available in case of Admin Panel failure.

17. Events listing & detail page

17.1. Use Case

Use Case No.	UC 17
Use Case Name	Explore Events

Use Case Description	This use case defines the process by which a user can explore and view events currently available in the selected city. Users can browse listings from the Homepage, view detailed information including promos, synopsis, artist details, backdrops and proceed to booking. The data will be retrieved dynamically from Showbizz, TMDB/Moviebuff, and Admin Panel, and displayed within the app/web/m-site interface.
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend (Showbizz, TMDB/Moviebuff, Admin Panel) Location Service
Triggering Event	For web User navigates to the homepage displaying the Events section. User clicks on “View All” CTA under the events section on the homepage. For app/m-site User selects “Event” from top navigation.
Pre-Condition	User has selected city or allowed location access. Active internet connection is available. Event data are synced from Admin Panel.
Post Condition	User can view event listings. User can access detailed information about a selected event. User can initiate booking for any displayed event.
Basic Flow	UC 17.1.1: For web: • User clicks “View All” CTA on the homepage under the “Event” section. • On the homepage, a list of events (5) is displayed with a View All CTA. • Clicking this redirects the user to the “Event” listing page. UC 17.1.1 (A): For app/m-site User selects “Events” from top navigation. UC 17.1.2. System displays the Events page with: UC 17.1.2.1: Primary filter → Categories filter: Comedy, Nightlife, Music, Concerts, etc. UC 17.1.2.2: Other filters: Accessibility, Categories, Date, Distance, Language, Price Range, etc. ○ Option to reset filters. ○ All the filters options are dynamically updated as per the available data of event’s showtimes. ○ By default no filters are applied. ○ Filters will be arranged in alphabetical orders. ○ Date filter should have All option at last. ○ If user hasn’t enabled location, a CTA will appear on the distance filter:

“Enable Location for Distance Filter”

- Users can apply filters on Event Detail Page that affect cinemas and showtime counts.

Note - If personalization comes, most used filter will become Primary filter.

UC 17.1.2.3: List of events.

- Sorting of events:
 - Events are shown in ascending order of event date.
 - If multiple events are scheduled on the same date, their order is determined randomly.
- The same sequencing logic will continue even after filters are applied.

UC 17.1.2.4: Event tile/card contains::

- Name
- Event poster
- Category (s)
- Language Tags (Hindi, English, Tamil, etc.)
- Event Tags (Live)
 - When event has been started, tags is fetched from showbiz
- Duration
- Applicable bank offers
- Event date
 - If event is scheduled for multiple days →
 - Event is already started → System displays “Started on Date”.
 - Event is not started → System displays “Starts on Date”.
- CTAs:
 - Clicking on the event card → redirects to the event detail page (Book event section).

UC 17.1.2.5: User selects an event from the listing → redirects to event detail page

UC 17.1.3: System displays the Event Detail Page, which includes:

- Event poster with key info: Name, Tags, Categories, Age limit, Duration, Languages, Synopsis.
- Option to watch other video/trailers video (CTA- “Watch Trailer”)
 - If multiple videos are available, this CTA appears, clicking on it → show list of all videos → clicking on any video → a playback screen opens where the YouTube video auto-play
- Promotional banner (managed from Admin Panel)
- Users will be able to share the event details via native sharing kit. Following details will be shared with the other user:
 - Poster Image

	○ Text as “Checkout this ‘event name’ that I found on the PVR INOX app.” along with the Deep-Link to view the event slot page (clicking on which will navigate the user to the slot selection page of that event) in the app (if the receiver device has app) or MSite (if no app) or web (if browsing in web). ● System displays the Event Detail Page consisting of two main sections: ○ Book Event ○ Event Details Book Event UC 17.1.4: Book Event Section contains: UC 17.1.4.1: Date Filter (date would be as per the available data on showbizz for the event) UC 17.1.4.2: Search option to find specific cinemas having showtimes for that event ● Users can search for cinema by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8.. UC 17.1.4.3: Other filters: Accessibility, Distance, Language, Price, Showtime, etc. ○ Option to reset filters. ○ All the filters options are dynamically updated as per the available data of events’ showtimes. ○ By default no filters are applied. ○ Distance min-max range & default set is managed from the Admin Panel. ○ Filters will be arranged in alphabetical orders. ○ If user hasn’t enabled location, a CTA will appear on the distance filter: “Enable Location for Distance Filter” ● Users can apply filters on Event Detail Page that affect cinemas and showtime counts. UC 17.1.4.4: List of applied filters (if applicable) UC 17.1.4.5: List of cinemas where the selected event is scheduled. (Also show a message stating count of showtimes in total cinemas i.e. “20 showtimes in 10 cinemas”) ○ Sorting of cinema: Priority order → ■ Favorite cinemas (marked by the user) are displayed first and labeled with a red heart icon to indicate favorite status. ■ Personalization (shown as “Recommended” tag): Most visited cinemas (based on the user’s movie ticket bookings) are displayed next. ■ Note: With/Without tag will be decided when designs get finalised. ■ Remaining cinemas are displayed in ascending distance order from the user’s location.
--	--

- The same sequencing logic will continue even after filters are applied.

UC 17.1.4.6: Each cinema tile displays:

- Name
- Address
- Direction button
- Distance from user location
- Accessibility icon (on hover/tap - display the accessibility details)
- Amenities info (shows list of amenities)
- Favorite icon to mark as favorite
- Expandable/collapsible option for view showtime
 - By default, the top cinema card/tile is displayed in an expanded view to showcase showtimes.

- On expansion, the cinema tile displays showtimes

UC 17.1.4.7 Showtime card contains:

- Start time
- Language,
- Accessibility icons
- Format - primary & secondary
- **Color-coded status:** Available / Filling Fast / Sold Out / ~~Lapsed~~
- For web, on hover on showtime (except lapsed showtimes) → displays price for different seats
- For app/m-site, on long press on showtime (except lapsed showtimes) → displays price for different seats
- Clicking any showtime → redirects to booking flow → seat selection → Continue → displays a list of popup with “Accept & Continue:” CTA.

UC 17.1.4.8: Popups list -

Popup list -

- Important information:
 - Details related to the cinema, such as elevator construction updates or digital payment availability, will be displayed here.
 - This information is adhoc and fetched from ShowBiz and shown at top.
- Terms & Conditions
 - Generally, global Terms & Conditions will be displayed here.
 - If a specific cinema has its own Terms & Conditions, those will override the global ones.
 - This configuration is managed through the Admin Panel (Cinema Management) section.
- Note: Only the relevant popups applicable to the selected movie and

	cinema will be displayed; others will remain hidden. ○ The sequence is managed from the admin panel. UC 17.1.4.9: Also playing section - displays list of other Events in that city up to a limit of 10. UC 17.1.4.11: Offer section → display list of offers → clicking on it shows offer detail. UC 17.1.4.12: Option to switch between sections - Event Details & Book Event Event Details UC 17.1.5. Event details section contains: ● Synopsis - event info, Categories, Age limit, Duration, Date, Languages, etc. ● Artist Details: Image, Name, Profession; clicking navigates to profile with DOB, Biography, Social links, Known For, Images (downloadable option along with resolution & size → 1920 x 1080, Full HD, size 5 MB). ● Promo(s) (if multiple, sorting is random) ● Backdrops → When the user clicks on a backdrop, it opens in an image viewer. The viewer provides options such as next, previous, and an option to download the backdrop image. On the image viewer, image resolution (1920 x 1080, Full HD, size 5 MB) also displays. ● FAQs ● Important Points ● Terms & Conditions Note: FAQs, Important Points, Terms & Conditions are managed from the Admin panel. ● Offers - clicking on it shows the offer details in expanded view/popup. ● Also playing events ● For App/M-site → a fixed CTA at bottom: “Book Now” → redirect to Book now section ● Option to switch Book now section Note: The sub section will be dynamic on the basis of content availability.
Alternate Flow	UCA12.1.1. Multiple Promos: ● If multiple trailers are available for a event, clicking Watch promo displays a transient list of all promos along with names and languages, allowing the user to play any selected promo. UCA12.1.2. No Promo Available: ● If a promo is not available, only the event poster is displayed. UCA12.1.4. Filter Reset: ● User applies filters dynamically → system updates count. User can choose to reset filters anytime.

Exception Flow	UCE12.1.1. No Cinemas Found: If no cinemas are available within applied filters, the system displays an error message. UCE12.1.2.Showtime Sold Out: If the user clicks a showtime that is Sold Out, system displays a flash message. UCE12.1.3. Promo Playback Failure: If a trailer fails to load or play, the system displays an error message. UCE12.1.4. Booking Redirection Failure: If the user cannot proceed from showtime selection to seat booking, the system displays an error message. UCE12.1.5. Microphone permission denied: • If the user denies microphone permission or the device blocks it, the system displays a popup message - “Text: To give you the best PVR experience, please turn on microphone permissions in your device settings.” with CTAs -Settings/cancel. ○ Settings - Redirect to device settings ○ Cancel - continue with text search
Business Rules	• Location Access: User must allow location access or select a city. • Video Playback: ○ Promos and videos are played within the app/web/m-site using the native player. When the user taps on a video card, a playback screen opens where the YouTube video auto-plays. No redirection to YouTube occurs. • Event Sorting Logic: ○ By default, events are sorted according to the event date available in the city. • Date Filter: ○ Displays current and upcoming dates only. ○ By default, the current date is selected and visually highlighted. ○ The last date will be based on the available show data from Showbiz. • Search ○ Search Criteria: Search is performed based on the name of the entity ○ Voice search will not proceed until permission is granted. ○ Search must support partial and case-insensitive matches. • Cinema Sorting logic: Priority given to ○ Favorite cinemas (marked by the user) are displayed first and labeled

with a red heart icon to indicate favorite status.

- Personalization (shown as “Recommended” tag): Most visited cinemas (based on the user’s movie ticket bookings) are displayed next.
 - Note: With/Without tag will be decided when designs get finalised.
- Remaining cinemas are displayed in ascending distance order from the user’s location.
- **Cinema Distance:**
 - If the user has enabled the location, the distance of the cinema will be calculated from the user’s current location.
 - If the user hasn’t enabled location & selected a city, the distance of cinema from the user & “Get Direction” CTA will not be shown. Instead of it “Enable location to get direction” CTA will be displayed.
 - If location services are enabled and the user manually selects a different city, the distances for all cinemas in that city will be calculated from the user’s current location rather than from the selected city.
 - If location service is not enabled, the distance of the cinema will be calculated from selected city lat/long for sorting the cinema list.
- **Mark as favorite**
 - Favorite status must be saved and Updated sorting should reflect on the next visit, allowing the user to mark multiple cinemas as favourite in the same session
 - Only logged users can mark a movie as their favorite.
 - If a guest user mark a cinema as their favorite → redirect to login screen.
- **Accessibility icon message -**
 - Ramp - “This auditorium is wheelchair-friendly and equipped to support manual wheelchair users.”
 - Wheelchair - “This auditorium offers accessible seating for wheelchair users, along with nearby seats for companions so you can enjoy the movie together.”
- **Cinema Card Expansion:**
 - Only one cinema card/tile can be expanded at a time.
 - By default, the top cinema card/tile is displayed in an expanded view, showcasing showtimes.
 - When a user expands a cinema card/tile, the list automatically scrolls to bring all the showtimes of that cinema into view on the screen.
 - Expandable cinema cards display all showtimes for the day, including past, current, and upcoming slots.
 - Showtimes will be displayed in ascending order.

- **Showtimes and associated seat categories (on hover) Status:**
 - Showtimes are color-coded based on availability: Available, Filling Fast, Sold Out, Lapsed.
 - Available - If more than 20% of the seats are left, the color shown is green. It is still clickable.
 - Filling Fast - If less than 20% of the seats are left, the color shown for the slot is yellow (Filling fast). It is still clickable.
 - Sold out - If less than 10% of the seats are left, the color shown is red. Clicking on it, the system displays a flash message: "Show Unavailable. Sorry, this show is houseful so it is no longer open for booking."
 - User can close the flash message or it will disappear after some time.
 - Lapsed – If the showtime booking has been closed, the color shown is grey. It is not clickable.
 - Any movie showtime having less than 10% of seats left, will not be shown under quick bookings (Homepage).
 - **Note:** If the showtime is already past, users can still book the movie until the 'movie stop time' configured in Showbizz. After the stop time, booking will be disabled for that showtime.
 - If a show has already started, users can still book the movie until the "movie stop time" has passed, as configured in Showbizz. Once the stop time is reached, booking for that showtime will be disabled.
 - **Note:** The color codes and % of filling fast will be configurable from admin panel > global configuration section.
- **Popup List**
 - By default, all popup messages are displayed in an expanded view (after clicking on showtime) and have an option to collapse.
 - The sequence is managed from the admin panel.
- **Image fallback handling**
 - If an image or poster for a movie, cinema, experience, or event is not available, a generic placeholder image will be shown in its place.
- **Multiple error handlings**
 - If the same error occurs three times, the user will be redirected to the homepage. An alert email regarding the error will be sent to a configurable email address (set from the admin panel). The email will include the following details:
 - Device
 - Version
 - Error Type

	■ Date & Time Log ■ Triggering Event ● When the user applies secondary filters, the system displays the result count on the filter screen upfront
Validations	No Events Available: If Showbizz data is unavailable or no events exist for the selected city, system displays: “There are currently no events in your city. Please check back later.” No Cinemas Found: If no cinemas are available within applied filters, system displays: “Sorry, no cinemas found under the selected filter.” Showtime Sold Out: If the user clicks a showtime that is Sold Out, system displays a flash message: “Show Unavailable. Sorry, this show is houseful so it is no longer open for booking.” Promo Playback Failure: If a promo fails to load or play, system displays: “Unable to load video. Please try again later.” Booking Redirection Failure: If the user cannot proceed from showtime selection to seat booking, system displays: “Unable to start booking. Please try again.”

18. —

19. Seat Layout Screen

19.1. Use Case

Use Case No.	UC 19
Use case	Seat Layout
Description	This use case describes how users view the seat layout for a selected show, choose seats from an available seat type (e.g., Classic, Prime, Recliner), and proceed to the offer landing page before continuing with the ticket booking flow.
Primary Actor	Customer (Logged-in or Guest)
Secondary Actor	System Backend (Showbizz, Admin Panel)
Triggering Event	● The user taps on a showtime from the Movie Showtimes screen.
Pre-Condition	● The user has selected a movie, cinema, and showtime. ● Seat layout for the selected show is successfully fetched from Showbizz via

	CSV/API.
Post Condition	- Selected seats are locked temporarily (as per lock timeout rules). - The user is navigated to the Offers Landing Page (CVP/Family/Super Ticket) OR proceeds directly if they skip offers. - Updated booking cart reflects seat type, seat numbers, and pricing.
Basic Flow	When the user selects a showtime on cinema/movie detail → UC 19.1.1. System Displays Date & Showtime Selector - On opening the Seat Selection screen, the user is shown a date selector. - The dates shown are only those for which show data exists in Showbizz for that specific movie + cinema combination. - The date and showtime selected on the slot selection screen (previous step) will be pre-selected when the user lands on the seat selection screen. - When the user changes the date, the system: - Fetches relevant showtimes for the selected date. - Updates the showtime options accordingly. - Showtime Card contains: - Start time - Language, - Subtitle & Accessibility icon - Format - primary & secondary - Experience - Color-coded status: Available / Filling Fast / Sold Out (with a tag “Houseful”) Note: Showtime card will be adjusted as per available data fetched from showbiz. - Users can switch the date from this screen and select another showtime without navigating back. UC 19.1.2. System Displays Seat Layout - The system loads the seat layout based on Showbizz configuration (CSV/API). - Seat Layout varies depending on cinema format (DINE-IN, DRIVE-IN, Gold, 4DX, etc.). - Seat categories (Classic, Prime, Recliner, DINE-IN, DRIVE-IN, etc.) and pricing are displayed. - Seat legends shown: Available, Occupied, Selected, Wheelchair, Wheelchair Companion. - Show end time - For App/M-site: The seat map (small map) will remain visible as the user scrolls

through the seat layout.

- For App/M-site: Option to zoom in/zoom out the seat layout.

UC 19.1.3. Ticket Cancellation Information

- A “Ticket Cancellation Info” icon is shown at the top of the seat map.
- On tapping the icon,
 - If cancellation allowed → a popup appears showing cancellation slabs from Showbizz, such as:
 - 75% refund → until 2 hours before showtime
 - 50% refund → between 2 hours and 20 mins before showtime
 - No refund → less than 20 mins before showtime
 - 100% refund on F&B
 - Refunds not applicable on convenience fees, vouchers, gift cards, taxes, etc. For more details, please read our Terms & Conditions (hyperlink).
 - CTA “Okay, Got it!” → popup closed.
 - Clicking on CTA “Terms & Conditions” → redirects the user to the T & C page.
 - If cancellation is not allowed, a popup appears showing cancellation info from Admin > Global Configuration.
 - Cancellation is not allowed for this transaction.

UC 19.1.4. Seat Selection

- The user selects seats from the displayed layout.
- Users can select seats only within the same seat type.
- Users can deselect selected seats.
- Users can select seats across multiple rows, as long as they belong to the same category.
- Selected seats are highlighted and shown in the Seat Info panel.
- Seat info panel displays:
 - For web
 - Screen Number
 - Seat type (Classic / Premium / Recliner)
 - Selected seats - Row and seat number
 - Net price (number of seats), GST, Total ticket price.
 - For App:
 - Number of seats
 - Net price (number of seats), GST.

UC 19.1.5. Wheelchair & Companion Seat Behavior

- When the user selects a wheelchair seat, a popup displays:
 - “Are you sure you want to book a wheelchair-friendly seat? Please do not book it if you are not on a wheelchair. You may be requested to move to accommodate.”
 - This message is configurable from the backend.
 - CTAs:
 - Confirm seats → Wheelchair seat selected
 - Change seat → seats unselected (back to seat layout screen)
- User can manually select the companion seat, if a wheel chair seat is selected.
- When the user deselects a wheelchair seat, a popup displays:
 - “Are you sure you want to remove a Wheelchair and Companion seat? If you remove the wheelchair then the corresponding Companion seat will be removed also.”
 - This message is configurable from the backend.
 - CTAs:
 - Yes → both seats are deselected. (If companion seat is selected)
 - If only the wheelchair seat is selected, only the wheelchair seat is deselected.
 - No → seat remains selected and back to seat layout screen
- Users cannot select only the companion seat. If user tries to select a companion seat only, a popup displays:
 - “Companion seats are available only with wheelchair seats.”
 - CTA: “Okay Got it” → redirected back to seat layout without selecting the seat.

UC 19.1.6. Share Seat Layout (For app & ~~M-site~~)

- The user taps the “Share Seat Layout” icon.
- System generates a shareable image containing:
 - The full seat layout with screen position.
 - Highlighted section where the user is seated (If seat is selected)
 - The exact selected seat(s) (If seat is selected)
- The system opens the native sharing kit (WhatsApp, Messages, Email, etc.).

UC 19.1.7. Proceed to Offers

- User taps Continue, → a list of popup will appear on the seat layout screen.
- Popup list -
 - Late Booking Alert

	■ “This show has already started. You can still book your tickets.” ■ It shows when a show has already started, but the “movie stop time” has not passed, as configured in Showbizz and User taps on that showtime. ■ The message is configurable from Admin > Global configuration. ○ Important information ○ About Your Selected Format ○ Cinema Terms & Conditions ○ Experience Terms & Conditions ○ Adult Movie (Check for your age) ○ The sequence is managed from the admin panel. ○ Description is the same as in UC12.1.2.9. Note: Only the relevant popups applicable to the selected movie and cinema will be displayed; others will remain hidden. ● Once user agreed on the popup, System displays the Offer Landing Page (if offers exist from Showbizz): (captured in another use case) ○ CVP Offer ○ Family Offer ○ Super Ticket ● Users may select an offer or tap Skip/Continue. ● System proceeds to the next step (F&B selection / Checkout).
Alternate Flow	UCA 19.1.1. User selects a new date ● The displayed showtime cards refresh based on Showbizz data. ● The previously selected showtime is cleared. ● The first showtime of the selected date is selected. UCA 19.1.2. User switch between showtimes: ● The system displays a list of popup (Heads up) applicable for that movie & cinema. ● The system loads a new seat layout for that show. UCA 19.1.3. User Tries Selecting Seats From a Different Seat Category ● User selects a seat in another seat type (e.g., Classic → Prime). ● System prevents selection and retains earlier selections. UCA 19.1.4. No Offers Available ● User taps Continue. ● System detects no offer types (CVP / Family) from Showbizz. ● System skips the offers screen and moves to the next stage (F&B / Checkout).

	UCA 19.1.5. User Attempts to Deselect Wheelchair Seat • User tries to remove the wheelchair seat. • System shows confirmation popup. • On confirmation → wheelchair + linked companion (if selected) seats are removed. UCA 19.1.6. User Attempts to Select Companion Seat Only • User taps a companion seat without selecting a wheelchair seat. • System blocks the action. UCA 19.1.7. User manually deselects only the companion seat • User deselects the companion seat while keeping the wheelchair seat. • System allows action (as per requirement). • Wheelchair seat remains selected. UCA 19.1.8. The user closes the popup list without accepting it. • User redirected back to seat layout page.
Exception Flow	UCE 19.1.1. Selected Seat Becomes Unavailable: • The user selects it and clicks on “Continue” as another user locked that seat first and the seat becomes unavailable. • The system shows an error and redirects the user to the updated seat selection screen. UCE 19.1.2. Showtime closes while user is still on seat map • The system detects that the show is now closed (after booking stop time). • The system displays an error message on the screen. “Show Unavailable. Sorry, this show is no longer open for booking.” UCE 19.1.3. Cinema data not fetched from showbiz / API failure / Connectivity issue • The system displays an error message on the screen. “Unable to connect to the cinema right now. Please try again later.” • CTA - “Retry” to refresh it.
Business Rules	• Seat layout configuration is fetched from the Showbizz. • Seat layout must be rendered per Cinema Audi. If a cinema has multiple audis, each audi can have a unique layout structure. • Seat layout can have multiple seat types in a single row.

	• Users cannot select seats across multiple seat types. • Users can select seats across rows within the same seat type. • Companion seats cannot be selected without wheelchair seats. • Users can select the companion seat after selecting the wheelchair seat. • Deselecting a wheelchair seat will remove both seats. • Users can select max of 10 seats at a time. (configured in showbizz) • Seat layout must appear exactly as configured in Showbizz. • In a single row, two different seat types can be displayed based on Showbizz configuration, but users can select seats only from one seat type at a time. • Cancellation policy must be fetched dynamically from Showbizz (CSV/API). • Sharing seat layout must highlight the selected seats and section. • Showtime Status: ○ Showtimes are color-coded based on availability: Available, Filling Fast, Sold Out, Lapsed. ○ Available - If more than 20% of the seats are left, the color shown is green. It is still clickable. ○ Filling Fast - If less than 20% of the seats are left, the color shown for the slot is yellow (Filling fast). It is still clickable. ○ Sold out - If less than 10% of the seats are left, the color shown is red. It is not clickable. The tag “Houseful” appears on this showtime card. ■ On the Showtime listing page, if the user clicks on Sold out showtime → a flash message appears: “Show Unavailable. Sorry, this show is houseful so it is no longer open for booking.” ■ Users can close the flash message or it will disappear after some time. ○ Note: The color codes and % of filling fast will be configurable from admin panel > global configuration section. • Showtime display: ○ The system displays current, and upcoming slots for the day. ○ Showtimes will be displayed in ascending order. ○ Lapsed showtime won’t display on the screen. ○ If a show has already started, users can still view the slot until the “movie stop time” has passed, as configured in Showbizz. Once the stop time is reached, that slot won’t appear on the screen. • $GST = SGST + CGST + UTGST$ • $NetPrice = TotalTicketprice - (GST)$
Validations	• Selecting seats across categories “Selecting seats from a different category is not allowed.” ○ This message is configurable from the backend.

	● Wheelchair seat selection confirmation “Are you sure you want to book a Wheelchair-friendly seat? Please do not book it if you are not on a wheelchair. You may be requested to move to accommodate.” ○ This message is configurable from the backend. ● Wheelchair seat deselection confirmation “Are you sure you want to remove a Wheelchair and Companion seat? If you remove the wheelchair then the corresponding Companion seat will be removed also.” ○ This message is configurable from the backend. ● Selecting companion seat without wheelchair seat “Companion seats are available only with wheelchair seats.” ○ This message is configurable from the backend. ● Seats become unavailable “Sorry, the selected seats are already booked.” ● Showtime becomes unavailable “Show Unavailable. Sorry, this show is no longer open for booking.” ● Selecting more seats than allowed “Maximum Seat Selection Reached. You can only select 10 seats at a time.” ○ This message is configurable from the backend.
--	--

20. Checkout Screen

20.1. Use Case

Use Case No.	UC 20
Use case	Checkout screen
Description	This use case describes how a logged-in user views the Checkout page after selecting seats and optionally F&B items, reviews all details, applies offers, and proceeds with payment.
Primary Actor	Customer (Logged-in)
Secondary	System Backend (Showbizz, Admin Panel)

Actor	Payment gateway (Razorpay) Geolocation Service (for convenience fee logic)
Triggering Event	- User selects seats on the seat layout screen and taps “Continue”, after which the system redirects the user to the Offers Screen or F&B Screen (based on configuration). Upon completing or skipping those steps, the user is redirected to the Checkout screen. - User tries to make payment via deep link.
Pre-Condition	- User must be logged in. - Seat selection must be successful and seats temporarily locked by Showbizz.
Post Condition	- User successfully proceeds to payment. - Seat lock expires after countdown and seats are released. - User exits the flow leading to loss of selected seats and seats are released.
Basic Flow	System displays the Checkout page for different flows differently. Flow 1 - Ticket only UC 20.1.1. User arrives on the Checkout page after completing seat selection and passing through Offer and/or F&B screens (based on configuration). UC 20.1.2. System checks user geolocation: - User is within the configured geolocation radius. - In Showbizz, the waiver option is enabled for that specific cinema. - The convenience fee is waived and a different partner ID will be called for this transaction. UC 20.1.3. System displays all Checkout page sections, which include: - Countdown timer (8 minutes – configurable via Global Configuration). - If the booking is not completed in 8 minutes, the session expires and seats are released. - A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking. - Booking Details section - this section is displayed at the top and contains: - Movie poster - Movie name - Movie info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience) - Cinema name and location - Audi/screen information - Number of tickets booked - Seat type - Seat details - Show date and show time

- Add more Food
 - System displays a “Grab a bite” section with an Add Food CTA, allowing users to return to the Food Menu page.
- Add-on Vouchers (Superticket)
 - On the Checkout page, if the selected movie booking is eligible for Superticket (as configured on showbizz), the system displays an option to purchase Superticket. The Superticket card displays:
 - Superticket image (from admin panel)
 - Offer headline (e.g., “Your next ticket only at”) (from admin panel)
 - Price (e.g. “74” from showbizz)
 - Validity period (from showbizz)
 - Issued voucher validity should be displayed, not the voucher scheme validity as showbizz provides both.
 - Informational note: “Number of Superticket vouchers = Number of seats selected”
 - CTA: Add to Cart
 - CTA: Know More - redirects the user to the know more page of Superticket that contains:
 - Image (configured from the admin panel)
 - CTA - “Close - redirected back to checkout page
 - CTA: Terms & condition - redirects the user to the “Terms & Conditions” page of the superticket that contains
 - Terms & conditions (configured from the admin panel)
 - When the user clicks Add to Cart on the Superticket card:
 - The system adds N Supertickets to the cart, where N = number of tickets booked.
 - The Superticket total price is calculated as: (Superticket price × number of tickets).
 - Supertickets are treated as a linked add-on to the ticket booking and cannot be added independently.
- Promocode
 - System displays an Enter Promocode field allowing the user to apply a promocode.
- Vouchers for you
 - The system displays a listing of all applicable/purchased vouchers. Vouchers are grouped by voucher type, as follows:
 - Ticket (default)
 - Superticket (if available, this will be opened by default)

- Displayed if the user has purchased Superticket vouchers.
- Shows voucher name, voucher code, validity details & Apply CTA.
 - These vouchers are sorted in ascending order of their expiry date.
- PVR INOX Exclusive Paymodes
 - System displays PVR INOX Exclusive Paymodes (if applicable), such as:
 - Starpass
 - M-Coupon
 - Privilege Plus
 - Gift Card/Gyftr
 - These paymodes are configurable from the admin panel.
 - For each paymode, Admin can set the status as:
 - Active – Paymode is displayed and selectable
 - Inactive – Paymode is not displayed
 - Greyed – Paymode is displayed but disabled (non-selectable)
 - Only paymodes marked as Active or Greyed are shown to the user.
 - Paymodes marked as Inactive are hidden.
 - If all PVR INOX Exclusive Paymodes are marked as Inactive, the entire PVR INOX Exclusive Paymodes section is collapsed and not shown on the screen.
 - Note: These paymodes will be catered in further milestones.
- Bill Details Section:
 - Total Ticket price (Net price + GST)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Superticket (if added)
 - Quantity of Supertickets (e.g., 3 × Super Ticket)
 - Total Superticket amount
 - Subtotal - Tickets (inclusive of GST) + Superticket
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - Waived if Geolocation criteria match & option is enabled at showbiz for that specific cinema
 - GST charges and GST Number
 - Donation (“Action for 17 SDGs”):

	■ ₹2 per ticket (configurable from admin panel) ■ By default - applied ■ Option to remove donation ○ Final Payable Amount. ● Payment Method ○ If this is the user's first payment attempt → Display "Select Payment Method" (no default option selected). ○ If user has made a payment earlier with one of these options: ■ Credit Card ■ Debit Card ■ Net Banking ■ UPI ■ Wallet ○ The last used payment method is pre-selected by default. ○ If the user's most recent payment was made using a method that is not part of these options → The system pre-selects the most recent payment method the user has used from these options. ■ If no payment is made using these methods → system displays "Select Payment Method". ○ These payment options are configurable from the Admin panel. ○ Regardless of default selection, the user can always change payment method by tapping on the selected payment method tile, which opens the full list of payment options (Payment mode selection page). ● User taps "Proceed to Pay". ○ System redirects to the payment gateway and processes the transaction. ● Cancellation Information ○ If cancellation allowed → this section showcases cancellation slabs from Showbizz, such as: ■ 75% refund → until 2 hours before showtime ■ 50% refund → between 2 hours and 20 mins before showtime ■ No refund → less than 20 mins before showtime ■ 100% refund on F&B ■ Refunds not applicable on convenience fees, vouchers, gift cards, taxes, etc. For more details, please read our Terms & Conditions (hyperlink). ■ CTA "Okay, Got it!" ■ Clicking on CTA "Terms & Conditions" → redirects the user to the T & C page. ○ If cancellation is not allowed, this section showcases cancellation info
--	--

from Admin > Global Configuration.

■ Cancellation is not allowed for this transaction.

- Offer section (same as described for food flow - ticket only offers are applicable for this transactions)
- Upon successful payment, the system displays the booking confirmation screen.
 - If enabled from the Admin Panel, an event is created in the app's inbuilt calendar, allowing the user to receive pre-showtime notifications on their mobile device

Flow 2: Adding a Food to the existing booking (via system or partner)

UC 20.1.4. Checkout page contains:

- Banner image (Movie poster)
- A saving strip is displayed - "You are saving ₹X on this booking" Where: ₹X = Total benefit availed by the user on the booking.
- Booking Details section - this section is displayed at the top and contains:
 - Movie poster
 - Movie name
 - Movie info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema name and location
 - Audi/screen information
 - Number of tickets booked
 - Seat details
 - Show date and show time
 - Booking ID
 - Track ID (If available)
- Food & Beverages Summary section -
 - System displays the Food & Beverages section showing all items added to the cart. For each food item, the system displays:
 - Item image and name
 - Selected paid add-ons (if any)
 - Selected quantity
 - User can increase or decrease the quantity of any item directly from the checkout screen.
 - If the user increases the quantity of an item that supports customization, the system displays a popup having last selected customization details for that item (add-ons and removals) and CTAs
 - Repeat Last Customisation – Applies the

	same customization to the newly added quantity. ■ Add New – Allows the user to customize the item again from scratch. ● Upon editing, the system recalculates the item price and checkout total accordingly. ■ Item-level price ● Add more Food ○ System displays a “Missing something?” section with an Add Food CTA, allowing users to return to the Food Menu page. ● Upgrade your cart (item level upselling) ○ System evaluates the items present in the cart to identify item-level upgrade options, as configured in Showbizz. ○ For each cart item, the system checks whether an upgrade mapping is configured (e.g., size upgrade, combo upgrade). ○ For every eligible cart item, the system displays an Upgrade option, showing: ■ Upgraded item detail ● Item image ● Item type - Veg/Non-veg (If available) ● Item name ● Other Information: Grammage, allergènes, calories etc. ■ Incremental price difference (e.g., “Pay ₹100 more to upgrade”) ■ CTA: Add ○ If the user selects an upgrade, the system opens the “Upgrade Your Cart” screen (bottom sheet). The screen displays: ■ Details of the item being upgraded: ● Item image ● Item type (Veg/Non-veg), if available ● Item name ● Additional information (e.g., grammage, allergens, calories, etc.) ● Price (including strike-through price if discounted) ■ A list of eligible cart items mapped to the selected item is displayed. ■ Each upgrade option contains: ● Item image ● Item name ● Additional information (e.g., grammage, allergens,
--	--

	- calories, etc. - if applicable) ● Quantity selector ■ Users can select one or more upgrade options (multi-select). ■ For each selected option: ● Quantity is pre-filled based on the original cart item quantity. ● User can reduce/increase the quantity (cannot exceed original quantity). ■ The system must ensure: ● Total upgraded quantity $\leq$ original item quantity ■ Customization & Add-on Handling ● If the original cart item has add-ons/customizations, the system must carry forward the same add-ons to the upgraded item. ■ After selecting upgrade option(s) and adjusting quantities, the user clicks “Upgrade” CTA. ■ The system updates the cart as follows: ■ Replaces the selected cart item based on selected quantities: ● Selected quantity $\rightarrow$ upgraded item(s) ● Remaining quantity $\rightarrow$ retained as original item ■ Applies add-ons/customizations (as per compatibility resolution) ■ Recalculates cart totals in real time ■ Cart is updated as follows: ● Upgraded items are added with selected quantities ● Remaining original item quantity (if any) is retained. ● The cart contents and payment summary are updated in real time. ○ If the quantity of item in cart is 1, the system must directly upgrade the item without showing the upgrade selection screen. ○ If exactly one cart line item is eligible for the selected upgrade option and its quantity is 1, the system must directly upgrade the item without displaying the upgrade selection screen. ○ If none of the cart items have upgrade options configured in Showbizz, the Upgrade Your Cart section is not displayed. ● You May Also Like (Cart-level Upselling) ○ System evaluates the current cart contents to identify cart-level upsell recommendations, as configured in Showbizz. ○ System suggests food items that: ■ Are configured as recommended items in Showbizz, and
--	---

- Are not already present in the user's cart.
- Each recommended item displays:
 - Item image
 - Item type - Veg/Non-veg
 - Item name
 - Other Information: Grammage, allergènes, calories etc.
 - Price (including strike-through price if discounted)
 - Indicator for customization availability (if applicable)
 - CTA - "Add to cart"
- If the user adds a recommended item:
 - The item follows the standard Add to Cart flow, including customization (if applicable).
 - The added item is displayed in the cart as well.
 - Cart totals are updated accordingly.
- If no eligible recommendations are available, the You May Also Like section is not displayed.
- Delivery Option Selection - configured in showbizz for the selected cinema
 - System displays delivery options under the "Choose Delivery Option" section:
 - Deliver to Seat (default selected)
 - Pick-up from Counter
 - Deliver to seat - Advance order
 - If the user selects Deliver to Seat for an Advance Order, the system displays a delivery timing selection screen having:
 - Prompt message: "Please confirm when we should deliver your order."
 - Delivery timing options:
 - Before Movie Start
 - During Interval
 - User selects the preferred delivery timing.
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.
 - Deliver to Seat - Immediate order
 - If the user selects Deliver to Seat for an Immediate Order, the system displays a delivery timing selection screen having:
 - Prompt message: "Your food will be delivered to your seat shortly."
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.

- Pickup from Counter - Advance order
 - If the user selects Pickup from Counter for an Advance Order, the system displays a pickup timing selection screen having:
 - Prompt message: “Please confirm when we should keep your order ready.”
 - Pickup timing options:
 - Before Movie Start
 - During Interval
 - User selects the preferred pickup timing.
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.
- Pickup from Counter - Immediate order
 - If the user selects Pickup from Counter for an Immediate Order, the system displays a pickup timing selection screen having:
 - Prompt message: “Your food will be ready for pickup from the counter shortly.”
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.
- Promocode
 - System displays an Enter Promocode field allowing the user to apply a promocode.
- Vouchers for you
 - System displays a listing all applicable/purchased vouchers (Family bundle, F&B vouchers along with name, balance, validity & Apply CTA)
 - User can redeem those vouchers on the checkout page.
 - F&B (If available)
 - Family Bundle/F&B voucher
 - Displays voucher name, voucher code, balance, validity & Apply CTA
 - Applicable only on eligible Food & Beverage items.
 - These vouchers are sorted in ascending order of their expiry date.
- User can redeem those vouchers on the checkout page.
- This section appears if any purchased superticket or F&B voucher is available, otherwise this section is collapsed.
- PVR INOX Exclusive Paymodes
 - System displays PVR INOX Exclusive Paymodes (if applicable), such as:
 - Starpass

- M-Coupon
 - Privilege Plus
 - Gift Card
 - Gyftr
- Note: These paymodes will be catered in further milestones.
- Payment Summary
 - System displays the Payment Summary, including:
 - Food total (inclusive of taxes and convenience fee)
 - Discount applied (if any)
 - If any offer or voucher is applied, the system displays the applied benefit with an option to remove it.
 - Final payable amount
- Cancellation Policy
 - System displays the Cancellation Policy applicable to the food order.
- Offer section
 - When the user reaches the Checkout page, the system evaluates the cart value against all auto-applicable offers configured in Showbizz, each having different minimum eligible cart values.
 - If the cart value qualifies for more than one auto-offer, the system:
 - Applies the best eligible offer having maximum configured on Showbizz.
 - If the cart value meets the eligibility criteria for Offer A, and is below the eligibility threshold for Offer B (next higher offer), then the system performs the following:
 - Automatically applies Offer A
 - Displays Offer A in the Offer Applied strip
 - Simultaneously displays a threshold nudge message for Offer B, such as: “Add ₹45 more to get ₹55 off”
 - In this combined state, the Offer Applied strip displays:
 - Applied Offer Name & Benefit (Offer A), and
 - Progress prompt for the next eligible offer (Offer B)
 - CTA: View more offers
 - If the user adds more items and the cart value reaches the eligibility threshold of Offer B:
 - The system removes Offer A
 - Automatically applies Offer B
 - Updates the Offer Applied strip accordingly
 - User may choose to:
 - Continue with the auto-applied offer, or

- Click View more offers → System displays the Offers section having a list of available offers grouped by type (e.g. Bank Offers, Wallet Offers, others)
- For each offer, the system displays:
 - Offer title
 - Offer description
 - Validity date
 - CTA: Apply (or Remove if already applied)
- By clicking on any offers, system displays offers details having:
 - Offer title
 - Offer description
 - Validity date
 - Terms & Conditions
 - CTA - "Close" - redirected back offer listing page
- When a new offer is applied:
 - The previously applied offer (if any) is removed
 - The new offer is applied
 - Payment Summary is updated in real time
- If the applied offer becomes invalid due to cart changes, the system removes the offer automatically
- These offers are listed in the order of maximum benefit based on the cart value.
- Payment Method
 - If this is the user's first payment attempt → Display "Select Payment Method" (no default option selected).
 - If user has made a payment earlier with one of these options:
 - Credit Card
 - Debit Card
 - Net Banking
 - UPI
 - Wallet
 - The last used payment method is pre-selected by default.
 - If the user's most recent payment was made using a method that is not part of these options → The system pre-selects the most recent payment method the user has used from these options.
 - If no payment is made using these methods → system displays ""Select Payment Method".
 - These payment options are configurable from the Admin panel.
 - Regardless of default selection, the user can always change payment

method by tapping on the selected payment method tile, which opens the full list of payment options (Payment mode selection page).

- User taps “Proceed to Pay”.
 - System redirects to the payment gateway and processes the transaction.

Flow 3: Explore Food (Food only booking)

UC 20.1.5. Checkout page contains:

- Banner image (Default Food image)
 - If food is linked to a movie booking, movie poster is displayed
 - If not, food default image is displayed.
- A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
- Food & Beverages Summary section
- Add more Food
- Upgrade your cart (item level upselling)
- You May Also Like (Cart-level Upselling)
- Delivery Option Selection -
 - System displays delivery options under the “Choose Delivery Option” section:
 - Deliver to Seat
 - Pick-up from Counter (Default selected)
 - Pickup from Counter - Advance order
 - If the user selects Pickup from Counter for an Advance Order, the system displays a pickup timing selection screen having:
 - ~~Cinema name and location~~
 - Pickup date & time: As selected on the Food Pickup Date & Time screen.
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.
 - Pickup from Counter - Immediate order
 - If the user selects Pickup from Counter for an Immediate Order, the system displays a pickup timing selection screen having:
 - Prompt message: “Your food will be ready for pickup from the counter shortly.”
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.
 - Deliver to seat

- The system checks for any upcoming movie bookings associated with the user for the selected day at the selected cinema.
- If one or more upcoming bookings are found, the system displays the list of bookings and prompts the user to select a booking
- User can choose one of the following options:
 - Select an existing booking, or
 - Enter booking details manually
- If the user selects an existing booking, the system:
 - Identifies whether the booking qualifies as an Immediate Order or an Advance Order based on showtime
 - Continues with the standard Deliver to Seat flow (as defined earlier for Advance / Immediate orders)
- If no upcoming booking is found or the user chooses to enter details manually, the system initiates manual details entry.
- Step 1: Select Movie
 - System displays a list of movies running at the selected cinema on the selected day and time.
 - User selects a movie.
- Step 2: Select Showtime
 - System displays the available showtimes for the selected movie as per selected time.
 - User selects a showtime.
 - Note: the showtimes are displayed in which the selected time lies.
- Step 3: Select Row
 - System displays seat row (having reserved seats) grouped in seat type applicable to the selected showtime.
 - User selects a row.
- Step 4: Select Seat
 - System displays reserved seat numbers within the selected row.
 - User selects the seat(s).
- The system evaluates the showtime to determine whether the food order qualifies as an Immediate Order or an Advance Order
- Based on the identified order type, the system continues with the standard Deliver to Seat flow (as defined earlier for Advance / Immediate orders)
 - For Advance order -
 - Audi number and Seat info and delivery time

(before movie start/during interval - mandatory) is displayed along with the delivery option

- For Immediate order -
 - Audi number and Seat info is displayed along with the delivery option

- Promocode
- Vouchers (F&B)
- PVR INOX Exclusive Paymodes
- Payment Summary
- Cancellation Policy
- Offer section (only F&B related offers are applicable)
- Payment Method
- User taps “Proceed to Pay”.

Flow 4 - Ordering food by scanning a QR code -

- Generic QR
 - Checkout page remains same as in “Food only” flow
- Cinema specific QR
 - Checkout page remains same as in “Food only” flow
- Experience specific QR
 - Checkout page remains same as in “Food only” flow
- Seat specific QR
 - Checkout page remains same as in “Food only” flow (immediate order).
In this case, upon selecting the “deliver to seat” option will automatically populate the seat and screen number as the seat QR scanned will provide this data.

Flow 5 - Ticket with Food Altogether

UC 20.1.6. Checkout page contains:

- System checks whether the convenience fee is applicable
- Countdown timer (8 minutes – configurable via Global Configuration).
- Banner image (Movie poster)
- A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
- Booking Details section - same as flow 1
- Food & Beverages Summary section
- Add more Food
- Upgrade your cart (item level upselling)
- You May Also Like (Cart-level Upselling)

- Delivery Option Selection - same as flow 2
- Add-on voucher - Superticket -described in flow 1
- Promocode
- Voucher for you (purchased superticket & F&B voucher)

Note: if Superticket is available, this will be open by default. if not available but fnb vouchers available, then fnb vouchers open by default. if none available, area collapses

- PVR INOX Exclusive Paymodes
- Payment Summary
 - System displays the Payment Summary, including:
 - Total Ticket price (Net price + GST)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Superticket (if added)
 - Quantity of Supertickets (e.g., 3 × Super Ticket)
 - Total Superticket amount
 - Food total (inclusive of taxes and convenience fee)
 - Subtotal
 - Displays the combined total of ticket, superticket and food price
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - Waived if Geolocation criteria match & option is enabled at showbiz for that specific cinema
 - GST charges and GST Number
 - Donation (“Action for 17 SDGs”):
 - ₹2 per ticket (configurable from admin panel)
 - By default - applied
 - Option to remove donation
 - Discount applied (if any)
 - If any offer or voucher is applied, the system displays the applied benefit with an option to remove it.
 - Final payable amount
- Cancellation Policy
- Offer section (only Ticket + F&B related offers are applicable)
- Payment Method
- User taps “Proceed to Pay”

Flow 6 - Ticket with Add-on of Family Bundle or F&B voucher

UC 20.1.7. Checkout page contains:

- System checks whether the convenience fee is applicable
- Countdown timer (8 minutes – configurable via Global Configuration).
- Banner image (Movie poster)
- A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
- Booking Details section - same as flow 1
- Add-on voucher - Superticket -described in flow 1
- Promocode - displayed but can’t be applied as restricted from showbizz
- Voucher for you (purchased superticket & F&B voucher) - displayed but can’t be redeemed as restricted from showbizz.
- PVR INOX Exclusive Paymodes - displayed but can’t be used as restricted from showbizz.
- Payment Summary
 - System displays the Payment Summary, including:
 - Total Ticket price (Net price + GST) - (If F&B voucher is added)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Bundled pricing (if family/value bundle is added)
 - Strike-through (original) price
 - Updated bundled price
 - “Inclusive of taxes” label
 - Superticket (if added)
 - Quantity of Supertickets (e.g., 3 × Super Ticket)
 - Total Superticket amount
 - Subtotal
 - Displays the combined total of bundle price and superticket.
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - Waived if Geolocation criteria match & option is enabled at showbiz for that specific cinema
 - GST charges and GST Number
 - Donation (“Action for 17 SDGs”):

	● ₹2 per ticket (configurable from admin panel) ● By default - applied ● Option to remove donation ■ Final payable amount ● Cancellation Policy ● Offer section (can't be applied as restricted from showbizz) ● Payment Method ● User taps "Proceed to Pay" Flow 7 - Incinema mode - Add Food UC 20.1.8. Checkout page contains: ● Banner image (Movie poster) ● Booking Details section - same as flow 2 ● A saving strip is displayed - "You are saving ₹X on this booking" Where: ₹X = Total benefit availed by the user on the booking. ● Food & Beverages Summary section ● Add more Food ● Upgrade your cart (item level upselling) ● You May Also Like (Cart-level Upselling) ● Delivery Option Selection - same as flow 2 ● Add-on voucher - Superticket -described in flow 1 ● Promocode ● Voucher for you (purchased F&B voucher) ● PVR INOX Exclusive Paymodes ● Payment Summary same as flow 2 ● Cancellation Policy ● Offer section (only F&B related offers are applicable) ● Payment Method ● User taps "Proceed to Pay"
Alternate Flow	UCA 20.1.1. Donation Removed ● If the user removes/skips the donation → The donation amount is removed from the Bill Details. ● Final payable amount updates automatically. UCA 20.1.2. User Changes Payment Method ● If the user taps on the selected payment method → The list of available payment methods is displayed. User redirects to the checkout screen.

UCA 20.1.3. User taps the Back icon on Checkout page

- When the user taps the Back icon, the system evaluates whether the cinema supports In-cinema food service.
 - If In-cinema food service is available → System displays a popup:
 - Title: What Would You Like to Do?
 - CTA 1: Explore Menu → Redirects user to the Food Menu screen.
 - CTA 2: End the Session → Ends session and redirects user to the show time listing page (from where user has started their journey - movie/cinema/Quickbook/pick your time/food landing page/My Booking/In-cinema, etc.).
 - If the user has started their journey by scanning a QR code → user redirected to movie detail page (if possible) / homepage / Food landing page.
 - All selected seats will be released.
 - If In-cinema food service is NOT available → System displays a popup:
 - Title: Leave Checkout?
 - Message: Do you want to end your session and exit the checkout?
 - CTA: Yes / No
 - Yes → Ends session and redirects user to the show time listing page (from where user has started their journey - movie/cinema/Quickbook/pick your time).
 - If the user has started their journey by scanning a QR code → user redirected to movie detail page (if possible) / homepage.
 - All selected seats will be released.
 - No → remains on the checkout page.

UCA 20.1.4. User tries to make payment via deep link

- The user opens a deep link that redirects to the payment flow for a pending booking.
 - If the app is installed → open the deep link in the App.
 - If the app is not installed → redirect to M-Site.
- The system fetches the booking details from Showbizz using the POS Booking ID.
 - System validates the booking's payment status is pending.
 - If valid, an order is created in the system using the details fetched from showbizz.
 - If the user has already paid for that booking → Show a message "Payment for this booking has already been completed." on the homepage.

- If the deep link has expired → the system shows a message “This link has expired. Please start a new booking.” on the homepage.
- User is redirected to the Checkout screen.
 - Login required if not logged in
- System displays payable amount and booking summary (read-only).
- No offers, promocodes, or discount options are displayed.
- The user taps “Select Payment Method”. The system navigates the user to the Payment Selection screen.
- Only allowed payment methods are shown (configurable from the admin panel):
 - Credit Card
 - Debit Card
 - Net Banking
 - UPI
 - Amazon UPI
 - Amazon wallet/Pay later
- The user selects a payment method.
- The user confirms payment.
- The system redirects the user to the Razorpay payment gateway to complete the transaction.
- Upon successful payment:
 - The system receives payment confirmation.
 - Booking is confirmed in Showbizz.
 - After fetching the confirmed status from showbiz, the user is redirected to the Booking Confirmation screen.
 - A text message will be shared along with an e-ticket link and gst invoice link.
- If the Phone number associated with the deeplink differs from the logged-in user’s Phone number, the user will still be able to proceed with the payment. However, the transaction will be saved against the logged-in user’s Phone number.

UCA 20.1.5. User clicks on info icon against Donation

- A tooltip/bottom sheet appears with a message: “PVR INOX for 17 SDG. PVR INOX is the National Partner supporting action on all 17 SDGs, empowering youth voices and raising mass awareness on road safety. Read through Terms & Conditions (link).
- Clicking on Terms & Conditions link - display a popup showing “Donation Terms & Conditions”

UCA 20.1.6. Cart Becomes Empty at Checkout

- User removes all food items (and/or vouchers) from the cart on the Checkout screen (Food only flow)
 - System exits Checkout and user is redirected to the Food Menu page.

UCA 20.1.7. Item Becomes Unavailable on Checkout

- When the user proceeds to the Checkout screen, the system performs a real-time stock availability check for all items in the cart.
- If any item in the cart is no longer available / sold out:
 - System display a popup with message: “Items Unavailable in Your Cart. Some items in your cart are now sold out. Please review your cart summary before continuing.”
 - CTA: Okay, Got it
 - Unavailable items are highlighted for user review saying “Currently unavailable” with “remove” CTA and “Sold out” tag.

UCA 20.1.8. Price Change Before Checkout

- While selecting the Deliver to Seat delivery option, the user is required to select a movie show. If the selected movie show has an experience-specific food menu, the price of one or more food items in the cart may change or certain items may become unavailable.
- The system displays a popup with the message: “Items Unavailable in Your Cart. Some items in your cart are now sold out. Please review your cart summary before continuing.”
 - CTA: Okay, Got it
 - Unavailable items are highlighted for user review saying “Currently unavailable” with “remove” CTA and “Sold out” tag.

UCA 20.1.9. Re-evaluation of “Upgrade Your Cart” & “You may also like” on Checkout

- On the Checkout screen, the user adds a food item from the “You May Also Like” section. The system re-evaluates the updated cart.
- If the newly added item (or any existing cart item) has an eligible upgrade option configured in Showbizz:
 - The system displays one or more additional “Upgrade Your Cart” options relevant to the updated cart.
- On the Checkout page, the user adds or applies an item from the “Upgrade Your Cart” section. The system re-evaluates the cart after the upgrade is applied.
- If the updated cart makes additional items eligible for cart-level upsell:
 - The “You May Also Like” section is displayed or refreshed accordingly.

	UCA 20.1.10 - If Delivery time is not selected ● A text message / WhatsApp message is sent to the user 40 minutes before the show starts. The message contains a deeplink. ● On tapping the deeplink, the user is redirected to the Delivery Time Selection screen. ● User can also select the delivery time from My Bookings before the show starts. ● If the user still does not select a delivery time → During Interval is selected by default.
Exception Flow	UCE 20.1.1. Countdown Timer Expires ● If the 8-minute timer expires before payment → Seats are released and Session becomes invalid. User sees message: “Your session has expired. Please restart your booking.” ● If a user is coming from the movie detail page/cinema detail page, the user is redirected back to these screens. Else redirected back to homescreen. UCE 20.1.2. Show Becomes Unavailable ● If the show closes while user is on Checkout page → Display message: “Show Unavailable — Sorry, This show is no longer open for booking.”
Business Rules	● Donation amount ○ ₹2 per ticket (or as configured). ○ Users must be able to remove it. ○ By default - applied. ○ If removed, option to add it again. ● Donation part is fully configurable in admin → global configuration ○ Amount ○ Applicable ○ Title - “Action for 17 SDGs” ○ Heading - “PVR INOX for 17 SDGs” & Text - “PVR INOX is the National Partner supporting action on all 17 SDGs, empowering youth voices and raising mass awareness on road safety. Read through Terms & Conditions ○ Terms & Condition ● Geolocation-based convenience fee removal Requires: ○ a. User is within the configured geolocation radius. ○ b. In Showbizz, the waiver option is enabled for that specific cinema. ○ Otherwise, the convenience fee applies as usual.

- Countdown timer
 - By default set to 8 minutes But configurable from Admin > Global Configuration.
 - After 8 min, cancels the session and releases seats.
- Display of cancellation conditions
 - All cancellation policy rules must be fetched from Showbizz.
- Payment Method logic
 - First-ever transaction: "Select Payment Method" is shown.
 - Returning user: Last used payment method (Credit Card / Debit Card / Net Banking / UPI / Wallet etc.) is pre-selected.
 - User must be able to change payment method by tapping on the selected method tile.
- Taxes and charges
 - Must be calculated and displayed according to Showbizz billing API response.
- All the payment methods are configurable from the admin panel.
- On Checkout, Booking Summary, and Booking Details screens (i.e., on every screen where the child movie is known), the child movie image/poster is displayed.
- A final stock availability check is mandatory when the user taps Pay / Choose Payment Method.
- Delivery fee (e.g., seat delivery charge) is applied only if "Deliver to Seat" is selected, and Fee is enabled for the cinema.
- A user can add Maximum 5 distinct food items per order & Maximum 10 units of a single item
 - These limits are configurable via admin
- Delivery options (Deliver to Seat / Pickup from Counter) depend on cinema configuration.
- For advance orders, delivery location (Seat / Counter) is mandatory. Delivery time selection is optional at the time of placing the order.
- Decimal values are displayed exactly as received from Showbiz.
- If the user clicks Pay / Select Payment Method and one or more applicable vouchers are available but not yet applied, the system automatically scrolls the user to the "Maximise Your Savings" section once per checkout session.
 - The auto-scroll is triggered only on the user's first attempt to proceed with payment.
 - After the auto-scroll occurs once, subsequent clicks on Pay / Select Payment Method do not trigger auto-scroll again.
 - The user can choose to apply an available saving option or continue to

	the payment methods section. ○ If no applicable savings options are available, the system does not perform any auto-scroll. ○ If the user has already applied a voucher/offer/gift card, the auto-scroll is not triggered.
Validations	● Payment Method Not Selected “Please select a payment method to continue.” ● Session Expired “Your session has expired. Please restart your booking.” ● Show Unavailable “Show Unavailable. Sorry, this show is no longer open for booking.” Payment via deeplink - ● If the user has already paid for that booking → Show a message “Payment for this booking has already been completed.” on the homepage. ● If the deep link has expired → the system shows a message “This link has expired. Please start a new booking.” on the homepage.

21. Select Payment Method

21.1. Use Case

Use Case No.	UC 21
Use case	Select Payment Method
Description	This use case defines how the user reviews the final payable amount and completes the payment after arriving on the Checkout screen. The system displays Checkout page details, available payment methods, fees, donations, saved cards, and the countdown timer, and processes payment through the selected method via Razorpay..
Primary Actor	Customer (Logged-in)
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway
Triggering Event	● User taps “Select Payment Method” CTA on the Checkout page screen.
Pre-Condition	● Show is still open for booking. ● Payment gateway services are available.

	● A countdown timer is active (8 minutes or as configured).
Post Condition	● Payment is either: ○ Successfully processed → user redirected to Booking Confirmation ○ Failed → user remains on Checkout screen with an error message ● Selected payment method is updated as “last used” for the next session
Basic Flow	UC 21.1.1. User arrives on the Select Payment Method screen by tapping “Select Payment Method” on the checkout page. UC 21.1.2. System UC 21.1.3. Screen displays available payment modes. ● Credit Card ● Debit Card ● UPI ● Net Banking ● Amazon ○ Wallet ○ UPI (For app only) ● BNPL (Buy Now Pay later) ○ Pay later Note: In M5 first 4 payment methods are covered. These payment methods are configurable from the admin panel (sequencing & availability). UC 21.1.3.1. Credit Card/Debit card ● System shows: ○ Saved cards (saved via earlier transactions) ■ Only the last 10 saved cards are displayed on this screen. ○ Option: Pay via a New Card ● When a user selects a previously-used/saved card → CVV input is mandatory before proceeding. ○ CTA: “Proceed” ● When the user selects Add New Card → User enters Card Number, Expiry (MM/YY), CVV, Name on Card, Nick Name. ○ Option to save the card for future use ■ By default, this option will be checked. ■ This option is always enabled. ■ There is no limit on the number of cards that can be saved. ■ Informative message - “We will save this card for your convenience. If required, you can remove this card in the Account section from the "My Payments" menu. We do not

store CVV.”

- If a user is adding an 11th card, the system displays an informative message: “Only the last 10 saved cards are shown in Saved cards. You can manage all your saved cards in the Account section from the "My Payments" menu”
- CTA: “Proceed”
- User taps on the CTA to pay the amount.
- The system routes payment to Razorpay for processing.

UC 21.1.3.2. Saved Cards & Linked wallet

- User navigates to Account > Payment Settings. System displays:
 - Saved Cards section
 - Linked Wallets (if applicable)
- If no cards are saved & no wallets are linked, System displays empty state having:
 - Message: “No payment method found”
 - List of integrated wallets on the platform along with CTA - “Link Account”
- Each saved card displays:
 - Masked card number (e.g., xxxx xxxx xxxx 4556)
 - Card type (Visa/Mastercard/etc.)
 - Nick name (if available)
 - CTA: Delete
- User taps on Delete CTA on a saved card.
 - System displays confirmation popup:
 - Message: “Are you sure you want to delete this card?”
 - CTAs:
 - Cancel → Card is not deleted
 - Delete → Card is removed
 - System sends a request to the Payment Gateway (PG) to remove the saved card.
 - On successful deletion:
 - Card is removed from the list
 - Updated list is displayed
 - If no cards remain:
 - System displays empty state

Linking a wallet

- User taps on CTA “Link Account”. System initiates Amazon authentication.

- On successful authentication:
 - System links the Amazon account with the user profile.

Linked Wallet

- If a wallet is linked, the system displays the linked wallet under the Linked Wallet section.
- Each wallet displays:
 - Wallet name (e.g., Amazon Pay Balance)
 - Available balance (e.g., ₹XX)
 - CTA: Unlink
- User taps on Unlink CTA on the linked wallet
 - System displays confirmation popup:
 - Message: “Are you sure you want to unlink the amazon account?”
 - CTAs:
 - Cancel → Wallet remains linked
 - Unlink → Wallet is removed
 - On successful unlink:
 - Wallet/Pay later is removed from Linked Wallet section
 - User will be required to authenticate again while making payment for future usage.

UC 21.1.3.3. Net Banking

- User taps the bank input/search field
- System displays a list of supported banks.
 - A list of popular banks with images will be displayed along with other banks.
 - The popular bank list is configured in Payment gateway.
 - All other banks list is also fetched from Payment gateway.
- The user selects a bank from the list or searches for a bank by entering a keyword.
- After selecting a bank, the user taps CTA: “Proceed”.
- System redirects to the bank’s net banking login page (via Razorpay).

UC 21.1.3.4. UPI

- System displays the UPI payment options:
 - Pay via listed UPI apps
 - Pay via QR Code (For web only)
- Pay via listed UPI Apps (For App/M-site)
 - The system shows a list of installed UPI apps (PhonePe, GPay, Paytm,

Airtel).

- User selects one app directly → UPI app opens → payment continues.
- Pay via QR Code (For web only)
 - The system displays a QR code for UPI payment.
 - The user scans QR via any UPI app.
 - User completes payment → system validates backend confirmation.

UC 23.1.3.5. Amazon Payment Options

- User navigates to Select Payment Method on Checkout page. System displays available Amazon payment options:
 - Amazon Wallet (Pay Balance)
 - Amazon Pay Later (BNPL)
 - Amazon UPI (App / M-site only)
- When user selects Amazon Wallet or Amazon Pay Later for the first time:
- System initiates Amazon authentication.
- On successful authentication:
 - System links the Amazon account with the user profile.
 - Linked Amazon account is saved under Account > Payment Settings > Linked Wallets.
 - System displays the linked wallet & Pay later with CTA: “Unlink”
 - On tapping Unlink, system displays a confirmation prompt:
 - Message: “Are you sure you want to unlink this amazon account?”
 - CTAs:
 - Cancel → Amazon account remains linked
 - Unlink → System removes the linked amazon account (for wallet & pay later) from the user profile.
- For subsequent transactions:
 - User is not required to authenticate again.
 - System directly uses the linked Amazon account.

Amazon Wallet

- User selects Amazon Wallet.
- System fetches wallet balance from Amazon.
 - If there is sufficient balance, the user taps on Pay Now.
 - Payment is processed via Amazon Wallet.
 - If there is insufficient balance, the system displays available balance.
 - CTA: “Add Money”
 - Users can add money via Amazon flow and proceed with

payment.

Amazon Pay Later (BNPL)

- The user selects Amazon Pay Later under the Select Payment Method.
- The system checks user eligibility via Amazon.
 - If user is eligible, System fetches and displays:
 - Available credit limit
 - If user is not eligible:
 - Option is shown as disabled
 - System displays message:
 - “You are not eligible for Pay Later.”
 - User is restricted from proceeding with BNPL.
- If user is eligible and available limit $\geq$ payable amount:
 - User taps on Pay Now / Continue
 - System proceeds with BNPL payment
- If user is eligible but available limit $<$ payable amount:
 - System displays available credit limit
 - System displays message:
 - “Limit Exceeded”
 - User is restricted from proceeding with BNPL
 - User can:
 - Choose another payment method

Amazon UPI (App / M-site)

- User selects Amazon UPI.
- System triggers a UPI intent request via Amazon Pay.
- User completes payment using UPI PIN via:
 - UPI app (intent)

UC 21.1.4. On successful payment:

- Razorpay sends confirmation to the system.
- After getting confirmation from showbizz, the system redirects the user to the booking confirmation page.
- A text/whatsapp message will be shared along with an e-ticket link and gst invoice link (If available).
 - If user opt in for whatsapp, whatsapp message will be shared. Else text message will be shared.
- A mail also shared to the user song with booking details & invoice.
 - Mail contains -
 - Booking information

- Also Playing Movies - 4 movies along with “View All” CTA.
Clicking on “View all” redirects the user to the Homepage.
 - Also Playing Movie Logic:
 - If Personalization data is available → Movies are fetched from the personalization tool.
 - If Personalization data is unavailable → Default logic
 - The system first fetches all Now Showing movies in the city.
 - Movies are sorted in descending order of number of showtimes.
 - From this sorted list, Movies with the same genre or language as the booked movie are prioritized.
 - If no movies match the same genre or language:
 - The system continues with the top Now Showing movies based purely on showtime count.
 - The top 4 movies from the final prioritized list are displayed.
 - The booked movie itself is excluded.
- Upcoming movies with “View All” CTA
 - Clicking on “View all” redirects the user to the coming soon section.
 - 4 movies will be displayed as per the released date.

UC 21.1.5. Booking Confirmation Page:

- On successful payment, the system displays the Booking Confirmation Page showing:

Case 1 - Ticket only

- Success message - Booking Confirmed!
- Booking Summary
 - Movie/event related
 - Movie/Event name
 - Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema info
 - Show date & time (start & end)
 - Seat details (Audi, Row, Seat numbers)

- QR Code
 - QR code contains - Booking id, session id, show date , show time i.e TYA9C7F,115442,16-Nov-2025,21:30 (showtime - 24 hr format)
 - Booking ID
 - Track ID
- Payment Summary (with breakdown)
 - Total Ticket price (Net price + GST)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Subtotal - Tickets (inclusive of GST)
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - GST charges and GST Number
 - Donation Amount (“Action for 17 SDGs”)
 - Applied Discount
 - Total Paid Amount
 - Payment Method
- Download Ticket CTA
 - User taps Download Ticket → the system generates an e-ticket link and redirects the user to it in a web view/browser.
 - The link contains the digital version of the user’s ticket (QR code + booking details):
 - PVR INOX logo
 - Cinema details
 - Movie details
 - QR code / barcode for entry
 - Seat details
 - Show details
 - QR code
 - Booking & Track ID
 - View Invoice CTA → redirects the user to the fetched invoice link from showbizz in a web view/browser
 - Also Playing Movies - 4 movies along with “View All” CTA. Clicking on “View all” redirects the user to the Homepage.

- Also Playing Movie Logic:
- If Personalization data is available → Movies are fetched from the personalization tool.
- If Personalization data is unavailable → Default logic
 - The system first fetches all Now Showing movies in the city.
 - Movies are sorted in descending order of number of showtimes.
 - From this sorted list, Movies with the same genre or language as the booked movie are prioritized.
 - If no movies match the same genre or language:
 - The system continues with the top Now Showing movies based purely on showtime count.
 - The top 4 movies from the final prioritized list are displayed.
- The booked movie itself is excluded.
- Movie poster
- Promotional banner 3 - configured from Admin panel.
 - The count depends on how many promotional offers are activated from the admin panel.
- Social links
- Add to Wallet CTA - (If enabled from the admin panel)
 - User taps Add to Wallet.
 - The system generates a wallet token.
 - This token contains the information required to create the wallet pass for Google Wallet / Apple Wallet.
 - System triggers the native wallet integration:
 - iOS → Opens Apple Wallet Add Pass screen
 - Android/web/M-site → Opens Google Wallet “Save to Phone” flow.
 - User confirms → Ticket is saved in the device wallet app.
 - If wallet app is not available, it will open wallet link on browser
- Share Ticket CTA
 - User taps Share Ticket → System opens the native device share sheet with the pre-filled message containing booking details:
 - Number of seats booked

- Seat numbers
- Audi number
- Show date & time
- Cinema name & location
- Movie name, language & certification
- Total booking amount
- Booking ID
- Deep link / URL to access e-ticket
- Download Invoice
 - User taps Download Invoice → the system fetches the invoice link from Showbizz and redirects the user to it in a web view/browser.
- CTA - “Back to Homepage”
- Promotional banner 3 - configured from Admin panel.
 - The count depends on how many promotional offers are activated from the admin panel for that city.

Case 2 - Food only

- Success message - Booking Confirmed!
- Booking Summary
 - Food related
 - Food default image
 - List of food items along with quantity
 - Delivery date
 - Delivery time (Before showtime, During Interval, Specific time)
 - Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)
 - Pickup from counter
 - Cinema name and location
 - Booking/Order ID
 - Track ID
- Payment Summary
 - Food total (inclusive of taxes and convenience fee)
 - System displays all ordered F&B items. For each food item, the system displays:
 - Item name
 - Selected paid add-ons (if any)

- Selected quantity
 - Item-level price
- Discount applied (if any)
- Total paid Amount
- Payment mode
- Download Ticket CTA
 - User taps Download Ticket → the system generates an e-ticket link and redirects the user to it in a web view/browser.
 - The link contains the digital version of the user's order (booking details):
 - PVR INOX logo
 - Movie details (if movie/booking is mapped)
 - List of food items along with quantity
 - Delivery date
 - Delivery time (Before showtime, During Interval, Specific time)
 - Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)
 - Pickup from counter
 - Cinema name and location
 - Booking/Order ID
 - Track ID
 - Also Playing Movies
 - Movie poster (if movie/booking is mapped)
 - Promotional banner 3 - configured from Admin panel.
 - The count depends on how many promotional offers are activated from the admin panel.
 - Social links
- Add to Wallet CTA - (If enabled from the admin panel)
- Share CTA
 - User taps Share Ticket → System opens the native device share sheet with the pre-filled message containing booking details:
 - Cinema name
 - Order date
 - Food & beverage items (with quantity)
 - Total order amount
 - Booking ID (FnB reference ID)

- Delivery location (pickup from counter/deliver to seat)
- CTA - “Back to Homepage”
- Promotional banner 3

Case 3: Movie + Food Altogether

- Success message - Booking Confirmed!
- Booking Summary
 - Movie related
 - Food related
- Payment Summary
 - Total Ticket price (Net price + GST)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Food total (inclusive of taxes and convenience fee)
 - System displays all ordered F&B items. For each food item, the system displays:
 - Item name
 - Selected paid add-ons (if any)
 - Selected quantity
 - Item-level price
 - Subtotal - Tickets (inclusive of GST) + Food total
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - GST charges and GST Number
 - Donation Amount (“Action for 17 SDGs”)
 - Applied Discount
 - Total Paid Amount
 - Payment Method
- Download Ticket CTA
 - User taps Download Ticket → the system generates an e-ticket link and redirects the user to it in a web view/browser.
 - The link contains the digital version of the user’s order (QR code + booking details):
 - PVR INOX logo
 - Cinema details

- Movie details
- Seat details
- Show details
- QR code
- Booking & Track ID
- Order ID (FnB reference ID)
- List of food items along with quantity
- Delivery time (Before showtime, During Interval, Specific time)
- Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)
 - Pickup from counter
- View Invoice CTA for Movie
 - redirects the user to the fetched invoice link from showbizz in a web view/browser
- Also Playing Movies
- Movie poster
- Promotional banner 3 - configured from Admin panel.
 - The count depends on how many promotional offers are activated from the admin panel.
- Social links
- Add to Wallet CTA - - (If enabled from the admin panel)
- Share CTA
 - User taps Share Ticket → System opens the native device share sheet with the pre-filled message containing booking details:
 - Number of seats booked
 - Seat numbers
 - Audi number
 - Show date & time
 - Cinema name & location
 - Movie name, language & certification
 - Total booking amount
 - Booking ID
 - Deep link / URL to access e-ticket
 - Order date
 - Food & beverage items (with quantity)
 - Total order amount

	■ Order ID (FnB reference ID) ■ Delivery location (pickup from counter/deliver to seat) ● View Invoice for movie ○ Invoice for food (once order is delivered, invoice is generated and shared over whatsapp/sms) ● CTA - “Back to Homepage” ● Promotional banner 3
Alternate Flow	UCA 21.1.1. User taps Back → ● User redirected to Checkout page. ● The countdown timer continues from the remaining time. UCA 21.1.2. Duplicate Card Already Exists ● User enters card details and taps on Save CTA. ● System sends card details to the Payment Gateway (PG) for validation and tokenization. ● PG validates the card and checks for duplicate card reference (based on token/fingerprint). ● PG returns duplicate card response. ● System does not save the card. ● System displays a message: “This card is already saved.” UCA 21.1.3. Invalid Card Details ● User enters incorrect or invalid card details. ● System validates card details via payment gateway. ● System displays message: “Please enter valid card details.” ● Card is not saved. UCA 21.1.4. Expired Card ● User enters a card with expiry date in the past. ● System displays a message: “This card has expired.” ● Card is not saved.
Exception Flow	UCE 21.1.1. Countdown Timer Expires ● If the 8-minute timer expires before payment → Seats are released and Session becomes invalid. User sees message: “Your session has expired. Please restart your booking.” ● If a user is coming from the movie detail page/cinema detail page, the user is redirected back to these screens. Else redirected back to homescreen.

UCE 21.1.2. Show Becomes Unavailable

- If the show closes while user is on Booking Summary → Display message:
“Show Unavailable — This show is no longer open for booking.”

UCE 21.1.3. Payment Waiting

- When the user confirms payment, the system displays a Payment waiting screen Along with status:
 - Payment Initiated
 - Once the payment is confirmed (from payment gateway) status changes to → Payment confirmed.
 - Users can refresh the payment status in real-time by tapping on CTA “Refresh”.
 - Confirming your booking
 - Once the booking is confirmed (From showbizz) status changes to → Booking confirmed
- Users cannot go back or change payment methods during this state.
- User can tap on CTA “Refresh” to refresh the payment status in real-time.
- On the screen, system
- System waits for confirmation from the payment gateway.

UCE 21.1.4. Payment Failure

- System displays a popup with message coming from payment gateway such as:
“Your transaction has failed. Please try again using a different method.”
“Your current payment attempt failed.”
“Payment failed due to insufficient balance.”
“Payment failed as the CVV entered is incorrect.”
“Payment failed as your bank account seems to be blocked.”
“Payment failed because online transactions are disabled for this card/account.”
“Payment failed as your credit card limit has been exhausted.”
- CTAs - “Retry” / Change Another Payment method
 - “Retry” → System tries to make the payment (If booking time is available)
 - “Change Another Payment Method” → User remains on “Select Payment Mode” screen.

UCE 21.1.5. Payment Timed Out

- If no response is received from the payment gateway within the configured timeout:
- System displays a timeout message:

	“Payment timed out. Please try again.” - User remains on the Checkout screen. Note: Payment failure & Refund scenarios is catered below: UCE 21.1.6. Saved Card Unavailable - On the Select Payment Method screen, if a saved card is temporarily unavailable, the system displays: “We’re facing temporary issues with this payment method.” - The affected saved card is disabled and cannot be selected.
Business Rules	- Previously used credit/debit cards, UPI IDs, and banks are displayed in their respective sections for quick selection. - For saved cards, the user must re-enter CVV before proceeding. - Seats remain locked until payment is completed or session expires. - Booking ID is fetched from Showbizz after successful payment confirmation. - Payment timeout duration is configurable from Admin Panel → Global Configuration. - Track ID is generated internally by the system for transaction & audit logs. - Booking is confirmed only after Showbizz sends success confirmation. - For each transaction, the system saves - Request and response payloads exchanged with the payment gateway, including both successful and failed payment attempts. - If the user enters the flow via a link, the system also captures and stores any available UTM parameters (utm_source, utm_medium, utm_campaign) present in the link against the transaction. - Input validations - Card Number - Mandatory field. - Must be numeric. - Length: 15–16 digits (based on card network). - System identifies the card network (Visa, Mastercard, RuPay, Amex, etc.) and applies network-specific rules. - Cardholder Name - Mandatory field. - Alphabets and spaces only. - Minimum 2 characters, maximum 30 characters. - Expiry Date - Mandatory field. - Must be in MM/YY format.

- Must be a valid future month and year.
- CVV
 - Mandatory field.
 - Must be numeric.
 - 3 digits for Visa/Mastercard/RuPay.
 - 4 digits for Amex.
- Card Nickname
 - Optional field.
 - Alphanumeric characters and spaces only.
 - Minimum 1 character, maximum 30 characters.
- UPI IDs
 - Mandatory field.
 - Must follow valid UPI format: username@bank.
 - Length limit:
 - Minimum length: 5 characters
 - Maximum length: 50 characters
 - Allowed characters: alphanumeric, ., _ , -
- Net Banking Search
 - Minimum 2 characters required for search.
 - Search must support partial and case-insensitive matches.
 - If no match is found, display: “No banks found. Please try a different keyword.”
- The system must not store sensitive card details such as:
 - Full card number
 - CVV
- All card data must be:
 - Captured and transmitted directly to the payment gateway over a secure connection.
 - Tokenized by the payment gateway for future use (if card-saving is enabled).
- Users can save up to 10 cards in total, including both credit and debit cards.
- Only masked card information may be stored and displayed:
 - Last 4 digits
 - Card network (Visa, Mastercard, etc.)
 - Card nickname (if provided)
- Decimal values are displayed exactly as received from Showbiz.
- On Checkout, Booking Summary, and Booking Details screens (i.e., on every screen where the child movie is known), the child movie image/poster is displayed.

	● Invoice for food → once order is delivered, invoice is generated and shared over whatsapp/sms.
Validations	● Invalid Card Details → “Please enter valid card details.” ● CVV Missing → “Please enter CVV to continue.” ● Invalid CVV → “Please enter a valid CVV ● Invalid UPI ID → “Please enter a valid UPI ID.” ● Session Expired (countdown end) → “Your session has expired. Please restart your booking.” ● Payment Failure → “Your transaction has failed. Please try again using a different method.” ● If a saved card is temporarily unavailable → “We’re facing temporary issues with this payment method.”

21.2. Payment Gateway Case

S.No.	Use Case	PG Status (Razorpay)	Backend Payment Status	Showbizz Booking Status	Final Booking Status (App)	Refund Status	Remarks	Customer Journey
1	Successful Payment & Booking (Happy Path)	Success	Payment Success	Confirmed	Booking Confirmed	No Refund	Ideal happy path	1. Booking status is updated to “Confirmed” and user redirected to the Booking confirmation page. 2. User can view booking details in My Bookings. 3. Booking confirmation and ticket details are shared via SMS / Whatsapp & Email.
2	Payment Success but Booking Failure (Seat Allocation Failure)	Success	Payment Success	Failed	Booking Failed (Bad Transaction - Seat Release)	Refund Initiated (Auto)	Seat allocation failed - SMS/Whatsapp will be sent	1. User sees a booking failure message. 2. Refund is initiated and communicated via SMS/WhatsApp 3. User can view the booking in My Bookings with status “Booking

								Failed” along with refund status.
3	Payment Success with Booking Pending (Showbizz Timeout / No Response)	Success	Payment Success	Timeout / No Response	Booking Pending (Booking confirmed /Bad Transaction - Seat Release)	Pending (If confirmed - No refund. If BT - Refund initiated automatically)	Async reconciliation required. Either success or failed	1. User sees “Confirming your booking within 2/5 mins” status on the app. 2. If Confirmed → customer journey is same as Use Case 1 3. If failed → customer journey is same as Use Case 2.
4	Payment Success but Booking Rejected by Showbizz	Success	Payment Success	Cancelled	Booking Cancelled/ Seat Release (BT)	Refund Initiated (Auto)	Showbizz rejected booking - SMS/Whats app will be sent	1. User sees a booking failure message. 2. Refund is initiated and communicated via SMS/WhatsApp 3. User can view the booking in My Bookings with status “Booking Failed” along with refund status.
5	Payment Failure due to Bank Decline / Insufficient Funds	Failed	Payment Failed	Not Triggered	Payment Failed (Cancelled)	No Refund	Insufficient funds / bank decline	1. If the user is on the app, the user sees a payment failure message with a retry option (available until the seat lock expires). 2. If the user kills and relaunches the app, the user can view the booking in My Bookings with status “Payment Failed”. No retry option.
6	Payment Pending – Awaiting PG Webhook	Pending	Payment Processing (status can	Not Triggered	Payment Processing (Booking Confirmed)	Pending	Await PG webhook (BT - SMS/Whats	1. User sees “Payment Initiated” status.

			be Success / Failed)		/ (BT / Cancelled - Seat Release))		app will be sent)	2. If payment success → check Booking status. 2.1 If Booking confirmed → Customer journey is same as use Case 1. 2.2 If Booking failed → Customer journey is same as use Case 1. 3. If Payment failed → Customer journey is same as use Case 5.
7	Payment Success but Booking Failed due to Price Mismatch	Success	Payment Success	Price Mismatch	Booking Failed (BT) - Seat Release	Refund Initiated (Auto)	Price changed - SMS/Whats app will be sent)	1. User sees a booking failure message. 2. Refund is initiated and communicated via SMS/WhatsApp 3. User can view the booking in My Bookings with status “Booking Failed” along with refund status.
8	Payment Success but Seat Lock Expired	Success	Payment Success	Seat Locked Expired	Booking Failed (BT)	Refund Initiated (Auto)	Lock timeout - SMS/Whats app will be sent)	1. User sees a booking failure message. 2. Refund is initiated and communicated via SMS/WhatsApp 3. User can view the booking in My Bookings with status “Booking Failed” along with refund status.
9	Payment Success but Technical Error at showbizz (Async	Success	Payment Success	Technical Error	Booking Pending (Booking Confirmed / BT - Seat Release)	Pending (No refund / Refund initiated - Auto)	Async reconciliati on required (BT - SMS/Whats app will be sent))	1. User sees “Confirming your booking” status on the app. 2. If Confirmed → customer journey is same as Use Case 1

	Reconciliation)							3. If failed → customer journey is same as Use Case 2.
10	Payment Success but awaiting at app/backend	Success	Pending (success)	Seat Locked Expired	Booking Failed (BT)	Refund Initiated (Auto)	Lock timeout (SMS/What sapp will be sent))	1. User sees a booking failure message. 2. Refund is initiated and communicated via SMS/WhatsApp 3. User can view the booking in My Bookings with status “Booking Failed” along with refund status.
11	Payment Success but awaiting at app/backend	Success	Pending (success)	Confirmed	Booking Confirmed	No Refund	Ideal happy path	1. Booking status is updated to “Confirmed” and user redirected to the Booking confirmation page. 2. User can view booking details in My Bookings. 3. Booking confirmation and ticket details are shared via SMS / Whatsapp & Email.
12	Booking confirmed on Showbizz but awaiting at app/backend	Success	Payment Success	Confirmed	Pending	No refund	Async reconciliati on required	1. User sees “Confirming your booking” status on the app. 2. Once Confirmed → customer journey is same as Use Case 1. 3. Timing of “Payment Initiation”, “Payment success”, “Booking initiation at showbizz” “Showbiz commit” is captured in the reports. (Applicable for all use case)

Note: Number of “Retry” options for each payment mode is configurable from the admin panel. Once all retry attempts are exhausted, the payment will be marked as failed, in that case, the seat will be released.

22. My Bookings (Movies & Events)

22.1. Use Case

Use Case No.	UC 22
Use case	My Bookings (Movies & Events)
Description	User views, manages, and performs actions on all upcoming/past bookings (Movies, Events, Food, or combined purchases) made through PVR INOX app/web/m-site. User can view booking details, ticket/food attributes, payment history, cancel eligible bookings, add food (within allowed window), and download/share tickets.
Primary Actor	Customer (Logged-in)
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway Apple/Google wallet
Triggering Event	The user taps “My Bookings” under My Account in the app/web/m-site.
Pre-Condition	- User is logged in. - Booking data is available in the system.
Post Condition	- User is shown a booking list and details. - User may download/share tickets, add food, cancel booking (if eligible), or save tickets to their wallet.
Basic Flow	UC 22.1.1. User opens My Bookings under My Account. System displays: - Booking categories: - Booking - All → by default selected - Tickets - Transaction includes tickets booking only - Food - Transaction includes food booking only (includes food booking which happens after ticket booking) - Tickets & Food - Transactions includes booking of ticket and food altogether - Gift Card - Vouchers

- Passport
- User can select any category/subcategory, the listing of bookings updated accordingly.
- CTA - “Retrieve Partner Bookings” (applicable to All category), allowing users to retrieve upcoming movie bookings made via partner platforms (e.g., BookMyShow, District).
 - For each booking the details are as same as for app bookings (depends on data available from showbizz) along with a tag “Booked from partner name”.
- A list of different type of booking grouped in Upcomings & Past such as:
 - Movie/Event only
 - Food only
 - Movie/Event + Food
 - Ticket already booked via platform + Addon Food separately to this booking (can be multiple)
 - Ticket + Food already booked via platform altogether + Addon Food separately to this booking (can be multiple)
 - Ticket booked via partners platform + Addon Food separately to this booking (can be multiple)

Case 1: Movie/Event Only

UC 22.1.2. Each movie/event only booking in the list shows:

- Movie/Event poster
- Movie/Event name
- Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
- Cinema name and address
- Audi/screen information
- Number of tickets booked
- Seat type
- Seat details
- Show date and show time (start & end)
- Booking ID & Track ID
- QR Code
- CTA - “Grab a Bite - Add food”
- Status (Payment initiated / Payment failed / Awaiting Confirmation / Confirmed / Cancelled)
- Status (Confirmation Awaiting / Confirmed / Cancellation Pending / Cancelled - Refund Pending / Cancelled - Refund Initiated / Cancelled - Refund Completed)
- Refund details

UC 22.1.2.1. User selects a booking. System displays full details:

- Booking Summary
 - Movie/Event name
 - Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema info
 - Show date & time (start & end)
 - Seat details (Audi, Row, Seat numbers)
 - QR Code
 - Booking ID
 - Track ID
- Add more Food (visible until stop time configured in admin panel - 30 min before show end time)
 - System displays a “Grab a bite” section with an Add Food CTA, allowing users to return to the Food Menu page.
- Payment Summary (with breakdown)
 - Total Ticket price (Net price + GST)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Subtotal - Tickets (inclusive of GST)
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - GST charges and GST Number
 - Donation Amount (“Action for 17 SDGs”)
 - Applied Discount
 - Total Paid Amount
 - **Payment Method**
- Booking & transaction status
- Cancellation Information
 - If cancellation allowed → this section showcases cancellation slabs from Showbizz, such as:
 - 75% refund → until 2 hours before showtime
 - 50% refund → between 2 hours and 20 mins before showtime
 - No refund → less than 20 mins before showtime
 - 100% refund on F&B

- Refunds not applicable on convenience fees, vouchers, gift cards, taxes, etc.

- If cancellation is not allowed, this section showcases cancellation info from Admin > Global Configuration.

- Cancellation is not allowed for this transaction.

UC 22.1.2.2. User performs available actions. Depending on eligibility, system shows:

- Download Ticket
 - E-ticket link is opened in new tab
- Download Invoice
 - Invoice link is opened in new tab
- Share
 - System opens the native device share sheet with the pre-filled message containing booking details:
 - Number of seats booked
 - Seat numbers
 - Audi number
 - Show date & time
 - Cinema name & location
 - Movie name, language & certification
 - Total booking amount
 - Booking ID
 - Deep link / URL to access e-ticket
- Save to Apple/Google Wallet
 - Wallet option applicable for ticket purchase, food purchase, passport purchase.
 - If both ticket and voucher are available, two separate passes are created in the Wallet automatically (Ticket pass + Voucher pass).
 - If only one item is available, only the corresponding pass is created.
- Cancel Booking (if eligible)
- For the upcoming bookings, option to Resend SMS/Email.

Case 2: Food Only

UC 22.1.3. Each food only booking in the list displays:

- Food default image
- List of food items along with quantity
- Delivery date
- Delivery time (Before showtime, During Interval, Specific time)

- Delivery type
 - Deliver to seat
 - Pickup from counter
- Delivery time
 - Before showtime, During Interval, Specific time
- Cinema name and location
- Booking/Order ID
- Track ID

UC 22.1.3.1. User selects a booking. System displays full details:

- Booking Summary
 - If user has selected deliver to seat option and selected a movie along with showtime, system displays:
 - Movie/Event name
 - Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema info
 - Show date & time (start & end)
 - Food default image
 - List of food items along with quantity
 - Delivery date
 - Delivery time
 - If selected - (Before showtime, During Interval, Specific time)
 - If not selected - Option to select delivery time
 - Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)
 - Pickup from counter
 - Cinema name and location
 - Booking/Order ID
 - Track ID
- Payment Summary
 - Food total (inclusive of taxes and convenience fee)
 - System displays all ordered F&B items. For each food item, the system displays:
 - Item name
 - Selected paid add-ons (if any)
 - ~~Selected zero cost removals (if any)~~

- Selected quantity
- Item-level price
- Discount applied (if any)
- Total paid Amount
- Payment mode
- Cancellation Policy
 - System displays the Cancellation Policy applicable to the food order.

UC 22.1.3.2. User performs available actions. Depending on eligibility, system shows:

- Download Ticket
- Share
- Save to Apple/Google Wallet
- CTA - “Check Status” - Applicable only if order type is “Immediate/Advance” & delivery type is “Deliver to seat”, the order status screen appears having:
 - Booking/Order ID (Food)
 - Order date & time
 - Audi & Seat info
 - CTA: “Refresh order status” - to refresh the status
 - Order status
 - Order Received along with time
 - Order Confirmed along with confirmed time
 - Preparing your order
 - When the order status is “Preparing Your Order”, the system displays a countdown timer.
 - The remaining time is calculated based on the preparation time of the items in the order.
 - Picked up by staff along with time
 - Delivered along with time
 - Order Summary
 - System displays all ordered F&B items. For each food item, the system displays:
 - Item name
 - Selected paid add-ons (if any)
 - Selected quantity
 - Item-level price
 - Subtotal
- Cancel Booking (if eligible)
- For the upcoming bookings, option to Resend SMS/Email.

Note: The order status for the immediate order. is also displayed on the homepage of

app/m-site in the form of an Order Status Chip. The chip includes:

- Booking/Order ID
- Current order status
- Countdown Timer / Remaining Time
 - Calculated based on the preparation time of items in the order
- Order Indicator (if applicable)
 - Example: 1/2 (indicates order sequence when multiple orders exist)
- Tapping the chip opens the Order Status screen.

Case 3: Movie/Event + Food Altogether

UC 22.1.4. Each Movie/Event + Food Altogether booking in the list displays:

- Movie related
 - Movie/Event poster
 - Movie/Event name
 - Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema name and address
 - Audi/screen information
 - Number of tickets booked
 - Seat type
 - Seat details
 - Show date and show time (start & end)
 - Booking ID & Track ID
 - Order ID
 - QR Code
 - CTA - “Grab a Bite - Add food”
 - Status (Confirmed / Cancelled / Payment failed / Payment initiated)
 - Refund details (In case Bad Transaction)
- Food related
 - Food default image
 - List of food items along with quantity
 - Delivery date
 - Delivery time
 - If selected - (Before showtime, During Interval, Specific time)
 - If not selected - Option to select delivery time
 - Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)

- Pickup from counter

UC 22.1.4.1. User selects a booking. System displays full details:

- Booking Summary
 - Movie/event related
 - Movie/Event name
 - Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema info
 - Show date & time (start & end)
 - Seat details (Audi, Row, Seat numbers)
 - QR Code
 - Booking ID
 - Order ID
 - Track ID
 - Food related
 - Food default image
 - List of food items along with quantity
 - Delivery time (Before showtime, During Interval, Specific time)
 - Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)
 - Pickup from counter
- Add more Food (visible until stop time configured in admin panel - 30 min before show end time)
 - System displays a “Grab a bite” section with an Add Food CTA, allowing users to return to the Food Menu page.
- Payment Summary
 - Total Ticket price (Net price + GST)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Food total (inclusive of taxes and convenience fee)
 - System displays all ordered F&B items. For each food item, the system displays:
 - Item name
 - Selected paid add-ons (if any)

- Selected quantity
- Item-level price
- Subtotal - Tickets (inclusive of GST) + Food total
- Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - GST charges and GST Number
- Donation Amount (“Action for 17 SDGs”)
- Applied Discount
- Total Paid Amount
- Payment Method
- Booking & transaction status
- Cancellation Information

UC 22.1.4.2. User performs available actions. Depending on eligibility, system shows:

- Download Ticket
- View Invoice for movie
 - Invoice for food (once order is delivered, invoice is generated and shared over whatsapp/sms)
- Share
- Save to Apple/Google Wallet
- CTA - “Check Status”
- Cancel Booking (if eligible)
- For the upcoming bookings, option to Resend SMS/Email.

Case 4: Ticket Booked + Add-on Food Added Separately (Multiple Allowed)

UC 22.1.5. If a user has already booked a movie ticket via the platform and later adds food as an add-on to that existing booking, the system creates a separate food booking for each add-on food order.

- For every add-on food order:
 - A new Booking ID is generated.
 - A new Track ID is generated.
 - The food booking is linked/associated with the original movie ticket booking.
- Multiple add-on food bookings can be created against the same movie ticket booking.
- These bookings are also treated as “Food only” booking. If the user selects Food only category, these bookings will be displayed.
- My Booking listing page:
 - On the My Bookings listing page, add-on food bookings are displayed

similar to the “Ticket + Food” case, including:

- Food default image
- List of food items along with quantity
- Delivery date
- Delivery time (Before showtime, During Interval, Specific time)
- Delivery type
 - Deliver to seat
 - Audi/screen information
 - Seat details (B5)
 - Pickup from counter
- Booking/Order ID
- Track ID
- My Booking detail page:
 - When the user clicks on an add-on food booking from the listing, the system redirects the user to a separate Food Booking Detail page.
 - The Food Booking Detail page are displayed similar to the “Food only” case, including Movie/event related info in booking summary such as:
 - Movie/Event name
 - Movie/Event info: (Language, censor rating, subtitle, movie format - primary & secondary, genre(s), experience)
 - Cinema info
 - Show date & time (start & end)
 - Seat details (Audi, Row, Seat numbers)

Case 5: Ticket + Food already booked via platform altogether + Addon Food separately to this booking (can be multiple)

UC 22.1.6. When a user books Ticket + Food together in a single transaction via the platform and later adds additional food as an add-on to that booking, the system treats each add-on food order as a separate booking.

- For every add-on food order:
 - A new Booking ID is generated.
 - A new Track ID is generated.
 - Multiple add-on food bookings can be created against the same Ticket + Food booking.
- Booking listing & Booking details page is same as for case 4.

Case 6: Ticket booked via partners platform + Addon Food separately to this booking (can be multiple)

UC 22.1.7. When a user books a movie ticket via a partner platform (e.g., BookMyShow,

District, etc.) and later adds food as an add-on through the platform, the system treats each add-on food order as a separate booking.

- For every add-on food order:
 - A new Booking ID is generated.
 - A new Track ID is generated.
 - Multiple add-on food bookings can be created against the same partner ticket booking.
- Booking listing & Booking details page is same as for case 4.

Booking Cancellation & Refund Lifecycle

UC 22.1.8. The system maintains booking status based on transaction and backend response.

- Confirmation Awaiting
 - When payment is successful but booking confirmation is pending:
 - Status is set to: **Confirmation Awaiting**
 - For that booking, the following elements are not displayed on the Booking Listing and Booking Detail page:
 - Booking ID
 - QR Code
 - Download Ticket CTA
 - Save to Wallet CTA
 - Add Food CTA
 - Cancel Booking CTA
- Booking Confirmation
 - If backend confirms the booking:
 - Status is updated to: **Confirmed**
- Bad Transaction Handling
 - If booking confirmation fails after successful payment:
 - Status transitions from:
 - Confirmation Awaiting → **Refund Initiated/Completed**
 - The system initiates refunds automatically.
 - System shows a message upfront -
 - Refund Initiated - “The refund will be processed within 45 minutes. If you face any issues, please contact customer support.”
 - Refund Completed - “Refund has been processed to your source account on <Date>.”
 - CTA: “View Refund Details” is displayed.
 - On tapping “View Refund Details”, the system displays a bottom sheet/popup with the following details:

- Refund Amount
 - Refund ID
 - Refund Status (e.g., Initiated / Completed)
 - Refund Initiated On (timestamp, if available)
 - Original Payment Method
 - Booking Details
- For that booking, the following elements are not displayed on the Booking Listing and Booking Detail page:
 - Booking ID (As it is not generated yet)
 - QR Code
 - Download Ticket CTA
 - Save to Wallet CTA
 - Add Food CTA
 - Cancel Booking CTA
- Initiate Cancellation (User Action) - Cancellation Processing
 - User navigates to My Bookings > Booking Detail Page
 - If cancellation is allowed:
 - System displays CTA: Cancel Booking
 - User taps on Cancel Booking
 - System displays confirmation popup:
 - Message: “Are you sure you want to cancel this booking?”
 - Eligible refund value
 - CTAs:
 - Cancel → No action
 - Confirm → Cancellation request is initiated
 - On confirmation, System sends cancellation request to backend
 - Status is updated to: **Cancellation Pending**
 - For that booking, the following elements are not displayed on the Booking Listing and Booking Detail page:
 - QR Code
 - Download Ticket CTA
 - Save to Wallet CTA
 - Add Food CTA
 - Cancel Booking CTA
- Cancellation Success
 - Once cancellation is confirmed:
 - System initiates refund.
 - Status is updated to: **Cancelled – Refund Initiated**
 - System shows a message upfront -

	■ “Cancellation Initiated. Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support.” ○ CTA: “View Refund Details” is displayed. ○ On tapping “View Refund Details”, the system displays a bottom sheet/popup with the following details: ■ Refund Amount (after deducting cancellation fee) ■ Eligible Refund (e.g., 50%) - If applicable ■ Refund Status (e.g., Pending / Initiated / Completed) ■ Refund Initiated On (timestamp, if available) ■ Original Payment Method ■ Booking Details ■ CancelGSTNInvoice No. for each seat (If applicable) ○ For that booking, the following elements are not displayed on the Booking Listing and Booking Detail page: ■ QR Code ■ Download Ticket CTA ■ Save to Wallet CTA ■ Add Food CTA ■ Cancel Booking CTA ● Refund Completion ○ Once refund is completed: ○ Status is updated to: Cancelled – Refund Completed ○ System shows a message upfront - ■ “Refund has been processed to your source account on <Date>” ○ CTA: “View Refund Details” is displayed. ○ On tapping “View Refund Details”, the system displays a bottom sheet/popup with the following details: ■ Refund Amount (after deducting cancellation fee) ■ Eligible Refund (e.g., 50%) - If applicable ■ Refund ID ■ Refund Status (e.g., Completed) ■ Refund Initiated On (timestamp) ■ Original Payment Method ■ Booking Details ■ CancelGSTNInvoice No. for each seat (If applicable) ○ For that booking, the following elements are not displayed on the Booking Listing and Booking Detail page:
--	---

- QR Code
- Download Ticket CTA
- Save to Wallet CTA
- Add Food CTA
- Cancel Booking CTA

Movie Reviews

UC 22.1.9. After the booked showtime has ended, When the user accesses the platform (App / Web / M-site) next time:

- System checks eligibility for review
 - Showtime has ended.
 - Booking is confirmed.
 - Movie has not already been rated by the user.
- If all conditions are satisfied, System displays the Review Prompt screen having:
 - Movie poster
 - Movie name
 - Rating section (1 to 5 stars)
 - CTA: Submit Review
 - System records the rating and dismisses the review prompt.
 - CTA: Skip
 - System dismisses the review prompt. User can rate later from My Bookings > Past Bookings

UC 22.1.10. User navigates to My Bookings > Past Bookings.

- System displays past bookings list.
- For bookings where
 - Showtime has ended & Movie is not rated by the user.
 - System displays CTA: “Rate Now”
- User taps on Rate Now.
- The system displays the Review Prompt screen.
- User submits rating
- User can rate a movie only once, regardless of the number of bookings for the same movie.
- Once rated:
 - Review prompt is not shown again.
 - “Rate Now” CTA is removed from all bookings of that movie.

UC 22.1.11. Display of User Ratings (Movie Detail Page)

- On the Movie Detail Page, the system displays the average user rating for the movie.

	• The average rating is calculated using only ratings of 4.0 and above submitted by users through the platform. • System displays Average rating value (e.g., 4.2) along with Label: “User Ratings”. ○ User rating is displayed only if Average rating is ≥ 4 (as configured in the admin panel). ○ If the rating is below the defined threshold, User rating is not displayed on the Movie Detail Page. • The user rating is displayed along with other rating sources such as: ○ IMDB ○ Rotten Tomatoes ○ Letterbox ○ TMDB
Alternate Flow	UCA 22.1.1. User Cancels Booking (covered in further milestone) • User taps Cancel (visible only on eligible bookings). • System shows cancellation confirmation. • On confirmation: ○ Booking is cancelled ○ A confirmation email will be shared with the user. ○ A text/whatsapp message will be shared along with cancellation information. ■ If users opt in for whatsapp, a whatsapp message will be shared. Else text messages will be shared. • Refund attributes displayed: ○ Refund amount (fetched from the showbiz) ○ Refund ID ○ Refund status (Initiated/Completed) ○ Refund initiated/completed timestamps ○ Original Payment mode ○ Donation details Note: The system must capture the cancellation source (Web/App or CRM) for every booking cancellation. UCA 22.1.2. User Adds Food • User selects Add Food. • Redirected to food ordering flow. • Added food appears separately on the booking details page (not clubbed). UCA 22.1.3. Select Food Delivery Time via Link

	● User taps the delivery time selection link. ● System redirects the user to the Delivery Time Selection screen. ● User selects the preferred delivery time and proceeds
Exception Flow	UCE 22.1.1. If no upcoming bookings available: ● System shows: “No Upcoming Booking Available. Movie bookings & food orders will appear here.” ● CTA - “Let’ Go” → redirected to homepage. UCE 22.1.2. If no bookings available: (upcoming/past/current) ● System shows: “No Upcoming Booking Available. Start your first booking today!” ● CTA - “Let’ Go” → redirected to homepage.
Business Rules	● Cancellation Eligibility ○ Allowed only for payments made via: ■ Credit Card ■ Debit Card ■ Netbanking ■ UPI ■ Passport ○ Not allowed for gift cards/vouchers/wallet payments. ● Add Food ○ Visible until stop time configured in the admin panel. ○ If the user has not added any F&B items and F&B is available for the cinema/show, the system shows: ■ “Grab a bite” with CTA “Add Food” ■ → Tapping opens the F&B selection screen. ● Passport Bookings ○ User name & DOB displayed. ○ Note to carry valid photo ID shown. ● Super Ticket Bookings ○ Show “Booked using super ticket”. ● Booking Status

	○ Defined by system as Confirmed / Cancelled. ● For food orders, if showbizz provides Order id (to showcase at counter) would be displayed. ● Food Attributes Logic ○ Movie-only → no food attributes. ○ Food-only → only food section shown. ○ Movie + food together → clubbed. ○ Food added later → shown as a separate item below original booking. ● Decimal values are displayed exactly as received from Showbiz. ● On Checkout, Booking Summary, and Booking Details screens (i.e., on every screen where the child movie is known), the child movie image/poster is displayed. ● Sequencing of movie bookings - ○ Upcoming Bookings ■ Sorted in ascending order of movie start time (earliest first). ■ Booking with showtime currently running is displayed on top. ○ Past Bookings ■ Sorted in descending order of movie start time (most recent first). ○ Food orders linked with the movie booking are displayed within the same movie booking card. ● CTA - “Check Status” on food orders - Applicable only if order type is “Immediate/Advance” & delivery type is “Deliver to seat” Food Order Sequencing ● Upcoming Orders ○ Orders with delivery date greater than or equal to the current date and that are not yet delivered. ○ Sequenced by: ■ Delivery date (earliest first) ■ Transaction date (earliest first, when multiple orders exist on the same delivery date) ● Past Orders ○ Orders with delivery date earlier than the current date, or orders that have been delivered, irrespective of delivery date. ○ Sequenced by: ■ Delivery date (most recent first) ■ Transaction date (most recent first, when multiple orders exist on
--	--

	the same delivery date)
Validations	● Booking Data Not Found ○ Message: “We’re unable to fetch this booking. Please try again later.” ● QR / Ticket Not Generated ○ Message: “Ticket is being processed. Please check again shortly.” Partner bookings Retrieval ● When the user retrieves partner bookings under My Bookings: ○ If partner bookings are available, the system displays the message: ■ “Partner bookings fetched successfully.” ○ If no partner bookings are available, the system displays the message: ■ “No partner bookings available.”

23. Quick Book

23.1. Use Case

Use Case No.	UC 23
Use case	Quick Book – Movie / Cinema
Description	Quick Book allows users to instantly start the ticket booking flow directly from the Home page by selecting minimal inputs (Movie-first or Cinema-first). The system auto-suggests movies/cinemas based on personalization, user preferences, and availability for the current/future date. Once the user selects a showtime and taps Book, the system initiates seat selection (with an 8-minute seat hold timer), followed by food ordering (optional) and payment.
Primary Actor	Customer (Logged-in & guest user)
Secondary Actor	Personalization engine System Backend (Showbizz, Admin Panel)
Triggering Event	● User taps “Quick Book” options on homepage and interacts with Quick Book cards
Pre-Condition	● Users should be able to view Quick Book cards on the page. ● Showtimes and availability are fetched successfully. ● Personalization data (if available) is applied.
Post Condition	● The user navigates to the seat selection flow. ● Users can continue to food ordering or proceed to payment.

Basic Flow	UC 23.1.1 User interacts with the Quick Book section on the Home Page. ● System checks whether the Quick Book section is enabled. ● System identifies the default selection sequence. ● By default, the Cinema-first sequence is selected. ● If the sequence switch is enabled, users can switch between: ○ Cinema-first: Cinema → Movie/Event → Show Date → Showtime ○ Movie-first: Movie/Event → Cinema → Show Date → Showtime UC 23.1.2. Cinema first flow (Default) UC 23.1.2.1. Cinema Selection Logic: ● System checks whether location permission is enabled. ● If location permission is enabled: ○ System identifies the fetched city based on the user's location. ○ If the fetched city is the same as the selected city: ■ System identifies all cinemas from the fetched city and sorts them by ascending distance from the user's location. ○ If the fetched city is different from the selected city: ■ System identifies all cinemas based on the selected city and sorts them by ascending distance from the city centre location. ○ However, if both the fetched city and selected city belong to the same parent city (e.g., fetched city: Noida, selected city: Gurugram, parent city: Delhi-NCR): ■ System identifies all cinemas based on the selected city and sorts them by ascending distance from the user's location. ○ However, if the selected city is the parent city of the fetched city (e.g., user has selected Delhi-NCR and the fetched city is Gurugram): ■ System identifies all cinemas based on the selected city (Delhi-NCR) and sorts them by ascending distance from the user's location. ● If location permission is disabled/not shared: ○ System identifies cinemas based on the selected city and sorts them by ascending distance from the city centre location. ● Cinemas are sorted in the following priority order: ○ Favorite cinemas ○ Personalized cinema recommendations (If available) ○ Remaining cinemas ● Within each priority group, Cinemas are sorted by ascending distance from the user's location / city centre location. ● The first cinema in the final ordered list is selected by default and displayed in
------------	--

	the cinema dropdown field. ● On tapping the cinema dropdown field, the system displays the list of identified cinemas along with distance in the defined priority order. UC 23.1.2.2. Movie Selection Logic: ● The system identifies the list of movies/events running in the selected cinema. ● Movies/events are sorted in the following priority order: ○ Personalized movie/event recommendations (if available) ○ Remaining movies/events ● Within each priority group, movies/events are sorted by the total number of shows (overall shows) available on Showbiz for the selected cinema. ● Movies/events are displayed in a horizontal carousel format. ● Only movies/events having at least one valid showtime across the available show dates are displayed. ● The first movie/event in the final ordered list is selected by default. UC 23.1.2.3. Date Selection logic: ● The system evaluates all available show dates for the selected movie/event and cinema. ● The next 3 available show dates (including today, if available) are displayed in chronological order. ● Only dates having valid showtimes are displayed. ● The first available show date is selected by default. UC 23.1.2.4. Showtime Logic ● The system fetches all available showtimes for the selected movie/event, cinema, and show date. ● Sorting logic - ○ If personalization recommendations are available: ○ System identifies the recommended showtime(s) received from the Personalization Engine. ○ Recommended showtime(s) are given higher priority in the showtime listing. ○ Recommended showtime(s) and other available showtimes are displayed in chronological order (earliest to latest). ● Only showtimes available for booking are displayed. ● System displays the showtime attributes including: ○ Showtime ○ Experience
--	---

	○ Format ○ Language ○ Subtitle & wheelchair icons UC 23.1.3. Movie-first flow UC 23.1.3.1. Movie Selection logic ● The system identifies the list of movies/events running in the selected city. ● Movies/events are sorted in the following priority order: ○ Personalized movie/event recommendations (if available) ○ Remaining movies/events ● Within each priority group, movies/events are sorted by the total number of shows (overall shows) available on Showbiz within the selected city. ● Movies/events are displayed in a horizontal carousel format. ● Only movies/events having at least one valid showtime across the available show dates are displayed. ● The first movie/event in the final ordered list is selected by default. UC 23.1.3.2. Cinema-selection logic ● Based on the selected movie/event, the system identifies all cinemas within the selected city where the selected movie/event is available ● Cinemas are sorted in the following priority order: ○ Favorite cinemas ○ Personalized cinema recommendations (If available) ○ Remaining cinemas ● Within each priority group, Cinemas are sorted by ascending distance from the user's location / city centre location as applicable. ● The first cinema in the final ordered list is selected by default and displayed in the cinema dropdown field. ● On tapping the cinema dropdown field, the system displays the list of identified cinemas along with distance in the defined priority order. UC 23.1.3.3. Date and Showtime selection logic would be the same.
Alternate Flow	UCA 23.1.1 Selection Updated ● On changing the selected cinema, movie/event, or show date: ● System fetches updated data for the dependent fields. ● A loader is displayed until the updated data is loaded and rendered. ● The dependent fields are updated accordingly. UCA 23.1.2 Sequence Changed

	● If the sequence switch is enabled: ● User switches between Cinema-first and Movie-first. ● System refreshes the Quick Book section based on the selected sequence. ● Applicable sorting, filtering, and personalization logic are applied.
Exception Flow	UCE 23.1.1. Personalization Engine Not Responding ● System falls back to default Movie-first sorting logic.
Business Rules	● Quick Book visibility on the Home Page is controlled through a global configuration. ● The first item in the final ordered list for cinema, movie/event, show date, and showtime is selected by default. ● By default, the Cinema-first sequence is selected. ● Admin can enable or disable the sequence switch displayed to users. ● If the sequence switch is disabled, Quick Book follows the Cinema-first sequence. ● Only movies/events having at least one valid showtime across the available show dates are displayed. ● Only dates having valid showtimes are displayed. ● Only showtimes available for booking are displayed. ● Favorite cinemas are prioritized above personalized cinema recommendations.

24. Personalization Recommendations

24.1. Use Case

Use Case No.	UC 24
Use case	Personalization Recommendations
Description	This use case defines how the system captures, manages, and applies personalization recommendations across the platform using both explicit user preferences (provided by the user) and implicit behavior signals (derived from booking).
Primary Actor	User (Logged-in User)
Secondary Actor	Personalization Engine System Backend (Showbizz, Admin Panel) Notification System
Triggering Event	● User reaches the Profile Completion – Preference Selection screen ● User navigates to Home, Cinema Listing, Movie Listing, Slot Selection, or Checkout screens

	● User's booking is recorded by the system ● User accesses Preference Management under My Account
Pre-Condition	● User is logged in to the platform ● User city is selected (automatic or manual) ● Personalization feature is enabled at system level ● Booking and interaction data is accessible (online and offline, if available via Showbizz)
Post Condition	● Personalized recommendations are applied where eligible ● Explicit and/or implicit preferences are stored or updated ● Relevant content is tagged or prioritized as "Recommended" ● Default system logic is applied where personalization is not applicable
Basic Flow	The use case captures the following sections where personalization is applied: ● Home Screen - Movies ○ Trending section ○ Now Showing ○ Coming Soon ○ Trailers ● Cinema Listing - Cinema ● Experience-Based Prompts on Movie detail page ● Accessibility & Subtitle-Based Personalization on cinema detail page ● Checkout – Default Payment Personalization on checkout page ● Filters ○ Cinema Detail Page ○ Movie Showtime Page ○ Event Listing Page ● Nudges of In-Cinema Mode ● Discover Friend's Activity on Movie Detail Page UC 24.1.1. Preference Capture – Profile Completion Step 1: Complete your Profile After registration, the "Complete Your Profile" screen is shown. ● The user is asked to provide: ○ Gender: Male / Female / Others ○ Date of Birth ■ User must be at least 13 years old ○ Marital Status: Single / Married ○ Anniversary Date (shown only if Married) ■ Anniversary date cannot be a future date

- User can proceed using:
 - “Save & Next” – saves filled details and moves to the next step
 - “I’ll miss out” – skips the entire preference flow

Step 2: Select Your Preference – Language

System displays the Language Preference selection screen having:

- A list of languages. Each language card contains:
 - Language Name (fetched from admin panel)
 - Only active languages are displayed.
 - Languages are Displayed in alphabetical order
- Search bar to search for a language.
- Users must select a minimum one language to proceed.
- User can proceed using:
 - “Save & Next” – saves selected languages and moves to the next step

Step 3: Select Your Preference – Genre

System displays the Genre Preference selection screen having:

- A list of genres. Each genre card contains:
 - Genre name (fetched from admin panel)
 - Only active genres are displayed.
 - Genres are displayed in alphabetical order
- Search bar to search for a genre
- User must select a minimum of 3 genres to proceed ahead.
- After selecting three or more genres, user can proceed using:
 - “Save & Next” – saves selected languages and moves to the next step

Step 4: Select Your Preference – Cinema Format

System displays the Cinema Format Preference selection screen having:

- A list of all cinema formats available on the platform. Each format card contains:
 - Format name
 - Image
 - “Know More” CTA
 - On clicking “Know More”, system displays a detail screen containing:
 - Video
 - Description
 - Format features
- All these details are configurable from the admin panel.
- Cinema formats are displayed in alphabetical order.
- User selects one or more preferred cinema formats.
- User can proceed using:
 - “Submit Preferences” – saves selected cinema formats and completes

the preference setup

UC 24.1.2. Profile Completion nudge

- System displays a Profile Completion nudge on the Home screen when the user has not fully completed the profile and/or preference setup.
 - Refer to link for frequency & logic - [PVR INOX - Nudge Matrix](#)
- Case 1: User skipped Step 1 (Complete Your Profile)
 - System shows the profile completion nudge. On clicking “Edit Profile” from the nudge, the user is navigated to the Edit Profile screen to complete personal details.
- Case 2: User completed Step 1 but skipped Step 2 to Step 4 (Preferences)
 - System shows the profile completion nudge. On clicking “Edit Profile” from the nudge, the user is navigated to My Account → Preferences screen to complete preference selection.

UC 24.1.3. Preference Management – My Account

UC 24.1.3.1. My Account → My Preferences

System allows the user to view, manage, and control their personalization settings from Account → My Preferences.

- System displays the My Preferences screen having:
- Enable Personalized Recommendations toggle
 - Allows the user to turn personalization ON or OFF
 - When enabled, movie and cinema recommendations are personalized
 - When disabled, system default logic is applied across the platform
- Preferred Languages section
 - It displays the active languages selected by the user.
 - If a user has selected a language and it later becomes inactive via the admin panel:
 - The language is not displayed in the Preferred Languages section.
 - Personalization is not applied for that language.
 - If the admin marks the language as active again:
 - The language is displayed as selected in the Preferred Languages section.
 - Clicking on it, the Language preference screen appears.
 - User can add, remove, or update preferred languages from this section
- Favourite Genre section
 - Displays the active genres selected by the user.
 - If a user has selected a genre(s) and it later becomes inactive via

the admin panel:

- The genre(s) is not displayed in the Favorite Genre section.
 - Personalization is not applied for that genre.
- If the admin marks the genre as active again:
 - The genre is displayed as selected in the Preferred genre(s) section.
- Clicking on it, the genre preference screen appears.
- User can update genre preferences from this section
- Cinema Formats section
 - Displays selected cinema formats (e.g., IMAX, 4DX, INSIGNIA)
 - Clicking on it, the cinema format preference screen appears.
 - User can update format preferences from this section
- Favourited Cinemas section
 - Displays cinemas marked as favourite by the user.
 - Clicking on it, My Favourited Cinemas screen appears having:
 - City-wise grouped list of cinemas (e.g., Delhi, Noida). Each cinema card contains:
 - Cinema name
 - Distance from user's location
 - Favourite icon (filled for favourited cinemas)
 - Note: User can mark a cinema favourite at parent-city level (Delhi-NCR), but it is always shown under its own sub-city in the list.
 - If the user has enabled the location, the distance of the cinema will be calculated from the user's current location.
 - If location services are enabled and the user manually selects a different city, the distances for all cinemas in that city will be calculated from the user's current location rather than from the selected city.
 - User can remove a cinema from favourites by deselecting the favourite icon.
- Manage Preferences (Settings icon)

UC 24.1.3.2. My Account → My Preferences → Manage Preferences

On clicking the Manage Preferences icon, system displays the Manage Preferences screen having:

- Based on your activity toggle
 - Indicates use of implicit preferences
 - Uses user's past booking and viewing activity to recommend movies and

cinemas

- Based on your set preferences toggle
 - Indicates use of explicit preferences
 - Uses selected languages, genres, formats, and favourite cinemas for personalization
- What should we focus on more? section
 - Allows the user to set preference priority using radio buttons:
 - My viewing history
 - My selected preferences
 - A mix of both
 - Note: This section is enabled when both the above options are enabled.
- Save Changes CTA
 - Saves the selected configuration and applies it across the platform

Note: Users can also navigate to this screen by Account → Settings → Manage Preferences.

UC 24.1.4. Home Screen – Movie Recommendations

System displays personalized movie recommendations on the Home screen to help users discover relevant movies quickly.

UC 24.1.4.1. Trending Movies

- System displays a Trending section on the Home screen.
- The system determines the sequencing of trending movies/events using the following logic:
 - Admin Configuration (Top Priority)
 - Personalisation Logic (Second Priority)
 - If user personal data is available, trending banners will be shown based on the personalisation engine's logic. Movies matching the user's preferred language, genre, or format are displayed with a "Recommended" tag.
 - **Base Logic (Third Priority)**
 - If no personal data is available, the system will display trending movies/events based on the number of shows available in the selected city.
 - Priority 1: "Releasing on upcoming Friday" & "New Release".
 - If more than one movie is there, sorting will be based on descending total number of showtimes (as per ShowBiz data).
 - Priority 2: All other movies/events, ordered by the

descending number of showtimes in the city (as per ShowBiz data).

- Combined Logic Application All three logics — Admin Configuration, Personalisation, and Base Logic — will be merged and applied together (without duplicity) wherever applicable to determine the final display sequence on the frontend.

UC 24.1.4.2. Now Showing

- System displays a Now Showing section on the Home screen.
- Movies currently running in the selected city are displayed.
- The system determines the sequencing of trending movies/events using the following logic:
 - Admin Configuration (Top Priority)
 - Personalisation Logic (Second Priority)
 - Movies matching the user's preferred languages and genres are prioritized
 - Matching movies are tagged as "Recommended"
 - Base logic (Third Priority)
 - Admin Configuration, Personalisation, and Base Logic — will be merged and applied together (without duplicity) wherever applicable to determine the final display sequence on the frontend.
- Filters Addition -
 - Category - Show recommended → displays only recommended movies
 - Release Date -
 - New Releases → displays movies released in last 7 days
 - Releasing upcoming week - displays movie releasing in upcoming weeks and their shows are available for booking.

UC 24.1.4.3. Coming Soon

- System displays a Coming Soon section on the Home screen and on a dedicated page for coming soon movies.
- Upcoming movies scheduled for release in the selected city are displayed.
- Sorting of upcoming movies:
 - If personalization is enabled:
 - Movies matching user preferences are highlighted with the "Recommended" tag.
 - Movies are shown in ascending order of release date.
 - If multiple movies are released on the same date, their order is determined randomly.

- Filters Addition on coming soon page-
 - Category - Show recommended → displays only recommended movies

UC 24.1.4.4. Trailers

- Refer to UC15.1.6. Trailers (For web)
- Addition to that,
 - The trailer section contains a CTA “View Recommended movies”. Clicking on it, the system displays only recommended movies along with CTA “View all” → displays all movie trailers.

UC 24.1.5. Cinema listing

- Refer to UC10.1.4.
- Addition to that,
 - If a cinema is both favourited and recommended:
 - It is displayed only once
 - Both indicators (♥ + “Recommended”) are shown.

UC 24.1.6. Experience-Based Prompts

- When a user views the movie showtime listing, the system checks if the movie is available in any premium cinema formats at the selected cinema.
- If premium formats are available, the system shows an experience prompt (nudge) to the user after loading the movie detail page.
- This prompt is shown once per user per movie per session.
 - If the user closes or skips the prompt, it will not be shown again for the same movie.
- The system selects the format to highlight based on priority order and availability at the cinemas in which the movie is playing.
- If multiple premium formats are available, the system selects the format using the following priority order:
 - IMAX
 - Director’s Cut / INSIGNIA
 - 4DX
 - GOLD / LUXE
- The priority order and supported formats are configurable from the Admin Panel.
- Experience Nudge contains:
 - Text message - “Also available in <IMAX, 4DX> at a marginally higher cost of <₹X>.” Options: Apply filters / Know More / Skip
 - Apply Filters - Filters applies for that experience

- Know more - Redirect to the experience detail page
- Skip - No action/ close the nudge

- Note: After the nudge is dismissed or applied, the informational text “Also available in <IMAX, 4DX> at a marginally higher cost of <₹X>.” with a “toggle” to apply/remove filter will remain visible within the Book Movie section, ensuring that users can still read about the premium format options and apply filter for it.

- If user apply that experience filter manually, toggle will also be enabled and vice versa.

Refer to link for frequency & logic - [PVR INOX - Nudge Matrix](#)

UC 24.1.7. Accessibility & Subtitle-Based Personalization

- When the user opens the movie slot selection screen (cinema detail page), the system checks the user’s past booking history.
- If the user books accessibility seats or subtitle-enabled shows, the system displays Accessibility and/or Subtitle filter options on every screen visit, as defined by the personalization engine.
- If the user does not use the suggested filters, after the defined number of screen visits, the system stops displaying these filter options.
 - The screen visit number can be different for different user.
- If the user uses any of the suggested filters, the system records the interaction and continues displaying these filter options on subsequent screen visits, as defined by the personalization engine.
- If the user selects the suggestion:
 - The relevant filter (Accessibility or Subtitles) is applied automatically.
 - Only matching shows are displayed.
- A filter indicator is shown, which the user can remove at any time.
- If the filter is removed, the show list returns to the normal view without suggestion.
- Prompt is shown only if:
 - The user has a consistent booking pattern for accessibility seats or subtitle-enabled shows.
 - Matching shows are available for the selected movie/cinema.
- Prompt is not shown if:
 - The user is new or has no booking history.
 - No accessibility-friendly or subtitle-enabled shows are available.

UC 24.1.8. Checkout – Default Payment Personalization

- When the user reaches the Checkout screen, the system checks the user’s user’s

payment history.

- The system identifies the last used payment method.
- If the last payment method is one of the following:
 - Credit Card (CC)
 - Debit Card (DC)
 - Net Banking
 - UPI
- The identified payment method is auto-selected on the Checkout screen.
- If the last payment method is not one of the above options:
 - The system checks the previous payment method before it.
 - This continues until a valid payment method (CC / DC / Net Banking / UPI) is found.
- If the user has never used any of these payment methods:
 - The Select Payment Method option is shown.
- The user can:
 - Continue with the auto-selected payment method, or
 - Manually change the payment method to another available option.

UC 24.1.10. Nudges & In-Cinema Mode

System checks if the user has an active or upcoming movie booking on which in-cinema functionality is enabled from the admin panel.

Based on the showtime and user context, the system displays relevant nudges on the Home screen.

Scenario 1: Before Reaching the Cinema (Upcoming Show)

- If the user has a movie starting within the next 1 hours (configured from the admin panel):
- System displays a nudge on the Home screen showing:
 - Movie name
 - Show Start time (countdown)
 - Cinema name
- Tapping on the nudge, system displays details -
 - Movie poster
 - Movie name
 - Show Start time (countdown)
 - Cinema name
 - Screen number and seat details
 - CTAs
 - Get Directions CTA
 - Note: In-cinema mode will start in 30min (countdown)

- System (SFMC) also sends push notifications (app only):
 - Before 1 hours
 - 15 minutes before showtime
 - These timings are configurable from admin panel

Push Notification – Scenario 1

- Push notifications are sent only on App.
- Notification 1 (Before 2 hours)
 - Title: Your movie starts soon 
 - Body: Your movie <Movie Name> starts in 2 hours at <Cinema Name>. Get directions or pre-order your food now.
 - CTAs:
 - Get Directions
- Notification 2 (15 minutes before showtime)
 - Title: Almost showtime! 
 - Body: Your movie <Movie Name> starts in 15 minutes. Head to <Cinema Name> and grab your snacks.
 - CTAs:
 - Get Directions
- Clicking Get Directions from the nudge or push notification opens Google Maps.
- Clicking Add Food from the push notification or nudge navigates the user to the food ordering flow.

Scenario 2: At the Cinema (Show is about to start - In-Cinema Mode)

- If the user opens the app after showtime has started:
- The system shall automatically activate In-Cinema Mode and directly land the user on the In-Cinema experience screen without requiring any manual intervention.
- On clicking In-cinema mode, System activates In-Cinema Mode. The In-Cinema Mode screen displays:
 - Movie poster and name
 - Movie details (language, genre, movie format (primary & secondary), censor rating)
 - Cinema name
 - Audi, seat number, seat type
 - Booking ID
 - Time Duration
 - Remaining movie duration
 - Time for movie to start
 - Time for interval to start

- Time for interval to end
- You F&B orders (If user has already place an F&B order)
 - A list of F&B item
 - Item-level details:
 - Item name
 - Quantity
 - Selected paid add-ons (if any)
 - Item-level price
 - CTA - “Check status” - redirects the user to order status screen.
 - Progress bar
 - Order received
 - Preparing order
 - Delivered
 - Delivery time
- Any F&B vouchers that the user has
- Craving popcorn section (if cinema is serving the food)
 - A short message such as: “Order snacks from your seat. Service availability may vary.”
 - Supporting points (informational only), for example:
 - No counter queues – stay seated
 - Perfect timing – delivered during intervals
 - Seat delivery – served at your seat
 - CTA - “Order Now”
 - Title, Short message & Supporting points are configurable from admin panel
- On clicking Order Now:
 - The user is taken to the In-Cinema food & beverage ordering flow - considered as an immediate order (add food in existing bookings).
- Other CTAs
 - Report an issue, Contact support
 - Navigate to the Feedback screen. (covered in further milestones)
 - How in-cinema mode works
 - On clicking “How In-Cinema Mode Works”, the system displays an image explaining In-Cinema Mode. The content (image) is configurable from the admin panel.
- Active Booking Switcher:
 - If multiple active In-Cinema Mode bookings exist, the system

displays a booking switcher showing the current booking position (e.g., 1/4 Bookings) along with Previous and Next navigation controls. Users can switch between active bookings, and the screen refreshes to display details of the selected booking. The switcher is hidden when only one active booking exists.

- If in-cinema mode is activated and user lands on homepage, system displays nudge having:
 - Movie name and poster
 - CTA - “Digitise your at-cinema experience”
 - Redirects the user to in-cinema mode.

Notification - Scenario 2

- Push notification
 - Push notifications are sent only on App when Showtime is started.
 - Title: Your Movie Has Started 
 - Body - In-Cinema Mode is now active. Everything you need is just a tap away.
 - CTA - In-cinema mode <Deeplink>"
- Whatsapp message:
 - If a user is not logged in the app, the system sends a WhatsApp or SMS (based on user preference) with a deep link that redirects the user to In-Cinema Mode on M-site.
 - The system allows the admin to turn off WhatsApp message sharing through the admin panel.

In-Cinema Mode – MORE Section

- For logged in users, In-Cinema Mode will be accessible from the MORE section (also reflected in the footer MORE icon).
- The In-Cinema option is always visible; its behavior depends on the number of active shows.

Scenarios:

No Active Shows (No active system and partner bookings found)

- On tapping In-Cinema, if no active bookings exist, a static screen is shown with a message: “No active bookings found.”

Single Active Show (if one booking exists - system/partner)

- The In-Cinema option shows a notification count of “1”.
- Same count is shown on the MORE icon in the footer.
- On tapping In-Cinema, the system directly opens In-Cinema Mode for that

booking.

- The count is removed only after the show ends.

Multiple Active Shows (>1)

- The In-Cinema option displays the total number of active shows as a notification count.
- Same count is shown on the footer MORE icon.
- On tapping In-Cinema:
 - The system first shows a booking selection screen.
 - The user selects a booking.
 - Selected booking opens in In-Cinema Mode

In-Cinema Mode Auto Activation

- When a user opens the app during an active showtime window and has granted location permissions, the system shall fetch the user's real-time GPS coordinates and validate whether the user is within the geofenced boundary of a partnered cinema.
- If the user is detected inside the cinema premises, the system shall automatically activate In-Cinema Mode and directly land the user on the In-Cinema experience screen without requiring any manual intervention.

If multiple nudges are applicable simultaneously, the system displays the latest nudge along with the total number of applicable nudges. Tapping the nudge opens a list view showing details of all applicable nudges.

UC 24.1.11. Discover Friend's Activity

UC 24.1.11.1. Now showing Movie Detail page

- On the Movie Detail Page (Now Showing only), the system checks whether Discover Friend's Activity is enabled for the user.
- If enabled and relevant data is available, the system displays a social proof message on the movie, such as: "4 friends booked this movie."
- Friend activity is shown only when:
 - See Friend's Booking Activity is ON, and
 - Contact permission is granted, and
 - One or more friends have confirmed booking of the movie.
- This helps users discover what their friends are watching and supports social-driven decision making.

UC 24.1.11.2. Social & Privacy Settings (App)

- Under Account → Settings → Social & Privacy, the system displays:

	○ See Friend's Booking Activity (toggle) ■ When enabled, the user can see movies and shows booked by their friends on movie detail pages. ○ Share My Bookings (toggle) ■ When enabled, the user's own movie bookings are shared anonymously with their friends and counted in friend activity indicators. ○ Both toggles are ON by default (if contacts are synced) ○ User can turn both the toggle ON or OFF at the same time. ■ On Web, when the user turns the toggle ON: ● System checks whether the user's contacts are already synced via the App. ● If contacts are synced: ○ Toggle is enabled successfully. ● If contacts are not synced: ○ Toggle is not enabled. ○ User can also trigger a manual contact sync using "Tap to sync now" (for app). ● To enable friend activity discovery, the user must grant access to contacts. ● Once permission is granted: ○ System performs an initial contact sync. ○ New contacts are synced automatically on a weekly or monthly basis (as configured).
Alternate Flow	Preference Capture – Profile Completion UCA 24.1.1. User skips the step ● User selects "I'll miss out" on any step (Profile / Language / Genre / Format). ○ System displays a popup explaining why completing the profile is useful. ○ Popup displays: ■ Title explaining benefits of completing the profile ■ List of benefits such as: ● Personalized movie recommendations ● Faster booking experience ● Relevant offers and experiences ■ Popup CTAs: ● Skip Anyway ○ System skips remaining preference steps. ○ No further explicit preferences are saved. ○ User is taken to the Home screen/city selection.

- Complete Now
 - Redirect back to the screen.

Profile Completion Nudge

UCA 24.1.2. User dismisses the nudge

- User dismisses the Profile Completion nudge.
- Nudge is hidden temporarily until profile and preferences are filled.
- System re-appears the nudge later based on defined nudge frequency logic.

Manage Preferences (Implicit / Explicit Control)

UCA 24.1.3. User disables the options

- User disables Based on your activity.
 - System uses only explicit preferences for recommendations.
- User disables Based on your choices.
 - System uses only booking.
- User disables both toggles.
 - Personalization is fully disabled.

Experience-Based Nudge

UCA 24.1.4. User selects skip

- User selects Skip on the experience prompt.
- Nudge is dismissed for that movie.
- Informational text with toggle remains visible.
- User can still manually apply or remove the experience filter later.

Nudges & In-Cinema Mode

UCA 24.1.5. Multiple Upcoming Bookings

- If the user has more than one upcoming booking:
 - System displays multiple nudges horizontally on the Home screen.
 - If multiple bookings are of the same showtime, a single nudge is displayed having combined info of all bookings.
 - User can swipe horizontally to view all nudges.
 - Each nudge behaves independently.

UCA 24.1.6. Mixed Booking State (One Ongoing + One Upcoming)

- If the user has one booking where the showtime has already started, and another booking starting within the next 1–2 hours:
 - System displays two different nudges:
 - In-Cinema Mode nudge for the ongoing show
 - Upcoming Show nudge for the later show

	○ Both nudges are shown vertically.. ○ User can interact with either nudge independently. UCA 24.1.7. User Dismisses Nudges When Multiple Bookings Exist ● If the user has multiple bookings, the system displays multiple nudges, one per booking and the user dismisses all nudges: ○ Multiple chips are shown, one for each booking. ○ User can restore any nudge individually by tapping its chip. Discover Friend's Activity UCA 24.1.8. Contacts Not Synced with User Profile ● User enables See Friend's Booking Activity. ● System checks whether: ○ Contact access permission is granted, and ○ Contacts are already synced with the user profile. ● If contacts are not synced: ○ System displays a Contact Access / Sync prompt with a message: ““PVR” would like permission to access your contacts to help personalize recommendations using your friends’ information.” ○ If the user grants permission and allows sync: ■ System performs contact sync. ■ Friend activity becomes eligible to be shown on movie detail pages. ○ If the user denies permission or skips sync: ■ Friend activity is not displayed. ■ Toggle remains OFF ● If contacts are synced: ○ Friend activity is displayed immediately (if friends have bookings). ● Note: The prompt appears on the launch of the app as well.
Exception Flow	UCE 24.1.1. Personalization Engine Unavailable ● If the Personalization engine fails to respond or times out. ○ System falls back to default discovery logic. ○ No “Recommended” tags or personalized ordering are shown.
Business Rules	● Personalization is applicable only for logged-in users. ● Personalization can be enabled or disabled through the admin panel. If disabled, the system displays content based on the default configuration and no personalized recommendations are shown to users.

	● Explicit preferences (user-selected) take priority over implicit preferences (behavior-based), unless the user changes priority from Manage Preferences. ● Profile Completion Nudge ○ Profile Completion nudge is shown only when: ■ Step 1 (Profile) or Step 2–4 (Preferences) is incomplete. ○ Clicking Edit Profile redirects the user based on completion state: ■ Incomplete profile → Edit Profile ■ Incomplete preferences → My Preferences ● Manage Preferences (Implicit vs Explicit) ○ User can independently enable/disable: ■ Based on your activity (implicit) ■ Based on your choices (explicit) ○ If both are disabled: ■ Personalization is fully turned OFF. ■ Selected priority (History / Preferences / Mix) determines ranking logic. ● Trending, Now Showing, Coming Soon, and Trailers follow this priority: ○ Admin Configuration ○ Personalization Logic ○ Base System Logic ● “Recommended” tag is shown only when personalization is enabled and data exists. ● Favourite cinemas take priority over recommended cinemas. ● If a cinema is both favoured and recommended: ○ It is shown once with both indicators. ● In-Cinema Mode is activated only when: ○ Showtime has started. ● In-Cinema Mode is available only on: ○ App ○ M-site ○ Not supported on the Web.
Validations	● If the user clicks on “Save & Next” or “Update Preferences” without selecting any language, the system displays an error message: “Please select at least one language to continue.” ● If the user clicks on “Save & Next” or “Update Preferences” without selecting the minimum required genres, the system displays an error message: “Please select at least 3 genres to continue.” ● If the user clicks on “Save & Next” or “Update Preferences” without selecting any cinema format, the system displays an error message: “Please select at least

	one cinema format to continue.”
--	---------------------------------

25. Curated Shows

25.1. Use Case

Use Case No.	UC 25
Use case	Curated Shows
Description	This use case defines how the users explore a curated list of re-released movies or special events (including film festivals) and seamlessly proceed to booking using the standard Book Movie/Event flow.
Primary Actor	Customer (Logged-in & guest user)
Secondary Actor	System Backend (Showbizz, TMDb/Moviebuff, Admin Panel) Location Service
Triggering Event	User taps on Curated Shows from the Home page navigation menu.
Pre-Condition	- User has selected a city or allowed location access. - Curated Shows content is available for the selected city. - Active internet connection is available.
Post Condition	- User can successfully explore curated re-released movies or special events (including film festivals) movies under Curated Shows. - User can view movie details such as poster, genre, and available trailers/throwback clips. - User can select any curated movie and proceed to the standard Book Movie flow.
Basic Flow	UC 25.1.1. User navigates to the Curated Shows section from the Homepage top navigation bar. (User can access this feature from More → curated shows also). UC 25.1.2 System displays curated show page having: - Promotional banners along with description (can be multiple & configured from the admin panel) - Search bar to search for movies available under Curated Shows for the selected city by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8. - Curated section of different categories (configured from the admin panel) - Each curated section displays: - Category name along with info icon - Tapping on info icon, system displays information about Curated

	Shows displaying: ● Banner ● Header text (e.g., “Watch handpicked blockbusters re-releasing on the big screen”) ● Description ● Close CTA ○ User taps Close and returns to the Curated Shows listing. ● All these info are configured from the admin panel. ○ Header text (e.g., “Watch handpicked blockbusters re-releasing on the big screen”) ○ Horizontal list of movies ■ Movies under the curated shows category will be ordered based on the number of shows available on Showbiz. ● User taps on a movie card. ○ System navigates the user to the standard Book Movie flow for the selected movie. ■ In case of special show, if user click on any movies, it will redirect the user to movie session page with same filter applied.
Alternate Flow	UCA 25.1.1. No Curated Shows Available for Selected City If No curated re-released movies are available for the city. The system displays a message along with CTA “Let’s Go” that redirects the user to Homepage.
Business Rules	● Curated Shows are city-specific and displayed only if content is available for the selected city. ● Curated shows categories and their sequence is managed from the admin panel. ● Movies can be mapped to one or more curated categories via configuration in the admin panel. ● Only enabled categories are displayed on the frontend. ● If a category is disabled from the admin panel, it will not appear on the frontend, even if movies are mapped to it. ● Category banner, Header text, description for a category is managed from the admin panel. ● The system displays movies in a curated category based: ○ Personalisation Logic (First Priority) ■ If user personal data is available, trending banners will be shown based on the personalisation engine’s logic. Movies matching the user’s preferred language, genre, or format are displayed with a “Recommended” tag.

	○ Default logic: ■ Movies are sorted according to the descending number of showtimes available in the city ● Category Types under Curated Shows - There are three type of categories: ○ Auto-Logic based category ■ Now Showing (Sessions are open & Movie is released), Upcoming (Sessions are open & Movie is not yet released), Re-release (Sessions are available & Movie release date is older than 3 months) ■ Movies are mapped automatically based on system logic. ■ These categories can be activated or deactivated from the Admin Panel. ■ If an auto category is disabled, it will not appear on the frontend. ○ Custom category (Oscar Film Festival, SRK Festival) ■ Any category other than auto logic categories is treated as a Custom Category. ■ Movie mapping for these categories is done manually from the Admin Panel. ■ If a custom category is disabled, it will not appear on the frontend, even if movies are mapped. ○ Special shows (WOW, Senior Citizen, Student Shows) ■ Special Show categories are managed from the admin panel. SC or SO is received from Showbiz corresponding to a movie show (session). Based on this value, the movie is mapped under the respective Special Show category. ■ When a user taps on a movie listed under a Special Show: ● The system redirects the user to the Movie Session page. ● The same Special Show filter remains applied, so only sessions relevant to that Special Show are shown. ● After clicking on a showtime - a message is displayed in the headsup list (configured in the admin panel) ● When a user searches for a movie and navigates to the Movie Session page, if the movie is mapped to one or more Special Show categories, the system will automatically pre-select all applicable Special Show filters. Only sessions relevant to those selected categories will be displayed.
Validations	● If No curated re-released movies are available for the city. The system displays a message: "No Curated Shows Available. Thank you for your interest in our curated shows. There is no curated content currently listed in your city, but

	hopefully, you'll be able to enjoy your favourite movies soon. Please stay tuned!"
--	--

26. Promoted Offers

26.1. Use Case

Use Case No.	UC 26
Use case	Promoted offers
Description	This use case allows users to discover promoted offers (Bank Offers, Wallet Offers, etc.), and view offer details.
Primary Actor	Customer (Logged-in & guest user)
Secondary Actor	System Backend (Showbizz, Admin Panel) Location Service
Triggering Event	- User selects Offers from the navigation. - App/M-site: Bottom Navigation → More → Offers - Website: Top Navigation → More → Offers
Pre-Condition	- User has an active internet connection. - User has selected a valid city/location. - Promoted offers are configured and active in Admin Panel.
Post Condition	- User can view promoted offers applicable to the selected city. - User can open an offer detail page. - User can share an offer via a generated message containing an offer URL.
Basic Flow	UC 26.1.1 User navigates to Offers. - App/M-site: Bottom Navigation → More → Offers - Website: Top Navigation → More → Offers UC 26.1.2. System displays offer categories as tabs: - All Offers (show all offers under different category) - Bank Offers (show only bank offers) - Payment Wallet/UPI Offers (show only wallet/UPI related offers) - Others (show all remaining offers) UC 26.1.3. System displays promoted offer cards under the selected category with: - Offer banner/image - Offer title - Applicable on (Movies / Movies + Food / Food) - Card/UPI name on which offer is applicable (If available)

	● Offer validity date UC 26.1.4. User taps on an offer card. System displays the Offer Detail page having: ● Offer Banner / Creative ● Offer Title e.g., Buy One Get One Ticket Free ● Applicable On - Movies / Movies + Food / Food ● Description (How it works, FAQ, T&C) ● Offer Validity date ● Share icon ○ User taps on the Share icon on the Offer Detail page. System opens the native device share sheet with the pre-filled message: "Check out this offer at PVR! <Offer URL>" ○ User selects a sharing channel. ● CTA - "Proceed to Book" ○ It navigates users to the Homepage. UC 26.1.5. Shared Offer URL, when opened, navigates the user to the same offer's detail page (app or web based on availability).
Alternate Flow	UCA 26.1.1. No Offers Available ● The launch button for the "Offer" section won't appear.
Business Rules	● Only active and valid offers are displayed. ● Offer content (title, validity, category, Terms & Conditions) is fetched from the showbizz. ● Offer image is managed from the admin panel. ● Offers can be filtered by category (Bank, Wallet, Others). ● Shared Offer URL must deep-link to the same offer detail page. ● Offers are displayed in alphabetical order by default. If a top-priority order is configured from the admin panel, those offers are displayed at the top of the listing following the default logic.

27. Explore Food

27.1. Use Case

Use Case No.	UC 27
Use case	Explore Food
Description	This use case allows users to explore and order Food & Beverages through multiple entry points such as Food tab, existing bookings, Order Anytime, and QR-based flows, with support for cinema-specific and experience-specific menus, advance and immediate orders, and multiple delivery modes.

Primary Actor	Customer (Logged-in & guest user)
Secondary Actor	System Backend (Showbizz, Admin Panel) Location Service
Triggering Event	● In app/m-site, the user taps on the Food button from the homepage bottom navigation. ● On the web, the user taps on the Food tab from the homepage top navigation. ● The user selects Add Food from an existing booking. ● During movie/event booking, the user skips the adhoc voucher page (If configured)
Pre-Condition	● User has an active internet connection. ● User has selected a valid city/location. ● Required permissions (location / camera) should be enabled based on the chosen flow.
Post Condition	● User is navigated to the Checkout page with the selected food items. ● User exits the food exploration flow without proceeding to checkout.
Basic Flow	UC 27.1.1. User clicks on the Food tab from the homepage navigation. System navigates the user to the Food landing page. UC 27.1.2. System displays the Food landing page having two tabs: ● Book with Ticket ○ If one or more upcoming bookings are found, the system opens the “Book with Ticket” tab by default. ● Order Anytime ○ If no upcoming bookings are found, the system opens the “Order Anytime” tab by default. ○ This section is displayed only if it is enabled from the Admin Panel. If the feature is disabled, the section is shown in a greyed-out state and is non-clickable. Adding Food in upcoming bookings (System & Partner Bookings) - UC 27.1.2.1. “Book with Ticket” tab On the “Book with Ticket” tab, the system displays ● A list of upcoming bookings (Ticket-only bookings, and Ticket + Food bookings) associated with the user. ○ Ticket-only bookings contains: ■ Movie poster (for web) ■ Movie name ■ Movie info: (Language, censor rating, subtitle, movie format -

	- primary & secondary, genre(s), experience) ■ Cinema name and location ■ Show date and show time ■ Screen/Audi information ■ Number of tickets booked ■ Seat details ■ Booking ID & Track ID ■ CTA - “Grab a bite - Add Food” ● If the current time is before the cut-off time (e.g., 30 minutes before show end time - configured from the admin panel), the CTA “Grab a bite - Add Food” option remains enabled. ○ Ticket + Food bookings contains: ■ All ticket-related details as mentioned above ■ F&B default image (for web) ■ F&B items ordered ■ Quantity of each item ■ Delivery type (Seat delivery / Counter pickup) ■ Delivery timing (e.g., before movie / during interval/time) ■ Seat details (for seat delivery) ● CTA - “Retrieve Partner Bookings”, allowing users to retrieve upcoming movie bookings made via partner platforms (e.g., BookMyShow, District, etc.). ○ For each booking the details are as same as for app bookings (depends on data available from showbizz) along with a tag “Booked from partner name”. ● “Available Vouchers” section - if the user has any active or purchased F&B vouchers (e.g., family bundle vouchers, ad-hoc vouchers). ○ Each voucher card displays key voucher details such as: ■ Voucher type ■ Balance or offer value ■ Voucher number ■ Validity date ● Carousel of available F&B offers ● User clicks on the “Grab a Bite - Add Food” CTA from a booking card under the “Book with Ticket” tab. ○ System identifies the cinema & experience associated with the selected booking. ■ System checks if any experience-specific food menu (e.g., Gold, LUXE, Insignia etc.) is configured for the selected booking and
--	--

cinema.

- If an experience-specific food menu is available, the system displays the experience-specific menu.
- System checks the showtime details of the selected booking to determine whether the food order qualifies as:
 - an Immediate Order (during showtime)
 - The system displays the real-time menu applicable to the selected cinema/experience.
 - an Advance Order (30 minutes before showtime)
 - If the current time is more than 30 minutes before the show start time (configurable from the admin panel), the system treats the order as an Advance Order.
 - The system displays the advance-order menu, containing items available for pre-order as configured from showbiz.

Only Food

UC 27.1.2.2. “Order Anytime” Tab

On the “Order Anytime” tab, the system displays:

- Contextual messaging encouraging food ordering
- Primary CTA to explore food options
- Scan QR code (For App/Msite)
- Explore Retail offers
- “Available Vouchers” section - if the user has any active or purchased F&B vouchers.
- Carousel of available F&B offers
- Explore Food - When the user clicks on Explore Food, the system checks whether location permission is enabled.
 - If location permission is enabled, the system checks whether the user is within the configured radius of any cinema.
 - If the user is within a cinema’s configured radius, the system displays:
 - Detected cinema details - cinema name, address, distance from user.
 - CTA options:
 - “I’m here”
 - “Explore other cinemas”
 - the system redirects the user to the Cinema Listing page.
 - If the user is not within the configured radius of any cinema, the system redirects the user to the Cinema Listing page.

- If location permission is disabled, the system prompts the user to allow location access.
 - If the user allows location access, the system continues the flow as described.
 - If the user does not allow location access, the system redirects the user to the Cinema Listing page, based on the city selected on the homepage.
- Once the user selects a cinema (either via I'm here or Cinema Listing), the system navigates the user to the Food Pickup Date & Time screen. The screen contains:
 - Prompt message: "Please confirm when we should keep your order ready."
 - Pickup time options:
 - Right away (default selection - treated as an immediate order)
 - Automatically sets the pickup time to current time + preparation buffer (e.g., approx 30 minutes, configurable from admin panel).
 - No additional date or time selection is required.
 - Choose a time (treated as an Advance Order) - When selected, the system displays the following options:
 - Date selector (today, tomorrow, and other days - as per session available for that cinema in showbizz)
 - Time selector
 - Displays selectable time slots
 - Restricted to cinema operational hours (configurable from the admin panel - cinema master)
 - Default time logic:
 - If Today is selected, the default pickup time is set to current time + 30 min (configurable from the admin panel).
 - If any future date is selected, the default pickup time is set to the start of cinema operational hours (configurable from the admin panel).
 - Informational note indicating kitchen operational hours (e.g., 9:00 AM to 11:00 PM), as configured from the admin panel.
 - CTA - "Proceed"
 - System confirms the selected pickup date and time and navigates the user to the Food Menu page for the selected cinema.

Note: Food menu/pricing can vary as per date selection.

Scan QR

UC 27.1.2.3. Scan QR (Food Booking)

- User taps “Scan QR” from the “Order Anytime” tab.
- System checks camera permission.
 - Displays permission prompt: “PVR is requesting camera access to enable QR code scanning.”
 - CTA - Allow/Deny
 - If allowed → flow continues
 - Deny → redirect back to food landing page
- Camera scanner opens.
- User scans the QR code.
- System identifies QR type:
 - Generic QR
 - Cinema-specific QR
 - Normal
 - Experience specific (Premium)
 - Seat QR (contain seat info - Audi along with seat details)
 - If the user scans a invalid QR code, the system displays an error message: “Invalid QR Code! Try a new one again.”
- Generic QR Flow
 - System detects Generic QR.
 - System navigates the user to the Cinema Listing page to select a cinema.
 - Rest flow would be the same as mentioned in “Only Food” flow.
- Cinema-specific QR Flow
 - System detects Cinema-specific QR.
 - System navigates the user to the Food Menu page for that cinema.
- Experience-specific QR flow (Premium)
 - System detects Cinema-specific QR.
 - System navigates the user to the experience-specific food menu page for that cinema, if configured on showbizz.
- Seat QR
 - System detects Seat QR,
 - The system auto-fetches cinema, Audi, and seat details from QR code url.
 - The system additionally checks whether an experience-specific food menu is configured for the fetched Audi / experience.
 - If an experience-specific food menu is available for the fetched

	Audi, the system displays the experience-specific food menu. ○ User proceeds with the food ordering flow using the displayed menu, with the order pre-associated to the fetched seat details. ○ “Deliver to seat” option will be displayed on the checkout screen if it is configured for the selected audi. UC 27.1.3. Food Menu System displays the Food Menu page specific to: ● The selected cinema, ● The experience (if applicable), and ● The determined order type (Advance Order or Immediate Order). UC 27.1.3.1. Food Menu page contains: ● Search option to find specific food items in that food menu. ○ Users can search for F&B items by either typing a keyword or using voice input. For more information on voice search, refer to UC13.1.8. ● Filters - Veg / Non-Veg ○ User can apply filters in combination (Veg and/or Non-Veg). ○ Filters applied by the user are applied consistently across all section of food menu page. ● Carousel of available F&B offers ○ All F&B offers are displayed in a horizontal carousel. These Offers are displayed in alphabetical order by default. If a top-priority order is configured from the admin panel, those offers are displayed at the top of the listing following the default logic. Offer card contains: ■ Offer title ■ Offer validity ● Repeat Again - if the user has past food order history. ○ System considers the items of last 5 food orders (both online and offline) to derive items for the Repeat Again section. ○ A maximum of 10 items is displayed under the Repeat Again section, subject to availability. ○ Only unique food items that are currently available for the selected cinema and order type are displayed in the Repeat Again section. ● Best Sellers ○ System displays a Best Sellers section if it is configured for the selected cinema. ○ Best Sellers section displays up to 4 items, if it is configured in showbiz for the selected cinema. ○ If no Best Seller items are available or configured for the selected
--	---

cinema, the Best Sellers section is not displayed.

- Admin can configure the Best Sellers section:
 - Enable / Disable the Best Sellers section
 - Define number of items to display (e.g., max 4 or configurable limit)
- Food Categories
 - System displays food categories as configured in Showbizz.
 - Each food category displays along with a category image, configurable from the admin panel.
 - The sequence of food categories is configured from the admin panel.
 - An additional “All” category is selected by default when the Food Menu page loads.
- Food item listing:
 - Food items across categories are displayed in ascending order of item price by default.
 - If the user selects a specific category, the system displays only the items of the selected category, sorted in ascending order of item price.
 - If user deselects that category, the system displays the full menu, with “All” tab selected.
 - Items in the Repeat Again section are ordered based on recency of past orders, with the most recently ordered items shown first, subject to availability.
- Food item cards - For each food item card, the system displays:
 - Item image
 - Item type - Veg/Non-veg (If available)
 - Item name
 - Other Information: Grammage, allergènes, calories etc.
 - Price (including strike-through price if discounted)
 - Indicator for customization availability (if applicable)
 - CTA - “Add to cart”
- Floating Food Menu icon (for app & M-site) - Clicking on it displays a category list showing:
 - Food categories configured in Showbizz
 - Item count for each category
 - If veg/non-veg filters are applied, the count is also updated.
 - Selecting a category from the floating menu, displays the food items of the selected category on the Food Menu page.

UC 27.1.3.2. Product details

- By tapping on any food item card, system displays the product details page

containing:

- Item image
- Item type - Veg/Non-veg
- Item name
- If the selected item is a combo, the system displays the list of items included in the combo, along with:
 - Item name along with other information (Grammage, allergènes, calories)
 - Quantity of each item
 - Individual item price
- Other Information: Grammage, allergènes, calories etc.
- Price (including strike-through price if discounted)
- Indicator for customization availability (if applicable)
- CTA - “Add to cart”

UC 27.1.3.3. Add to cart

- User clicks on the “Add to Cart” CTA either on the food menu page or on the Product Detail Page.
- System checks the customization option is available for the selected item.
 - If the selected food item supports customization, the system displays available customization options. Customization options include:
 - Paid add-ons (with incremental pricing),
 - User can optionally choose to:
 - Add one or more paid add-ons
 - Proceed without selecting any customization.
 - System dynamically updates the item price only if paid add-ons are selected.
 - System adds the selected item to the cart along with:
 - Selected quantity
 - Selected paid add-ons
 - If the same item with the same combination of paid add-ons and removals already exists in the cart, the system increments the quantity.
 - If the same item is added with a different combination of paid add-ons and/or removals, the system creates a separate cart line item.
 - If the selected food item does not support customization, the system allows the user to proceed directly with quantity selection and Add to Cart.
- Combo Customization Handling

- When the selected item is a combo consisting of multiple food items and customization is allowed, the system supports the following approaches, as configured in showbiz.
- Approach 2: Combo-Level Customization
 - System displays combo-level customization sections, grouped by combo components (e.g., Burger, Nachos).
 - For each combo component, the system displays customization options:
 - Optional paid add-ons,
 - User selects the required customizations and quantity of that combo.
 - System dynamically updates the combo price.
 - User clicks on “Add to Cart”. System adds the combo to the cart as a single cart line item along with:
 - Selected quantity
 - Selected paid add-ons for each component
- Quantity Increase with Customization (Menu, cart & checkout page)
 - If the user increases the quantity of a food item or combo that supports customization from the Food Menu page, the system displays a popup having last selected customization details for that item (add-ons) and CTAs
 - Repeat Last Customisation – Applies the same customization to the newly added quantity.
 - Add New – Allows the user to customize the item again from scratch.
- Smart Add-on Suggestions
 - After a user successfully adds an item (single item or combo) to the cart, the system checks whether any recommended complementary items are configured for the added item in Showbiz.
 - If complementary items are configured, the system displays a suggestion popup showing a list of items that form a perfect combination with the item added to the cart. The suggestion popup displays for each recommended item:
 - Item image
 - Item name
 - Item basic information
 - Item price (including strike-through price if discounted)
 - CTA to Add the item to the cart
 - User may choose to:

	■ Add one or more suggested items to the cart, or ■ Dismiss/close the suggestion popup and continue browsing. ○ If no complementary items are configured for the added item, the system does not display the suggestion popup. UC 27.1.3.4. Cart screen ● On Web, after an item is added to the cart, the system displays a persistent cart info strip showing: ○ Number of items added ○ Total payable amount ○ CTA: Checkout ○ If the user clicks on the cart info strip or the “Items added to cart” indicator, the system opens the Cart screen. ● On App and M-site, after an item is added to the cart, the system displays a price breakdown / cart summary bottom bar, showing: ○ Total payable amount ○ CTA: Checkout ○ If the user taps on the price breakdown / cart summary bar, the system opens the Cart screen, ● Cart screen displays: ○ List of items added to the cart ○ Item-level details ■ Item name ■ Quantity ■ Selected paid add-ons (if any) ■ Item-level price (including strike-through price if discounted) ○ Cart-level total amount ○ CTA: Checkout ● User can increase or decrease the quantity of any item directly from the Cart screen. ○ If the user increases the quantity of an item that supports customization, the system increases the quantity of that item with the same customization. ● User can edit an item’s customizations (paid add-ons) from the Cart screen. By clicking on the edit icon, the system displays available customization options with pre-selected options. Upon editing, the system recalculates the item price and cart total accordingly.
Alternate Flow	UCA 27.1.1. Guest user accessing the “Book with ticket” tab If guest user accessing the “Book with ticket” tab of the Food page, system displays: ● CTAs:

	○ Login to view your ticket bookings ■ Redirects the user to the login page. Once the login is successful, the system retrieves platform bookings. UCA 27.1.2. Food service unavailable for a selected cinema If food service is unavailable for a selected cinema, the system displays a popup with the message: “Food service is currently unavailable at this cinema.” ● CTA: Okay, Got it UCA 27.1.3. If a user tries to add more than the maximum allowed quantity for a single item (i.e., more than 10 units of the same item) in an order, the system displays a popup with the message: “You can add up to 10 units of the same item per order. Please place the remaining items in a new order.” ● CTA: Okay, Got it UCA 27.1.4. If a user tries to add more than the maximum allowed number of food items per seat in a single order (i.e., more than 5 items per seat, whether the items are the same or different), the system displays a popup with the message: “You can add up to 5 food items per seat in an order. Please place the remaining items in a new order.” ● CTA: Okay, Got it UCA 27.1.5. If upcoming bookings are not available, “Book with ticket” tab displays a message: “No Upcoming Booking Available. Sorry, we couldn’t find any bookings. Did you book through a partner?” ● CTA: Retrieve Partner Booking ○ After clicking on the CTA, if the user doesn’t have any bookings on partner apps also, the system displays a message on screen: “No Upcoming Booking Available. Sorry, we couldn’t find any bookings.”
Exceptional flow	UCE 27.1.1. Countdown Timer Expiry ● If the countdown timer is about to expire during any stage of the booking flow, the system shows a warning popup when limited time remains. ○ Popup message: “Your session is about to expire. Please complete your booking to avoid losing your selection.” ○ CTA: Continue Booking ● If the countdown timer expires at any stage of the Explore Food flow → Seats are released and Session becomes invalid. The user sees a message in the popup: “Your session has expired. Please restart your booking.” ○ CTA: Okay, Got it

Business Rules	● Guest users can browse food menus but must log in before Proceed to checkout: ● By default, “Order Anytime” tab is selected but if there are existing bookings then by default the “Book with ticket” tab will be opened up. ● Retrieve partner bookings will fetch the bookings associated with the logged in phone number ● Food menus are displayed based on: ○ Selected cinema ○ Selected experience (Audi) ○ Order type (Immediate / Advance) ● A user can add up to 5 food items per seat in an order. These items can be the same item or different items. ○ A user can add a maximum of 10 units of a single food item. ○ These limits are configurable via the admin panel. ● For the Food-Only Flow: ○ The system will default to 1 seat. ○ All food quantity limits will be calculated based on 1 seat. ● On the Food menu page, Items are displayed in ascending order of item price. ● Veg / Non-Veg filters can be applied independently or together. ● Repeat Again ○ Items from the last 5 orders are displayed only if available in the selected cinema ○ Both online and offline orders are considered. ● For booking-associated food orders, the user can add food only up to 30 minutes before the show end time, where the cut-off duration is configurable from the admin panel. ● On the “Order Anytime” tab, the vouchers will only be visible to the users if the user has purchased them and those vouchers still have the validity (only active ones). ● Types of order ○ Immediate order - order fulfilment begins as soon as user finishes placing the order. Delivery time is not required for these orders ○ Advance order - order fulfilment will begin only 30-mins before user specified time of delivery ● Decimal values are displayed exactly as received from Showbiz. ● Preparation Time Calculation ○ Item Prep Time ■ Configured at item level in Showbizz. ○ Plating Time

	■ Configured at order level from Admin Panel. ■ Default value: 5 minutes. ○ Cart Ready Time Calculation ■ $\text{Cart Ready Time} = ((\text{Sum of item prep times} \div 2) \times 1.5) + \text{Plating Time}$ ■ The formula is configurable from the backend. ○
Validations	● User attempts to add an item that is no longer available. ○ Message: "This item is currently unavailable. Please choose another item." ● User tries to add more than 10 units of the same item. ○ Message: "You can add up to 10 units of this item per order. Please place the remaining items in a new order." ● User tries to add more than 5 different items to the cart. ○ Message: "You can add up to 5 different items per order. Please place the remaining items in a new order." ● User denies camera permission while accessing Scan QR. ○ Message: "Camera access is required to scan the QR code." ● User scans an invalid or unsupported QR code. ○ Message: "Invalid QR code. Please try scanning a valid one."

28. Adhoc Vouchers (Offers for you)

28.1. Use Case

Use Case No.	UC 28
Use case	Adhoc Vouchers (Offers for you)
Description	This use case describes the end-to-end lifecycle of Adhoc vouchers within the platform, including: ● Purchase of ad-hoc vouchers during the booking flow ● Redemption of Adhoc vouchers as a payment method ● Viewing purchased Adhoc vouchers under My Bookings > Vouchers ● Viewing Adhoc vouchers purchase history along with movie bookings under My Bookings
Primary Actor	Customer (Logged-in & guest user)
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment Gateway

Triggering Event	This use case is triggered when: ● User completes seat selection and proceeds in the booking flow. ● User accesses purchased vouchers under My Bookings > Vouchers. ● User attempts to redeem a voucher during booking.
Pre-Condition	● User has an active internet connection. ● User has selected a valid city/location. ● Seats are successfully locked. ● Voucher configurations exist for the selected cinema. ● User is logged in (mandatory to add vouchers).
Post Condition	● User adds a voucher and proceeds or ● User skips voucher selection and continues the booking flow. ● Voucher is successfully created and mapped to the user account after payment ● Voucher is available under My Bookings > Vouchers ● Voucher status is maintained as per lifecycle (Active / Redeemed / Expired) ● Voucher can be redeemed as per applicability (online/offline)
Basic Flow	UC 28.1.1. After seat selection, the system checks whether vouchers are configured in Showbizz for the selected cinema. ● If vouchers are configured: ○ System displays the Voucher Selection screen, showing the list of vouchers (CVP, Family Bundle, F&B) as configured in Showbizz. ● If no vouchers are configured: ○ System skips the Voucher Selection step. ○ System redirects the user to the F&B Menu page for the selected cinema if F&B is available. ○ If F&B is not available, the system redirects the user directly to the Checkout page. ● On the Voucher Selection screen: ○ User may optionally add a voucher, or ○ User may choose to Skip & Proceed. ● If the user taps Skip & Proceed: ○ System redirects the user to the F&B Menu page for the selected cinema if F&B is available. ○ If F&B is not available, the system redirects the user directly to the Checkout page. ● A countdown timer (seat/booking hold timer) remains active across all screens, including: ○ Voucher Selection ○ F&B Menu

- Cart
- Checkout

UC 28.1.2. CVP Offer

- If configured, the system displays a list of CVP voucher cards under Offers for You, showing:
 - Voucher name (from Showbizz)
 - Discounted price and original value (from Showbizz)
 - Validity period (from Showbizz)
 - Voucher image (from Admin Panel)
 - CTA: Add
 - CTA: Know More
 - CTA: Terms & Condition
- When the user taps Know More on a CVP card:
 - System opens a Know More screen for the CVP.
 - Content (image) is rendered from Admin Panel, specific to CVP.
 - User can close and return to the Voucher Selection screen.
- When the user taps Terms & Conditions on a CVP card:
 - System opens a Terms & Conditions screen for the CVP.
 - Content is rendered from Admin Panel, specific to CVP.
 - User can close and return to the Voucher Selection screen.
- When the user taps Add on a CVP voucher:
 - If the user is not logged in, system redirects to the Login screen.
 - After successful login, the system resumes the Add CVP action
 - The system displays a Value Bundle Offer page that includes:
 - Voucher image
 - Contextual messaging (e.g., “Upgrade your ticket to a meal combo and save big”)
 - Selected ticket count indicator (e.g., “1 ticket selected”)
 - Price comparison:
 - Ticket price
 - Food price
 - Bundle price (highlighted savings)
 - Terms & Conditions checkbox (mandatory & pre-selected)
 - Primary CTA: Upgrade to Bundle
 - Secondary CTA: Skip for now
 - The CVP voucher is not added and the user is returned to the Voucher Selection screen.
 - Countdown timer (continues from seat-hold timer)
 - If the user selects the Terms & Conditions checkbox, and taps Upgrade to

Bundle, then the system:

- Adds the CVP voucher to the cart
 - The quantity is equal to the number of tickets.
- Marks the CVP as selected with remove option
- Disables other voucher add options
- System replaces bottom bar showing:
 - Selected voucher summary (e.g., “Count of CVP * CVP”)
 - Voucher price (e.g., ₹100)
 - Primary CTA: Proceed
- If the user taps Remove on the selected CVP voucher:
 - A popup is displayed with the message: “Are you sure you want to remove Value Bundle Price from your transaction?”
 - CTAs:
 - No, Keep
 - CVP won’t be removed
 - Yes, Remove
 - The voucher is removed from the cart.
 - Retain the initial state of cards.
 - When the user taps Proceed, system navigates the user to Checkout page.
 - F&B Menu is skipped, if any ad-hoc voucher is added.

UC 28.1.3. Family Bundle

- The system checks whether a Family Bundle voucher is configured in Showbizz for the selected cinema and seat count (e.g., minimum 2 seats – configurable via Showbizz).
- If configured, the system displays Family Bundle voucher cards under Offers for You, showing:
 - Voucher name (from Showbizz)
 - Discounted price and original value (from Showbizz)
 - Validity period (from Showbizz)
 - Voucher image (from Admin Panel)
 - CTA: Add
 - CTA: Know More
 - CTA: Terms & Condition
- When the user taps Know More on a Family Bundle card:
 - System opens a Know More screen for the Family Bundle.
 - Content (image) is rendered from Admin Panel, specific to Family Bundle.
 - User can close and return to the Voucher Selection screen.
- When the user taps Terms & Conditions on a Family Bundlecard:

- System opens a Terms & Conditions screen for the Family Bundle.
- Content is rendered from Admin Panel, specific to Family Bundle.
- User can close and return to the Voucher Selection screen.
- When the user taps Add on a Family Bundle voucher:
 - If the user is not logged in, system redirects to the Login screen.
 - After successful login, the system resumes the Add Family Bundle actions.
 - The system displays a Family Bundle Offer page that includes:
 - Voucher title: Family Bundle
 - Offer benefit (e.g., 35% Off)
 - Fetched from showbizz
 - Validity period (from Showbizz)
 - Price breakup:
 - You Pay – additional payable amount for the bundle
 - Allows the user to increase or decrease the payable bundle amount as configured in Showbizz.
 - The maximum number of increments and the incremental value per step are configured in Showbizz.
 - The initial value is also fetched from showbizz.
 - You Get – total value of voucher to purchase F&B
 - Fetched from showbizz
 - You Save – total savings
 - Your Special Price – final bundle price (highlighted)
 - If user adjusts the You Pay amount, the system recalculates and updates the value of “You Get, You Save, Your Special Price” in real time.
 - Terms & Conditions checkbox (mandatory & pre-selected)
 - Primary CTA: Upgrade to Bundle
 - Secondary CTA: Skip for now
 - The Family Bundle voucher is not added and the user is returned to the Voucher Selection screen.
 - Countdown timer (continues seat-hold timer)
 - If the user selects the Terms & Conditions checkbox, and taps Upgrade to Bundle, then the system:
 - Adds the Family Bundle voucher to the cart
 - Marks the Family Bundle card as selected with remove option
 - Disables other voucher add options
 - System replaces bottom bar showing:

- Selected voucher summary (e.g., “1*Family Bundle”)
- Voucher price (e.g., ₹100)
- Primary CTA: Proceed
- If the user taps Remove on the selected Family Bundle voucher:
 - A popup is displayed with the message: “Are you sure you want to remove Family Bundle Price from your transaction?”
 - CTAs:
 - No, Keep
 - Family Bundle won’t be removed
 - Yes, Remove
 - The voucher is removed from the cart.
 - Retain the initial state of cards.
- When the user taps Proceed, system navigates the user to Checkout page.
 - F&B Menu is skipped, if any ad-hoc voucher is added.

UC 28.1.4. F&B Voucher

- The system checks whether a F&B voucher is configured in Showbizz for the selected cinema.
- If configured, the system displays F&B voucher cards under Offers for You, showing:
 - Voucher name (from Showbizz)
 - Discounted price and original value (from Showbizz)
 - Validity period (from Showbizz)
 - Voucher image (from Admin Panel)
 - CTA: Add
 - CTA: Know More
 - CTA: Terms & Condition
- Default Sequence is from low to high pricing.
- When the user taps Know More on a F&B voucher card:
 - System opens a Know More screen for the F&B voucher.
 - Content (image) is rendered from Admin Panel, specific to F&B voucher.
 - User can close and return to the Voucher Selection screen.
- When the user taps Terms & Conditions on a F&B voucher card:
 - System opens a Terms & Conditions screen for the F&B voucher.
 - Content is rendered from the Admin Panel, specific to F&B voucher.
 - User can close and return to the Voucher Selection screen.
- When the user taps Add on a F&B voucher:
 - If the user is not logged in, system redirects to the Login screen.

- After successful login, the system resumes the Add F&B voucher actions.
- If the user taps Add CTA on the F&B voucher card, then the system:
 - Adds the F&B voucher to the cart
 - Marks the F&B voucher card as selected with remove option
 - Disables other voucher add options
 - System replaces bottom bar showing:
 - Selected voucher summary (e.g., “1 * F&B voucher”)
 - Voucher price (e.g., ₹100)
 - Primary CTA: Proceed
- If the user taps Remove on the selected F&B voucher:
 - A popup is displayed with the message: “Are you sure you want to remove F&B voucher from your transaction?”
 - CTAs:
 - No, Keep
 - F&B voucher won’t be removed
 - Yes, Remove
 - The voucher is removed from the cart.
 - Retain the initial state of cards.
- When the user taps Proceed, system navigates the user to Checkout page.
 - F&B Menu is skipped, if any ad-hoc voucher is added.

UC 28.1.5. Checkout page

User proceeds to the Checkout Page. System displays:

- System checks whether the convenience fee is applicable
- Countdown timer (8 minutes – configurable via Global Configuration).
- Banner image (Movie poster)
- A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
- Booking details
- Add-on Vouchers (Superticket)
 - On the Checkout page, if the selected movie booking is eligible for Superticket (as configured on showbizz), the system displays an option to purchase Superticket. The Superticket card displays:
 - Superticket image (from admin panel)
 - Offer headline (e.g., “Your next ticket only at”) (from admin panel)
 - Price (e.g. “74” from showbizz)

- Validity period (from showbizz)
 - Issued voucher validity should be displayed, not the voucher scheme validity as showbizz provides both.
- Informational note: “Number of Superticket vouchers = Number of seats selected”
- CTA: Add to Cart
- CTA: Know More - redirects the user to the know more page of Superticket that contains:
 - Image (configured from the admin panel)
 - CTA - “Close - redirected back to checkout page
- CTA: Terms & condition - redirects the user to the “Terms & Conditions” page of the superticket that contains
 - Terms & conditions (configured from the admin panel)
- When the user clicks Add to Cart on the Superticket card:
 - The system adds N Supertickets to the cart, where N = number of tickets booked.
 - The Superticket total price is calculated as: (Superticket price × number of tickets).
- Supertickets are treated as a linked add-on to the ticket booking and cannot be added independently.
- Promocode - displayed but can’t be applied as restricted from showbizz
- Voucher for you (purchased superticket & F&B voucher) - displayed but can’t be redeemed as restricted from showbiz.
- PVR INOX Exclusive Paymodes
- Payment Summary
 - System displays the Payment Summary, including:
 - Total Ticket price (Net price + GST) - (If F&B voucher is added)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Bundled pricing (if family/value bundle is added)
 - Strike-through (original) price
 - Updated bundled price
 - “Inclusive of taxes” label
 - F&B Voucher price (if added)
 - Superticket (if added)
 - Quantity of Supertickets (e.g., 3 × Super Ticket)

- Total Superticket amount
- Subtotal
- Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - Waived if Geolocation criteria match & option is enabled at showbiz for that specific cinema
 - GST charges and GST Number
- Donation ("Action for 17 SDGs"):
 - ₹2 per ticket (configurable from admin panel)
 - By default - applied
 - Option to remove donation
- Final payable amount
- Cancellation Policy
- Exclusive Offers (can't be applied as restricted from showbizz)
- Payment methods
- Option to Pay
- A security assurance message:
 - "Your transactions are secure and certified." along with security certification logos

UC 28.1.6. Payment Confirmation

- User completes payment via Payment Gateway (Razorpay).
- Razorpay sends payment confirmation to the system.
- System validates the transaction with Showbizz
- Upon successful confirmation from Showbizz:
 - The system redirects the user to the Booking Confirmation Page.
 - Voucher(s) is created and mapped to the user account.
- After a successful transaction,
 - A text/whatsapp message & emails are shared.
 - If users opt in for whatsapp, a whatsapp message will be shared. Else text messages will be shared.
 - A separate SMS/WhatsApp message is sent for each voucher purchased, containing voucher details (Voucher Number and Amount).
 - In addition, the email confirmation includes details of all purchased vouchers (Voucher Number and Amount).

UC 28.1.7. Booking Confirmation page:

On successful payment, the system displays the Booking Confirmation Page showing:

- Success message - Booking Confirmed!

- Booking Summary
- Purchased Voucher
 - System displays a list of purchased vouchers. Each voucher card displays:
 - Voucher name
 - Voucher code (from Showbizz)
 - Voucher Value
 - If a superticket is purchased, the system shows purchased value.
 - Validity period (from Showbizz)
 - QR code with CTA “Tap to view” (applicable only for voucher that can be redeemed offline)
 - Displays QR code along with voucher code
 - CTA: Know More
 - CTA: Terms & Condition
- Payment Summary (with breakdown)
 - System displays the Payment Summary, including:
 - Total Ticket price (Net price + GST) - (If F&B voucher is added)
 - Net price
 - Displays the base ticket price excluding taxes.
 - Also shows the number of tickets (e.g., Net Price (2 × Tickets)).
 - GST = SGST + CGST + UTGST
 - Bundled pricing (if family/value bundle is added)
 - Updated bundled price
 - “Inclusive of taxes” label
 - F&B Voucher price (if added)
 - Superticket (if added)
 - Quantity of Supertickets (e.g., 3 × Super Ticket)
 - Total Superticket amount
 - Subtotal
 - Taxes & Fees
 - Convenience Fee (inclusive of taxes)
 - GST charges and GST Number
 - Donation Amount (“Action for 17 SDGs”)
 - Total Paid Amount
 - Payment Method
- Download Ticket CTA
- Add to Wallet CTA - (If enabled from the admin panel)
 - all purchased vouchers in the booking shall also be automatically added

to the user's wallet.

- Share Ticket CTA
- Download Invoice
- CTA - "Back to Homepage"
- Promotional banner 3 - configured from Admin panel.

UC 28.1.8. My Bookings

User opens My Bookings under My Account. System displays the list of bookings as described in UC 22 (Movie/Event bookings).

- If an ad-hoc voucher is purchased along with a movie booking:
 - The voucher(s) are displayed within the respective movie booking card.
 System displays:
 - Voucher Number(s)
 - CTA: "View All" (if more than one voucher is associated)
 - System redirects the user to the Booking Detail page. The page auto-scrolls to the Purchased Voucher section.

The Booking Detail page is described in UC 22 (Movie/Event bookings). A new section, Purchased Vouchers, is added to display Voucher details associated with the booking.

- Each Adhoc voucher / superticket card displays:
 - Voucher name
 - Voucher code (from Showbizz)
 - Voucher Value
 - If a superticket is purchased, the system shows purchased value.
 - Validity period (from Showbizz)
 - QR code with CTA "Tap to view" (applicable only for voucher that can be redeemed offline)
 - Displays QR code along with voucher code
 - CTA: Know More
 - CTA: Terms & Condition

Adhoc Voucher Listing & Details (My Bookings)

UC 28.1.9. The user navigates to Account → My Bookings → Vouchers. The system displays a list of vouchers grouped by voucher type (except CVP).

- Vouchers are sorted based on status in the following order:
 - Active
 - Redeemed
 - Expired
- Within each status:
 - Active vouchers are sorted in ascending order of expiry (earliest expiry

first)

- Redeemed vouchers are sorted based on the redemption date, with the most recently redeemed vouchers displayed at the top.
- Expired vouchers are sorted by most recently expired first.
- Redeemed and Expired vouchers are displayed only for the last 30 days (this duration is configurable from the Admin Panel).
- Each Adhoc voucher / superticket card displays:
 - Voucher name
 - Voucher code (from Showbizz)
 - Voucher Value
 - If a superticket is purchased, the system shows purchased value.
 - Validity period (from Showbizz)
 - QR code with CTA “Tap to view” (applicable only for voucher that can be redeemed offline)
 - Displays QR code along with voucher code
 - Status - Active/Redeemed/Expired.
 - CTA: Know More
 - CTA: Terms & Condition

UC 28.1.10. The user taps on a specific Voucher. The system redirects to the Voucher Details screen. The screen displays:

- Voucher Card
- Redemption Details
 - Cinema name
 - Date & time of redemption
 - Amount Redeemed
 - Balance Amount
 - In case of Superticket
 - 1 Superticket = 1 Ticket
 - Note: The most recent redemption will appear at the top, followed by older records.

Redemption of Adhoc Vouchers

UC 28.1.11. User proceeds to the Checkout Page. System displays:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary
- F&B summary
- Superticket purchase option (If eligible)
- Purchased Vouchers “Redeem your vouchers”
 - Purchased vouchers are displayed under two categories: Tickets and

F&B, along with a Refresh option to fetch the latest vouchers in real time.

- If vouchers in a category exceed 5 (or the limit defined by the design team), a “View All” CTA appears for that category.
 - Clicking View All opens a bottom sheet (mobile) / right-side panel (web) displaying the complete list of vouchers from both categories (Tickets and F&B).

- PVR INOX Exclusive Paymodes along with option to apply
- Bill breakdown
- Cancellation policy
- Exclusive Offers
- Payment methods
- Option to Pay
- Security assurance message

UC 28.1.12. Under the “Redeem your vouchers” > “Tickets”/ “F&B” tab, System displays a list of active purchased vouchers & supertickets in an ascending order of expiry date.

- Each Voucher card contains:
 - Voucher Name
 - Voucher code (from Showbizz)
 - Voucher Value
 - If a superticket is purchased, the system shows purchased value.
 - Validity period (from Showbizz)
 - QR code with CTA “Tap to view” (applicable only for voucher that can be redeemed offline)
 - Displays QR code along with voucher code
 - CTA: Know More
 - CTA: Terms & Condition
 - CTA: Redeem
- User clicks on “Redeem” CTA. Voucher is selected and applied for booking.
- On successful validation:
 - The Voucher is applied to the booking
 - The discount amount is deducted from the ticket/F&B value (handled by showbizz)
 - Superticket is applicable on Ticket value
 - F&B voucher is applicable on Food total.
- System updated the checkout page having:
 - A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
 - Selected Voucher is updated with applied state

	■ CTA changes from Redeem → Remove ○ The redeemed Voucher amount appears under the Discount section of Bill details. ○ Cancellation policy - “Cancellation is not allowed for this transaction.” UC 28.1.13. After successful payment, the booking is confirmed and Voucher redemption details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page. ● Booking confirmation page remains the same as in UC 21 with with following changes: ○ Success message - “Booking Confirmed!” ○ Under the Discount section of payment summary, the system displays a summary row showing the total amount redeemed via Voucher. UC 28.1.14. On the My Bookings listing page, the same changes as on the booking confirmation page are reflected on the Booking detail page under My Bookings.
Alternate Flow	UCA 28.1.1. If no vouchers are configured for the selected cinema, User is redirected to: ● F&B Menu, if food is available, or ● Checkout, if F&B is not available.system skips this step. UCA 28.1.2. If the user chooses Skip & Proceed on the Voucher Listing screen, then ● No voucher is added. ● User proceeds to: ○ F&B Menu, if available, or ○ Checkout, if F&B is not available. UCA 28.1.3. User taps Add on any voucher (CVP / Family Bundle / F&B) while not logged in, then ● System redirects the user to the Login screen. ○ After successful login, the system resumes the voucher add action. ● If user cancels login: ○ Vouchers are not added. ○ The user remains on the Voucher Listing screen. UCA 28.1.4. Back Action from Voucher Listing Page ● User taps the Back icon on the Voucher Listing page. ● System redirects the user to the Seat Layout screen. ● User can add or remove seats. ○ If the user modifies seats, a new session is created. ○ If the user does not modify seats and proceeds: ■ The transaction continues on the same session that was already

created.

UCA 28.1.5. Back Action from Food Menu Page

- User taps the Back icon on the Food Menu page.
- System checks whether Voucher Listing is configured.
- If Voucher Listing is configured:
 - User is redirected to the Voucher Listing page.
- If Voucher Listing is not configured:
 - User is redirected to the Seat Layout screen.
 - User can add or remove seats.
 - If the user modifies seats, a new session is created.
 - If the user does not modify seats and proceeds:
 - The transaction continues on the same session that was already created.

UCA 28.1.6. Voucher Category Visibility

Under My Bookings > Vouchers, the system displays voucher categories such as: All, Family Bundle, F&B Voucher, Supertickets, Passport F&B, M-Coupon, Privilege Plus.

- The system displays voucher categories only if vouchers are available under the respective category.
- If no vouchers are available in a specific category:
 - That category is not displayed.
- If no vouchers are available across all categories:
 - No category tabs are displayed
 - System displays an empty state
 - Message: “No vouchers available”

UCA 28.1.7. Voucher Not Applicable During Redemption

- If user attempts to redeem a voucher that is not applicable:
- System restricts redemption and shows an error message - “This voucher is not applicable for the selected booking”

UCA 28.1.8. No Eligible Vouchers Available for Redemption

- If no active vouchers are available during checkout:
- “Redeem your vouchers” section is not displayed.

UCA 28.1.9. Viewing and Removing Applied Voucher from Checkout Page

- After Vouchers are successfully applied, the payment summary of the Checkout Page is updated.

- Under “Redeem your Vouchers”, the Voucher CTA changes from “Redeem” to “Remove”.
- The user clicks Remove against a specific Voucher.
- The system removes the selected voucher and updates the Booking Summary.
- The user can:
 - Apply new/same Vouchers, or
 - Proceed with the booking using other payment methods.

UCA 28.1.10. User Updates F&B Quantity After apply voucher

- The user attempts to modify the cart after applying for vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”
- Options: Yes / No
 - If Yes:
 - All vouchers are removed
 - Available for applying again as per the cart.
 - Saving strip is removed
 - Booking summary is updated
 - If No:
 - No changes are made
 - Applied vouchers/visits remain intact

UCA 28.1.11. Voucher Not Redeemed (Redemption Prompt)

- User navigates to My Bookings > Vouchers > Voucher detail screen
- The system displays the Voucher Details screen along with redemption history.
- If the selected voucher is Active and has not been redeemed:
 - System displays a contextual message based on voucher type:
 - For F&B Voucher:
 - Message: “You have not redeemed this voucher yet. Order your food now to redeem this voucher.”
 - CTA: “Navigate to F&B Menu”
 - Redirects the user to the Food section
 - For Movie / Movie + F&B Voucher:
 - Message: “You have not redeemed this voucher yet. Book a movie now to redeem this voucher.”
 - CTA: “Book Now”
 - Redirects the user to the Homepage

Exceptional flow	UCE 28.1.1. Countdown Timer Expiry During Voucher Flow: If the countdown timer expires during Voucher Flow → Seats are released and Session becomes invalid. The user sees a message in the popup: “Your session has expired. Please restart your booking.” ● CTA: Okay, Got it ○ redirects the user to the show time listing page (from where the user has started their journey - movie/cinema/Quickbook/pick your time). UCE 28.1.2. Voucher Validation Failure During Redemption ● If voucher validation fails due to backend/system issue: ● Voucher is not applied ● User sees a message: “Unable to apply voucher. Please try again.” UCE 28.1.3. Session Terminated After Applying voucher ● The user applies a Voucher but exits the session or kills the application before completing the booking. ● The system detects session termination. ● The applied offer is automatically rolled back. UCE 28.1.4. Payment Successful but Booking Failure at Showbizz (Bad Transaction) ● The user applies Vouchers and proceeds to complete the remaining payment (if applicable) via the Payment Gateway (PG). ● The payment is successfully processed by the Payment Gateway. ● During booking confirmation, the Showbizz system fails to generate the booking due to a Bad Transaction. ● The system marks the transaction as Booking Failed / Bad Transaction. ● The user is informed that the booking could not be completed. ● The system initiates the refund process for the amount paid via the Payment Gateway, as per the payment gateway refund policy. ● The Vouchers used in the transaction remain temporarily locked until its rolled back, and the user is advised to wait for 30 minutes as per system configuration before attempting to reuse the coupon codes.
Business Rules	● Vouchers are displayed only if configured in Showbizz for the selected cinema. ● If no vouchers are configured, the voucher step is skipped entirely. ● Voucher selection is optional. User can choose to add a voucher or skip the step without any restriction. ● User must be logged in to add any voucher. ● Guest users can view vouchers but cannot add them.

- Only one voucher can be selected at a time.
- CVP vouchers are redeemable offline only (currently configured in showbizz).
- Family Bundle vouchers are displayed only if seat count meets eligibility criteria, configurable from Showbizz.
- Allows the user to increase or decrease the payable bundle amount as configured in Showbizz.
- The initial value (You pay, You get) of Family Bundle is fetched from showbizz.
- For Family Bundle, the maximum number of increments and the incremental value per step are configured in Showbizz.
- For Family Bundle, For every valid increment in You Pay (value), You Get (value) increases as per Showbizz configuration.
- Voucher value, discounted value, validity dates, and eligibility are sourced from Showbizz.
- Voucher images, Know More content, and Terms & Conditions are sourced from Admin Panel.
- Decimal values are displayed exactly as received from Showbiz.
- After seat selection, when the user clicks on Proceed, the countdown timer starts and is displayed across subsequent screens (Voucher Listing page, Add Voucher page, Checkout page, etc.)
- The Skip option will be visible until the user adds an item on the F&B menu page. Once the user adds any item, the Skip option will be removed.
- F&B vouchers are applicable only on food orders.
- Supertickets are applicable only on ticket value.
- If a voucher is redeemed in a booking, the booking cannot be cancelled by the user after successful booking confirmation.
- Countdown timer starts after seat selection and persists across the flow.
- The sequencing of purchased voucher categories (Passport > Superticket; Family Bundle > F&B Voucher > Passport F&B) under the “Redeem Your Voucher” section on the checkout page is managed via the Admin Panel. Within each category, vouchers are displayed in descending order of expiry date.
- The sequencing of voucher categories on the My Bookings > Vouchers page is also managed via the Admin Panel.
- If a Food Voucher or Superticket is purchased as part of a booking:
 - No other vouchers, offers, or PVR Exclusive Paymodes (M-coupon, StarPass, Privilege Plus) can be applied, as restricted by Showbizz.
 - Gift Card and Gyftr (PVR Exclusive Paymodes) are also not applicable in such cases, as restricted by the system/admin configuration.
- Refer to the sheet for its compatibility →  PVR Grid

Validations	● User tries to add another voucher ○ Message: “You can add only one voucher at a time.” ● User taps Upgrade to Bundle without accepting Terms & Conditions. ○ Message: “Please accept the Terms & Conditions to continue.” ● Users try to increase or decrease the Family Bundle price beyond configured limits. ○ Message: “You've reached the max number of options.” ● User tries to redeem a voucher that is not applicable: ○ Message: “This voucher is not applicable for this booking.”
-------------	--

29. Retail offers (For App/M-site)

29.1. Use Case

Use Case No.	UC 29
Use case	Retail offers
Description	This use case describes how a user explores retail food offers/vouchers from the Order Anytime tab on the Food page. The system detects the user’s proximity to nearby cinemas, allows cinema selection, highlights the best offer upfront, and enables users to browse, redeem, and activate retail food vouchers.
Primary Actor	Customer (Logged-in & guest user)
Secondary Actor	System Backend (Showbizz, Admin Panel) Location Service
Triggering Event	● User taps on Explore Offers (Retail Offers) from the Order Anytime tab on the Food page.
Pre-Condition	● User has an active internet connection. ● User has selected a valid city/location. ● User has access to the Food section. ● Location permission status is available (granted or denied). ● Cinemas and retail offers are configured in the showbiz. ● Retail offers are cinema-specific.
Post Condition	● User views retail offers for a selected cinema. ● Voucher(s) are either added to cart, or activated and QR code generated for redemption. ● Activated vouchers become time-bound.
Basic Flow	UC 29.1.1. User taps Explore Offers (Retail Offers) from the Order Anytime tab. The system checks whether location permission is enabled.

- If location permission is enabled, the system checks whether the user is within the configured radius of any cinema.
 - If the user is within a cinema's configured radius, the system displays:
 - Detected cinema details - cinema name, address, distance from user.
 - CTA options:
 - "I'm here"
 - System confirms the detected cinema and navigates the user to the Voucher listing for that cinema.
 - "Explore other cinemas"
 - the system redirects the user to the Cinema Listing page.
 - If the user is not within the configured radius of any cinema, the system redirects the user to the Cinema Listing page.
- If location permission is disabled, the system prompts the user to allow location access.
 - If the user allows location access, the system continues the flow as described.
 - If the user does not allow location access, the system redirects the user to the Cinema Listing page, based on the city selected on the homepage.

UC 29.1.2. Once the user selects a cinema (either via I'm here or Cinema Listing), the system navigates the user to the voucher listing page specific to the selected cinema.

UC 29.1.3. Before showing the voucher listing, the system displays the Best Offer for that cinema (as configured in the admin panel) which contains:

- Offer image
- Offer title / discount summary (e.g. Use the coupon & get 25% discount)
- CTA - "Interested"
 - The system redirects the user to the offer detail page.
- A close option - "Dismiss"
 - The system redirects the user to the voucher listing page.
- The best offer can be multiple which displays in slider.

UC 29.1.4. On the Retail Voucher Listing Page system displays:

- Promotional banner along with heading & description (Configured from the admin panel)
 - If any voucher scheme is set as a banner, it will display in the banner carousel.
- All available retail vouchers for that cinema are listed.

- Each voucher card shows:
 - Offer image
 - Offer title / discount summary
 - Validity
- Search
 - Users can search for a voucher by entering a keyword.
- On the listing, best offers are displayed first following the other retail offers in random order.

UC 29.1.5. User taps on a voucher card, system displays the Voucher Detail Page having:

- Offer image
- Offer title / discount summary
- How to avail offer section
- Terms & Conditions
- Validity
- CTA:
 - Add to cart
 - Voucher is added to cart for the current session and user is redirected to cart page
 - CTA is changed to “Remove from cart”
 - Activate
 - Voucher is activated and QR code is generated

UC 29.1.6. Cart page

- User navigates to the Cart from the voucher flow.
- System displays all added retail vouchers in the cart for the current session.
- If the cart has vouchers:
 - CTAs:
 - Activate/Activate All (Activate - single voucher & Activate All - multiple vouchers)
 - System activates the vouchers of the cart and redirects the user to voucher activation screen
 - Add more
 - Redirects the user to the voucher listing page

UC 29.1.7. Voucher Activation screen

- From the landing page of retail offers (clicking on activated offers) or Upon activation of vouchers, system redirects the user to voucher activation screen having:
 - System generated QR code along with voucher code for each activated voucher.
 - Offer title / discount summary

	○ How to avail offer section ○ Terms & Conditions ○ Validity ○ A redemption timer starts for each activated voucher. ■ A carousel of all voucher redemption timer is displayed on: ● Voucher listing page ○ With CTA: “View” - redirects user to voucher activation page ● Cart ○ With CTA: “View” - redirects user to voucher activation page ● Multiple activated vouchers displayed horizontally. User can swipe right/left to explore other activated vouchers. ● Activated voucher(s) are displayed with QR code(s) to be shown at the F&B counter.
Alternate Flow	UCA 29.1.1. If cart is empty ● The empty cart screen is displayed with a message: “Nothing in your cart yet! You can add multiple value Food vouchers in your cart” ● CTA - “Add Vouchers” ○ Redirects the user to voucher listing screen.
Exceptional flow	UCE 29.1.1. Voucher Activation Time Expired ● User activates one or more vouchers from the Cart. A countdown timer starts for each activated voucher. ● If the activated voucher is not redeemed within the allowed time: ○ System marks the voucher as Expired. ○ QR code becomes invalid. ○ System shows a popup having a message: “Oops! Voucher time expired. Unfortunately, your voucher time expired. Please go to the voucher to activate it again.” ■ CTA: “Dismiss” - redirects the user to voucher listing page. UCE 29.1.2. Voucher activation limit exceeded (per user) ● If a user tries to add a voucher to the cart that has already been activated the maximum allowed number of times by that user. ● System checks the activation count for that voucher against the user’s limit. ● If the limit is already reached: ○ The voucher is not added to the cart. ○ An error message is displayed.
Business Rules	● Retail vouchers are cinema-specific and can be used only at the selected cinema.

	● Only available and active vouchers can be added to the cart. ● A voucher must be activated before it can be redeemed. ● Activated vouchers are time-bound and must be redeemed within the defined time window. ● Multiple vouchers can be added to the cart at the same time. ● The maximum number of vouchers that can be activated in a single transaction is configurable from the admin panel. ● The maximum number of vouchers that can be active at a time per user is configurable via the admin panel. ● The maximum number of times a voucher can be activated by a user is configurable from the admin panel. ● QR codes are generated only after successful activation. ● Each activated voucher has a unique QR code. ● If the user adds vouchers to the cart and exits the flow before activation, the cart will not be retained. ● Voucher expiry time (15 min) is configurable from the Showbizz. ● Color coding will be applied based on the remaining time. The thresholds are configurable from the Admin Panel. ○ Green: When 15 minutes are remaining ○ Yellow: When 10 minutes are remaining ○ Red: When 5 minutes are remaining
Validations	● If a user tries to activate more than the configured voucher limit in a single transaction, the system displays an error message - “You can activate up to [X] vouchers in one transaction. Please remove some vouchers and try again.” ● If a user tries to activate more vouchers than the configured limit that can be active at a time, the system displays an error message - “You can activate a maximum of [X] vouchers at a time. Please remove some vouchers and try again.” ● The user has already reached the maximum number of active vouchers and tries to activate more, the system displays an error message - “You have reached the maximum limit of [X] active vouchers. Please try again later.” ● If a user tries to activate a voucher more times than the allowed limit, the system displays an error message - ““You have already used this voucher the maximum number of times allowed.”

30. Gift Card

30.1. Use Case

Use Case No.	UC 30
Use case	Gift Card Purchase, Redemption & Management
Description	This use case describes the end-to-end lifecycle of E-Gift Cards within the platform, including: • Purchase of E-Gift Cards (for self or others) • Redemption of Gift Cards as a payment method • Viewing purchased Gift Cards under My Gift Cards • Viewing Gift Card purchase history under My Bookings > Gift Cards
Primary Actor	Customer (Logged in & guest)
Secondary Actor	System Backend (Showbizz, Admin Panel, QC/SBZ Integration) Payment gateway
Triggering Event	This use case is triggered when: • A user selects “Gift Cards” from navigation and initiates purchase of a new E-Gift Card • A user selects “Apply Gift Card” on the Payment Page during checkout. • My Gift Cards section (to view purchased cards, balance, redemption history) • My Bookings > Gift Cards (to view purchase history)
Pre-Condition	• User must be logged into the platform • Internet connectivity must be active. • Gift card must be purchased online to appear under My Gift Cards & My Bookings > Gift Cards • User must have an active booking (movie/F&B/eligible product) in checkout stage.
Post Condition	• E-Gift Card is successfully generated along with unique Gift Card Number & PIN • Transaction details are recorded in admin reports. • Gift Card is reflected in My Gift Cards (for eligible user) & My Bookings > Gift Cards (purchase history) • Redemption entry is recorded in Gift Card redemption history. • If the user abandons the session after applying the gift card, then the applied gift card amount is auto-reversed within the defined system timeout. • No negative balance is maintained.
Basic Flow	Purchase of E-gift card UC 30.1.1. User navigates to the Gift Cards section from More > Gift Card. • System displays the Gift Card Landing Page, which includes: • Promotional banner(s) with description (managed from the admin panel) • Gift card info icon → Clicking on it, system displays information “How GC works”

which is managed from the admin panel

- Two tabs: (Layout of pages are subjected to change basis design finalization.)
 - Shop (for purchasing GC) - default selected
 - My Gift Card (to display purchased GC)

UC 30.1.2. Under “Shop” tabs, System displays a list of active E-Gift Card skins under different categories & sub-categories (configured via admin panel). The sequencing of GC categories & Sub-categories are defined by the admin panel.

- User selects a desired Gift Card design and the system displays Gift Card purchase form.
 - If a guest user selects a GC design, the system redirects the user to the login page and flow continues.
- The form contains:
 - Selected Skin
 - Option to Change skin
 - System displays a list of active E-Gift Card skins under different categories & sub-categories.
 - Denomination Selection (pre-defined values) along with Quantity selector
 - OR Custom Amount field along with Quantity selector

Note: Gift cards are sold at heavily discounted prices, so the offer information is displayed on the purchase form along with the strike-through price.

- ~~Gift Card Type (E-Gift Card — pre-selected)~~
- Validity (managed from the admin panel)
 - 1 year
 - 6 months
- Purchase for:
 - Self
 - Someone Else
- Important Information (Admin managed)
- The user selects/enters either Denomination value or custom amount along with quantity.
 - Standard & Custom Gift Cards can be mixed in one cart
 - Standard Gift Card
 - Denomination values and Offer prices are configured in showbizz.
 - The maximum quantity of a denomination is configurable in showbizz.
 - Custom Amount
 - Users can input a custom amount in multiples of Rs. 50 which is configurable in showbizz.

- Minimum and Maximum Cart value is configured from Showbizz.
- The system calculates and displays Grand Total in real time along with Itemized Breakdown (Per Denomination/custom value)
- User selects Gift Card for Self OR Gift Card for Someone Else
 - If “For Self” is selected, System auto-fetches user’s details:
 - Full Name (pre-filled - editable)
 - Email
 - If email is already verified → pre-filled & non editable
 - If not → pre-filled, editable and option to verify (mandatory step)
 - Phone Number (pre-filled & non-editable)

Note: If the user updates any of the editable fields, the changes are also updated in the user’s profile (My Account).

- If “For Someone Else” is selected, User enters:
 - Recipient Name
 - Recipient Email
 - Recipient Phone Number
 - Message
 - Max length of character is 200.
- Checkbox for Terms & Conditions
 - Clicking on T&C, GCs T&C are displayed that is managed from the admin panel
- The user accepts Terms & Conditions and clicks Proceed to Checkout.

UC 30.1.3. Checkout page

After the user clicks Proceed on the Confirmation Page, the system redirects to the Checkout Page. On the checkout page:

- The system evaluates the cart value against all auto-applicable offers configured in Showbizz.
 - If cart qualifies for one or more auto-offers, the system automatically displays the best eligible offer (having maximum benefit) under exclusive offers.

The checkout page contains:

- A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
- Cart Summary:
 - Gift card skin of each denomination value along with quantity and Offer price
 - If custom amount is added

- GC skin
 - Custom Amount with quantity
 - Purchased price
- If GCs are purchased for someone else - preview option will be there.
 - Displays the app/web UI - dummy (how it looks after purchase on My GC section)
 - The GC image and message is the same as selected.
- Recipient details (for self and someone else)
 - Name
 - Email
 - Phone Number
 - Message (In case user is purchasing GC for someone else)
- Promocode (if configured in admin panel)
 - System displays an Enter Promocode field allowing the user to apply a promocode.
 - If any valid promocode is applied, the system validates eligibility, Applies benefit and Updates bill summary in real-time with an option to remove it.
 - If promocode is invalid → Error message is displayed.
- Bill Details Section:
 - Subtotal
 - Discount applied (if any - promocode, Auto-offer, Bank Offer)
 - If any offer is applied, Offer type and applicable discount is shown.
 - Final payable amount
- Exclusive Offer section:
 - Offer strip having
 - Applied Offer type
 - Promocode Code name (If available)
 - Offer benefit (30% off/ Rs. 100 off)
 - CTA: Browse offers → System displays the Offers section having a list of available offers grouped by type (e.g. Bank Offers, Wallet Offers, others)
 - These offers are listed in the order of maximum benefit based on the cart value.
 - When a new offer is applied:
 - The previously applied offer (if any) is removed after confirmed by the user on a popup.
 - The new offer is applied
 - Payment Summary is updated in real time

- Payment Method
 - If this is the user's first payment attempt → Display "Select Payment Method" (no default option selected).
 - If user has made a payment earlier with one of these options:
 - Credit Card
 - Debit Card
 - Net Banking
 - UPI
 - Wallet (Amazon Pay Balance)
 - Amazon UPI
 - BNPL (Pay later)
 - The last used payment method is pre-selected by default.
 - Note:
 - If the user's most recent payment was made using a method that is not part of these options → The system pre-selects the most recent payment method the user has used from these options.
 - If no payment is made using these methods → system displays "Select Payment Method".
 - These payment options are configurable for gift card purchase from the Admin panel.
 - Regardless of default selection, the user can always change payment method by tapping on the selected payment method tile, which opens the full list of payment options (Payment mode selection page).
- User taps "Proceed to Pay".
- System redirects to the payment gateway and processes the transaction.

UC 30.1.4. Payment Confirmation

- User completes payment via Payment Gateway (Razorpay).
- Razorpay sends payment confirmation to the system.
- System validates the transaction with Showbizz
- Upon successful confirmation from Showbizz:
 - System redirects the user to the Gift Card Confirmation Page.
- QC/SBZ generates:
 - 16-digit Gift Card Number
 - 6-digit PIN
 - Expiry Date
 - Gift Card Amount
- Note: 16-digit number and 6-digit PIN are configurable from Qwickcilver.

- After a successful transaction,
 - For each Gift card, a text/whatsapp message is shared.
 - If user opt in for whatsapp, whatsapp message will be shared. Else text message will be shared.
 - Message contains: (Sender)
 - Template Name: GC_PURCHASE_ECARD_SENDER
 - Template ID: 1707170150853120337
 - Sender ID: INOXMV / PVRCIN
 - SMS Content: "Dear <USERNAME>, Your PVR INOX Digital Gift Card worth <TOTAL_AMOUNT> has been delivered to <RECEIVER_USERNAME>."
 - Message contains: (Receiver)
 - Template Name: GC_PURCHASE_ECARD
 - Template ID: 1707170151530316855
 - Sender ID: INOXMV
 - SMS Content: "Dear {#var#}, You have received a PVR INOX Digital Gift Card, worth {#var#}{#var#}. You can redeem it on INOX online and offline by providing the EGV {#var#} and PIN {#var#}."
 - Message (Purchase for Self)
 - Template Name: GC_PURCHASE_ECARD (or separate self template if configured)
 - Sender ID: INOXMV / PVRCIN
 - SMS Content:
 - "Dear <USERNAME>, You have successfully purchased a PVR INOX Digital Gift Card worth <TOTAL_AMOUNT>. You can redeem it online or at cinemas using the EGV <GC_NUMBER> and PIN <PIN>."
 - Email is also sent immediately which contains:
 - Case 1 - Purchased for Self → Email to Purchaser
 - Gift card skin
 - Number of gift cards purchased
 - Recipient details (Name, Email, Phone)
 - For each gift card:
 - 16-digit gift card number
 - 6-digit PIN
 - Expiry date
 - Gift card amount
 - Transaction details:

- Booking ID
- Track ID
- Transaction date & time
- Gift card count - (Count of gift cards × amount)
- Bill details (as on confirmation page)
- Case 2 – Purchased for Someone Else → Two separate emails are triggered:
- Email to Purchaser
 - Number of gift cards purchased
 - Recipient details (Name, Email, Phone)
 - Transaction details:
 - Booking ID
 - Track ID
 - Transaction date & time
 - Gift card count - (Count of gift cards × amount)
 - Bill details (as on confirmation page)
 - (Does NOT include gift card PIN details for security.)
- Email to Recipient
 - Number of gift cards purchased
 - Recipient details (Name, Email, Phone)
 - Message entered by purchaser
 - For each gift card:
 - Gift card skin
 - 16-digit gift card number
 - 6-digit PIN
 - Expiry date
 - Gift card amount
 - Gift Card Count

Note: In case of Gift Card purchase, no invoice will be generated.

UC 30.1.5. Gift Card Confirmation Page:

- On successful payment, the system displays the GC Confirmation Page showing:
- Success message
 - If purchased for self - “Your E-Gift Card is ready.”
 - If purchased for someone else - “The Gift card will be sent to recipient”
- Information message
 - “Gift card has been added to your My Gift Cards section. You will see purchased Gift Cards stacked for payment on the Checkout page during your movie or Food purchase session on app or web.”

- If purchased for someone else - “Gift card has been sent to the recipient.”
 - “You will receive an email with your purchased gift card details, including card number and PIN.”
 - If purchased for someone else - “The recipient will receive an email containing the gift card details, including the card number and PIN.”
- Booking Summary
 - Gift Card skin
 - Denomination along with Quantity / Custom Amount
 - Booking ID
 - Track ID
 - Transaction Date & Time
 - Purchased for - Self/Someone Else
- Recipient Details
 - Name, Email, Phone Number
- Message (If purchased for someone else)
- Payment Summary (with breakdown)
 - Gift Card
 - GC skin of each denomination
 - Denomination along with Quantity
 - Purchased Price of each denomination
 - If custom amount is added
 - GC skin
 - Custom Amount with quantity
 - Purchased price
 - Subtotal
 - Applied Discount (Promocode, Auto offer, Ban)
 - Total Paid Amount
 - Payment Method
- CTA - “Back to Homepage”
- CTA - “View My Gift Card” - redirect to Gift Card > My Gift Card section
- Promotional banner 3 - configured from Admin panel.
 - The count depends on how many promotional offers are activated from the admin panel for that city.

My Gift Card & Redemption History

UC 30.1.6. User navigates to the Gift Cards section from More > Gift Card.

System opens Gift Card Landing Page. The user clicks on the “My Gift Card” tab.

UC 30.1.7. Under the “My Gift Card” tab, the system fetches all online purchased E-Gift Cards linked to the logged-in user. System displays:

- Two category:
 - Active (default)
 - Gift Cards that have remaining balance > ₹0 and are within validity period (not expired)
 - Inactive
 - Gift Cards that are expired or fully Redeemed (Balance = ₹0)
 - It depends on the showbizz compatibility.
- Each Gift Card tile contains:
 - Gift Card Skin
 - Card Number
 - Current Balance
 - Expiry Date
 - Status Badge:
 - Active
 - Expired
 - Redeemed
 - CTA: View Details - to view GC details & redemption history
- CTA - “Have a different gift card? Check balance” - to check balance of others GCs
 - When user clicks this CTA, system opens a screen containing:
 - Fields
 - Enter GC Number
 - CTA - Check Balance
 - User clicks on “Check Balance” CTA. The system validates GC Number + ~~PIN~~ via QC/SBZ API.
 - On successful validation, Balance amount is displayed on the same screen along with GC number & its expiry date.

UC 30.1.8. User clicks “View Details” on GC and System opens Gift Card Detail Screen which contains:

- GC information:
 - Gift Card Skin
 - Card Number along with an option to copy
 - PIN with an option of hide/unhide (by default - hide)
 - Gift Card Value
 - Current Balance
 - Expiry Date

- Status
- CTA - “Book Movie”
 - Redirects the user to the homepage.
- Redemption History
 - Under this section the system displays the Redemption History list. Each redemption entry contains:
 - Theatre Name
 - Mode - Online/Offline
 - Transaction Date
 - Track ID / Booking ID
 - Amount Debited
 - Remaining Balance
 - Entries are displayed in reverse chronological order (latest first).
 - If no redemption has occurred: System displays “No redemption history available”.

Note: The redemption entry depends upon the information provided by the showbizz.

- CTA: “View Purchase Details” (for self)
 - On clicking View Purchase Details, the system redirects the user to My Bookings > Gift Cards > GC Booking detail Page associated with the selected Gift Card.
 - The system identifies the transaction using the Gift Card's associated Booking ID / Track ID.
 - If multiple Gift Cards were purchased in the same transaction, the system redirects to the same GC Booking detail Page representing that transaction.

Purchase History

UC 30.1.9. User navigates to Account > My Bookings. User selects the “Gift Cards” tab. The system displays all Gift Card purchase transactions made online by the logged-in user. Each transaction card displays:

- Booking ID (if purchase is confirmed)
- Track ID
- Transaction Date & Time
- Selected Skin (thumbnail)
- Denomination breakdown (e.g., 1 × ₹300, 2 × ₹500)
- Purchase Status
 - Confirmed
 - Confirmation awaiting
 - Until all the Gift cards are generated.

	○ Cancelled (In case of Bad transaction) ■ Refund Initiated ■ Refund Completed ● Purchased for - Self/Someone else UC 30.1.10. When a user clicks on a transaction card, the system opens the Gift Card Purchase Summary Page which contains: ● Summary Section ○ Gift Card Skin(s) ○ Denomination × Quantity ○ Booking ID ○ Track ID ○ Transaction Date & Time ○ Purchased For (Self / Someone Else) ○ Information message: ■ If purchased for self - “You have received an email with your purchased gift card details, including the 16-digit card number and 6-digit PIN.” ■ If purchased for someone else - “The recipient has received an email containing the gift card details, including the 16-digit card number and 6-digit PIN.” ● Recipient Details ○ Name ○ Phone Number ○ Email ○ Message (if purchased for someone else) ● Payment Summary / Bill details ○ Purchase Gift card details ■ Gift Card Skin (thumbnail) ■ Denomination/custom amount ■ Quantity ■ Price ○ Subtotal ○ Discount Applied (Promocode / Auto Offer / Bank Offer) ○ Paid Amount ○ Payment Method (e.g., UPI) ● Communication CTAs ○ Resend Email (to Me) ○ Resend SMS (to Me) ○ Resend Email to Recipient - If purchased for someone else
--	---

- Resend SMS to Recipient - If purchased for someone else
- Booking status
- Purchase Status
 - Confirmed
 - Confirmation awaiting
 - Payment is success but Gift Card is not generated due to operational/system issues (e.g., QC/SBZ failure):
 - The transaction is marked as Confirmation Awaiting.
 - A retry mechanism is available in Admin Panel with the following options:
 - Regenerate Gift Card
 - Refund
 - Cancelled (In case of Bad transaction admin choose - "refund")
 - Refund Initiated
 - Refund Completed
 - Cancelled status is displayed along with CTA - "View Refund details."

Clicking on the CTA following info is displayed.

 - Refund Amount
 - Refund Status - Pending/Completed
 - Refund ID
 - Refund Initiated On (date)
 - Original Payment Method
 - Info message:
 - Refund Initiated
 - Info message: "Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support." X= 45 configured from the admin panel.
 - Refund Completed
 - Info message: "Refund has been processed to your source account <date>"
- Redirection CTA - "View My Gift Cards" (only for self)
 - On clicking "View My Gift Cards", the system redirects the user to the My Gift Card section and automatically scrolls to the Gift Card(s) associated with the selected purchase transaction.
 - If only one Gift Card is associated with the transaction, the system directly redirects the user to the Gift Card Detail Page of that Gift Card.

- If at least one associated Gift Card is Active, the system opens the Active tab and scrolls to the first matching Gift Card.
- If all associated Gift Cards are Inactive (Expired/Fully Redeemed), the system opens the Inactive tab and scrolls to the first matching Gift Card.
- If multiple Gift Cards were purchased in the same transaction, the system scrolls to the first Gift Card associated with the transaction, and the remaining Gift Cards are displayed adjacent to it as per the configured sorting order.
- If none of the associated Gift Card(s) are available in the listing (e.g., expired/redeemed beyond the configured visibility period), the system displays an informational message: "The Gift Card(s) associated with this transaction are no longer available in My Gift Cards."

Gift Card Redemption

UC 30.1.11. User proceeds to the Checkout Page. System displays:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary
- F&B summary
- Superticket purchase option (If eligible)
- Purchased Vouchers
 - Active Purchased vouchers are displayed under two categories: Tickets and F&B, along with a Refresh option to fetch the latest vouchers in real time.
 - If vouchers in a category exceed 5 (or the limit defined by the design team), a “View All” CTA appears for that category.
 - Clicking View All opens a bottom sheet (mobile) / right-side panel (web) displaying the complete list of active purchased vouchers from both categories (Tickets and F&B).
- PVR INOX Exclusive Paymodes along with option to apply
 - Gift Card
 - Gyftr
 - M-Coupon
 - Privilege Plus
 - Star Pass
- Bill breakdown
- Cancellation policy
- Exclusive Offers

- Payment methods
- Option to Pay
- A security assurance message:
 - “Your transactions are secure and certified.” along with security certification logos

UC 30.1.12. User taps Apply CTA for Gift Card under PVR INOX Exclusive Paymodes.

System displays Gift card screen having:

- Amount to be paid
- Applied Gift Card Breakdown (If applied)
 - When one or more Gift Cards are applied, the system displays a summary row showing the total amount redeemed via Gift Cards (e.g., “2 × Gift Card Redeemed – ₹320.88”).
 - This row is expandable. On expanding, the system displays the individual applied Gift Cards with:
 - Gift Card Number
 - Amount redeemed from each card.
 - Each applied GC includes a “Remove” option allowing the user to remove the applied GC.
- A list of active GCs associated with the logged Phone number. GC contains:
 - Gift card skin
 - Card number
 - Expiry Date
 - Balance
 - CTA: Redeem
 - System validates the card using QC/SBZ API.
- Section to redeem GC manually.
 - System displays input fields:
 - Gift Card Number
 - Gift Card PIN
 - User enters details.
 - System validates via QC/SBZ API.
- On successful validation, System displays:
 - Gift Card as applied
 - Remaining balance in the card
 - Saving Strip - “You are saving ₹X on this booking”
 - Where: ₹X = Total benefit availed by the user on the booking..
- Redemption
 - If the Gift Card balance is less than the cart value:
 - The available Gift Card balance is fully redeemed.

	■ The remaining amount must be paid using another payment method. ■ CTA: “Pay Remaining Amount – ₹XX using Other Payment Method” ● User is redirected back to the Checkout Page with the updated Payment Summary. ● The redeemed Gift Card amount appears under the Discount section. ● The remaining payable amount is displayed under “To Be Paid.” ● A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.. ○ If the Gift Card balance is greater than or equal to the cart value: ■ The system redeems only the required amount from the Gift Card. ■ The user is directly redirected to the Booking Confirmation Page. ○ User can also apply for multiple Gift Cards. ○ The applied GCs are displayed on top. UC 30.1.13. On successful payment, the system confirms the booking and redirects the user to the Booking Confirmation Page. ● Under the Discount section, if one or more Gift Cards are applied, the system displays a summary row showing the total amount redeemed via Gift Cards (e.g., “2 × Gift Card Redeemed – ₹XX”). ● This row is expandable. On expanding, the system displays the individual applied Gift Cards, including: ○ Gift Card Number ○ Amount redeemed from each Gift Card. UC 30.1.13. The same Payment summary is reflected on the Booking detail page under My Bookings.
Alternate Flow	UCA 30.1.1. Guest User Attempts Purchase ● If a guest user selects a Gift Card design, the system redirects the user to the Login/Signup page. ● After successful login, the system returns the user to the Gift Card purchase form. UCA 30.1.2. User Chooses Custom Amount Instead of Standard Denomination ● User enters a custom amount instead of selecting predefined denominations. ● The system validates the amount against configured multiples, minimum and maximum limits and recalculates the Grand Total in real time.

UCA 30.1.3. Partial Redemption

- If Gift Card balance < cart value:
 - available balance is fully redeemed
 - The user pays the remaining amount via other payment methods.

UCA 30.1.4. User Removes an Applied Gift Card

- The user expands the GC Redeemed section in the booking summary.
- The system displays the individual applied GCs along with the Remove option.
- The user clicks Remove against a specific GC.
- The system removes the selected Gift Card from the booking.
- The removed Gift Card becomes available again for redemption in the same session.
- The system recalculates and updates:
 - Amount to be Paid
 - Gift Card Redeemed Summary (If other GCs are applied)
 - Balance to Pay (If other GCs are applied)
- The user can:
 - Apply another Gift Card, or
 - Continue with the booking payment.

UCA 30.1.5. User Updates F&B Quantity After Applying Gift Card

- The user attempts to modify the cart after applying vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”
- Options: Yes / No
 - If Yes:
 - All applied GCs are removed
 - Saving strip is removed
 - Booking summary is updated
 - If No:
 - No changes are made
 - Applied GCs remain intact

UCA 30.1.6. Viewing and Removing Applied Gift Card from Checkout Page

- After one or more Gift Cards are successfully applied, the user is redirected back to the Checkout Page with the updated payment summary.
- Under PVR INOX Exclusive Paymodes, the Gift Card CTA changes from “Apply” to
 - “Appy More” - redirect the user to Gift Card screen
 - “Remove”
 - If only 1 Gift Card is applied, It is removed directly from checkout

	■ If multiple Gift Cards are applied, the User is redirected to the Gift Card screen. ○ The section also displays the number of Gift Card coupons applied and the total redeemed amount. ● When the user clicks “Appy More”, the system opens the Gift Card screen. ● The Gift Card screen displays the applied Gift Card, including: ○ Voucher number ○ Amount redeemed from each voucher ○ Remove option ● The user clicks Remove against a specific Gift Card. ● The system removes the selected voucher and updates the Booking Summary. ● If all applied Gift Cards are removed, the CTA under PVR INOX Exclusive Paymodes changes back to “Apply.” ● The user can: ○ Apply new/same Gift Cards, or ○ Proceed with the booking using other payment methods. UCA 30.1.8. If the user attempts to apply an offer, voucher, or exclusive pay mode after a Gift Card is already applied: ● The system displays a confirmation prompt: “Applying this will remove the currently applied discount. Do you want to continue?” ● CTA: “Yes” ○ The applied Gift Card is removed ○ The selected offer/voucher/pay mode is applied ○ The payment summary is updated accordingly ● CTA: “No” ○ No changes are made ○ The Gift Card remains applied
Exceptional flow	UCE 30.1.1. Invalid Custom Amount ● If the custom amount entered: ○ is not in configured multiples ○ is below minimum value ○ exceeds maximum allowed value ● The system displays an error message and prevents proceeding. UCE 30.1.2. Payment Success but GC Generation Failure ● If payment succeeds but Gift Card generation fails due to QC/SBZ error: ○ transaction is marked Confirmation Awaiting ○ system attempts retry. ○ UI displays information to user accordingly.

	UCE 30.1.3. QC/SBZ API Failure ● If QC/SBZ validation API fails while checking balance: ○ system displays “Unable to fetch Gift Card details. Please try again.” UCE 30.1.4. Session Cancel (kill the app) After Gift Card Redemption ● If the user abandons or cancels the session after redeeming a Gift Card: ○ The system automatically reverses the redeemed Gift Card amount. ○ The amount is credited back to the same Gift Card balance. UCE 30.1.5. If the transaction is marked as Bad Transaction by Showbizz after payment: ● The booking status is marked as Cancelled under My Bookings. ● The redeemed Gift Card amount is credited back to the same Gift Card. ● Any remaining amount paid via other payment methods is refunded to the original payment source. ● The refund status is displayed under My Bookings > Gift Card Purchase History.
Business Rules	● Only E-Gift Cards are supported in the current scope. ● Users must be logged in to purchase Gift Cards and to view purchased Gift Cards. ● Gift Cards are displayed under categories and sub-categories configured via the admin panel, and their sequencing is controlled from the Admin Panel. ● Predefined Gift Card denominations and their discounted prices are configured and managed in Showbizz. ● The maximum quantity of each denomination that can be purchased in a single transaction is configurable via Showbizz. ● If the user selects “Purchase for Someone Else”, the recipient details must be different from the logged-in user details. ● Gift cards can be purchased using the payment methods configured in the admin panel. ● Only online purchased Gift Cards are displayed under My Gift Cards ● Purchased Gift Cards are categorized into: ○ Active – Balance > ₹0 and not expired ○ Inactive – Expired or Redeemed ● Purchased GCs sequencing: ○ Active GCs are sorted in ascending order of expiry (earliest expiry first) ○ Redeemed GCs are sorted based on the redemption date, with the most recently redeemed GCs displayed at the top. ○ Expired GCs are sorted by most recently expired first. ○ Redeemed and Expired GCs are displayed only for the last 30 days (this

duration is configurable from the Admin Panel).

- To check Gift Card balance, the user must enter the valid 6-digit PIN if GC is not marked in the user profile.
- Gift Cards can be redeemed multiple times until the balance becomes ₹0.
- Users can apply multiple Gift Cards in a single transaction.
- If a user abandons the checkout session after applying a Gift Card, the redeemed amount is automatically reversed.
- If a booking fails after Gift Card redemption, the redeemed amount is credited back to the same Gift Card balance.
- No invoice is generated for Gift Card purchases.
- If a Gift Card is purchased for someone else:
 - It appears in the recipient's My Gift Cards
 - The purchase record appears in the purchaser's My Bookings.
- Gift Cards cannot be used to purchase another Gift Card.
- Gift Card Compatibility
 - Gift Cards cannot be used for purchasing vouchers.
 - Gift Cards can be used in combination with
 - Applicable offers
 - Purchased voucher redemption
 - Exclusive pay modes (e.g., Gyftr, M-Coupon, Privilege Plus, Star Pass).
 - Offers, vouchers, and exclusive pay modes can be applied before Gift Card redemption.
 - Once a Gift Card is applied:
 - Users cannot apply additional offers, vouchers, or exclusive pay modes, except Gyftr.
 - The compatibility of Gift Cards with vouchers, offers, purchased vouchers, and exclusive pay modes is configurable via the Admin Panel.
 - If the user attempts to apply any offer, voucher, or exclusive pay mode after a Gift Card is applied:
 - The system prompts a confirmation message.
 - On confirmation, the applied Gift Card is removed, and the selected option is applied.
 - Refer to the sheet for its compatibility →  PVR Grid
- Gift card is displayed under “PVR INOX Exclusive Paymodes” on the Checkout Page if configured in the Admin Panel. The admin can control its state as: Active (displayed), Disabled/Greyed out, or Hidden (not displayed). Gift card is still displayed even when it is not compatible; however, the system will prevent the user from applying for it and display the appropriate validation message.

	● If Gift Cards are redeemed in a booking, the booking cannot be cancelled by the user after successful booking confirmation.
Validations	● Custom Amount Invalid - User enters an amount not in configured multiples. ○ Message: "Please enter an amount in multiples of ₹50." (value configurable) ● Amount Below Minimum Limit - Custom amount is less than the configured minimum value. ○ Message: "Amount must be at least ₹150." (value configurable) ● Amount Exceeds Maximum Limit - Custom amount exceeds the configured maximum value. ○ Message: "Amount cannot exceed ₹5000." (value configurable) ● Mandatory Recipient Details - User selects Someone Else but required fields are missing. ○ Message: "Please enter recipient name, email, and phone number." ● Invalid Email Format - Recipient email format is incorrect. ○ Message: "Please enter a valid email address." ● Invalid Phone Number - Phone number does not match required format. ○ Message: "Please enter a valid Phone number." ● Invalid Gift Card Number or PIN - Gift Card number or PIN validation fails via QC/SBZ API. ○ Message: "Invalid Gift Card number or PIN." ● Gift Card Expired - User attempts to redeem an expired Gift Card. ○ Message: "This Gift Card has expired." ● Gift Card Fully Redeemed - Gift Card balance is ₹0. ○ Message: "This Gift Card has already been fully redeemed." ● Gift Card Not Applicable - Gift Card is attempted for an unsupported transaction. ○ Message: "Gift Card cannot be used for this purchase." ● Maximum Quantity Exceeded - User selects more quantity than allowed. ○ Message: "Maximum quantity limit exceeded." ● Self Details Entered in Recipient Section - User enters their own registered email ID or mobile number while purchasing a Gift Card for someone else. ○ Message: "Recipient details cannot be the same as your registered account details." Booking Cancellation Due to Bad Transaction ● Payment is successful at the Payment Gateway, but the booking fails at Showbuzz due to a bad transaction. The system automatically cancels the transaction and initiates the refund. Message Displayed: "Your cancellation has been initiated. The refund will be processed within 45

	minutes. If you face any issues, please contact customer support. Please wait for 30 minutes (as configured in admin panel) before attempting to reuse the Gift Card.”
--	--

31. Star Pass

31.1. Use Case

Use Case No.	UC 31
Use case	Star Pass Redemption
Description	This use case describes the process where users redeem Star Pass vouchers during the ticket booking checkout flow. Users can apply for one Star Pass per booked seat. The system validates coupon codes, applies them to the booking, and generates redemption records in the admin panel.
Primary Actor	Logged in Customer
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway
Triggering Event	User reaches the Checkout / Payment page after selecting movie, cinema, showtime, and seats, and chooses Star Pass under PVR Exclusive Payment Modes to redeem Star Pass coupon codes for the booking.
Pre-Condition	• User must be logged into the platform • Internet connectivity must be active. • The user has selected movie, cinema, showtime, seats, and F&B items (if applicable). • The user has reached the Checkout / Payment page. • Star Pass payment mode is enabled for the selected cinema and showtime. • The user possesses valid Star Pass coupon codes issued offline to corporate users. • The Offer/Payment system is available to validate and apply Star Pass coupons.
Post Condition	• If the Star Pass coupons are successfully validated and the booking is completed, the tickets are issued and booking confirmation is generated. • The Star Pass coupons used in the booking are marked as redeemed and cannot be reused. • The Star Pass redemption details are recorded in the Admin Panel redemption report. • If the booking is cancelled after confirmation, the Star Pass coupons used in the

	booking are not refunded or reinstated. ● If the booking is not completed due to session termination or system failure, the applied offers (if any) are rolled back.
Basic Flow	Star Pass Redemption UC 31.1.1. User proceeds to the Checkout Page. System displays: ● Countdown timer (8 minutes – configurable via Global Configuration). ● Booking summary ● F&B summary ● Superticket purchase option (If eligible) ● Purchased Vouchers ● PVR INOX Exclusive Paymodes along with option to apply ○ Gift Card ○ Gyftr ○ M-Coupon ○ Privilege Plus ○ Star Pass ● Bill breakdown ● Cancellation policy ● Exclusive Offers ● Payment methods ● Option to Pay ● Security assurance message UC 31.1.2. User taps Apply CTA for Star Pass under PVR INOX Exclusive Paymodes. System displays Star Pass screen having: ● Countdown timer (8 minutes – configurable via Global Configuration). ● Booking summary section ○ Amount to be paid ● Info message: “You can redeem up to one Star Pass coupon per seat booking!” ● System displays input fields: ○ Voucher Code ● Other Info message managed from admin panel ○ Star Pass will not be refunded for cancellation ○ If there is an internet connectivity problem while booking the free tickets using your coupon codes and the tickets are not issued please wait for 30 minutes before trying to use the Coupon Codes again ● The user enters the Star Pass voucher code in the input field and clicks Apply. The system validates the entered voucher code. ○ Star Pass Field Validation: ■ Supports alphanumeric characters (A–Z, a–z, 0–9).

- Minimum length: 4 characters.
 - Maximum length: 20 characters.
- On successful validation,
 - The Star Pass coupon is applied to the booking.
 - The discount amount is deducted from the total booking amount.
- System updated the Booking Summary having:
 - Saving Strip - “You are saving ₹X on this booking”
 - Where: ₹X = Total benefit availed by the user on the booking.
 - Amount to be paid
 - Applied StarPass Breakdown (If applied)
 - When one or more Star-Passes are applied, the system displays a summary row showing the total amount redeemed via Star Pass (e.g., “2 × Star Pass Redeemed – ₹X”).
 - This row is expandable. On expanding, the system displays the individual applied Star Pass with:
 - Star Pass Voucher Number (e.g., LJK3456)
 - Amount redeemed from each Star Pass.
 - Each applied coupon includes a “Remove” option allowing the user to remove the applied voucher.
 - Updated Balance to Pay
- Since Star Pass vouchers are applicable only on the ticket value, any remaining payable amount (such as F&B items, convenience fees, taxes, or ticket balance) will not be covered by the Star Pass vouchers. The system displays a CTA: “Pay ₹X using other Payment Method.”
 - The user clicks the CTA and redirects back to the Checkout Page with the updated Payment Summary.
 - The redeemed Star Pass amount appears under the Discount section.
 - The remaining payable amount is displayed under “To Be Paid.”
 - A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking..
- The user can apply multiple Star Pass vouchers by entering additional voucher codes. The system ensures that the maximum number of Star Pass vouchers applied does not exceed the number of booked seats.

UC 31.1.3. After successful payment, the booking is confirmed and Star Pass redemption details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page.

- Under the Discount section, if one or more Star Pass are applied, the system displays a summary row showing the total amount redeemed via Star Pass (e.g., “2 × Star Pass Redeemed – ₹XX”).

	● This row is expandable. On expanding, the system displays the individual applied Star Pass Coupon, including: ○ Star Pass Voucher Number (e.g., LJK3456) ○ Amount redeemed from each Star Pass. UC 31.1.4. The same Payment summary is reflected on the Booking detail page under My Bookings.
Alternate Flow	UCA 31.1.1. User Removes an Applied Star Pass ● The user expands the Star Pass Redeemed section in the booking summary. ● The system displays the individual applied Star Pass vouchers along with the Remove option. ● The user clicks Remove against a specific Star Pass voucher. ● The system removes the selected Star Pass voucher from the booking. ● The removed Star Pass voucher becomes available again for redemption in the same session. ● The system recalculates and updates: ○ Amount to be Paid ○ Star Pass Redeemed Summary (If other Star Pass is applied) ○ Balance to Pay (If other Star Pass is applied) ● The user can: ○ Apply another Star Pass voucher, or ○ Continue with the booking payment. UCA 31.1.2. User Applies Multiple Star Pass Vouchers ● The user enters a valid Star Pass voucher code and clicks Apply. ● The system validates and applies the voucher. ● The user enters another Star Pass voucher code. ● The system validates and applies the second voucher. ● The system continues allowing voucher redemption until the number of applied Star Pass vouchers equals the number of booked seats. ● The system updates the Booking Summary and Balance to Pay after each successful redemption. UCA 31.1.3. Star Pass Covers Full Ticket Value ● The user applies one or more Star Pass vouchers. ● If the total ticket value becomes fully covered, the ticket amount becomes ₹0. ● If additional charges exist (F&B, convenience fee, taxes), the user must pay the remaining balance using another payment method. ● If no additional charges exist, the system allows the user to proceed directly to booking confirmation. UCA 31.1.4. User Closes the Star Pass Screen ● The user clicks the Close (X) icon on the Star Pass screen.

- The system closes the Star Pass screen.
- The user is redirected back to the Checkout Page.
- If any Star Pass vouchers were applied, the discount summary remains reflected in the payment breakdown.

UCA 31.1.5. User Updates F&B Quantity After Applying Star Pass

- The user attempts to modify the cart after applying vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”
- Options: Yes / No
 - If Yes:
 - All applied vouchers are removed
 - Saving strip is removed
 - Booking summary is updated
 - Vouchers returns to default (Apply) state.
 - If No:
 - No changes are made
 - Applied vouchers remain intact

UCA 31.1.6. Viewing and Removing Applied Star Pass from Checkout Page

- After one or more Star Pass vouchers are successfully applied, the user is redirected back to the Checkout Page with the updated payment summary.
- Under PVR INOX Exclusive Paymodes, the Star Pass CTA changes from “Apply” to
 - “Appy More” - redirect the user to Star Pass screen
 - “Remove”
 - If only 1 Star Pass is applied, It is removed directly from checkout
 - If multiple Star Passes are applied, the user is redirected to the Star Pass screen.
 - The section also displays the number of Star Pass coupons applied and the total redeemed amount.
- When the user clicks “Appy More”, the system opens the Star Pass screen.
- The Star Pass screen displays the applied Star Pass vouchers, including:
 - Voucher number
 - Amount redeemed from each voucher
 - Remove option
- The user clicks Remove against a specific Star Pass voucher.
- The system removes the selected voucher and updates the Booking Summary.
- If all applied Star Pass vouchers are removed, the CTA under PVR INOX Exclusive Paymodes changes back to “Apply.”
- The user can:
 - Apply new/same Star Pass vouchers, or

	○ Proceed with the booking using other payment methods.
Exceptional flow	UCE 31.1.1. Invalid Star Pass Voucher ● The user enters a Star Pass voucher code and clicks Apply. ● The system validates the voucher code. ● If the voucher code is invalid, the system displays an error message. UCE 31.1.2. Star Pass Already Redeemed ● The user enters a Star Pass voucher code. ● During validation, the system detects that the voucher has already been redeemed. ● The system displays an error message indicating that the voucher has already been used. UCE 31.1.3. Star Pass Limit Exceeded ● The user attempts to apply more Star Pass vouchers than the number of booked seats. ● The system validates the request. The system prevents the application of additional vouchers. ● A validation message is displayed indicating that only one Star Pass can be applied per seat. UCE 31.1.4. Session Terminated After Applying Star Pass ● The user applies a Star Pass voucher but exits the session or kills the application before completing the booking. ● The system detects session termination. ● The applied offer is automatically rolled back. UCE 31.1.5. Payment Successful but Booking Failure at Showbizz (Bad Transaction) ● The user applies one or more Star Pass vouchers and proceeds to complete the remaining payment (if applicable) via the Payment Gateway (PG). ● The payment is successfully processed by the Payment Gateway. ● During booking confirmation, the Showbizz system fails to generate the booking due to a Bad Transaction. ● The system marks the transaction as Booking Failed / Bad Transaction. ● The user is informed that the booking could not be completed. ● The system initiates the refund process for the amount paid via the Payment Gateway, as per the payment gateway refund policy. ● The Star Pass vouchers used in the transaction remain temporarily locked until its rolled back, and the user is advised to wait for 30 minutes as per system configuration before attempting to reuse the coupon codes.
Business Rules	● Star Pass vouchers are distributed offline to corporate partners and can be

redeemed during the ticket booking checkout flow.

- One Star Pass voucher can be redeemed per seat booked. The maximum number of Star Pass vouchers that can be applied cannot exceed the number of selected seats.
- Star Pass vouchers are applicable only on the ticket value. They cannot be applied to F&B items, convenience fees, taxes, or other additional charges.
- If the ticket value is fully covered by Star Pass vouchers, any remaining charges such as F&B or convenience fees must be paid using other available payment methods.
- If a booking fails due to system errors before ticket issuance, the user is advised to wait for 30 minutes (as configured in the admin panel) before attempting to reuse the same Star Pass voucher.
- If the user exits the session after applying an offer, the applied offers will automatically roll back.
- The system must record all successful Star Pass redemptions in the Admin Panel redemption report.
- The Star Pass redeemed amount must be displayed in the booking summary under the Discount section, along with the individual voucher breakdown.
- The same redemption and payment summary must be reflected on the Booking Confirmation page and Booking Details page under My Bookings.
- Star Pass vouchers are non-refundable and bookings made using Star Pass cannot be cancelled by the user.
- Star Pass Compatibility
 - Star Pass vouchers cannot be applied if the user has purchased any voucher (CVP, family bundle, superticket, F&B voucher, Passport) in the same transaction.
 - Star Pass vouchers cannot be applied if any promotional offer is already applied to the booking.
 - Star Pass vouchers cannot be applied if any other voucher (CVP, family bundle, superticket, F&B voucher, Passport) has been redeemed in the transaction.
 - Star Pass cannot be applied along with any other PVR INOX Exclusive Paymodes except:
 - Gift Card
 - Gyftr
 - The compatibility of Star Pass with other vouchers, offers, and payment modes is managed from Showbizz.
 - Refer to the sheet for its compatibility →  PVR Grid
- Star Pass is displayed under “PVR INOX Exclusive Paymodes” on the Checkout

	Page if configured in the Admin Panel. The admin can control its state as: Active (displayed), Disabled/Greyed out, or Hidden (not displayed). Star Pass is still displayed even when it is not compatible; however, the system will prevent the user from applying it and display the appropriate validation message.
Validations	Invalid Voucher Code - The user enters an invalid Star Pass voucher code. The system displays a message - “The voucher code entered is invalid. Please enter a valid Star Pass voucher.” Voucher Already Redeemed - The user enters a Star Pass voucher that has already been used. The system displays a message - “This Star Pass voucher has already been redeemed.” Seat Limit Exceeded - The user tries to apply for more Star Pass vouchers than the number of booked seats. The system displays a message - “You can redeem up to one Star Pass voucher per seat booking. Duplicate Voucher Entry - The user enters the same voucher code more than once in the same transaction. The system displays a message - “This voucher code has already been applied.” Voucher Not Applicable - Voucher is not applicable for the selected show/cinema. The system displays a message - “This Star Pass voucher is not applicable for the selected booking.” Voucher Removed - The user removes an applied Star Pass voucher. The system displays a message - “Star Pass voucher removed successfully.” Booking Cancellation Due to Bad Transaction - Payment is successful at the Payment Gateway, but the booking fails at Showbuzz due to a bad transaction. The system automatically cancels the transaction and initiates the refund. Message Displayed: “Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support. Please wait for

	30 minutes (as configured in the admin panel) before attempting to reuse the Star Pass voucher codes.” Star Pass with Purchased Voucher - The user tries to apply for a Star Pass when a voucher has been purchased in the same transaction. The system displays a message - “Star Pass cannot be applied when a voucher is purchased in the same transaction.” Star Pass with Offer Applied - The user tries to apply for a Star Pass when a promotional offer is already applied. The system displays a message - “Star Pass cannot be applied with the selected offer. Please remove the offer to continue.” Star Pass with Restricted PVR Exclusive Paymode - The user tries to apply for a Star Pass when another restricted PVR Exclusive Paymode (e.g., MCoupon, Privilege Plus) is already applied. The system displays a message - “Star Pass cannot be applied with the selected PVR Exclusive Paymode. Please remove the applied PVR Exclusive Paymode to continue.” Star Pass with Redeemed Voucher - The user tries to apply for a Star Pass when another voucher is already redeemed in the transaction. The system displays a message - “Star Pass cannot be applied with the redeemed voucher in this transaction.” Star Pass Not Applicable - The user attempts to apply for a Star Pass, but the voucher is not applicable for the selected booking due to compatibility restrictions configured in Showbizz (e.g., show, cinema, or payment compatibility). The system displays a message - “This Star Pass is not applicable for this booking.”
--	---

32. Gyftr / Voucher Gram

32.1. Use Case

Use Case No.	UC 32
Use case	Gyftr / Voucher Gram Redemption

Description	This use case describes the process where users redeem Gyftr / Voucher Gram vouchers during the ticket booking checkout flow. The user can apply a valid voucher code to redeem the voucher amount against the booking. The system validates the voucher code, applies the voucher value to the booking summary, and updates the payable amount accordingly.
Primary Actor	Logged in Customer
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway
Triggering Event	User reaches the Checkout / Payment page after selecting movie, cinema, showtime, seats, and F&B items (if applicable) and chooses Gyftr / Voucher Gram under PVR INOX Exclusive Paymodes to redeem the voucher code for the booking.
Pre-Condition	• User must be logged into the platform • Internet connectivity must be active. • The user has selected movie, cinema, showtime, seats, and F&B items (if applicable). • The user has reached the Checkout / Payment page. • Gyftr / Voucher Gram payment mode is enabled for the selected cinema and showtime. • The user possesses a valid Gyftr / Voucher Gram voucher code. • The Offer/Payment system is available to validate and apply the voucher code.
Post Condition	• If the Gyftr / Voucher Gram voucher is successfully validated and the booking is completed, the tickets are issued and booking confirmation is generated. • The Gyftr / Voucher Gram voucher used in the booking is marked as redeemed and cannot be reused. • The voucher redemption details are recorded in the Admin Panel redemption report. • If the voucher amount is greater than the total bill amount, the remaining voucher value will be forfeited. • Gyftr / Voucher Gram voucher amount will not be refunded on cancellation. • If the booking is not completed due to session termination or system failure, the applied offers (if any) will roll back.
Basic Flow	Gyftr Redemption UC 32.1.1. User proceeds to the Checkout Page. System displays: • Countdown timer (8 minutes – configurable via Global Configuration). • Booking summary • F&B summary • Superticket purchase option (If eligible)

- Purchased Vouchers
- PVR INOX Exclusive Paymodes along with option to apply
 - Gift Card
 - Gyftr
 - M-Coupon
 - Privilege Plus
 - Star Pass
- Bill breakdown
- Cancellation policy
- Exclusive Offers
- Payment methods
- Option to Pay
- Security assurance message

UC 32.1.2. User taps Apply CTA for Gyftr / Voucher Gram under PVR INOX Exclusive Paymodes. System displays Gyftr / Voucher Gram screen having:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary section
 - Amount to be paid
- System displays input fields:
 - Voucher Code
- Other Info message managed from admin panel
 - Multiple vouchers can be used per transaction.
 - The remaining amount will be forfeited if the bill is less than the voucher value.
 - Gyftr vouchers are non-refundable on cancellation.
- The user enters the Gyftr / Voucher Gram voucher code in the input field and clicks Apply. The system validates the entered voucher code.
- On successful validation,
 - The Gyftr voucher is applied to the booking.
 - The voucher amount is deducted from the ticket value (including convenience fee).
- System updated the Booking Summary having:
 - Saving Strip - “You are saving ₹X on this booking”
 - Where: ₹X = Total benefit availed by the user on the booking..
 - Amount to be paid
 - Applied Gyftr Voucher Breakdown (If applied)
 - When one or more Gyftr vouchers are applied, the system displays a summary row showing the total amount redeemed via Gyftr (e.g., “2 × Gyftr – ₹X”).

	■ This row is expandable. On expanding, the system displays the individual applied Gyftr with: ● Gyftr Voucher Number (e.g., LJK3456) ● Amount redeemed from each Gyftr. ● Each applied coupon includes a “Remove” option allowing the user to remove the applied voucher. ○ Updated Balance to Pay ● The user can apply multiple Gyftr vouchers by entering additional voucher codes. The system ensures that the total Gyftr redemption does not exceed the ticket value (including convenience fee). ○ If the voucher amount is greater than the applicable bill amount, the remaining voucher value will be forfeited. ● If the voucher amount is less than the total bill amount, the system displays a CTA: “Pay ₹X using other Payment Method.” ○ The user clicks the CTA and redirects back to the Checkout Page with the updated Payment Summary. ○ The redeemed Gyftr amount appears under the Discount section. ○ The remaining payable amount is displayed under “To Be Paid.” ○ A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.. UC 32.1.3. After successful payment, the booking is confirmed and Gyftr redemption details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page. ● Under the Discount section, if one or more Gyftr are applied, the system displays a summary row showing the total amount redeemed via Gyftr (e.g., “2 × Gyftr Redeemed – ₹XX”). ● This row is expandable. On expanding, the system displays the individual applied Gyftr Coupon, including: ○ Gyftr Voucher Number (e.g., LJK3456) ○ Amount redeemed from each Gyftr. UC 32.1.4. The same Payment summary is reflected on the Booking detail page under My Bookings.
Alternate Flow	UCA 32.1.1. User Removes an Applied Gyftr Voucher ● The user expands the Gyftr Voucher Redeemed section in the booking summary. ● The system displays the individual applied Gyftr vouchers along with the Remove option. ● The user clicks Remove against a specific Gyftr voucher. ● The system removes the selected Gyftr voucher from the booking. ● The removed Gyftr voucher becomes available again for redemption in the same

session.

- The system recalculates and updates:
 - Amount to be Paid
 - Gyftr Voucher Redeemed Summary (If other Gyftr vouchers are applied)
 - Balance to Pay
- The user can:
 - Apply another Gyftr voucher, or
 - Continue with the booking payment.

UCA 32.1.2. User Applies Multiple Gyftr Vouchers

- The user enters a valid Gyftr / Voucher Gram voucher code and clicks Apply.
- The system validates and applies the voucher.
- The voucher amount is deducted from the applicable bill amount (ticket value including convenience fee).
- The system updates the Booking Summary, displaying:
 - Amount to be Paid
 - Applied Gyftr Voucher Breakdown (If applied)
 - Updated Balance to Pay
- The user enters another Gyftr voucher code.
- The system validates and applies the second voucher.
- The system continues allowing multiple Gyftr vouchers to be applied until the applicable bill amount becomes ₹0 or the user stops applying vouchers.
- The system updates the Booking Summary and Balance to Pay after each successful redemption.

UCA 32.1.3. Gyftr Covers Full Ticket Value

- The user applies one or more Gyftr vouchers.
- If the total applicable bill amount (ticket + convenience fee) becomes fully covered, the payable amount becomes ₹0.
- If F&B or other non-applicable charges exist, the user must pay the remaining balance using another payment method.
- If no additional charges exist, the system allows the user to proceed directly to booking confirmation.

UCA 32.1.4. User Closes the Gyftr Screen

- The user clicks the Close (X) icon on the Gyftr screen.
- The system closes the Gyftr screen.
- The user is redirected back to the Checkout Page.
- If any Gyftr vouchers were applied, the discount summary remains reflected in the payment breakdown.

UCA 32.1.5. User Updates F&B Quantity After Applying Gyftr

- The user attempts to modify the cart after applying vouchers. The system

displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”

- Options: Yes / No
 - If Yes:
 - All applied vouchers are removed
 - Saving strip is removed
 - Booking summary is updated
 - Vouchers returns to default (Apply) state.
 - If No:
 - No changes are made
 - Applied vouchers remain intact

UCA 32.1.6. Viewing and Removing Gyftr from Checkout Page

- After one or more Gyftr vouchers are successfully applied, the user is redirected back to the Checkout Page with the updated payment summary.
- Under PVR INOX Exclusive Paymodes, the Gyftr CTA changes from “Apply” to
 - “Appy More” - redirect the user to Gyftr screen
 - “Remove”
 - If only 1 Gyftr coupons is applied, It is removed directly from checkout
 - If multiple Gyftr Coupons are applied, the user is redirected to the Gyftr screen.
 - The section also displays the number of Gyftr coupons applied and the total redeemed amount.
- When the user clicks “Appy More”, the system opens the Gyftr screen.
- The Gyftr screen displays the applied Gyftr vouchers, including:
 - Voucher number
 - Amount redeemed from each voucher
 - Remove option
- The user clicks Remove against a specific Gyftr voucher.
- The system removes the selected voucher and updates the Booking Summary.
- If all applied Gyftr vouchers are removed, the CTA under PVR INOX Exclusive Paymodes changes back to “Apply.”
- The user can:
 - Apply new/same Gyftr vouchers, or
 - Proceed with the booking using other payment methods.

UCA 32.1.7. Restriction After Applying Gyftr Voucher

- The user successfully applies one or more Gyftr vouchers.
- The system updates the Booking Summary and redirects the user back to the Checkout Page.

	• After applying Gyftr vouchers, the system does not allow the user to apply any other vouchers or PVR INOX Exclusive Paymodes. • The options under PVR INOX Exclusive Paymodes remain visible but cannot be applied. • The user can only proceed with the remaining payment using the available payment methods (e.g., UPI, Card, Net Banking, etc.).
Exceptional flow	UCE 32.1.1. Invalid Gyftr Voucher • The user enters a Gyftr voucher code and clicks Apply. • The system validates the voucher code. • If the voucher code is invalid, the system displays an error message. UCE 32.1.2. Gyftr Already Redeemed • The user enters a Gyftr voucher code. • During validation, the system detects that the voucher has already been redeemed. • The system displays an error message indicating that the voucher has already been used. UCE 32.1.3. Gyftr Limit Exceeded • The user attempts to apply Gyftr vouchers exceeding the applicable bill amount (ticket value including convenience fee). • The system validates the request. The system prevents the application of additional Gyftr vouchers once the applicable bill amount is fully covered. • A validation message is displayed indicating that no further Gyftr vouchers can be applied for this booking. UCE 32.1.4. Session Terminated After Applying Gyftr • The user applies a Gyftr voucher but exits the session or kills the application before completing the booking. • The system detects session termination. • The applied offer is automatically rolled back. UCE 32.1.5. Payment Successful but Booking Failure at Showbizz (Bad Transaction) • The user applies one or more Gyftr vouchers and proceeds to complete the remaining payment (if applicable) via the Payment Gateway (PG). • The payment is successfully processed by the Payment Gateway. • During booking confirmation, the Showbizz system fails to generate the booking due to a Bad Transaction. • The system marks the transaction as Booking Failed / Bad Transaction. • The user is informed that the booking could not be completed. • The system initiates the refund process for the amount paid via the Payment Gateway, as per the payment gateway refund policy. • The Gyftr vouchers used in the transaction remain temporarily locked until its

	rolled back, and the user is advised to wait for 30 minutes as per system configuration before attempting to reuse the coupon codes.
Business Rules	● Gyftr / Voucher Gram vouchers can be redeemed during the ticket booking checkout flow under PVR INOX Exclusive Paymodes. ● Multiple Gyftr vouchers can be applied in a single transaction. ● Gyftr vouchers are applicable only on the ticket value including convenience fee. ● Gyftr vouchers cannot be applied to F&B items or other non-applicable charges. ● If the voucher amount exceeds the applicable bill amount, the remaining voucher value will be forfeited. ● If the voucher amount is less than the total bill amount, the remaining payable amount must be paid using other available payment methods. ● If a booking fails due to system errors before ticket issuance, the user is advised to wait for 30 minutes (as configured) before attempting to reuse the same Gyftr voucher. ● If the user exits the session after applying an offer, the applied Gyftr will automatically roll back. ● The system must record all successful Gyftr redemptions in the Admin Panel redemption report. ● The Gyftr redeemed amount must be displayed in the booking summary under the Discount section, along with the individual voucher breakdown. ● The same redemption and payment summary must be reflected on the Booking Confirmation page and Booking Details page under My Bookings. ● Gyftr vouchers are non-refundable and bookings made using Gyftr cannot be cancelled by the user. ● Gyftr vouchers cannot be combined with other vouchers or PVR INOX Exclusive Paymodes if Gyftr is applied first. However, Gyftr can be applied if those vouchers or paymodes are applied first, subject to Showbizz compatibility. ● Gyftr Field Validation: ○ Supports alphanumeric characters (A–Z, a–z, 0–9). ○ Minimum length: 4 characters. ○ Maximum length: 20 characters. ● Gyftr Compatibility ○ Gyftr cannot be used for purchasing vouchers. ○ Gyftr can be used in combination with: ■ Applicable offers ■ Purchased voucher redemption ■ Exclusive pay modes (e.g., Gyftr, M-Coupon, Privilege Plus, Star Pass).

	○ Offers, vouchers, and exclusive pay modes can be applied before Gyftr redemption. ○ Once a Gyftr is applied: ■ Users cannot apply additional offers, vouchers, or exclusive pay modes, except Gift Card. ○ The compatibility of Gyftr with vouchers, offers, purchased vouchers, and exclusive pay modes is configurable via the Admin Panel. ○ If the user attempts to apply any offer, voucher, or exclusive pay mode after a Gyftr is applied: ■ The system prompts a confirmation message. ■ On confirmation, the applied Gyftr is removed, and the selected option is applied. ○ The compatibility of Gyftr with vouchers, offers, purchased vouchers, and exclusive pay modes is configurable via the Admin Panel. ○ Refer to the sheet for its compatibility →  PVR Grid ● Gyftr is displayed under “PVR INOX Exclusive Paymodes” on the Checkout Page if configured in the Admin Panel. The admin can control its state as: Active (displayed), Disabled/Greyed out, or Hidden (not displayed). Gyftr is still displayed even when it is not compatible; however, the system will prevent the user from applying it and display the appropriate validation message.
Validations	Invalid Voucher Code ● The user enters an invalid Gyftr voucher code. The system displays a message - “The voucher code entered is invalid. Please enter a valid Gyftr voucher.” Voucher Already Redeemed ● The user enters a Gyftr voucher that has already been used. The system displays a message - “This Gyftr voucher has already been redeemed.” Gyftr Limit Exceeded ● The user tries to apply Gyftr vouchers exceeding the applicable bill amount. The system displays a message - “The voucher amount exceeds the applicable bill amount.” Duplicate Voucher Entry ● The user enters the same voucher code more than once in the same transaction. The system displays a message - “This voucher code has already been applied.”

	Voucher Not Applicable - Voucher is not applicable for the selected show/cinema. The system displays a message - “This Gyftr voucher is not applicable for the selected booking.” Voucher Removed - The user removes an applied Gyftr voucher. The system displays a message - “Gyftr voucher removed successfully.” Booking Cancellation Due to Bad Transaction - Payment is successful at the Payment Gateway, but the booking fails at Showbizz due to a bad transaction. The system automatically cancels the transaction and initiates the refund. Message Displayed: “Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support. Please wait for 30 minutes (as configured) before attempting to reuse the Gyftr voucher codes.”
--	---

33. M-Coupon

33.1. Use Case

Use Case No.	UC 33
Use case	Kotak M-Coupon Redemption
Description	This use case describes the process where users redeem Kotak M-Coupons during the ticket booking checkout flow. Kotak M-Coupons are issued to eligible Kotak credit card users in association with PVR INOX and can be claimed through the Kotak application. During checkout, the user enters the required details (credit card digits and Phone number) to redeem the M-Coupon, and the system validates the information through Showbizz before applying the coupon to the booking.
Primary Actor	Logged in Customer
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway
Triggering Event	User reaches the Checkout / Payment page after selecting movie, cinema, showtime, seats, and F&B items (if applicable) and chooses M-Coupon under PVR INOX Exclusive Paymodes to redeem Kotak M-Coupons for the booking.
Pre-Condition	- User must be logged into the platform - Internet connectivity must be active.

	• The user has selected movie, cinema, showtime, seats, and F&B items (if applicable). • The user has reached the Checkout / Payment page. • M-Coupon payment mode is enabled for the selected cinema and showtime • The user possesses a valid Kotak M-Coupon issued via Kotak application • The voucher data must be available in Showbizz for validation
Post Condition	• If the M-Coupon is successfully validated and the booking is completed, the tickets are issued and booking confirmation is generated. • The M-Coupon used in the booking is marked as redeemed and cannot be reused. • The M-Coupon redemption details are recorded in the Admin Panel redemption report. • M-Coupon will not be refunded on cancellation. • If the booking is not completed due to session termination or system failure, the applied offers (if any) will roll back.
Basic Flow	M-Coupon Account Linking Flow UC 33.1.1. The user navigates to More → Co-Brand Credit Card from the header/menu. The system redirects the user to the Co-Brand Credit Card Info Page. The page displays: • Kotak Co-Brand Credit Card banner • Benefits of co-brand credit card • How to claim & link M-Coupons • Checkbox for Terms & Conditions ○ Clicking on T&C - system displays M-Coupon T&C managed from the admin panel. • CTA: “Link Co-Brand Credit Card” • Note: The page content is managed from the admin panel UC 33.1.2. The user must accept the Terms & Conditions by selecting the checkbox and then click on the CTA “Link Co-Brand Credit Card”. The system opens a Link Credit Card bottom sheet / screen having the following fields: • Phone Number (pre-filled and non-editable) • Last 4 digits of Kotak Credit Card • CTA: “Verify & Link” • The user enters the last 4 digits of the credit card and clicks “Verify & Link”. The system validates the entered details via Showbizz. • In case of guest user, user is redirected to login page after clicking the CTA - “Link Co-Brand Credit Card”

UC 33.1.3. On successful validation, The system displays:

- Linked Account details as “Verified & Linked”
 - Phone number
 - Last 4 digits of credit card
 - Option to “De-link”
- M-Coupon History
 - The system displays a History section showing previously redeemed M-Coupons. Each history item includes the following details:
 - M-Coupon redeemed amount (e.g., “M-Coupon worth INR 700 redeemed”)
 - Date of redemption
 - Time of redemption
 - Track ID
 - Booking ID (If available)
 - The most recent redemption will appear at the top, followed by older records.
- CTA: “Book Now” - redirect to homepage
- CTA: “View Vouchers” - redirect to M-coupon Vouchers under My Bookings.

Redemption of M-Coupons

UC 33.1.4. User proceeds to the Checkout Page. System displays:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary
- F&B summary
- Superticket purchase option (If eligible)
- Purchased Vouchers
- PVR INOX Exclusive Paymodes along with option to apply
 - Gift Card
 - Gyftr
 - M-Coupon
 - Privilege Plus
 - Star Pass
- Bill breakdown
- Cancellation policy
- Exclusive Offers
- Payment methods
- Option to Pay
- Security assurance message

UC 33.1.5. User taps Apply CTA for M-Coupon under PVR INOX Exclusive Paymodes.

System displays M-Coupon screen having:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary section
 - Amount to be paid
- Linked Account details as “Verified & Linked”
 - Phone number
 - Last 4 digits of credit card
 - If not linked, the screen have the following fields:
 - Phone Number (pre-filled and non-editable)
 - Last 4 digits of Kotak Credit Card
 - CTA: “Verify & Link”
 - The user enters the last 4 digits of the credit card and clicks “Verify & Link”. The system validates the entered details via Showbizz.
 - On successful validation, The system displays Linked Account details as “Verified & Linked”
- Available/Active M-Coupons list, each containing:
 - Offer title / benefit (e.g., “Upto Rs. 400 Off on 1 Ticket”)
 - Voucher Number
 - Validity (Valid Till date)
 - Redeem CTA
- Other Info message managed from admin panel
 - You can redeem up to one M-Coupon per seat booking!”
 - M-Coupon will not be refunded for cancellation
 - If there is an internet connectivity problem while booking the free tickets using your coupon codes and the tickets are not issued please wait for 30 minutes before trying to use the Coupon Codes again
- User can redeem one or more M-Coupons.
 - The system ensures that the maximum number of M-Coupons redeemable is equal to the number of seats booked
- The user selects the M-Coupons and clicks Redeem. The system validates the selected M-Coupons via Showbizz.
- On successful validation:
 - The M-Coupons are applied to the booking
 - The discount amount is deducted from the ticket value (excluding convenience fee and donation)
- System updated the Booking Summary having:
 - Saving Strip - “You are saving ₹X on this booking”
 - Where: ₹X = Total benefit availed by the user on the booking.

- Amount to be paid
- Applied M-Coupons Breakdown (If applied)
 - When one or more M-Coupons are applied, the system displays a summary row showing the total amount redeemed via M-Coupons (e.g., “2 × M-Coupons Redeemed – ₹X”).
 - This row is expandable. On expanding, the system displays the individual applied M-Coupons with:
 - M-Coupon Voucher Number (e.g., LJK3456)
 - Amount redeemed from each M-Coupon.
 - Each applied coupon includes a “Remove” option allowing the user to remove the applied voucher.
- Updated Balance to Pay
- Since M-Coupons are applicable only on the ticket value, any remaining payable amount (such as F&B items, convenience fees, taxes, or ticket balance) will not be covered by the M-Coupons. The system displays a CTA: “Pay ₹X using other Payment Method.”
 - The user clicks the CTA and redirects back to the Checkout Page with the updated Payment Summary.
 - The redeemed M-Coupon amount appears under the Discount section.
 - The remaining payable amount is displayed under “To Be Paid.”
 - A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.

UC 33.1.6. After successful payment, the booking is confirmed and M-Coupon redemption details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page.

- Under the Discount section, if one or more M-Coupons are applied, the system displays a summary row showing the total amount redeemed via M-Coupon (e.g., “2 × M-Coupon Redeemed – ₹XX”).
- This row is expandable. On expanding, the system displays the individual applied M-Coupon, including:
 - M-Coupon Number (e.g., LJK3456)
 - Amount redeemed from each M-Coupon.

UC 33.1.7. The same Payment summary is reflected on the Booking detail page under My Bookings.

M-Coupon Listing & Details (My Bookings)

UC 33.1.8. The user navigates to Account → My Bookings → Vouchers → M-Coupons OR clicks on “View Vouchers”. The system displays a list of M-Coupons in following sequence:

	● Active vouchers are sorted in ascending order of expiry (earliest expiry first) ● Redeemed vouchers are sorted based on the redemption date, with the most recently redeemed vouchers displayed at the top. ● Expired vouchers are sorted by most recently expired first. ● Redeemed and Expired vouchers are displayed only for the last 30 days (this duration is configurable from the Admin Panel). ● Each M-Coupon card displays: ○ Offer title (e.g., “Upto ₹400 Off On 1 Ticket”) ○ Voucher Number ○ QR Code (for scan) ○ Status, such as: ■ Active ■ Redeemed ■ Expired ○ Validity date (Valid Till) UC 33.1.9. The user taps on a specific M-Coupon. The system redirects to the Voucher Details screen. The screen displays: ● M-Coupon Card ● Redemption Details ○ Cinema name ○ Date & time of redemption ○ Amount Redeemed ○ Balance Amount ○ Note: The most recent redemption will appear at the top, followed by older records. ● “Important info” / “Terms & Conditions” - managed from the admin panel.
Alternate Flow	UCA 33.1.1. User Removes an Applied M-Coupon ● The user expands the M-Coupon Redeemed section in the booking summary. ● The system displays the individual applied M-Coupons along with the Remove option. ● The user clicks Remove against a specific M-Coupon. ● The system removes the selected M-Coupon from the booking. ● The removed M-Coupon becomes available again for redemption in the same session. ● The system recalculates and updates: ○ Amount to be Paid ○ M-Coupon Redeemed Summary (If other M-Coupons are applied) ○ Balance to Pay ● The user can:

- Apply another M-Coupon, or
- Continue with the booking payment.

UCA 33.1.2. User Applies Multiple M-Coupons

- The user selects a valid M-Coupon and clicks Apply.
- The system validates and applies the M-Coupon.
- The M-Coupon amount is deducted from the applicable bill amount (ticket value excluding convenience fee and donation).
- The system updates the Booking Summary, displaying:
 - Amount to be Paid
 - Applied M-Coupons Breakdown (If applied)
 - Updated Balance to Pay
- The user selects another M-Coupon.
- The system validates and applies the second M-Coupon.
- The system allows M-Coupons to be applied one by one, ensuring that the total number of applied M-Coupons does not exceed the number of seats booked.
- The system updates the Booking Summary and Balance to Pay after each successful redemption.

UCA 33.1.3. M-Coupon Covers Full Ticket Value

- The user applies one or more M-Coupons.
- If the total ticket value becomes fully covered, the ticket amount becomes ₹0.
- If additional charges exist (F&B, convenience fee, taxes), the user must pay the remaining balance using another payment method.
- If no additional charges exist, the system allows the user to proceed directly to booking confirmation.

UCA 33.1.4. User Closes the M-Coupon Screen

- The user clicks the Close (X) icon on the M-Coupon screen.
- The system closes the M-Coupon screen.
- The user is redirected back to the Checkout Page.
- If any M-Coupons were applied, the discount summary remains reflected in the payment breakdown.

UCA 33.1.5. User Updates F&B Quantity After Applying M-Coupon

- The user attempts to modify the cart after applying vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”
- Options: Yes / No
 - If Yes:
 - All applied vouchers are removed
 - Saving strip is removed
 - Booking summary is updated

- Vouchers returns to default (Apply) state.

- If No:

- No changes are made
 - Applied vouchers remain intact

UCA 33.1.6. Viewing and Removing Applied M-Coupon from Checkout Page

- After one or more M-Coupons are successfully applied, the user is redirected back to the Checkout Page with the updated payment summary.
- Under PVR INOX Exclusive Paymodes, the M-Coupon CTA changes from “Apply” to
 - “Appy More” - redirect the user to M-Coupon screen
 - “Remove”
 - If only 1 M-Coupon is applied, It is removed directly from checkout
 - If multiple M-Coupons are applied, the user is redirected to the M-Coupon screen.
- When the user clicks “Apply More”, the system opens the M-Coupon screen.
- The M-Coupon screen displays the applied M-Coupons, including:
 - Voucher number
 - Amount redeemed from each voucher
 - Remove option
- The user clicks Remove against a specific M-Coupon.
- The system removes the selected voucher and updates the Booking Summary.
- If all applied M-Coupons are removed, the CTA under PVR INOX Exclusive Paymodes changes back to “Apply.”
- The user can:
 - Apply new/same M-Coupons, or
 - Proceed with the booking using other payment methods.

UC 33.1.7. User De-links Co-Brand Credit Card

The user navigates to More → Co-Brand Credit Card.

- The system displays Linked Account details as “Verified & Linked”
 - Phone number
 - Last 4 digits of credit card
 - Option to “De-link”
- The user clicks on “De-link”. The system displays a confirmation popup: “Are you sure you want to De-Link your Co-Brand Credit Card? You can always link your M-Coupons again by entering the last 4 digits of your Co-Brand Credit Card.”
 - Options:
 - Yes, De-Link

	• The system removes the linked account mapping • The linked status is removed • The user is shown the option to: ○ Link Co-Brand Credit Card again • ■ No • The popup is dismissed. The user remains on the same screen • The user must re-link the account to redeem M-Coupons during checkout.
Exceptional flow	UCE 33.1.1. Invalid Credit Card • The user enters the incorrect last 4 digits of the credit card. • The system validates the details via Showbizz. • If the details do not match the mapped data, the system displays an error message. UCE 33.1.2. M-Coupon No Longer Available • The user selects an M-Coupon from the list. • During validation, the system detects that the coupon is no longer available (already used/expired at backend). • The system displays an error message and prevents application of the coupon. UCE 33.1.3. M-Coupon Limit Exceeded • The user attempts to select/apply more M-Coupons than the number of booked seats. • The system validates the selection. The system prevents further application of additional M-Coupons. • A validation message is displayed indicating that only one M-Coupon can be applied per seat. UCE 33.1.4. Session Terminated After Applying M-Coupon • The user applies a M-Coupon but exits the session or kills the application before completing the booking. • The system detects session termination. • The applied offer is automatically rolled back. UCE 33.1.5. Payment Successful but Booking Failure at Showbizz (Bad Transaction) • The user applies one or more M-Coupons and proceeds to complete the remaining payment (if applicable) via the Payment Gateway (PG). • The payment is successfully processed by the Payment Gateway. • During booking confirmation, the Showbizz system fails to generate the booking due to a Bad Transaction. • The system marks the transaction as Booking Failed / Bad Transaction. • The user is informed that the booking could not be completed.

	● The system initiates the refund process for the amount paid via the Payment Gateway, as per the payment gateway refund policy. ● The M-Coupons used in the transaction remain temporarily locked until its rolled back, and the user is advised to wait for 30 minutes as per system configuration before attempting to reuse the coupon codes.
Business Rules	● Kotak M-Coupons are issued to eligible users and can be redeemed during the ticket booking checkout flow under PVR INOX Exclusive Paymodes. ● One M-Coupon can be applied per seat booking. The maximum number of M-Coupons that can be applied cannot exceed the number of selected seats. ● M-Coupons are applied one by one. ● M-Coupons are applicable only on the ticket value excluding convenience fee and donation. ● If the ticket value is fully covered by M-Coupons, any remaining charges such as F&B or convenience fees must be paid using other payment methods. ● If a booking fails due to system errors before ticket issuance, the user is advised to wait for 30 minutes (as configured) before attempting to reuse the same M-Coupon. ● If the user exits the session after applying an offer, the applied M-Coupon will automatically roll back. ● The system must record all successful M-Coupon redemptions in the Admin Panel redemption report. ● The M-Coupon redeemed amount must be displayed in the booking summary under the Discount section, along with the individual voucher breakdown. ● The same redemption and payment summary must be reflected on the Booking Confirmation page and Booking Details page under My Bookings. ● M-Coupons are non-refundable and bookings made using M-Coupon cannot be cancelled by the user. ● M-Coupon Compatibility ○ M-Coupons cannot be applied if the user has purchased any voucher (CVP, family bundle, superticket, F&B voucher, Passport) in the same transaction. ○ M-Coupons cannot be applied if any promotional offer is already applied to the booking. ○ M-Coupons cannot be applied if any other voucher (CVP, family bundle, superticket, F&B voucher, Passport) has been redeemed in the transaction. ○ M-Coupon cannot be applied along with any other PVR INOX Exclusive Paymodes except:

	■ Gift Card ■ Gyftr ○ The compatibility of M-Coupon with other vouchers, offers, and payment modes is managed from Showbizz. ○ Refer to the sheet for its compatibility →  PVR Grid ● M-Coupon is displayed under “PVR INOX Exclusive Paymodes” on the Checkout Page if configured in the Admin Panel. The admin can control its state as: Active (displayed), Disabled/Greyed out, or Hidden (not displayed). M-Coupon is still displayed even when it is not compatible; however, the system will prevent the user from applying it and display the appropriate validation message.
Validations	Invalid Credit Card ● The user enters the incorrect last 4 digits of the credit card. The system displays a message - “The details entered do not match our records. Please check and try again.” M-Coupon Not Available ● The user selects an M-Coupon that is no longer available (already used/expired at backend). The system displays a message - “This M-Coupon is no longer available. Please select another coupon.” Seat Limit Exceeded ● The user tries to apply for more M-Coupons than the number of booked seats. The system displays a message - “You can redeem up to one M-Coupon per seat booking. Voucher Not Applicable ● Voucher is not applicable for the selected show/cinema. The system displays a message - “This M-Coupon voucher is not applicable for the selected booking.” Voucher Removed ● The user removes an applied M-Coupon. The system displays a message - “M-Coupon removed successfully.” Booking Cancellation Due to Bad Transaction ● Payment is successful at the Payment Gateway, but the booking fails at Showbizz due to a bad transaction. The system automatically cancels the transaction and initiates the refund. Message Displayed:

	“Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support. Please wait for 30 minutes (as configured) before attempting to reuse the M-Coupon.” M-Coupon with Purchased Voucher - The user tries to apply for a M-Coupon when a voucher has been purchased in the same transaction. The system displays a message - “M-Coupon cannot be applied when a voucher is purchased in the same transaction.” M-Coupon with Offer Applied - The user tries to apply for a M-Coupon when a promotional offer is already applied. The system displays a message - “M-Coupon cannot be applied with the selected offer. Please remove the offer to continue.” M-Coupon with Restricted PVR Exclusive Paymode - The user tries to apply for a M-Coupon when another restricted PVR Exclusive Paymode (e.g., MCoupon, Privilege Plus) is already applied. The system displays a message - “M-Coupon cannot be applied with the selected PVR Exclusive Paymode. Please remove the applied PVR Exclusive Paymode to continue.” M-Coupon with Redeemed Voucher - The user tries to apply for a M-Coupon when another voucher is already redeemed in the transaction. The system displays a message - “M-Coupon cannot be applied with the redeemed voucher in this transaction.” M-Coupon Not Applicable - The user attempts to apply for a M-Coupon, but the voucher is not applicable for the selected booking due to compatibility restrictions configured in Showbizz (e.g., show, cinema, or payment compatibility). The system displays a message - “M-Coupon is not applicable for this booking.”
--	---

34. Privilege Plus

34.1. Use Case

Use Case No.	UC 32
--------------	-------

Use case	Privilege Plus Voucher Redemption
Description	This use case describes the process where users redeem Privilege Plus vouchers during the ticket booking checkout flow. Privilege Plus vouchers are issued to eligible users based on their spending via Kotak Privilege Plus debit cards in association with PVR INOX. These vouchers are linked to the user's Phone number and are automatically fetched from Showbizz. During checkout, the user can select and redeem the available vouchers, and the system validates and applies them to the booking.
Primary Actor	Logged in Customer
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway
Triggering Event	User reaches the Checkout / Payment page after selecting movie, cinema, showtime, seats, and F&B items (if applicable) and chooses Privilege Plus under PVR INOX Exclusive Paymodes to redeem vouchers for the booking.
Pre-Condition	• User must be logged into the platform • Internet connectivity must be active. • The user has selected movie, cinema, showtime, seats, and F&B items (if applicable). • The user has reached the Checkout / Payment page. • Privilege Plus payment mode is enabled for the selected cinema and showtime • The user must have valid Privilege Plus vouchers linked to the Phone number • The voucher data must be available in Showbizz for validation
Post Condition	• If the Privilege Plus vouchers are successfully validated and the booking is completed, the tickets are issued and booking confirmation is generated. • The vouchers used in the booking are marked as redeemed and cannot be reused. • The voucher redemption details are recorded in the Admin Panel redemption report. • If the booking is not completed due to session termination or system failure, the applied offers (if any) will roll back.
Basic Flow	Privilege Plus Discovery & Dashboard Flow UC 34.1.1 The user navigates to More → Privilege Plus from the header/menu. The system redirects the user to the Privilege Plus Landing Page. The page displays: • Privilege Plus promotional banner • Key highlights (earn points, redeem rewards, special screenings) • Benefits of Privilege Plus membership • Terms & Conditions checkbox ○ Clicking on T&C system displays Privilege Plus T&C managed from Admin

Panel

- CTA: “Apply Now”
 - Redirects the user to the Kotak Website (link is configured in admin panel)
- Note: The page content is managed from the admin panel

UC 34.1.2 If the user is already eligible / logged in with a mapped Phone number, the system redirects the user to the Privilege Plus Dashboard. The page displays:

- User membership card (masked details)
- Total points earned
- Total vouchers earned
- Next voucher milestone / progress bar
- Points history (earned history with date & amount)
 - The system displays a list of transactions, where each entry represents a points activity. Each activity card includes:
 - Points Earned (e.g., 12.50 pts)
 - Transaction Amount
 - Transaction Date & time
 - The most recent activity will appear at the top, followed by older records.
- CTA: “Book Now” → redirects to homepage
- CTA: “View Privilege Plus Vouchers” → redirects to Privilege Plus voucher listing

Privilege Plus Voucher Listing & Details (My Bookings)

UC 34.1.3. The user navigates to Account → My Bookings → Vouchers → Privilege Plus OR clicks on “View PP+ Vouchers”. The system displays a list of Privilege Plus Vouchers in following sequence:

- Active vouchers are sorted in ascending order of expiry (earliest expiry first)
- Redeemed vouchers are sorted based on the redemption date, with the most recently redeemed vouchers displayed at the top.
- Expired vouchers are sorted by most recently expired first.
- Redeemed and Expired vouchers are displayed only for the last 30 days (this duration is configurable from the Admin Panel).
- Each Privilege Plus Voucher card displays:
 - Voucher image (based on type: Ticket / F&B / Both)
 - Voucher code
 - Voucher amount (e.g., ₹100)
 - Validity (Valid Till date)
 - QR Code (for scan)

- Voucher status: Active / Redeemed / Expired

UC 34.1.4. The user taps on a specific Privilege Plus Voucher. The system redirects to the Voucher Details screen. The screen displays:

- Privilege Plus Voucher Card
- Redemption Details
 - Cinema name
 - Date & time of redemption
 - Amount Redeemed
 - Note: The most recent redemption will appear at the top, followed by older records.
- “Important info” / “Terms & Conditions” - managed from the admin panel.

Redemption of Privilege Plus Voucher

UC 34.1.5. The user proceeds to the Checkout Page. System displays:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary
- F&B summary
- Superticket purchase option (If eligible)
- Purchased Vouchers
- PVR INOX Exclusive Paymodes along with option to apply
 - Gift Card
 - Gyftr
 - M-Coupon
 - Privilege Plus
 - Star Pass
- Bill breakdown
- Cancellation policy
- Exclusive Offers
- Payment methods
- Option to Pay
- Security assurance message

UC 34.1.6. User taps Apply CTA for Privilege Plus Voucher under PVR INOX Exclusive Paymodes. System displays Privilege Plus Voucher screen having:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary section
 - Amount to be paid
- Available Privilege Plus vouchers list (auto-fetched based on Phone number), Each voucher contains:
 - Voucher image

- Voucher code
- Voucher amount
- Validity
- QR code (if applicable)
- CTA: Redeem
- User can redeem one or more Privilege Plus vouchers.
 - The system validates voucher applicability based on order type:
 - If booking is Ticket only, Only Ticket-type vouchers are applicable
 - If booking is F&B only, Only F&B-type vouchers are applicable
 - If booking is Ticket + F&B, Ticket vouchers, F&B vouchers, and Combined vouchers are applicable.
 - The system ensures only applicable vouchers can be selected.
- The user selects the Privilege Plus vouchers and clicks Redeem. The system validates the selected Privilege Plus vouchers via Showbizz.
- On successful validation:
 - The Privilege Plus vouchers are applied to the booking
 - The discount amount is deducted from the applicable order value (excluding convenience fee and donation)
- System updated the Booking Summary having:
 - Saving Strip - “You are saving ₹X on this booking”
 - Where: ₹X = Total benefit availed by the user on the booking.
 - Amount to be paid
 - Applied Privilege Plus vouchers Breakdown (If applied)
 - When one or more Privilege Plus vouchers are applied, the system displays a summary row showing the total amount redeemed via Privilege Plus vouchers (e.g., “2 × Privilege Plus vouchers Redeemed – ₹X”).
 - This row is expandable. On expanding, the system displays the individual applied Privilege Plus vouchers with:
 - Privilege Plus voucher Number (e.g., LJK3456)
 - Amount redeemed from each Privilege Plus vouchers.
 - Each applied coupon includes a “Remove” option allowing the user to remove the applied voucher.
 - Updated Balance to Pay
- Since Privilege Plus vouchers are applicable only on their respective components:
 - Ticket vouchers → applicable on ticket value only
 - F&B vouchers → applicable on F&B value only
 - Combined vouchers → applicable as per configuration

	○ Privilege Plus vouchers are not applicable on: ■ Convenience fee ■ Donation amount ● Any remaining payable amount (such as F&B items, convenience fees, taxes, or ticket balance) will not be covered by the Privilege Plus Vouchers. The system displays a CTA: “Pay ₹X using other Payment Method.” ○ The user clicks the CTA and redirects back to the Checkout Page with the updated Payment Summary. ○ The redeemed Privilege Plus Vouchers amount appears under the Discount section. ○ The remaining payable amount is displayed under “To Be Paid.” ○ A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.. UC 34.1.7. After successful payment, the booking is confirmed and Privilege Plus Vouchers redemption details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page. ● Under the Discount section, if one or more Privilege Plus Vouchers are applied, the system displays a summary row showing the total amount redeemed via Privilege Plus Vouchers (e.g., “2 × Privilege Plus Vouchers Redeemed – ₹XX”). ● This row is expandable. On expanding, the system displays the individual applied Privilege Plus Vouchers, including: ○ Privilege Plus Voucher Number (e.g., LJK3456) ○ Amount redeemed from each Privilege Plus Voucher. UC 34.1.8. The same Payment summary is reflected on the Booking detail page under My Bookings.
Alternate Flow	UCA 34.1.1. User Removes an Applied Privilege Plus Voucher ● The user expands the Privilege Plus Voucher Redeemed section in the booking summary. ● The system displays the individual applied Privilege Plus Vouchers along with the Remove option. ● The user clicks Remove against a specific Privilege Plus Voucher. ● The system removes the selected Privilege Plus Voucher from the booking. ● The removed Privilege Plus Voucher becomes available again for redemption in the same session. ● The system recalculates and updates: ○ Amount to be Paid ○ Privilege Plus Voucher Redeemed Summary (If other Privilege Plus Vouchers are applied) ○ The saving strip value

- Balance to Pay
- The user can:
 - Apply another Privilege Plus Voucher, or
 - Continue with the booking payment.

UCA 34.1.2. User Applies Multiple Privilege Plus Vouchers

- The user selects a valid Privilege Plus Voucher and clicks Apply.
- The system validates and applies the Privilege Plus Voucher.
- The Privilege Plus Voucher amount is deducted from the applicable bill amount (excluding convenience fee and donation).
- The system updates the Booking Summary, displaying:
 - Amount to be Paid
 - Applied Privilege Plus Vouchers Breakdown (If applied)
 - Saving strip value
 - Updated Balance to Pay
- The user selects another Privilege Plus Voucher.
- The system validates and applies the second Privilege Plus Voucher.
- The system allows Privilege Plus Vouchers to be applied one by one, ensuring that the total number of applied Privilege Plus Vouchers does not exceed the number of seats booked.
- The system updates the Booking Summary and Balance to Pay after each successful redemption.

UCA 34.1.3. Privilege Plus Voucher Covers Full Ticket Value

- The user applies one or more Privilege Plus Vouchers.
- If the total ticket value becomes fully covered, the bill amount becomes ₹0.
- If additional charges exist (F&B, convenience fee, taxes), the user must pay the remaining balance using another payment method.
- If no additional charges exist, the system allows the user to proceed directly to booking confirmation.

UCA 34.1.4. User Closes the Privilege Plus Voucher Screen

- The user clicks the Close (X) icon on the Privilege Plus Voucher screen.
- The system closes the Privilege Plus Voucher screen.
- The user is redirected back to the Checkout Page.
- If any Privilege Plus Vouchers were applied, the discount summary remains reflected in the payment breakdown.

UCA 34.1.5. User Updates F&B Quantity After Applying Privilege Plus Voucher

- The user attempts to modify the cart after applying vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”
- Options: Yes / No

- If Yes:
 - All applied vouchers are removed
 - Saving strip is removed
 - Booking summary is updated
 - Vouchers returns to default (Apply) state.
- If No:
 - No changes are made
 - Applied vouchers remain intact

UCA 34.1.6. Viewing and Removing Applied Privilege Plus Voucher from Checkout Page

- After one or more Privilege Plus Vouchers are successfully applied, the user is redirected back to the Checkout Page with the updated payment summary.
- Under PVR INOX Exclusive Paymodes, the Privilege Plus Voucher CTA changes from “Apply” to
 - “Apply More” - redirect the user to Privilege Plus Voucher screen
 - “Remove”
 - If only 1 Privilege Plus Voucher is applied, It is removed directly from checkout
 - If multiple Privilege Plus Vouchers are applied, the user is redirected to the Privilege Plus Voucher screen.
 - The section also displays the number of Privilege Plus Vouchers applied and the total redeemed amount.
- When the user clicks “Apply More”, the system opens the Privilege Plus Voucher screen.
- The Privilege Plus Voucher screen displays the applied Privilege Plus Vouchers, including:
 - Voucher number
 - Amount redeemed from each voucher
 - Remove option
- The user clicks Remove against a specific Privilege Plus Voucher.
- The system removes the selected voucher and updates the Booking Summary.
- If all applied Privilege Plus Vouchers are removed, the CTA under PVR INOX Exclusive Paymodes changes back to “Apply.”
- The user can:
 - Apply new/same Privilege Plus Vouchers, or
 - Proceed with the booking using other payment methods.

UC 34.1.7. No Privilege Plus Voucher Available

- The user opens the Privilege Plus screen. If no vouchers are available, The system displays an empty state message:
“No vouchers available.”

Exceptional flow	UCE 34.1.1. Voucher Not Applicable • The user selects a Privilege Plus voucher. • The system validates applicability (ticket / F&B / both, cinema/show compatibility). • If the voucher is not applicable for the selected booking: • The system displays a message and prevents application. UCE 34.1.2. Privilege Plus Voucher No Longer Available • The user selects/redeems a Privilege Plus Voucher from the list. • During validation, the system detects that the coupon is no longer available (already used/expired at backend). • The system displays an error message and prevents application of the coupon. UCE 34.1.3. Privilege Plus Voucher Limit Exceeded • The user attempts to apply additional Privilege Plus vouchers after the applicable value (ticket and/or F&B) is fully covered. • The system validates the remaining applicable amount. • Since no applicable value is left, the system prevents application of additional vouchers. UCE 34.1.4. Session Terminated After Applying Privilege Plus Voucher • The user applies a Privilege Plus Voucher but exits the session or kills the application before completing the booking. • The system detects session termination. • The applied offer is automatically rolled back. UCE 34.1.5. Payment Successful but Booking Failure at Showbizz (Bad Transaction) • The user applies one or more Privilege Plus Vouchers and proceeds to complete the remaining payment (if applicable) via the Payment Gateway (PG). • The payment is successfully processed by the Payment Gateway. • During booking confirmation, the Showbizz system fails to generate the booking due to a Bad Transaction. • The system marks the transaction as Booking Failed / Bad Transaction. • The user is informed that the booking could not be completed. • The system initiates the refund process for the amount paid via the Payment Gateway, as per the payment gateway refund policy. • The Privilege Plus Vouchers used in the transaction remain temporarily locked until its rolled back, and the user is advised to wait for 30 minutes as per system configuration before attempting to reuse the coupon codes.
Business Rules	• Privilege Plus vouchers are issued to eligible users and can be redeemed during the ticket booking checkout flow under PVR INOX Exclusive Paymodes.

- Privilege Plus vouchers are mapped to the user's Phone number and are automatically displayed when the user logs in with the same number.
- Multiple Privilege Plus vouchers can be applied in a single booking. Vouchers are applied one by one.
- Voucher application is limited by the applicable value (ticket and/or F&B). No additional vouchers can be applied once the applicable value is fully utilized.
- Privilege Plus vouchers are not applicable on Convenience fee & Donation amount. If the applicable value is fully covered by vouchers, any remaining charges must be paid using other payment methods.
- Voucher applicability is determined based on booking type:
 - For ticket only booking, only ticket vouchers can be applied
 - For F&B only order, only F&B vouchers can be applied
 - For ticket + F&B booking, ticket, F&B, and combined vouchers can be applied.
- If the user modifies the cart after applying Privilege Plus vouchers, all applied vouchers will be removed (reinstated) and the booking summary will be recalculated.
- If a booking fails due to system errors before ticket issuance, the user is advised to wait for 30 minutes (as configured) before attempting to reuse the same Privilege Plus Voucher.
- If the user exits the session after applying an offer, the applied Privilege Plus Voucher will automatically roll back.
- The system must record all successful Privilege Plus Voucher redemptions in the Admin Panel redemption report.
- The Privilege Plus Voucher redeemed amount must be displayed in the booking summary under the Discount section, along with the individual voucher breakdown.
- The same redemption and payment summary must be reflected on the Booking Confirmation page and Booking Details page under My Bookings.
- Privilege Plus Vouchers are non-refundable and bookings made using Privilege Plus Voucher cannot be cancelled by the user.
- Privilege Plus Voucher Compatibility
 - Privilege Plus Vouchers cannot be applied if the user has purchased any voucher (CVP, family bundle, superticket, F&B voucher, Passport) in the same transaction.
 - Privilege Plus Vouchers cannot be applied if any promotional offer is already applied to the booking.
 - Privilege Plus Vouchers cannot be applied if any other voucher (CVP, family bundle, superticket, F&B voucher, Passport) has been redeemed in

	the transaction. ○ Privilege Plus Voucher cannot be applied along with any other PVR INOX Exclusive Paymodes except: ■ Gift Card ■ Gyftr ○ The compatibility of Privilege Plus Voucher with other vouchers, offers, and payment modes is managed from Showbizz. ○ Refer to the sheet for its compatibility →  PVR Grid ● Privilege Plus Voucher is displayed under “PVR INOX Exclusive Paymodes” on the Checkout Page if configured in the Admin Panel. The admin can control its state as: Active (displayed), Disabled/Greyed out, or Hidden (not displayed). Privilege Plus Voucher is still displayed even when it is not compatible; however, the system will prevent the user from applying it and display the appropriate validation message.
Validations	Privilege Plus Voucher Not Available ● The user selects an Privilege Plus Voucher that is no longer available (already used/expired at backend). The system displays a message - “This Privilege Plus Voucher is no longer available. Please select another coupon.” Voucher Not Applicable ● The voucher is not applicable for the selected booking (ticket / F&B / cinema / show). “This voucher is not applicable for the selected booking.” Order Type Mismatch ● The user tries to apply a voucher not applicable for the booking type. “This voucher is not applicable for the selected order.” Voucher Limit Exceeded (Applicable Value Exhausted) ● The user attempts to apply additional vouchers after the applicable value is fully covered. “No additional voucher can be applied as the applicable amount is fully utilized.” Voucher Removed ● The user removes an applied Privilege Plus Voucher. The system displays a message - “Privilege Plus Voucher removed successfully.”

Booking Cancellation Due to Bad Transaction

- Payment is successful at the Payment Gateway, but the booking fails at Showbizz due to a bad transaction. The system automatically cancels the transaction and initiates the refund. Message Displayed:
“Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support. Please wait for 30 minutes (as configured) before attempting to reuse the Privilege Plus Voucher.”

Privilege Plus Voucher with Purchased Voucher

- The user tries to apply for a Privilege Plus Voucher when a voucher has been purchased in the same transaction. The system displays a message -
“Privilege Plus Voucher cannot be applied when a voucher is purchased in the same transaction.”

Privilege Plus Voucher with Offer Applied

- The user tries to apply for a Privilege Plus Voucher when a promotional offer is already applied. The system displays a message -
“Privilege Plus Voucher cannot be applied with the selected offer. Please remove the offer to continue.”

Privilege Plus Voucher with Restricted PVR Exclusive Paymode

- The user tries to apply for a Privilege Plus Voucher when another restricted PVR Exclusive Paymode (e.g., MCoupon, Privilege Plus) is already applied. The system displays a message -
“Privilege Plus Voucher cannot be applied with the selected PVR Exclusive Paymode. Please remove the applied PVR Exclusive Paymode to continue.”

Privilege Plus Voucher with Redeemed Voucher

- The user tries to apply for a Privilege Plus Voucher when another voucher is already redeemed in the transaction. The system displays a message -
“Privilege Plus Voucher cannot be applied with the redeemed voucher in this transaction.”

Privilege Plus Voucher Not Applicable

- The user attempts to apply for a Privilege Plus Voucher, but the voucher is not applicable for the selected booking due to compatibility restrictions configured in Showbizz (e.g., show, cinema, or payment compatibility). The system displays

	a message - "Privilege Plus Voucher is not applicable for this booking."
--	--

35. Passport

35.1. Use Case

Use Case No.	UC 35
Use case	Passport
Description	This use case describes the end-to-end lifecycle of Passport within the platform, including: • Purchase of Passport (for self or others) • Redemption of Passport as a payment method • Viewing purchased Passport under My Passport • Viewing Passport purchase history under My Bookings > Passport
Primary Actor	Logged in Customer
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment gateway
Triggering Event	This use case is triggered when: • A logged-in user selects "Passport" from navigation and initiates purchase • A user selects Passport on the Payment Page during checkout • My Passport section (to view purchased Passport, validity, visits, details) • My Bookings > Passport (to view purchase history)
Pre-Condition	• User must be logged into the platform • Internet connectivity must be active • Passport must be configured and available for the selected city/zone • Passport must be purchased online to appear under My Passport & My Bookings > Passport • User must have an active booking (movie/F&B/eligible product) in checkout stage (for redemption flow)
Post Condition	• Passport is successfully generated and linked to the user (or recipient in case of gifting) • Passport details (validity, visits, passport number, zone) are reflected under My Passport • Transaction details are recorded in admin reports • Passport is available as a payment method during checkout • Passport purchase history is reflected under My Bookings > Passport • Redemption entries (visits usage) are updated and synced with system.

Basic Flow	Purchase of Passport - for Self UC 35.1.1 User navigates to the Passport section from the header/navigation. The system redirects the user to the Passport Landing Page. The page displays: ● Promotional banner(s) (managed from admin panel) ● Passport plans (Monthly / Quarterly) ● Passport plan details (price, number of visits, validity) ● Zone (A / B) along with info icon ○ Clicking on info icon - system displays list of eligible cities and excluded cinemas ○ Passport plan listings will be based on the currently selected city ● Benefits (1 ticket/day, visit limits, blackout rules, etc.) ● Joining benefits (applicable for quarterly plan) ● Option to toggle between Monthly / Quarterly plan ● Key highlights, FAQs (configured from Showbizz/admin) ● Info of Join Now (For App/M-site) ● Checkbox for Terms & Conditions (for app/m-site) ○ Terms & Conditions checkbox must be mandatorily checked to proceed Note: All the details are configured from the admin panel via showbizz. UC 35.1.2. On the App/M-site - The user selects a Passport plan and taps on CTA: “Join Now For ₹XX”. System displays Passport purchase form. On the web - On the same page Passport purchase form is displayed. The form contains: ● Full Name (pre-filled - editable) ● Email ○ If email is already verified → pre-filled & non editable ○ If not → pre-filled, editable and option to verify (mandatory step) ● Phone Number (pre-filled & non-editable) ● Date of Birth (pre-filled - editable) ○ Min 18 years Note: If the user updates any of the editable fields, the changes are also updated in the user’s profile (My Account). ● Info message - ○ “Please enter correct name & DOB, and do remember to carry a Photo ID at the cinema” ● Info of Join Now (for web) ● Option to enter Activation Code ● Checkbox for Terms & Conditions
------------	--

- By clicking on T&C, the system displays Passport terms & conditions configured from the admin panel.
- CTA:
 - Join Now For ₹XX (value of plan) - for web
 - Proceed to checkout - for app/m-site

UC 35.1.3. User enters/updates required details. All fields are mandatorily filled.

- If a user enters an Activation Code and clicks on apply:
 - User must first check “I agree to Terms & Conditions”
 - System validates all the entered user details
 - On successful validation of details, system validates the Activation Code via Showbizz
 - On successful validation of Activation Code, the user is directly redirected to the Passport Booking Confirmation Page
- On App/M-site - The user clicks on “Proceed to checkout” CTA.
- On the web - User checks “I agree to Terms & Conditions”. The user clicks on “Join Now” CTA.

By clicking on these CTA, the system redirects the user to the checkout page.

UC 35.1.4. Checkout page

After the user clicks on these CTA, the system redirects to the Checkout Page. On the checkout page:

- The system evaluates the cart value against all auto-applicable offers configured in Showbizz.
 - If cart qualifies for one or more auto-offers, the system automatically displays the best eligible offer (having maximum benefit) under exclusive offers.

The checkout page contains:

- Plan details
 - Plan type (Monthly / Quarterly)
 - Zone (A / B) along with info icon
 - Clicking on info icon - system displays list of eligible cities and excluded cinemas
 - Validity (30 / 90 days)
 - Price of the selected plan
 - Purchased for - Self/someone else
- Info message:
 - If monthly - “Auto-renew enabled for 3 months (Cancel anytime)”
 - If quarterly - “One time payment for 90 days”
- Recipient details (for self):

- Name
- Date of Birth
- Phone Number
- Email
- Promocode
 - System displays an Enter Promocode field allowing the user to apply a promocode.
 - If any valid promocode is applied, the system validates eligibility, Applies benefit and Updates bill summary in real-time with an option to remove it.
 - If promocode is invalid → Error message is displayed.
- Bill Details Section:
 - Subtotal (If any discount is applied)
 - Discount applied (if any - promocode, Auto-offer, Bank Offer)
 - If any offer is applied, Offer type and applicable discount is shown.
 - Final payable amount
- Exclusive offers
- Secure payment info (certifications/logos)
- CTA: “Select Payment Method”
 - System displays eligible payment methods.
 - For Monthly (Monthly Passport requires recurring payment mandate setup)
 - Credit/debit card
 - System validates whether the card supports recurring payments
 - If supported → user is allowed to proceed
 - If not supported → system restricts usage and displays inline message:
“This card does not support recurring payments required for auto-renewal subscriptions. Please use a different card.”
 - UPI (for App/M-site)
 - System displays list of available/installed & applicable UPI apps on the device
 - User selects one of the UPI apps to proceed
 - Subscription mandate setup is handled at the payment gateway level via the selected UPI app.
 - If mandate setup is not supported / fails:

- The system displays a message - “This payment method does not support auto-renewal mandates. Please select a different payment method.”

- For quarterly plan -
 - Credit/debit card
 - UPI

UC 35.1.5. Payment Confirmation

- User completes payment via Payment Gateway (Razorpay).
- Razorpay sends payment confirmation to the system.
- System validates the transaction with Showbizz
- Upon successful confirmation from Showbizz:
 - The system redirects the user to the Passport Confirmation Page.
 - Passport becomes active for the user.
- After a successful transaction,
 - A text/whatsapp message & emails are shared.
 - If users opt in for whatsapp, a whatsapp message will be shared. Else text messages will be shared.

UC 35.1.6. Booking Confirmation page:

On successful payment, the system displays the Passport Confirmation Page showing:

- Success message:

“Your PVR INOX Passport is now active”
- Passport Details Section:
 - Passport plan (Monthly / Quarterly)
 - Zone (A / B) along with info icon
 - Clicking on info icon - system displays list of eligible cities and excluded cinemas
 - Price of the plan
 - Passport Number
 - Total visits
 - For monthly - 4
 - For quarterly - 12
 - Validity (From – To date with applicable days e.g., Mon–Thu only)
- Transaction Details:
 - Booking ID
 - Track ID
 - Transaction date & time
- Subscription Details (for Monthly Passport):

- Auto-renewal status (Enabled)
- Information message:
“Your subscription will automatically renew for X months”
- Joining Benefits (Applicable for Quarterly Passport only):
 - Total benefit value (e.g., ₹350)
 - Per voucher value (e.g., ₹50 each)
 - Benefit details:
“7 F&B vouchers have been added to your account > Booking History > Vouchers!”
 - CTA: View Vouchers
 - Redirects user to My Bookings > Vouchers > Passport
- Recipient Details (For Self):
 - Name
 - Date of Birth
 - Phone Number
 - Email
- Payment Summary:
 - Subtotal (If discount is applied)
 - Discount (Promocode/Offer applied)
 - If payment is done via Activation Code
 - Activation Code Applied (full value deducted)
 - Total paid amount
 - Payment method
- CTA - “Back to Homepage”
- CTA - “View My Passport” - redirect to Passport
- Promotional banner 3 - configured from Admin panel.
 - The count depends on how many promotional offers are activated from the admin panel for that city.

My Passport & Redemption History

UC 35.1.7. User navigates to the Passport section from header/navigation.

- If user has an active Passport → system displays Passport details
- If user does not have a Passport → system displays Passport purchase screen

If user has an active Passport, system displays Passport card with following details:

- Plan details
 - Passport plan (Monthly / Quarterly)
 - Zone (A / B) along with info icon
 - Clicking on info icon - system displays list of eligible cities and excluded cinemas

- Price of the plan
- Passport Number
- Remaining visits
 - For monthly - 4/4
 - For quarterly - 12/12
- Validity (From – To date with applicable days e.g., Mon–Thu only)
- Subscription Details (for Monthly Passport):
 - Auto-renewal status (Enabled)
 - Information message:

“Your subscription will renew automatically on [date]”
 - CTA: Cancel Subscription
 - Month indicator: 1/3
- Recipient Details (For Self):
 - Name
 - Date of Birth
 - Phone Number
 - Email
- CTA: Buy a Passport for Someone Else
 - User can purchase Passport for others (max limit - 3 configurable from admin)
- Sections available:
 - Redemption History
 - System displays Passport redemption history having:
 - Movie name
 - Cinema name
 - Show date
 - Show time
 - Booking ID
 - Track ID
 - Transaction date & time
 - All redeemed visits are displayed in reverse chronological order (latest first)
 - How it Works
 - The system displays a slideshow of images configured in the admin panel.
 - The duration is also configured in the admin panel.
 - Help / FAQs
 - System displays the purchased passport plan details (before purchase)

- CTA - Book Movies with Passport (for self only)
 - System redirects the user to Movie List → Cinema List → Showtime selection flow
 - Only eligible options are displayed to the user :
 - Eligible movies (excluding blackout period movies)
 - Eligible cinemas (as per selected Passport zone)
 - Eligible showtimes (as per Passport conditions e.g., Mon–Thu)
 - CTA is displayed only if the user has selected a city within a zone for which they have purchased the passport.

Purchase of Passport - for Someone else

UC 35.1.8. User clicks on “Buy a Passport for Someone Else” CTA from the My Passport section.

The Passport page is displayed with:

- User’s current zone pre-selected (non-editable)
- Selected Passport plan (same as user’s active passport) pre-selected by default
 - User can change the plan (Monthly / Quarterly)
- Details remain the same as in UC 35.1.1.

UC 35.1.9. Purchase form -

Flow remains the same as in UC 35.1.2 & UC 35.1.3. , with following changes:

- All input fields are for the recipient
- No fields are pre-filled
- System validates Phone number:
 - If recipient already has an active Passport →
 - System restricts purchase and displays error message
 - Else → user is allowed to proceed.

UC 35.1.10. Checkout page

Flow remains the same as in UC 35.1.4 except in

- Recipient details (for someone else)

UC 35.1.11. Payment Confirmation

- User completes payment via Payment Gateway (Razorpay).
- Razorpay sends payment confirmation to the system.
- System validates the transaction with Showbizz
- Upon successful confirmation from Showbizz:
 - The system redirects the user to the Passport Confirmation Page.
 - Passport is linked to the recipient user (via Phone number)
- After a successful transaction,
 - A text/whatsapp message & emails are shared to the user and recipient

- If users opt in for whatsapp, a whatsapp message will be shared. Else text messages will be shared.
- When the recipient opens the app for the first time after receiving the Passport:
 - System displays the Passport details on the Homepage such as:
 - Message: “You’ve received a Passport”
 - Tag: “Gifted by: <Purchaser Name>”
 - CTA: “View Passport”
 - Redirects user to My Passport section

UC 35.1.12. Booking Confirmation Page

Flow remains the same as in UC 35.1.6 with with following changes:

- Success message -
“Recipient_name’s PVR INOX passport is now active”
- Recipient details (for someone else)
- Joining Benefits (Applicable for Quarterly Passport only):
 - Total benefit value (e.g., ₹350)
 - Per voucher value (e.g., ₹50 each)
 - Benefit details:
“7 F&B vouchers have been added to recipient’s account > Booking History > Vouchers”
- CTA - “View Other Passport” - redirect to Passport page showing the purchased passport

UC 35.1.13 View Purchased Passport for someone else

- System displays Passport(s) purchased for others within the Passport carousel. User can swipe/scroll through multiple Passport cards (self + someone else)
- Flow remains the same as in UC 35.1.7 with following changes
 - Recipient details (for someone else)
 - Redemption History is not available for Passport purchased for someone else

Purchase History

UC 35.1.14. User navigates to Account > My Bookings. User selects the “Passport” tab. The system displays all Passport purchase/renew transactions (purchased for self and someone else) made online by the logged-in user.

- Each transaction card displays:
 - Passport plan (Monthly / Quarterly)
 - Zone (A / B)
 - Price of the plan
 - Passport Number

	○ Total visits (e.g., 4 or 12) ○ Validity (From – To date with applicable days e.g., Mon–Thu only) ○ Booking ID ○ Track ID ○ Transaction date & time ○ Purchase Status ■ Confirmed ■ Confirmation awaiting ■ Cancelled (In case of Bad transaction) ● Refund Initiated ○ Info message: “Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support.” X= 45 configured from the admin panel. ● Refund Completed ○ Info message: “Refund has been processed to your source account <date>.” ○ Purchased for - Self/Someone else ● For Monthly Subscription Passports: ○ All transactions related to a single Monthly Subscription are displayed as a group. ○ Each group contains multiple cards, representing: ■ Initial purchase ■ Renewal cycles (e.g., Renew 1, Renew 2, etc.) ○ Within the group: ■ Each transaction is shown as an individual card ■ Cards are displayed in reverse chronological order (e.g., Renew 2 → Renew 1 → Initial Purchase) ● All items (monthly group or quarterly cards) are ordered based on their latest transaction date & time ○ Monthly groups are ordered based on the latest transaction within the group. UC 35.1.15. When a user clicks on a transaction card, the system opens the Passport Purchase Summary Page which contains: ● Passport Details Section: ○ Passport plan (Monthly / Quarterly) ○ Zone (A / B) along with info icon
--	---

	■ Clicking on info icon - system displays list of eligible cities and excluded cinemas ○ Price of the plan ○ Passport Number ○ Total visits ■ For monthly - 4 ■ For quarterly - 12 ○ Validity (From – To date with applicable days e.g., Mon–Thu only) ○ Purchase for : self/someone else ● Transaction Details: ○ Booking ID ○ Track ID ○ Transaction date & time ● Subscription Details (for Monthly Passport): ○ Auto-renewal status (Enabled) ○ Information message: “Your subscription will renew automatically on [date]” ○ CTA: Cancel Subscription ○ Month: 1/3 ● Joining Benefits (Applicable for Quarterly Passport only): ○ Total benefit value (e.g., ₹350) ○ Per voucher value (e.g., ₹50 each) ○ Benefit details: ■ When purchased for self - “7 F&B vouchers have been added to your account > Booking History > Vouchers” ■ When purchased for someone else - “7 F&B vouchers have been added to recipient’s account > Booking History > Vouchers” ○ CTA: View Vouchers (when purchased for self) ■ Redirects user to My Bookings > Vouchers > Passport ● Recipient Details (For Self/someone else): ○ Name ○ Date of Birth ○ Phone Number ○ Email ● How to access (when purchased for someone else) ○ This section is configured from showbizz. ● Payment Summary: ○ Subtotal (If discount is applied) ○ Discount (Promocode/Offer applied)
--	--

- If payment is done via Activation Code
 - Activation Code Applied (full value deducted)
 - Total paid amount
 - Payment method
- Communication CTAs
 - Resend Email (to Me)
 - Resend SMS (to Me)
 - Resend Email to Recipient - If purchased for someone else
 - Resend SMS to Recipient - If purchased for someone else
- Purchase Status
 - Confirmed
 - Confirmation awaiting
 - Cancelled (In case of Bad transaction)
 - Refund Pending
 - Refund Initiated
 - Refund Completed
 - Cancelled status is displayed along with CTA - "View Refund details".
Clicking on the CTA following info is displayed.
 - Refund Amount
 - Refund Status - Pending/Completed
 - Refund ID
 - Refund Initiated On (date)
 - Original Payment Method
 - Info message:
 - Refund Pending
 - Info message: "Your cancellation has been initiated."
 - Refund Initiated
 - Info message: "Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support." X= 45 configured from the admin panel.
 - Refund Completed
 - Info message: "Refund has been processed to your source account <date>."

Passport redemption:

UC 35.1.16. User proceeds to the Checkout Page. System displays:

- Countdown timer (8 minutes – configurable via Global Configuration).
- Booking summary
- F&B summary
- Superticket purchase option (If eligible)
- Purchased Vouchers “Redeem your vouchers”
 - Purchased vouchers are displayed under two categories: Tickets and F&B, along with a Refresh option to fetch the latest vouchers in real time.
 - If vouchers in a category exceed 5 (or the limit defined by the design team), a “View All” CTA appears for that category.
 - Clicking View All opens a bottom sheet (Phone) / right-side panel (web) displaying the complete list of vouchers from both categories (Tickets and F&B).
- PVR INOX Exclusive Paymodes along with option to apply
- Bill breakdown
- Cancellation policy
- Exclusive Offers
- Payment methods
- Option to Pay
- Security assurance message

UC 35.1.17. Under the “Redeem your vouchers” > “Tickets” tab, System displays a list of active purchased Passport(s) & supertickets in an ascending order of expiry date.

- Each Passport card contains:
 - Passport Number
 - Phone Number
 - Valid Till date
 - CTA:
 - Redeem (for self Passport)
 - Unlock (for Passport purchased for someone else)
- For Self Passport:
 - User clicks on “Redeem” CTA. Passport is selected and applied for booking.
- For Someone Else Passport:
 - User clicks on “Unlock” CTA. System sends OTP to the recipient’s registered Phone number and User is prompted to enter OTP
 - On successful OTP verification → Passport is unlocked and applied
 - On failure → error message is displayed
- On successful validation:

- System displays a popup having the message: “Visit Applied Successfully! Congratulations, One visit has been deducted from your passport. You save ₹X on this booking.”
- The passport visit is applied to the booking
- The discount amount is deducted from the ticket value (excluding convenience fee and donation)
- System updated the checkout page having:
 - A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking..
 - Selected Passport card is updated with applied state
 - CTA changes from Redeem → Remove (for applied Passport)
 - The redeemed Passport amount appears under the Discount section of Bill details.
 - Cancellation policy - “Cancellation is not allowed for this transaction.”

UC 35.1.18. After successful payment, the booking is confirmed and Passport visits redemption details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page.

- Booking confirmation page remains the same as in UC 21 with with following changes:
 - Success message - “Booking Confirmed! Your Passport visit has been redeemed.”
 - Passport template
 - Recipient details
 - Under the Discount section of payment summary, the system displays a summary row showing the total amount redeemed via Passport.

UC 35.1.19. On the My Bookings listing page, “Booked with Passport” is highlighted on the booking card. The same changes as on the booking confirmation page are reflected on the Booking detail page under My Bookings.

F&B Voucher Listing & Details (My Bookings)

UC 35.1.20. The user navigates to Account → My Bookings → Vouchers → Passport - F&B OR clicks on “View Vouchers” on the passport page. The system displays a list of F&B Vouchers in following sequence:

- Active vouchers are sorted in ascending order of expiry (earliest expiry first)
- Redeemed vouchers are sorted based on the redemption date, with the most recently redeemed vouchers displayed at the top.
- Expired vouchers are sorted by most recently expired first.
- Redeemed and Expired vouchers are displayed only for the last 30 days (this duration is configurable from the Admin Panel).

	- Each F&B Voucher card displays: - Voucher Name - Voucher image - Voucher code - Voucher amount (e.g., ₹100) - Validity (Valid Till date) - QR Code (for scan) - Info message: “Show code at F&B counter while placing your F&B order to redeem” - Voucher status: Active / Redeemed / Expired - How it works - Displays “know more” image configured in the admin panel. - Terms & conditions - Displays T&C configured in the admin panel. UC 33.1.9. The user taps on a specific F&B voucher. The system redirects to the Voucher Details screen. The screen displays: - F&B voucher Card - Redemption Details - Cinema name - Date & time of redemption - Amount Redeemed “Important info” / “Terms & Conditions” (if added) - managed from the admin panel.
Alternate Flow	UCA 35.1.1. Gifted by Someone Else (Recipient View) - If a Passport is purchased for a user by someone else: - Passport is automatically linked to the recipient’s account (via Phone number) - When the recipient logs in, the Passport is displayed in the Passport section. - A tag is displayed on the Passport card: “Gifted by: <Purchaser Name>” - Recipient can directly click on “Redeem” (no OTP required) - Recipients cannot purchase another Passport for themselves if already assigned one. - If it is monthly, “Cancel subscription” CTA won’t appear. UCA 35.1.2. Max Limit Reached (Buy for Someone Else) - If user has already purchased maximum allowed Passport(s) for others: - CTA “Buy a Passport for Someone Else” is not displayed

UCA 35.1.3. Passport Not Available for Selected City/Zone

- If Passport is not configured for selected city/zone, system displays a message on the screen:
“We are not in your area yet! But we are rapidly expanding. Stay tuned!”

UCA 35.1.4. No Redemption History of Passport visits (Empty state)

- If the user has not redeemed any Passport visits:
 - System displays an empty state under Redemption History
 - Message displayed:
“No redemption history available”

UCA 35.1.5. Passport Expired

- If Passport validity is expired:
- Passport is not eligible for redemption
- Displayed in history (My Bookings) but not in redeemable vouchers & passport page.

UCA 35.1.6. Subscription Details Update (Monthly Passport Lifecycle)

Subscription details are updated as per the cycle in the following manner:

- Day 1-30 (Initial Cycle)
 - Initial transaction:
 - Auto-renewal status (Enabled)
 - Information message:
“Your subscription will renew automatically on [date]”
 - CTA: Cancel Subscription
 - Month: 1 of 3
- Day 31 - 60 (Post First Renewal)
 - Initial transaction:
 - Auto-renewal status (Completed)
 - Information message:
“Renewed on <Date>.”
 - Renew 1 transaction:
 - Auto-renewal status (Enabled)
 - Information message:
“Your subscription will renew automatically on [date]”
 - CTA: Cancel Subscription
 - Month: 2 of 3
- Day 61 - 90 (Post Second Renewal)

- Renew 1 transaction:
 - Auto-renewal status (Completed)
 - Information message:

“Renewed on <Date>.”
- Renew 3 transaction:
 - Month: 3 of 3
- After 90 days (Cycle Completion)
 - Renew 3 transaction:
 - Subscription ended.

Note: On the Passport page, subscription details are displayed as per the latest transaction.

UCA 35.1.7. Cancel Subscription (Monthly Passport)

- User clicks on “Cancel Subscription” CTA from Subscription Details
- System displays confirmation prompt:

“Are you sure you want to cancel auto-renewal? Your Passport benefits will remain active until the end of your current billing cycle”
- Input field (optional): Reason for cancellation
- CTA: Yes / No
- On Confirmation (Yes)
 - Subscription section is updated as:
 - Auto-renewal status is updated to Disabled
 - Info message: “Your subscription will end on Nov 23, 2023. You will no longer be auto-charged for next month.”
- The system also cancels the auto-mandate associated with the subscription.
- No further auto-debit attempts will be made.
- Current active cycle remains valid till expiry.

UCA 35.1.8. Notify Me (Passport Expiry Reminder)

- When Passport is nearing expiry (i.e., within X days before expiry), where X = 14 days by default and is configurable from the admin panel, system displays:
 - CTA: Notify Me
 - Message: “Your passport will expire in X days”
- User clicks on Notify Me. System registers user’s preference for expiry reminder.
 - Message is updated: “We will notify you when your passport expires”
 - Report is generated in the admin panel.
- User will receive notification before Passport expiry via:
 - SMS / whatsapp (based on user preferences)
- Notification contains a deep link, On click of the notification:

- User is redirected to the Checkout Page.
- Same Passport (as previously purchased) is pre-selected for purchase
- User can click BACK button to change Passport details, if needed, before purchasing

UCA 35.1.9. User Updates F&B Quantity After apply passport visits/voucher

- The user attempts to modify the cart after applying for passport visits/vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?”
- Options: Yes / No
 - If Yes:
 - All applied visits/vouchers are removed
 - Saving strip is removed
 - Booking summary is updated
 - Vouchers/visits returns to default (Apply) state (reinstated).
 - If No:
 - No changes are made
 - Applied vouchers/visits remain intact

UC 35.1.10. Surcharge / Upgrade Flow (Showbizz Driven)

- User selects a premium seat / experience / new movie (e.g., Recliner, IMAX, 4DX)
- Passport is selected for redemption
- System checks surcharge applicability from Showbizz
- If surcharge is applicable, System displays a modal having:
 - Title - Enhance your Passport Visit?
 - Message: “Additional Charge applicable to access the following:”
 - Surcharge Info: Unlock <Format/seat_type/Movie_Name> (+₹XX)
 - CTA: Yes/No
 - If user clicks “Yes, Proceed”:
 - Surcharge is applied
 - Passport redemption continues
 - Updated amount is reflected in Bill Details
 - If user clicks “No” or closes modal:
 - Surcharge is not applied
 - User continues with existing selection.
- Surcharge amount and applicability are fetched from Showbizz.

UCA 35.1.11. Viewing and Removing Applied Passport Voucher from Checkout Page

- After Passport Vouchers are successfully applied, the payment summary of the

Checkout Page is updated.

- Under “Redeem your Vouchers”, the Passport Voucher CTA changes from “Redeem” to
 - “Remove” - User can remove the applied Passport.
- The user clicks Remove against a specific Passport Voucher.
- The system removes the selected voucher and updates the Booking Summary.
- The user can:
 - Apply new/same Passport Vouchers, or
 - Proceed with the booking using other payment methods.

UCA 35.1.12. Mandate Cancelled via Bank / UPI App

- User cancels auto-mandate directly from Bank app / Net banking / UPI app (Autopay mandate section)
- System receives mandate cancellation status from Payment Gateway
- System updates subscription as: Auto-renewal status: Disabled
- Info message under Subscription Details Updated to: “Auto-renewal has been cancelled. Your subscription will remain active till [expiry date].”
- Current active cycle remains valid till expiry
- No further renewal cycles will be triggered

UCA 35.1.13. Mandate Notification & Renewal Journey (Monthly Passport)

If user has an active Monthly Passport with auto-renewal enabled:

- Before renewal date:
 - Pre-debit Notification is initiated by system but sent by Payment Gateway.
 - Notification includes:
 - Debit amount
 - Debit date
 - E.g. “₹X will be auto-debited on <date> for your Passport subscription.” - This is a standard message sent by PG.
 - If notification fails / is not delivered:
 - System retries sending notification.
 - System also sends an informational reminder via SMS / Whatsapp (If opted): “Your Passport will renew on <date>. Ensure sufficient balance to avoid interruption.”
 - Reminder is sent X days before renewal date
 - Default value: 1 day before renewal
 - Value of X is configurable from the admin panel
- On Renewal Date

- Payment Gateway attempts auto-debit
- System receives payment status and validates with Showbizz
- If Renewal is Successful
 - New cycle is activated (Renew 1 / Renew 2)
 - Subscription details are updated accordingly
 - User receives confirmation via SMS / WhatsApp (if opted)
 - “Your Passport has been successfully renewed. Enjoy your next cycle!”
- If Renewal Fails
 - System follows grace period flow (1 day)
 - Passport is marked as:
 - Inactive
 - Not available for redemption
- During Grace Period
 - System continues retry attempts within the grace period
 - If retry is successful:
 - Passport becomes Active
 - Subscription continues
 - If all retry attempts fail:
 - Passport expires
 - Subscription ends
 - System sends SMS/Whatsapp notification:
 - “Auto-renewal failed due to payment issues. Your Passport has expired.”
 - If payment succeeds but renewal fails at Showbizz:
 - The transaction is marked as “Bad Transaction”.
 - Refunds are initiated automatically.
 - The transaction is displayed under My Bookings > Passport
 - Purchase status is shown as:
 - Refund Initiated/Refunded.
 - System shows a message upfront -
 - Refund Initiated - “The refund will be processed within 45 minutes. If you face any issues, please contact customer support.”
 - Refund Completed - “Refund has been processed to your source account on <Date>.”
 - System sends SMS/Whatsapp notification:
 - “Your payment was successful, but we couldn’t renew your Passport due to a technical issue. The amount will be refunded

	shortly.” ○ Subscription Details Update: ■ Auto-renewal status: Cancelled ■ Information message: “We’re awaiting renewal confirmation. Access will resume once confirmed.” ■ Auto-renewal status: Failed ■ Information message - System displays actual failure reason received from Payment Gateway / Showbizz. E.g. ● “Your Passport has expired. Payment failed due to insufficient balance.” ● “Your Passport has expired. Mandate is inactive.” ● “Your Passport has expired. Payment could not be processed by your bank.” ● “Your Passport has expired. Renewal could not be completed due to a technical issue.” ● Technical Notes ○ System maintains a flag to differentiate: ■ New Purchase vs Renewal ○ System stores: ■ Total frequency (e.g., 3 cycles) ■ Remaining frequency ○ Notification is initiated by system but actual delivery is handled by Payment Gateway / Bank
Exceptional flow	UCE 35.1.1. Invalid / Expired Activation Code If user enters an invalid or expired Activation Code: System displays error message UCE 35.1.2. Payment Success but No Confirmation from Showbizz ● If payment of passport purchase is successful but confirmation is not received: ● Status: Confirmation Awaited ● Passport is not activated until confirmation UCE 35.1.3. Duplicate Passport (Recipient Already Has One) ● If recipient already has an active Passport: ● System restricts purchase ● Error message is displayed UCE 35.1.4. Passport Not Applicable (Showbizz Validation) ● If Passport is not applicable for booking:

- System displays error message as per Showbizz
- Passport is not applied

UCE 35.1.5. Passport Already Used (Same Day Restriction)

- If user tries to use Passport more than allowed:
- System displays an error message.

UCE 35.1.6. Session Terminated After Applying Passport visit/voucher

- The user applies a Passport visit / Voucher but exits the session or kills the application before completing the booking.
- The system detects session termination.
- The applied offer is automatically rolled back.

UCE 35.1.7. Payment Successful but Booking Failure at Showbizz (Bad Transaction)

- The user applies Passport visit / Vouchers and proceeds to complete the remaining payment (if applicable) via the Payment Gateway (PG).
- The payment is successfully processed by the Payment Gateway.
- During booking confirmation, the Showbizz system fails to generate the booking due to a Bad Transaction.
- The system marks the transaction as Booking Failed / Bad Transaction.
- The user is informed that the booking could not be completed.
- The system initiates the refund process for the amount paid via the Payment Gateway, as per the payment gateway refund policy.
- The Passport visit / Vouchers used in the transaction remain temporarily locked until its rolled back, and the user is advised to wait for 30 minutes as per system configuration before attempting to reuse the coupon codes.

UCA 35.1.8. Auto-Renewal Pending (Grace Period)

- On the Passport renewal date, a grace period of 1 day is provided. If auto-renewal payment is not completed on the renewal date:
 - Passport is marked as Inactive, but displayed on the Passport section with the available details.
 - Passport is not available for redemption
- Subscription Details Update:
 - Auto-renewal status: Pending
 - Information message: "We're awaiting renewal confirmation. Access will resume once confirmed."
- If payment is successfully completed within grace period:
 - Passport becomes Active

	○ Subscription continues to next cycle ● If payment is not completed within grace period: ○ Passport expires ○ Subscription ends ● Grace period duration (1 day) is configurable from the admin panel. ● No benefits can be availed during inactive state.
Business Rules	● User must be logged in to purchase or redeem Passport ● Passport must be configured and available for the selected city/zone ● Passport purchased online only will be visible under: ○ My Passport ○ My Bookings > Passport ● User can purchase Passport for: ○ Self ○ Someone else ● For “Someone Else”: ○ Maximum 3 Passports can be purchased (configurable) ○ Recipient must not have an active Passport ● All purchase details (plans, pricing, benefits) are configured in the admin panel via Showbizz. ● Monthly Passport requires recurring payment mandate ○ Supported payment methods: ■ Credit/Debit Card (must support recurring payments) ■ UPI (App/M-site, mandate handled via PG) ● Quarterly Passport is one-time payment ● Payment confirmation is dependent on Showbizz validation ● While redemption Passports must satisfy: ○ Validity not expired ○ Remaining visits available ○ Eligible for current booking conditions (if showbizz provides this info on checkout page) ■ Zone eligibility ■ Day restriction (Mon–Thu) ■ Blackout rules ■ Experience eligibility ● Maximum 1 ticket per day can be booked using Passport ● Passport is applicable only for eligible cinemas, movies, seat type and formats ● All validations of passports during redemption are controlled by Showbizz. ● Passport covers only base ticket value ● Premium seats / formats require additional surcharge

- Passport Compatibility
 - Passport visit & passport F&B can be applied together, If allowed by showbizz.
 - Passport cannot be applied if the user has purchased any voucher (CVP, family bundle, superticket, F&B voucher, Passport) in the same transaction.
 - Passport cannot be applied if any promotional offer is already applied to the booking.
 - Passport cannot be applied if any other voucher (CVP, family bundle, superticket, F&B voucher, Passport) has been redeemed in the transaction.
 - Passport cannot be applied along with any other PVR INOX Exclusive Paymodes except:
 - Gift Card
 - Gyftr
 - The compatibility of Passport with other vouchers, offers, and payment modes is managed from Showbizz.
 - Refer to the sheet for its compatibility →  PVR Grid
- If session is terminated after applying Passport, Applied visit is rolled back.
- If booking fails after payment, Refund is initiated and the user is advised to wait for 30 minutes (as configured) before attempting to reuse the same Passport Voucher.
- Monthly subscriptions are displayed as grouped transactions
- Passport lifecycle (purchase, redemption, renewal) is synced with Showbizz.
- Admin panel records Purchase transactions and Redemption entries.
- Reason for Cancellation – Validation
 - Field is optional
 - Maximum character limit: 250 characters
 - Input supports alphanumeric and special characters
 - If user enters only spaces, input is treated as empty
- Reasons for cancellation entered by the user will be saved in the admin panel.
- If booking ID is fetched from showbizz, then it will display corresponding to Passport purchase, else this field won't appear.
- If a Passport visit/voucher is redeemed in a booking, the booking cannot be cancelled by the user after successful booking confirmation.
- If a user purchases a Monthly Passport using a discount (promocode / offer / bank offer):
 - Renewal pricing behavior is configured via Admin Panel (Showbizz)
 - Based on configuration, renewal can be:

	■ At discounted price, OR ■ At standard plan price (without discount)
Validations	Guest User Not Allowed: ● Users should be asked to login to access this module. Mandatory Fields Not Filled ● The user attempts to proceed without filling required details. The system displays a message - “Please fill all the required details.” Email Not Verified ● The user attempts to proceed without verifying email. The system displays a message - “Please verify your email to proceed.” Invalid Date of Birth ● The user enters a Date of Birth below 18 years. The system displays a message - “You need to be 18 years or older to enroll in the PVR INOX Passport.” Invalid / Expired Activation Code ● The user enters an invalid or expired Activation Code. The system displays a message - “Invalid or expired activation code.” Recipient Already Has Active Passport ● The user enters a Phone number which already has an active Passport. The system displays a message - “This user already has an active passport. Cannot purchase another passport.” Terms & Conditions Not Selected ● The user attempts to proceed without selecting the Terms & Conditions checkbox. The system displays a message - “Please accept Terms & Conditions to proceed.” Card Not Supporting Recurring Payments ● The user selects a card that does not support recurring payments for Monthly Passport. The system displays a message - “This card does not support recurring payments required for auto-renewal subscriptions. Please use a different card.”

	Passport Not Applicable - The user selects a Passport that is not applicable for the current booking. The system displays a message received from Showbizz such as: “Sorry! Your Passport has already been used today, so it can’t be used again.” “You can only use one Passport at a time” “Sorry! Passports cannot be redeemed for this movie during the blackout period.” “Your Passport Vouchers does not support weekend booking! Please continue booking without your passport voucher or change the date.” Booking Cancellation Due to Bad Transaction - Payment is successful at the Payment Gateway, but the booking fails at Showbizz due to a bad transaction. The system automatically cancels the transaction and initiates the refund. Message Displayed: “Your cancellation has been initiated. The refund will be processed within 45 minutes. If you face any issues, please contact customer support. Please wait for 30 minutes (as configured) before attempting to reuse the Passport visit/voucher.”
--	--

36. Offers & Discounts

36.1. Use Case

Use Case No.	UC 36
Use case	Offers & Discounts (Promocode, Bank Offers, Auto Offers, CAC)
Description	This use case describes the application of offers and discounts on the checkout page, including auto-applied offers, bank offers, and promocodes. It covers offer evaluation, selection, validation, application, and removal during the booking flow.
Primary Actor	Customer (Logged-in user)
Secondary Actor	System Backend (Showbizz, Admin Panel) Payment Gateway
Triggering Event	- This use case is triggered when: - User reaches the Checkout page during the booking flow - System evaluates and displays eligible offers based on booking details - User taps on “View All Offers & Options” / “Browse Offers” - User attempts to apply a promocode or select a bank offer

Pre-Condition	● User has an active internet connection. ● User has reached the Checkout page. ● Booking details (tickets/F&B/vouchers, if any) are available for evaluation. ● Offer configurations (auto offers, bank offers, promocodes) exist in Showbizz/Admin Panel. ● For bank offers: User has a valid card for applicable bank offers.
Post Condition	● Eligible offers (auto offers, bank offers, promocodes) are evaluated and displayed on the Checkout page. ● Selected offer (auto offer / bank offer / promocode) is successfully applied to the booking. ● Discount amount is reflected in the Payment Summary under the Discount section. ● Final payable amount is updated accordingly.
Basic Flow	● CAC Offer (e.g., APP100): Campaign-based customer acquisition offer applicable to specific user segments based on predefined eligibility rules. ● Eligible Auto Offer (Value Voucher): System-generated value voucher that meets current cart eligibility criteria and can be applied immediately. ● Non-Eligible Auto Offer (Value Voucher): System-generated value voucher that is not yet eligible but can be unlocked by increasing the cart value. ● Bank Offer: Discount provided on payment using an eligible bank card. ● Payment Offer: Cashback or benefit provided by a payment partner for using a specific payment method, applied outside the system during payment. ● Promocode: User-entered offer code that provides a discount upon successful validation. UC 36.1.1. User proceeds to the Checkout Page. System evaluates all eligible offers (CAC offers, auto offers, bank offers, promocodes) based on Cart value. UC 36.1.1.1. Maximize your savings ● System displays non-eligible Auto Offers (up to 5) under the "Maximize Your Savings" section. ● Offers are prioritized in the following order: ○ Non-eligible Auto Offers that are closest to eligibility ● For each non-eligible auto-offer (upselling value vouchers), system displays: ○ Offer title/code ○ Benefit message having Discount value ("Add ₹X more to get ₹Y off") ■ ₹X = Additional amount required to unlock the offer ■ ₹Y = Discount value of the offer

- This is applicable only when F&B items are added in the cart.
 - “Apply” CTA is in disabled state
- If the user increases the cart value and meets the minimum eligibility criteria of a close-to-eligibility Auto Offer:
 - The message "Add ₹X more to get ₹Y off" is replaced with a Benefit message having Discount value “You are saving ₹X on this booking”.
 - Apply CTA changes from disabled state to active state without changing its sequence.
 - User can apply the offer immediately.

UC 36.1.1.2. “View all offers and options” section

- System displays up to 3 offers upfront prioritized based on maximum benefit under the “View all offers and options” section along with CTA “Browse Offers/View all”.
- First priority is CAC offers:
 - If allowed from backend/admin panel and eligible, system checks CAC offers first
- Second priority is Bank Offers:
 - System displays user’s last used / frequently used bank offer upfront (if available) - would be handled via personalization tool.
- Offer card contains:
 - Offer code
 - Benefit message having Discount value.
 - CTA: “Apply”
 - Changes to text “Applied” if applied.

Note: If the user modifies the cart, the section showing 3 offers will be collapsed and all offers are displayed on the offer listing screen.

UC 36.1.2. Browse offers

User taps on “View All Offers & Options” / “Browse Offers”. System displays:

- List of all eligible offers categorized as:
 - CAC
 - Auto Offers
 - Bank Offers
 - Others (Promocodes, CAC offers)
 - Payment offers

- Option to enter promocode manually
- Offers card contains:
 - Offer code (not applicable for payment offers)
 - Validity
 - Offer title
 - CTA: “View details”
 - It shows the offer details/description fetched from the showbizz/admin panel.
 - CTA: “Apply”
 - CTA: “Remove” (If applied)

UC 36.1.3. Auto-offer (Value Voucher) Application -

System displays eligible auto offers (Value vouchers) under “Maximize your savings”, or on the offer listing page.

- User taps on the Apply CTA of an eligible Auto Offer.
- System validates the offer eligibility.
- On successful validation:
 - System displays a confirmation popup with the applied offer details:
 - For auto offer - “‘<Offer Code>’ Applied! ₹<Discount Amount> saved with this offer.”
 - Offer is applied to the booking.
 - Discount is reflected under Bill Details.
 - Final payable amount is updated.
 - Offer is displayed in the Applied state.
 - CTA changes from "Apply" to "Remove".
 - To remove the applied offer.
 - Saving strip is updated to reflect the total benefit availed on the booking.

UC 36.1.4. CAC offer application

System displays eligible CAC offers under “View All Offers & Options”, or on the offer listing page. Offers are shown based on maximum benefit prioritization.

- User must explicitly tap on an offer to apply it. User taps on Apply CTA.
- System validates offer eligibility from showbizz/admin panel.
- On successful validation:
 - System displays a confirmation popup with the applied offer details:
 - For auto offer - “‘<Offer Code>’ Applied! ₹<Discount Amount> saved with this offer.”
 - For CAC offer - “You’re eligible for an exclusive new user offer.

We've applied the best available discount to your booking.
'<Offer Code>' Applied! ₹<Discount Amount> saved with this offer."

- Offer is applied to the booking.
- Discount is reflected under Bill details.
- Final payable amount is updated.
- System updated the checkout page having:
 - A saving strip is displayed - "You are saving ₹X on this booking" Where: ₹X = Total benefit availed by the user on the booking.
 - Offer is shown in applied state Under "View All Offers & Options" (Checkout page)
 - CTA changes from "Apply" to
 - → Applied (under offer section)
 - → "Remove" CTA (on offer listing)
 - The applied offer discount appears under the Discount section of Bill details.

UC 36.1.4. Bank Offer application

User navigates to "View All Offers & Options" / "Browse Offers". System displays eligible Bank Offers.

- User taps on Apply CTA on a bank offer.
- System prompts the user to enter card number.
 - System also displays applicable saved cards (if available).
- User enters card number or selects a saved card.
- System validates:
 - Card eligibility & Offer applicability (via Showbizz)
- On successful validation:
 - System displays a confirmation popup with the applied offer details:
 - "'<Offer Code>' Applied! ₹<Discount Amount> saved with this offer."
 - Offer is applied to the booking.
 - Discount is reflected under Bill details.
 - Final payable amount is updated.
- System updated the checkout page having:
 - A saving strip is displayed - "You are saving ₹X on this booking" Where: ₹X = Total benefit availed by the user on the booking.
 - Offer is shown in applied state Under "View All Offers & Options" (Checkout page)
 - CTA changes from "Apply" to

- → Applied (under offer section)
- → “Remove” CTA (on offer listing)

- The applied offer discount appears under the Discount section of Bill details.
- The applied card is selected as a Payment method.

UC 36.1.4.1. Payment with Bank Offer

The user proceeds to payment after applying for a bank offer.

- System prompts the user to enter remaining card details such as
 - Card Number (Pre-filled & non-editable)
 - Expiry
 - CVV
 - Name on card
 - Nick name
 - Option to save the card for future use
 - CTA: “Proceed”
- If a saved card is selected:
 - System prompts the user to enter CVV only.
 - CTA: “Proceed”
- User taps on the CTA to pay the amount.
- The system routes payment to Razorpay for processing.

UC 36.1.4.2. Change Payment Method

- If user attempts to Change payment method, or Select a different card
- System displays a confirmation popup:
- Message: “Applied bank offer won’t be applicable if you select a different payment method.”
- CTAs:
 - Cancel → User stays on current payment method
 - Choose another payment method → Bank offer is removed

UC 36.1.5. Promocode application (If enabled via the admin panel)

On the Checkout page and offer listing page, System displays a promocode input field.

- User enters a promocode.
- User taps on Apply CTA.
- System validates:
 - Promocode validity & Offer applicability (via Showbizz)
- On successful validation:
 - System displays a confirmation popup with the applied offer details:
 - “‘<Offer Code>’ Applied! ₹<Discount Amount> saved with this offer.”

- Offer is applied to the booking.
- Discount is reflected under Bill details.
- Final payable amount is updated.
- System updated the checkout page having:
 - A saving strip is displayed - “You are saving ₹X on this booking” Where: ₹X = Total benefit availed by the user on the booking.
 - Promocode field is updated to applied state with Remove option
 - The applied promocode discount appears under the Discount section of Bill details.

UC 36.1.6. Payment Offers Application

- Under “View All Offers & Options”, system displays Payment Offers category
- Offer card contains:
 - Offer title
 - Benefit message
- System displays message:
 - “No offer code required - just pay using this paymode”
- Payment offers are applied during payment based on selected payment methods.
 - On the payment method selection page, For each payment method (paymode):
 - System displays the eligible payment offer under that paymode.
 - Payment offer is shown as a text line under the paymode
 - Example: “Get upto ₹X cashback”
- Payment offers are not applied via system.
- The system does not validate or calculate discounts for payment offers.
- Offer benefit (cashback) is processed by Bank / Payment Partner.

UC 36.1.7. After successful payment, the booking is confirmed and applied offer details are recorded in the Admin Panel redemption report. The system then redirects the user to the Booking Confirmation Page.

- Under the Discount section, the system displays a summary row showing the total discount applied via the offer (e.g., “1 × Bank/Promocode/Offer applied – ₹XX”).
- This row is expandable. On expanding, the system displays the individual applied offer, including:
 - Offer code (e.g., LJK3456)
 - Amount discounted from each offer.

	UC 36.1.8. The same Payment summary is reflected on the Booking detail page under My Bookings.
Alternate Flow	UCA 36.1.1. No Eligible Offers Available ● If no offers are eligible for the current booking: ● System displays empty state under “View All Offers & Options” ● Message: “No offers available for this booking” UCA 36.1.2. Offer Not Applicable (Auto/CAC/Bank/Promocode) ● If user attempts to apply an offer that is not applicable: ○ Offer is not applied ○ System displays message: “This offer is not applicable for this booking” UCA 36.1.3. Invalid Promocode ● If user enters an invalid promocode: ● System displays message: “Invalid promocode” ● Promocode is not applied UCA 36.1.4. Bank Card Not Eligible ● If entered/selected card is not eligible for the selected bank offer: ● System displays message: “This card is not eligible for the selected offer” ● Offer is not applied UCA 36.1.5. User Removes an Applied Offer ● User taps on Remove CTA from the Offer Listing screen or Promocode field. ● System removes the applied offer: ○ Discount is removed from Bill details ○ Final payable amount is updated ○ Offer returns to default (Apply) state. UCA 36.1.6. User Updates F&B Quantity After Applying Offer ● The user attempts to modify the cart after applying vouchers. The system displays a confirmation message: “Modifying the cart will remove the applied discount. Do you want to continue?” ● Options: Yes / No ○ If Yes: ■ All applied offers are removed ■ Saving strip is removed ■ Booking summary is updated ■ Offer returns to default (Apply) state.

	○ If No: ■ No changes are made ■ Applied offers remain intact UCA 36.1.7. User Tries to Apply Another Offer ● If an offer is already applied and user attempts to apply another offer: ● System displays a confirmation popup: ● Message: “Applying this offer will remove the currently applied discount. Do you want to continue?” ● CTAs: ○ Cancel → Existing offer remains applied ○ Apply Offer → Existing offer is removed and new offer is applied. ■ System removes the existing offer ■ New offer is applied ■ Discount is recalculated ■ Updated offer is reflected in applied state
Exceptional flow	UCE 36.1.1. Offer No Longer Available ● The user applies an offer. During validation, the system detects that the offer is no longer available (already used/expired at backend). ● The system displays an error message and prevents application of the offer.
Business Rules	● All offers (Auto/CAC, Bank, Promocodes) are configured and validated via Showbizz/Admin Panel. ● Offer eligibility is determined based on Cart value. ● User must explicitly apply for an offer. ● Only one offer can be applied at a time (Auto/CAC / Bank / Promocode) as configured in showbizz. ○ If multiple offers can’t be applied as per showbizz, Applying a new offer replaces the existing applied offer after user confirmation. ○ If showbizz allows multiple offers can be applied. ● CAC Offers (App100) are handled based on system configurations - ○ App100 is only applicable on app (not on web/M-site). ○ Offer is applicable only if the user has no prior successful transactions. ○ Offer can be used only once per user. ○ Offer is limited to one redemption per device, irrespective of Phone number changes. ○ If the offer was already used on the device, it remains ineligible, even after account deletion and re-registration. ● Bank offer remains valid only if payment is completed using the validated card.

	○ Changing the payment method removes the applied bank offer. ● Payment offers are informational and displayed under the “Payment Offers” category. ● System displays offers under “View All Offers & Options” / “Browse Offers” in the following sequence: ○ CAC offers ○ Auto offers ○ Bank Offers ○ Other (Promocode) ○ Payment offers (without promocode) ● Offers are listed category-wise by priority, and within each category, sorted by maximum benefit. ● Promo Code Field Validation: ○ Supports alphanumeric characters (A–Z, a–z, 0–9). ○ Minimum length: 4 characters. ○ Maximum length: 20 characters. ● If an offer covers 100% of the total amount, the user is directly redirected to the booking confirmation page. ● Refer to the sheet for offers compatibility →  PVR Grid ● Promo code is displayed on the Checkout/Offer Listing page if configured in the Admin Panel. Admin can enable or disable its applicability for Tickets, Food (F&B), Gift Cards, and Passport purchases.
Validations	Invalid / Expired / Inactive Promocode User enters an invalid / Expired / Inactive promocode: Message: “Invalid promocode.” Offer Already Applied ● The user enters a promo code that has already been applied as an offer. The system displays a message - “This offer has already been applied.” Offer Removed ● The user removes an applied offer. The system displays a message - “Offer removed successfully.” Offer Not Applicable User tries to apply an offer that is not applicable: Message: “This offer is not applicable for this booking.”

	Bank Card Not Eligible User enters a card that is not eligible for the selected bank offer: Message: “This card is not eligible for the selected offer.” Offer Replacement Confirmation User tries to apply another offer when one is already applied: Poppup Message: “Applying this offer will remove the currently applied discount. Do you want to continue?” Offer Eligibility Not Met User tries to apply an offer without meeting eligibility criteria (e.g., cart value): Message: “This offer is not eligible for this booking.”
--	---

37. Movie Jockey

37.1. Use Case

Use Case No.	UC 37
Use case	Movie Jockey
Description	Movie Jockey is a conversational chatbot powered by Haptik that enables users to discover movies, explore cinemas, check showtimes, book tickets, order food, gift cards, apply coupons and perform related actions across platforms such as WhatsApp, Web, Mobile App, M-Site, and RCS platforms. It provides a seamless conversational interface integrated with the core booking system.
Primary Actor	Customer (Guest and Logged-in user)
Secondary Actor	MJ Jockey Chatbot (Haptik) System Backend (Showbizz, Admin Panel) Payment Gateway Salesforce (Call Center)
Triggering Event	User opens chatbot via: ● WhatsApp ● Floating widget ● Jockey banner
Pre-Condition	● User has an active internet connection. ● MJ Jockey is enabled/configured from the Admin Panel. ● Required APIs (Showbizz + MJ Bot APIs) are available and functional.

	● For transactions: User login/OTP verification is required. ● User location is either Auto-detected OR Manually selected.
Post Condition	● User successfully: ○ Books movie tickets ○ Orders food & beverages ○ Apply coupons on bookings ○ Retrieves booking/gift card information ○ Creates/manages UPI Reserve Pay mandate ○ Retrieves FAQs/support information ● Booking/order details are stored and retrieved via Showbizz. ● User session and data (location, login state) remain synchronized between chatbot and app/web/m-site. ● Mandate status is updated and synced with user account (if applicable). ● If journey originated from chatbot: ○ Relevant data is passed to app/web/m-site upon redirection. ○ Thank-you message is shown on chatbot upon re-entry after successful transaction. ● Chatbot session updated/reset as per rules.
Basic Flow	UC 37.1.1. User initiates interaction with MJ via: ○ WhatsApp chatbot ○ Floating widget on Web/App/M-site ■ MJ Widget visibility is configurable from CMS/Admin Panel. ■ Widget can be enabled/disabled platform-wise. ■ Widget visibility can also be controlled based on App version compatibility/configuration. ○ MJ Jockey banner UC 37.1.2. MJ widget on Web/App/M-site ● MJ Jockey chatbot (powered by Haptik) is launched (New design layout as per new designs) and displays: ○ A greeting message based on: ■ Selected location on homepage ■ User state (Guest / Logged-in) ○ Quick action CTAs: ■ Weekday Bestseller (as per configured timing in the admin panel e.g., Mon–Thu, 9 AM–6 PM) ■ Buy Food & Beverage ■ Book Movie Ticket ■ Create/Mandate UPI Reserve Pay Mandate (Implementation is

	out of scope) ○ Menu ○ Input box: “Ask me anything” ○ User can: ■ Select any quick action CTA ■ Type custom query/message ■ Open Menu options ○ If user clicks Menu, system displays: ■ Book Movie Tickets ■ Cinemas Nearby ■ Add-on Meals and Combos ■ Check Gift Card Balance ■ Get Booking Details ■ FAQs ■ Chat with Agent ■ Change Language ○ System conversation continues based on selected option/user input UC 37.1.2.1. Book Movie Tickets ● User selects Book Movie Ticket ● System displays list of Now Showing Movies with: ○ Movie Poster ○ Movie Name ○ Language tags ○ Censor certificate ○ Genre/Certification (if configured) ○ Options: ■ Book ■ Watch Trailer ● a playback screen opens where the YouTube video auto-play. ○ Note: If Personalization data is available → Movies are fetched from the personalization tool. UC 37.1.2.1.1. Book Ticket Initiation ● If user selects Book, system displays: ○ Movie Poster ○ Movie ○ Language ○ Duration ○ Censor certificate
--	---

- Genre
- Highlight (Tags - New release / re-release)
- With options:
 - Book Now
 - Select Another Movie
 - System displays Now Showing Movies list again.

UC 37.1.2.1.2. Language Selection

- If movie is available in multiple languages, system displays available language options
 - User selects preferred language
 - Once selected:
 - CTA: Proceed
- If only one language is available, system auto-selects the language

UC 37.1.2.1.3. Date Selection

- System displays available dates for selected movie
 - User selects preferred date
 - Once selected:
 - CTA: Proceed

UC 37.1.2.1.4. Cinema Selection

- System displays available cinemas for selected movie/date
- Cinema list includes:
 - Cinema Name
 - Distance from selected/current location
 - Note: If Personalization data is available → Cinemas are fetched from the personalization tool.
- User selects preferred cinema
- Once selected:
 - CTA: Proceed
- Other options:
 - Change Movie
 - Change Date

UC 37.1.2.1.5. Showtime Selection

- System displays all available showtimes for selected movie, date and cinema
 - For Standard format: “Showtime - 7:20 PM”
 - Experience specific: “IMAX – 7:20 PM”
 - Subtitle & wheelchair options also displayed
 - Note: If Personalization data is available → showtimes are fetched from the personalization tool.
- User selects preferred showtime

- Once selected:
 - CTA: Proceed
- Other Options:
 - Change Date

UC 37.1.2.1.6. Booking Summary

- Once showtime is selected, system displays selected booking details:
 - Movie
 - Language
 - Duration
 - Censor certificate
 - Cinema
 - Show date
 - Showtime
- With following options:
 - Quick Checkout with Reserve Pay (Implementation is out of scope)
 - Proceed to Seat Selection

UC 37.1.2.1.7. Seat Selection Redirection

- If user selects Proceed to Seat Selection
- System redirects user to Seat Selection page on App/Web/M-site
- Selected details are prefilled:
 - Movie
 - Cinema
 - Date
 - Showtime
- The remaining journey follows the standard booking flow already defined for App/Web/M-site.
- Once booking is completed successfully:
 - If user reopens MJ Bot widget:
 - System displays Thank You message

UC 37.1.2.1.8. Seat Count Selection

- If user selects Quick Checkout with Reserve Pay (Implementation is out of scope)
 - Bot asks user to enter number of seats
 - User enters seat count
 - Maximum allowed seats: 10

UC 37.1.2.1.9. Seat Type Selection (If multiple seat types available)

- System displays seat map image showing:
 - Reserved seats
 - Available seats
- Seat categories/types along with Price per seat type

- User selects preferred seat type/category

UC 37.1.2.1.10. Recommended Seat Reservation

- System auto-selects/recommends best available seats
 - Fetched from showbizz.
- Selected seats are temporarily reserved
- System displays:
 - Updated seat map image
 - Booking details
 - Movie
 - Language
 - Duration
 - Censor certificate
 - Cinema
 - Show date
 - Showtime
 - Suggested seats
 - Message: “Seats are reserved for 6 minutes”
 - CTA:
 - Confirm & Continue

UC 37.1.2.1.11. Guest User Authentication

- If user is not logged in, system asks for phone number
- User enters phone number
- System sends OTP
- User enters OTP
- System validates OTP
- Upon successful verification:
 - CTA: Continue

UC 37.1.2.1.12. Bill Details

- System displays:
 - Booking details
 - Bill details
 - Total payable amount
- CTA:
 - Proceed to Checkout

UC 37.1.2.1.13. Mandate Validation

Note: Implementation of UPI mandate is out of scope. Only redirection is taken care.

- System checks whether active UPI Reserve Pay mandate exists
- If no active mandate exists, system displays option:
 - Create UPI Reserve Pay Mandate

- Check Latest Mandate
- On selection - “Create UPI Reserve Pay Mandate”:
 - User is redirected to mandate creation webpage
- After mandate creation, user selects option: “Check Latest Mandate”
- System revalidates mandate status
- If active mandates exist:
 - System displays list of active mandates
 - Options:
 - Select Mandate
 - Create New Mandate

UC 37.1.2.1.14. Payment Completion

- User selects mandate and proceeds to payment
 - Partial payment using the Reserve Pay mandate is not allowed.
 - Multiple mandates cannot be clubbed for a single transaction.
- System processes payment
- Upon successful payment, Ticket is generated
- System displays:
 - Ticket details
 - Booking ID
 - QR Code (if applicable)
 - Thank You message

UC 37.1.2.2. Cinemas Nearby

- User selects Cinemas Nearby
- System displays option to select cinema
- System fetches cinemas based on selected location/city
- System displays cinema list along with:
 - Cinema Name
 - Distance from selected location/city
 - Note: If Personalization data is available → Cinemas are fetched from the personalization tool.
- User selects preferred showtime
- Once selected:
 - CTA: Proceed
- Then display Now showing movies in the selected cinema → language selection → Date selection → showtime selection.
- Rest flow would be the same as described in UC 37.1.3.6 - UC 37.1.3.14.

UC 37.1.2.3. Add-ons Meals and combos

- User selects Add-on Meals and Combos
- System asks user to select preferred cinema
- System displays cinema list based on selected city along with:
 - Cinema Name
 - Distance from selected/current location
- System also displays option:
 - Change Location
- If user selects Change Location, system displays:
 - Map/location selector
 - Search location input
 - User enters/selects preferred location
- System asks user to select preferred cinema
- System displays cinema list based on selected location
 - Note: If Personalization data is available → Cinemas are fetched from the personalization tool.
- User selects preferred cinema
 - CTA: Proceed
- Once user clicks Proceed
- System redirects user to App/Web/M-site Food Ordering flow
 - Selected cinema is prefilled
 - If food is added to premium cinema, premium food will be shown.
 - User continues only Food Ordering journey:
 - Select Order Type
 - Select Time
 - Browse Menu
 - Add Items
 - Checkout
- Once order is placed successfully:
 - If user reopens MJ Bot widget:
 - System displays Thank You message

UC 37.1.2.4. Check Gift Card balance

- User selects Check Gift Card Balance
- If user is not logged in:
 - System asks user to login using mobile number and OTP verification
- Once login is successful:
 - System fetches linked/available (active) gift cards for the user account
- If gift cards are available, system displays list of GCs having:

- Gift Card Number
- Available Balance
- Expiry Date
- User can:
 - Return to Main Menu
- If no gift cards are linked/available, System displays message:
 - “Uh-oh! It looks like the gift card cupboard is empty at the moment.”
- System displays CTA:
 - Go Back to Main Menu

UC 37.1.2.5. FAQs

- User selects FAQs
- System displays list of frequently asked questions
- User selects a question
- System displays corresponding answer/details within chatbot
- User can:
 - View More FAQs
 - Return to Main Menu

UC 37.1.2.6. Change Language

- User selects Change Language
- System displays list of supported languages
- User selects preferred language
- System updates chatbot language
- All subsequent chatbot interactions/messages are displayed in selected language
- System displays confirmation message for successful language update
- User continues interaction in selected language

UC 37.1.2.7. Get Booking Details

- User selects Get Booking Details
- If user is not logged in:
 - System asks user to login using mobile number and OTP verification
 - Once login is successful:
 - System fetches recent bookings linked to the user account
- If bookings are available, system displays booking list along with:
 - Movie/Event Name
 - Cinema Name
 - Booking Date

- Showtime
- Booking Status
- User selects preferred booking, system displays detailed booking information:
 - Movie/Event Name
 - Cinema Name
 - Date & Showtime
 - Seat Details
 - Booking ID
 - QR Code/Ticket (if applicable)
- User can:
 - View Another Booking
 - Add food
 - System redirects user to App/Web/M-site Food Ordering flow
 - Selected cinema is prefilled
 - If food is added to premium cinema, premium food will be shown.
 - User continues only Food Ordering journey:
 - Browse Menu (As per the identified order type & selected cinema type - normal/premium)
 - Add Items
 - Checkout
 - Return to Main Menu
 - If no bookings are found against the logged-in mobile number:
 - System displays message:
 - “Uh-oh! I could not find any bookings against this number.”
 - System displays options:
 - Book Tickets
 - Try Another Number
 - If user selects Try Another Number
 - System asks user to enter another mobile number
 - System validates the entered number and fetches booking details again

UC 37.1.2.8. Chat with Agent

- During Support Hours
 - User selects Chat with Agent
 - System initiates agent handover process
 - User conversation/session details are transferred to customer support system
 - System connects user with available support agent

- User continues conversation with customer support agent
- Outside Support Hours
 - If user tries to connect with agent outside configured support hours:
 - System displays support availability message including:
 - Support working hours
 - Request to contact during support hours
 - Alternate support email/contact details

UC 37.1.3. Whatsapp Chatbot

- When user types “Hi” whatsapp chatbot displays:
 - A greeting message
 - Quick action CTAs:
 - Buy Food & Beverage
 - Book Movie Ticket
- When user types “Main Menu” whatsapp chatbot displays:
 - Option of Menu options
 - If user clicks Menu, system displays:
 - Book Movie Tickets
 - Add-on Meals and Combos
 - Check Gift Card Balance (same as described for MJ widget)
 - Get Booking Details (same as described for MJ widget)
 - If user selects add food corresponding to a booking
 - System displays option to view f&b items in veg and non-veg category.
 - Rest flow is same as for Buy Food & Beverages of whatsapp chatbot.
 - FAQs (same as described for MJ widget)
 - Chat with Agent (same as described for MJ widget)
 - Change Language (same as described for MJ widget)
 - System conversation continues based on selected option/user input

UC 37.1.3.1. Book Movie Tickets

- User selects Book Movie Ticket
- System displays option: Select/Send Location
- User selects Change Location, system displays:
 - Map/location selector
 - Search location input
 - User enters/selects preferred location
 - Border areas should be managed in case of sub city (nearest

	cinema city) ● System displays list of Now Showing Movies within the selected location having: ○ Movie Name ○ Language tags ○ Censor certificate ○ Format ○ Highlight (Tags - New release / re-release) ○ Note: If Personalization data is available → Movies are fetched from the personalization tool. ● System follows the same flow as in UC 37.1.2.1.1 to 37.1.2.1.5 ○ Book Ticket initiation ○ Language selection ○ Date selection ○ Cinema Selection ○ Showtime selection ● Then, the system follows the same flow as in UC 37.1.2.1.8 to UC 37.1.2.1.10 ○ Seat Count selection ○ Seat type selection ○ Recommended seat reservation UC 37.1.3.1.1. Manual seat selection ● In this flow, the user has a provision to select seats manually, if not satisfied with recommended seats. ● User selects Change My seats ○ System displays the web view (on whatsapp) of seat layout page ○ User selects preferred seats and confirm ○ System showcase seat map image having selected seats to confirm. ○ User confirms on selected seats ● Selected seats are temporarily reserved. ● System displays: ○ Booking details ■ Movie ■ Language ■ Duration ■ Censor certificate ■ Cinema ■ Show date ■ Showtime ■ Suggested seats
--	---

- Message: “Seats are reserved for 6 minutes”
- CTA:
 - Add on meals
 - Proceed to checkout

UC 37.1.3.1.2. Add on meals

- User selects Add on meals, system displays option to view f&b items in veg and non-veg category.
 - Maximum 30 items are displayed in one reply.
 - If more than 30 items exist, Multiple listing options are displayed.
 - Food catalog will be added at Meta.
- Food listing items contains:
 - Image
 - Product name
 - Price
 - Quantity (can be increase/decrease)
 - Option to add item in cart
- Cart screen displays:
 - List of items added to the cart
 - Item-level details
 - Item name
 - Quantity
 - Item-level price
 - Cart-level total amount
 - CTA: Place order
- User can increase or decrease the quantity of any item directly from the Cart screen.
- User selects Place order, system displays food summary having:
 - Item level details
 - Item name
 - Quantity
 - Price
 - Total Price
 - CTA - Perfect! Let's Go
- User confirms the Food Summary

UC 37.1.3.1.3. Guest User Authentication

- If user is not logged in, system asks for phone number
- User enters phone number
- System sends OTP
- User enters OTP

- System validates OTP
- Upon successful verification:
 - CTA: Continue

UC 37.1.3.1.4. Bill Details

- System displays:
 - Booking details
 - Bill details
 - Ticket pricing
 - F&B pricing (if added)
 - Additional charges
 - Total payable amount
- CTA:
 - Apply Vouchers/Codes
 - Proceed to Checkout

UC 37.1.3.1.5. Apply Vouchers /codes

- User selects Apply Vouchers/codes, system displays following options:
 - Star Pass
 - M-Coupon
 - Promocode
 - Privilege Plus
 - Passport
 - Voucher
- Star Pass
 - System display option to enter voucher code along with info message:
 - “Star Pass will not be refunded for cancellation.”
 - The system validates the star pass voucher code.
 - On successful validation,
 - The Star Pass coupon is applied to the booking.
 - The discount amount is deducted from the total booking amount.
 - System displays updated booking summary.
 - The user can apply multiple Star Pass vouchers by entering additional voucher codes. The system ensures that the maximum number of Star Pass vouchers applied does not exceed the number of booked seats.
- Promocode
 - System display option to enter promocode.
 - The system validates the promo code.
 - On successful validation,
 - The promo code is applied to the booking.
 - The discount amount is deducted from the total booking amount.

	■ System displays updated booking summary. ● Voucher ○ System display option to enter voucher code. ○ The system validates the voucher code. ○ On successful validation, ■ The voucher code is applied to the booking. ■ The discount amount is deducted from the total booking amount. ■ System displays updated booking summary. ○ User can apply multiple voucher codes. ● M-Coupon ○ The system asks the user to enter the last 4 digits of the credit card. ○ System fetches Available/Active M-Coupons list, each containing: ■ Offer title / benefit (e.g., “Upto Rs. 400 Off on 1 Ticket”) ■ Voucher Number ■ Validity (Valid Till date) ■ Apply CTA ○ User can redeem one or more M-Coupons. ■ The system ensures that the maximum number of M-Coupons redeemable is equal to the number of seats booked ○ The system validates the selected M-Coupons. ○ On successful validation: ■ The M-Coupons are applied to the booking ■ The discount amount is deducted from the ticket value (excluding convenience fee and donation) ● Privilege Plus ○ System fetches Available/Active PP+ vouchers list, each containing: ■ Voucher code ■ Voucher amount ■ Validity ■ QR code (if applicable) ■ CTA: Redeem ○ User can redeem one or more Privilege Plus vouchers. ■ The system validates voucher applicability based on order type: ● If booking is Ticket only, Only Ticket-type vouchers are applicable ● If booking is F&B only, Only F&B-type vouchers are applicable ● If booking is Ticket + F&B, Ticket vouchers, F&B vouchers, and Combined vouchers are applicable.
--	---

- The system ensures only applicable vouchers can be selected.
 - The user selects the Privilege Plus vouchers and clicks Redeem. The system validates the selected Privilege Plus vouchers via Showbizz.
 - On successful validation:
 - The Privilege Plus vouchers are applied to the booking
 - The discount amount is deducted from the applicable order value (excluding convenience fee and donation)
- Passport
 - System displays a list of active purchased Passport(s).
 - Each Passport card contains:
 - Passport Number
 - Phone Number
 - Valid Till date
 - CTA:
 - Apply (for self Passport)
 - Unlock (for Passport purchased for someone else)
 - For Self Passport:
 - User clicks on “Apply” CTA. Passport is selected and applied for booking.
 - For Someone Else Passport:
 - User clicks on “Unlock” CTA. System sends OTP to the recipient’s registered Phone number and User is prompted to enter OTP
 - On successful OTP verification → Passport is unlocked and applied
 - On failure → error message is displayed
 - On successful validation:
 - The passport visit is applied to the booking
 - The discount amount is deducted from the ticket value (excluding convenience fee and donation)
- On application of any vouchers / codes, system displays updated booking summary along with CTA:
 - Review and Pay
- User selects Review and Pay, system display order detail page having:
 - Order ID / Track ID
 - Status - Pending
 - Bill details
 - Total Price
 - CTA: Continue
- User selects Continue, system displays a list of UPI apps installed in the mobile

device. The user selects an UPI app and completes the payment.

- For multiple Razorpay MIDs, the system must process the transaction using the applicable MID and handle the corresponding webhook validation before confirming the booking/order.
- Other payment options can also be displayed if configured on Meta.
- System processes payment
- Upon successful payment, Ticket is generated
- System displays:
 - Ticket details
 - Booking ID
 - F&B Items (If added)
 - QR Code (if applicable)
 - Thank You message

UC 37.1.3.2. Buy Food & Beverages / Add-on Meals & Combos

- User selects Buy Food & Beverages
- If user is not logged in:
 - System asks user to login using mobile number and OTP verification
- System asks user to select preferred cinema
- System displays cinema list based on selected city along with:
 - Cinema Name
 - Distance from selected/current location
- System also displays option:
 - Change Location
- If user selects Change Location or location not available, system displays:
 - Map/location selector
 - Search location input
 - User enters/selects preferred location
- System asks user to select preferred cinema
- System displays cinema list based on selected location
- User selects preferred cinema
 - CTA: Proceed
- Once user clicks Proceed, system asks user to select pickup time
 - Pickup Now/later
- If pickup later is selected, the system displays available dates.
- User selects a preferred date and proceed
- The system asks users to select time and displays available slots (e.g. 6AM - 8 AM, 8AM - 10 AM, etc.)
- User selects preferred time and proceed

- System displays option to view f&b items in veg and non-veg category.
 - Max 30 items in 1 reply. If more than 30 items exist in a food type, more than one listing option is displayed.
 - Food catalog will be added at Meta
- Food listing items contains:
 - Image
 - Product name
 - Price
 - Quantity (can be increase/decrease)
 - Option to add item in cart
- Cart screen displays:
 - List of items added to the cart
 - Item-level details
 - Item name
 - Quantity
 - Item-level price
 - Cart-level total amount
 - CTA: Place order
- User can increase or decrease the quantity of any item directly from the Cart screen.
- User selects Place order, system displays food summary having:
 - Item level details
 - Item name
 - Quantity
 - Price
 - Total Price
 - CTA - Perfect! Let's Go
- User confirms the Food Summary
- System displays:
 - Bill details
 - F&B pricing
 - Total payable amount
- CTA:
 - Apply Vouchers/Codes
 - Proceed to Checkout
- Rest flow is same as described in UC 37.1.3.1.5 (Promocode, Privilege Plus, Voucher)

UC 37.1.3.2. Weekday Bestseller

- User selects Weekday Bestseller
- If user is not logged in:
 - System asks user to login using mobile number and OTP verification
- System asks user to select preferred cinema
- System displays cinema list based on selected city along with:
 - Cinema Name
 - Distance from selected/current location
- System also displays option:
 - Change Location
- If user selects Change Location or location not available, system displays:
 - Map/location selector
 - Search location input
 - User enters/selects preferred location
- System asks user to select preferred cinema
- System displays cinema list based on selected location
- User selects preferred cinema
 - CTA: Proceed
- Once user clicks Proceed, system asks user to select pickup time
 - Pickup Now
 - Pickup later
 - Change Cinema
- If pickup later is selected, the system displays available dates.
- User selects a preferred date and proceed
- The system asks users to select time and displays available slots (e.g. 6AM - 8 AM, 8AM - 10 AM, etc.)
- User selects preferred time and proceed
 - If pickup now is selected, current date and time is selected.
- System displays option to view f&b items in following categories.
 - Weekday bestseller - Veg
 - Weekday bestseller - Non-Veg
 - Complete Menu - Veg
 - Complete Menu - Non-Veg
 - Max 30 items in 1 reply. If more than 30 items exist in a food type, more than one listing option is displayed.
 - Food catalog will be added at Meta
- Rest flow is same as for Buy Food & Beverages of whatsapp chatbot.

UC 37.1.3.3. RCS (for Android - Messages)

- When user types “Hi”, chatbot displays:

	○ A greeting message ○ Quick action CTAs: ■ Weekday Bestseller ● Flow is the same as WhatsApp bot. ● After cinema selection, the user is redirected to App for F&B selection and further flow. ■ Buy Food & Beverage ■ Book Movie Ticket ● When user types “Main Menu”, chatbot displays: ○ Option of Menu options ○ If user clicks Menu, system displays: ■ Book Movie Tickets ● Flow is the same as WhatsApp bot. ● After showtime selection, the user is redirected to App/M-site for seat selection and further booking flow. ■ Cinemas Nearby ● Flow is the same as MJ Widget. ● If location is unavailable, the system asks for user location. ■ Add-on Meals and Combos ● Flow is the same as WhatsApp bot. ● After cinema selection, the user is redirected to App for F&B selection and further flow. ■ Check Gift Card Balance (same as described for MJ widget) ■ Get Booking Details (same as described for MJ widget) ■ FAQs (same as described for MJ widget) ■ Chat with Agent (same as described for MJ widget) ■ Change Language (same as described for MJ widget) ○ System conversation continues based on selected option/user input
Alternate Flow	UCA 37.1.1. User not logged in (App/Web/M-site) ● During ticket/food checkout: ○ User is prompted to login/signup (OTP verification). ○ Upon successful login, user resumes the journey from the same step. UCA 37.1.2. WhatsApp Bot – Guest User Restriction ● If user initiates journey via WhatsApp: ○ User can browse movies/food without login. ○ Before completing booking/order: ■ User is required to authenticate via OTP. ○ Post verification, journey continues.

	UCA 37.1.3. Primary CTA / Entry Point Variation (App) ● If user accesses MJ Jockey via App banner: ○ Based on configuration: ■ Opens chatbot window within app/web ■ OR redirects to WhatsApp chatbot UCA 37.1.4. Non-transactional journey ● If user selects: ○ FAQs / booking details / gift card balance → Flow completes within the chatbot without redirection to App/Web. UCA 37.1.5. Single Language Movie ● If movie is available in only one language: ○ System auto-selects language. ○ Language selection step is skipped. UCA 37.1.6. Existing UPI Reserve Pay Mandate ● If user already has an active UPI Reserve Pay mandate: ● System displays existing mandates. ● User can: ○ Select existing mandate ○ Create new mandate UCA 37.1.7. Manual Seat Selection (WhatsApp) ● If user is not satisfied with recommended seats: ○ User selects Change My Seats. ○ System opens seat layout webview for manual seat selection.
Exceptional flow	UCE 37.1.1. Seat selection / Food page load failure ● If App/Web page fails to load after redirection: ○ Error message is shown. ○ Users return to the Homepage.
Business Rules	● MJ widget icon (launch button) and visibility is configurable via Admin Panel. ● MJ Jockey banner is configurable via Admin Panel. ● Banner action can be configured to: ○ Open chatbot window ○ Redirect to WhatsApp chatbot ● User location must be synced between: Chatbot ↔ App/Web ○ Any location change on one platform must reflect on the other (while redirection).

- User login state must be consistent across: Chatbot ↔ App/Web
 - If a user logs in on one platform, they should be considered logged in on the other (while redirection).
- Weekday Bestseller visibility is configurable from the Admin Panel.
 - Admin can configure:
 - Applicable days
 - Start time and end time for each day
- On app restart:
 - Previous chatbot conversation/history is cleared.
 - New session is initiated.
- If a transaction is initiated via chatbot:
 - On reopening chatbot after successful booking/order, a thank-you message must be displayed.
- Guest users can interact with chatbot. For booking/order:
 - Login/OTP verification is mandatory before completion.
- MJ Jockey uses 31 APIs.
- Food order flow redirection -
 - If food is not mapped with ticket booking, the user is redirected to the time selection.
 - If food is mapped with ticket booking, the user is redirected to the food menu.
- New system must:
 - Support the same API structure and format
 - Ensure backward compatibility
- System must capture and store:
 - System must capture and store transaction/source platform details including:
 - RCS – Chatbot
 - Whatsapp - Chatbot
 - Android App – Chatbot
 - iOS App – Chatbot
 - Website – Chatbot
 - M-Site – Chatbot
 - Note: Need to pass dtm source to showbizz commit API.
- System integration layer ensures:
 - Location sync between MJ widget and app/web (while redirection)
 - Login state sync between chatbot and app/web (while redirection)

UPI Reserve Pay (Implementation is out of scope)

- Reserve amount and validity options are configurable from the Admin Panel.

	- Only active mandates can be used for Reserve Pay checkout. - Mandate cancellation and amount release are dependent on bank timelines. WhatsApp / Meta - Maximum 30 F&B items can be displayed in a single WhatsApp response. - F&B catalog used in chatbot must remain synced with Meta DB. Support Hours - Chat with Agent availability is based on configured support timings. MJ Bot Personalization Recommendation: - If the same personalization APIs used for Web and App are utilized for the MJ chatbot, it will remain within scope. However, if separate API development or additional personalization implementation is required specifically for the MJ chatbot, it will be considered out of scope.
Validations	Redirection Failure “Something went wrong. Please try again.”

38. Promotions

38.1. Use Case

Use Case No.	UC 38
Use case	Promotions - Popup & Placeholder Management
Description	This use case defines the display and behavior of Promotions across the platform in the form of Popups and Placeholders, as configured via the admin panel. Popups are overlay promotions that appear above the screen and can be configured across multiple screens (e.g., Home, Movie, Cinemas, Session, Food, Gift Card, Ticket, History, E-ticket, Offers, etc.). Placeholders are embedded promotional units that occupy designated spaces within screens and are configurable across multiple sections of the platform.
Primary Actor	Customer (Guest and Logged-in user)
Secondary Actor	System Backend (Admin Panel)
Triggering Event	User lands on a screen where a promotion (popup or placeholder) is configured.
Pre-Condition	- User has an active internet connection. - Promotions are created and configured in the admin panel. - Promotions are marked active with valid Start & End date/time. - Screen placement is defined in the admin panel.

	● User has access to the respective screen.
Post Condition	● Promotion is displayed as per configuration (popup or placeholder). ● If clickable: ○ User is redirected / navigated / shown dialog as configured. ● If non-clickable: ○ Promotion is displayed for viewing only.
Basic Flow	UC 38.1.1. User lands on a screen (Home/Movie detail page/Food/Gift Card/E-ticket/Offers/experience, etc.). ● System fetches active promotions from the admin panel for that screen. ● System validates prompts based on: ○ Active status ○ Start & End date/time ○ User's location ● If popup is configured, Popup is displayed as an overlay on screen load. ○ Prompt content includes: ■ Image/GIF (creative) ■ Optional text (headline/description) ■ CTA button(s) ○ CTA(s) are configurable via Admin Panel including: ■ CTA label/name (button text) ■ Redirection URL/action ○ On click, user is redirected to the configured destination (internal/external). ● If the placeholder is configured, Promotion is displayed within the screen layout having: ○ Image/gif/video ○ Description ● Placeholders are shown in the sequence defined in the Admin Panel. ● User can scroll through placeholders. ● On click: ○ If the redirection URL is configured → user is redirected (internal/external/plays video url). ○ If not configured → no action. UC 38.1.2. Promotions can be: ○ Clickable or non-clickable ○ Image or video-based or gif ● Configured to trigger actions such as:

	○ Web-view ○ In-app navigation ○ External redirection ○ Opening a dialog with detailed description ● All configurations, including placement, creatives, and behavior, are managed via admin panel.
Alternate Flow	UCA 38.1.1. No active promotions ● If no promotions meet validation criteria (active status, date/time, location), ● No popup or placeholder is displayed on the screen. UCA 38.1.2. Promotion with dialog action ● If configured to open a dialog: ○ On click, a dialog with details is shown within the app/web/m-site. ○ No redirection occurs. UCA 38.1.3. Multiple popups are configured for a screen ● If multiple popups are configured for a screen: ○ They are displayed in a story-like format (similar to WhatsApp Status). ○ Each popup is shown one at a time with auto progression. ● User interactions: ○ Tap right → moves to next creative ○ Tap left → moves to previous creative ○ Clicks CTA → redirected to the configured destination. ● After the last popups, Popup is automatically dismissed. UCA 38.1.4. Multiple placeholders are configured for a screen ● If multiple placeholders are configured on a screen, they are displayed in a carousel format, auto-rotating after a defined duration. ● Users can manually swipe/scroll through the placeholders. ● The carousel loop will repeat continuously. Multiple promotions available ● If multiple promotions are configured for the same screen: ○ They are displayed as per admin-defined sequence/order. ● For placeholders → shown in respective mapped positions. ● For popups → displayed one at a time (as per configuration, if applicable). ○ On user action (dismiss or CTA click), the next eligible popup is shown
Business Rules	● Promotions (Popups & Placeholders) are fully configured and managed via the admin panel.

	- Promotion visibility is controlled by: - Active status - Start & End date/time - Location - If creative fails to load, Fallback image is displayed. - Guest and logged-in users both can view promotions. - Popups configured for a screen will be displayed once per session.
Validations	Redirection Failure “Something went wrong. Please try again.”

39. Informational Content Pages

39.1. Use Case

Use Case No.	UC 39
Use case	Informational Content Pages - Admin driven
Description	This use case covers the display of informational content pages such as - About Us (web/m-site) - Terms of Use (app/web/m-site) - Privacy Policy (app/web/m-site) - Terms & Conditions (app/web/m-site) - FAQs (app/web/m-site) - News (web/m-site) - Investor section (web/m-site) These pages are dynamically managed via the admin panel.
Primary Actor	Customer (Guest and Logged-in user)
Secondary Actor	System Backend (Admin Panel)
Triggering Event	User clicks on any content page entry point (e.g., About Us, Terms, Privacy Policy, News, Investor Section).
Pre-Condition	- User has an active internet connection. - Content is configured and available in the admin panel.
Post Condition	- Relevant content page is displayed with configured data. - User can view content, navigate across tabs/sections, and access documents (if applicable).
Basic Flow	UC 39.1.1. About Us - (Web/M-site)

- The user clicks on “About Us” from the menu (If configured). The system navigates the user to the About Us page.
- System fetches About Us content from the admin panel and displays the page with the following tabs:
 - Company
 - System displays →
 - Company overview content
 - Supporting image/media
 - Company strengths (if configured)
 - Our Journey
 - System displays company milestones in a timeline format.
 - Each milestone includes:
 - Year
 - Title/short description
 - User can scroll/navigate through milestones.
 - On selecting a milestone, detailed information in a popup/dialog is displayed.
 - Team
 - System displays team groups as configured in the admin panel (e.g., Board of Directors, Management Team, etc.).
 - Under each category/group, team members are displayed with:
 - Profile image
 - Name
 - Designation
 - The sequence is also managed from the admin panel.
 - On selecting a team member, detailed information in a popup/dialog is displayed.
 - Awards & Recognition
 - The system displays awards in a card-based layout along with year-based dynamic filters.
 - On selecting a year, the Awards list is filtered accordingly.
 - Brands
 - The system displays brand-related resources (e.g., brand guidelines), if configured.
 - Each item includes:
 - Title/label
 - Associated downloadable asset/link
 - On selecting an item, the system opens or downloads the resource as configured.

- By default, the Company tab is selected and its content is displayed.

UC 39.1.2. Terms of Use / Privacy Policy / Terms & Conditions

- From Account > Settings > Content or website footer, the user clicks on:
 - Privacy Policy OR
 - Terms of Use OR
 - Terms & Conditions
- The system navigates the user to the respective page.
- The system fetches content from the admin panel.
- System displays top-level tabs:
 - Privacy Policy (If configured)
 - Terms of Use (If configured)
 - Terms & Conditions (If configured)
- The selected tab is highlighted and its content is displayed by default.
- On selecting Privacy Policy:
 - The system displays the content in a scrollable format.
- On selecting Terms of Use:
 - The system displays the content in a scrollable format.
- On selecting Terms & Conditions:
 - System displays configured sub-tabs (e.g. Online Booking, Contest & Promotion, Privilege/Passport T&C, Gift Card T&C).
 - The sequence of these sub-tabs is managed from the admin panel.
 - The default sub-tab (first) is selected and its content is displayed.
 - On selecting a sub-tab, the system displays respective content dynamically.

UC 39.1.3. FAQs

- User clicks on “FAQs” from Account > Settings > Content.
- System navigates the user to the FAQs page.
- System fetches FAQ data from the admin panel.
- System displays a list of FAQs in an accordion format:
 - Each item shows a question (collapsed by default).
- On clicking a question:
 - System expands the selected item and displays the answer.
 - Any previously expanded item is automatically collapsed.

UC 39.1.4. News

- User clicks on “News” from More > News.
- The system navigates the user to the News page.

- The system fetches news data from the admin panel.
- System displays:
 - Filters:
 - Year (populated based on available news data)
 - Month (populated based on available news data and selected year)
 - Category tabs:
 - All (default tab)
 - Other categories configured via the admin panel (e.g., Cinema Opening, New Initiatives)
- News items are displayed in sequence order configured by the admin panel.
- Each news card includes:
 - Image (thumbnail/banner)
 - Title
 - Date
 - Source
 - Short description (blurb)
- On selecting a category tab:
 - The system filters and updates the news list accordingly.
- On selecting Year/Month filters:
 - The system updates the news list based on selected filters.
- On clicking a news card, the system opens the News Detail view having:
 - Image/banner
 - Title
 - Date
 - Source
 - Full description/content

Note: If configured in the admin, the tab will be displayed. Otherwise, it will not appear on the frontend.

UC 39.1.5. Investor Section

- User clicks on “Investor” from More > Investor.
- The system navigates the user to the Investor Section page..
- The system fetches data from the admin panel.
- System displays top-level tabs such as:
 - Financial,
 - Statutory Disclosures,
 - Investor Support,
 - Scheme of merger PVR & INOX

- Statement of Deviation(s) or Variations(s)
- Team
- Note: Tabs are displayed in Admin-defined sequence
- By default:
 - The first tab in sequence is selected.
 - Corresponding content is displayed
- On selecting **Financial**:
 - System displays sub-sections in Admin-defined sequence.
 - 10 Years Highlight
 - System displays financial data in a tabular format
 - Table includes:
 - Year-wise data (e.g., last 10 years)
 - Metrics such as Revenue, PAT, Occupancy, etc. (as configured)
 - Table structure (columns/rows) is configurable via the admin panel.
 - Informative text: configurable from the admin panel.
 - Annual Report
 - System displays a list of reports.
 - Each item includes:
 - Report thumbnail
 - Title (e.g., Annual Report FY 2023–24)
 - Year (financial year)
 - Document link
 - On selecting an item, the system opens/downloads the document.
 - Items are sorted by year (desc).
 - Investor Presentation
 - System displays a list of presentations.
 - Each item includes:
 - Presentation Thumbnail
 - Title
 - year
 - Document link
 - On selecting an item, the system opens/downloads the presentation.
 - Items are sorted by year (desc).
 - For the same year, Items are sorted based on uploaded date and time in descending order.

	■ Quarterly Financials ● System displays: ○ Year dropdown (data-driven) ■ By default, latest year is selected ○ Categories (as configured in Admin Panel) ■ Board Meeting Notice ■ SEBI Financials ■ Investor Presentation ■ Earnings Call Transcripts ■ Shareholding Pattern ■ Integrated Filing (Governance) ● Under each category, the system displays financial documents categorized by: ○ Quarter (e.g., Apr–Jun, Jul–Sep, etc.) ● On selecting an item/document, System opens/downloads the document ■ Subsidiary Report ● System displays a list of reports. Each item includes: ○ Title ○ Year/period ● On selecting an item, the system opens/downloads the report. ● Items are sorted based on uploaded date and time in descending order. ● On selecting Statutory Disclosures: ○ System displays Sub-sections/tabs (configured via Admin Panel). ■ Analyst/Investor Meet ■ Credit Rating ■ Debenture Information ■ General Meeting ■ Newspaper Advertisement ■ Other Compliances ■ MLD Valuation ■ Policies/Codes ■ QIP ■ Reg 30 Disclosures ■ Schemes of Restructuring ■ DISCLOSURE UNDER REGULATION 46 & 62 OF LODR ■ Communication To Shareholders
--	---

- Note: tabs/sub-section are displayed in Admin-defined sequence
 - By default, the First sub-section is selected.
 - Under each sub-section, the system displays year-wise grouped data
 - For the same year, Items are sorted based on uploaded date and time in descending order.
 - Each group contains multiple document cards (latest first)
 - Each card includes:
 - Title
 - Date/metadata (if available)
 - On selecting an item, the system opens/downloads the document.
- On selecting **Investor Support**:
 - System displays Sub-sections/tabs (configured via Admin Panel).
 - Analyst Coverage
 - System displays a list of cards having:
 - Research house name
 - Analyst name
 - Contact details (email, etc.)
 - Note: cards are displayed in alphabetical order of research house name
 - Investor Support
 - System displays different roles (managed via admin panel)
 - Company Secretary and Nodal Officer for the IEPF Authority
 - Investor Relations
 - Registrar and Share Transfer Agent
 - Under each role, system displays content such as “contact information”.
- On selecting **Scheme of merger PVR & INOX**:
 - The system displays a list of documents (latest first). Each document includes:
 - Title
 - On selecting an item, the system opens/downloads the document.
 - Items are sorted based on uploaded date and time in descending order.
- On selecting **Statement of Deviation(s) or Variations(s)**:
 - The system displays a list of documents (latest first). Each document includes:
 - Title
 - On selecting an item, the system opens/downloads the document.
 - Items are sorted based on uploaded date and time in descending order.

	● On selecting Team ○ System displays team groups as configured in the admin panel (e.g., Board of Directors, Management Team, etc.). ○ Under each category/group, team members are displayed with: ■ Profile image ■ Name ■ Designation ○ The sequence is also managed from the admin panel. ○ On selecting a team member, detailed information in a popup/dialog is displayed.
Alternate Flow	UCA 39.1.1. Document Download/Open Failure ● If document fails to open/download: ● System displays: “Unable to open the document. Please try again.” UCA 39.1.2. No Data Available (Tab/Sub-section Level) ● If no data is configured for a tab/sub-section: ● The tab/sub-section is not displayed (hidden/collapsed)
Business Rules	● Tabs and sub-sections with no data configured are not displayed ● The first tab and first sub-section (if applicable) in the configured sequence are selected by default. T&C, Privacy Policy, Terms of use ● Direct Links should be available for every tab. Investor section ● Each tab/sub-section must support a unique deep link. ○ On opening a deep link, the system lands directly on the respective tab/sub-section ○ Unique urls should also be maintained on the frontend. ○ Default selection logic is overridden based on the deep link ○ If the targeted tab/sub-section is not available: ○ System falls back to default tab ○ Supported media - pdf file, audio file, video file, doc file, image file.

40. Careers / Job Application

40.1. Use Case

Use Case No.	UC 40
--------------	-------

Use case	Careers / Job Application
Description	This use case covers the Careers page and job application flow (Web & M-site), where users can explore departments, view open positions, and apply for jobs by submitting their details and resume. The form captures user information and sends the application data to the backend for processing.
Primary Actor	Customer (Guest / Logged-in User)
Secondary Actor	System Backend (Admin Panel)
Triggering Event	User clicks on “Careers” from the website/m-site “More” section.
Pre-Condition	• User has an active internet connection • Careers page and job data are configured in the system
Post Condition	• User successfully submits job application • Application data is stored in backend • Success message is displayed to the user
Basic Flow	UC 40.1.1. User clicks on “Careers” from the website/m-site “More” section. • System navigates the user to the Careers page and displays: ○ Banner image (configured from the admin panel) ■ If not, the default placeholder image is displayed. ○ Company information ■ Why PVR INOX? ■ Social Media links ■ Address ■ Map view showing the location ■ Note: The content, links, address and location lat-long is managed via the admin panel. ○ Explore Departments section ■ System displays a list of Departments ■ Departments are configured via Admin Panel and displayed in Admin-defined sequence ■ Each department includes: • Name • Image/thumbnail • On selecting a department, the system navigates to Department-specific job listing page which includes: ○ Department details/banner

	○ List of open positions (latest added first) ● Each job card includes: ○ Job title ○ Job ID ○ Short description ○ Apply CTA ● On selecting a job card, the system navigates to job detail page which includes: ○ Job title ○ Job ID ○ Experience (Min - Max) ○ No of Vacancies ○ Full description ○ Apply CTA ● By clicking on “Apply” CTA from job detail page or job listing page, system displays Job application form having following fields: ○ Name ○ Email ○ Phone Number ○ Department (prepopulated as per selected department - non editable) ○ Option to upload resume ○ Note: All fields are mandatory to be filled. ● User fills in the required details and clicks on “Submit” CTA. ○ System validates: ■ Mandatory fields ■ Email format ■ Phone number format ■ Resume upload (type & size) ○ If validation fails: ■ System highlights errors and blocks submission ○ If validation is successful: ■ System triggers OTP verification on phone number ■ User enters OTP. ■ System validates OTP: ● If valid → proceed ● If invalid → show error and allow retry ● On successful OTP verification: ○ The system submits an application to the backend. ○ The system identifies the appropriate recipient(s) using department mapping configured in the Admin Panel and triggers email notifications.
--	---

	The system displays a popup containing a success message: “Resume Submitted! Your resume has been submitted, HR will contact you back shortly.”
Alternate Flow	UCA 40.1.1. No Open Positions in Selected Department - If no job openings are available for a selected department: - On selecting the department, system directly displays the Job Application Form - Department field is pre-filled and non-editable
Exceptional flow	UCE 40.1.1. Resume Upload Failure - If resume upload fails: - System displays: “Unable to upload resume. Please try again.” - Submission is blocked
Business Rules	- Careers module is available only on Web and M-site. - Jobs are mapped to departments via the Admin panel. - Form Validation Rules - Mandatory fields: - Full Name - Email ID - Phone Number - Resume upload - Email must follow valid format - Phone number must be 10-digit numeric - Resume Upload Rules - Supported formats: .pdf, .doc, .docx - Maximum file size: 2 MB - Resume upload is mandatory before submission - Application is submitted only after successful OTP validation. - Form data is not persisted if the user exits or refreshes.
Validation messages	- Mandatory Fields “Please enter a valid name.” “Please enter a valid email.” “Please enter a valid Phone number.” “Please upload your resume.” - Resume Validation - Invalid format - “Only .pdf, .doc, .docx files are allowed.” - File size exceeded - “Resume must be under 2MB.”

41. Request forms

41.1. Use Case

Use Case No.	UC 41
Use case	Request Forms
Description	This use case covers web-based forms that allow users to submit requests, inquiries, or feedback by providing relevant details. • Bulk Gift Cards (web/M-site) • Corporate Booking (web/M-site) • Customer Experience (App/web/M-site) The submitted information is captured by the system and shared with the respective team for further processing and follow-up.
Primary Actor	Customer (Guest and Logged-in user)
Secondary Actor	System Backend (Admin Panel)
Triggering Event	User clicks on More > • Bulk Gift Cards OR • Corporate Bookings OR Clicks on Account > • Customer Experience / Feedback
Pre-Condition	• User has an active internet connection • Forms are configured and available on the website/M-site
Post Condition	• The request is successfully submitted. • User receives confirmation/acknowledgment. • PVR INOX team follows up with the user offline.
Basic Flow	UC 41.1.1 Corporate Booking • The user clicks on “Corporate Bookings” from the “More” (If configured). • The system navigates the user to the Corporate Booking form page. • System displays Top Banner (Admin-driven, If not - the default placeholder image is displayed) and the form with the following fields: ○ City (pre-filled as per selected city - editable) ■ System displays a list of serviceable cities in alphabetical order, with a search option ○ Cinema (dependent on selected city) ■ System populates the Cinema dropdown based on selected city, sorted by nearest first, with a search option ○ Date ■ System allows selection only for dates after 7 days from the

	current date (if today is 30 April, allowed date - 7 May) ○ Movie Type (optional) ■ Options include: ● Now Showing ● Others ■ On selecting Now Showing: ● System displays a list of Now showing movies ● Movies are shown in the same sequence as defined in the Now Showing listing ■ User selects a movie from the list ○ Preferred Show Time ■ System displays a dropdown with predefined time slots: ■ 9:00 AM – 12:00 PM ■ 12:00 PM – 3:00 PM ■ 3:00 PM – 6:00 PM ■ 6:00 PM – 9:00 PM ■ 9:00 PM – 12:00 AM ○ Number of Seats ■ Minimum: 50, Maximum: 999 ○ Name (prefilled and editable - if logged in) ○ Phone Number (prefilled and editable - if logged in) ○ Email ID (prefilled and editable - if logged in) ○ F&B Requirements (optional) - Yes/No ○ Other Requirements (optional) ■ Free-text input ■ Maximum 500 characters ○ Copy to Self (checkbox) ■ If selected - System sends a confirmation email to the user's entered email ID includes all submitted form details. ○ CTA - "Get OTP" ● After filling the details, user clicks on the CTA → ○ System triggers OTP verification on phone number ○ The user enters OTP. ○ System validates OTP: ■ If valid → proceed ■ If invalid → show error and allow retry ● On successful OTP verification: ○ The system submits the request to the backend. ○ The system identifies the appropriate recipient(s) using City/Region
--	---

	mapping configured in the Admin Panel and triggers email notifications. ○ If Copy to Self is selected: ■ System sends a copy of the request details to the user's email. ● The system displays a popup containing a success message: "Booking Requested! We will call you with details" ○ This message is configurable from the backend. UC 41.1.2. Bulk Gift card ● The user clicks on "Bulk Gift Card" from "More" (If configured). ● The system navigates the user to the Bulk Gift Card form page. ● System displays Top Banner (Admin-driven, If not - the default placeholder image is displayed) and the form with the following fields: ○ Name (prefilled and editable - if logged in) ○ Phone Number (prefilled and editable - if logged in) ○ Email ID (prefilled and editable - if logged in) ○ Location ■ Max length: 100 characters ○ Company Name ■ Max length: 100 characters ○ Your Message ■ Max length: 500 characters ○ Copy to Self (checkbox) ■ If selected - System sends a confirmation email to the user's entered email ID includes all submitted form details. ○ CTA - "Get OTP" ● After filling the details, user clicks on the CTA → ○ System triggers OTP verification on phone number ○ The user enters OTP. ○ System validates OTP: ■ If valid → proceed ■ If invalid → show error and allow retry ● On successful OTP verification: ○ The system submits the request to the backend. ○ The system identifies the appropriate recipient(s) using City/Region mapping configured in the Admin Panel and triggers email notifications. ○ If Copy to Self is selected: ■ The system sends a copy of the request details to the user's email. ● The system displays a popup containing a success message: "Gift Card Request
--	--

Submitted! Your Gift Card request has been submitted successfully”

- This message is configurable from the backend.

UC 41.1.3. Customer Experience

- The user clicks on “Customer Experience” from “Account” (If configured).
- The system navigates the user to the Customer Experience form page.
- System displays:
 - Contact Information section
 - Email support
 - Support email id
 - Phone support
 - Support phone number
 - Operating hours and days (e.g. 9 AM to 10 PM, Mon–Sun)
 - Whatsapp support
 - Support whatsapp number
 - Operating hours and days (e.g. 9 AM to 10 PM, Mon–Sun)
 - Contact Centre Timings
 - support availability timing
 - All details are configured from the admin panel.
 - The form with the following fields:
 - Name (prefilled and editable - if logged in)
 - Phone Number (prefilled and editable - if logged in)
 - Email ID (prefilled and editable - if logged in)
 - Feedback Type (dropdown):
 - Complaint
 - Suggestion
 - Compliment
 - Enquiry
 - Others
 - Feedback (free-text)
 - Max length: 500 characters
 - CTA - “Get OTP”
 - After filling the details, user clicks on the CTA →
 - System triggers OTP verification on phone number
 - The user enters OTP.
 - System validates OTP:
 - If valid → proceed
 - If invalid → show error and allow retry
 - On successful OTP verification:

	■ The system submits the request to the backend. ○ The system displays a popup containing a success message: "Thank you for your feedback. Your response helps us curate the perfect cinematic journey for you." ■ This message is configurable from the backend.
Alternate Flow	UCA 41.1.1. Partial Contact Information Configured ● If only some contact channels are configured (Email / Phone / WhatsApp): ○ System displays only available contact options ○ Missing channels are hidden UCA 41.1.2.: No Contact Information Configured ● If no contact details are configured: ○ Contact Information section is hidden ○ Only form is displayed
Exceptional flow	UCE 41.1.1 Submission Failure ● If backend submission fails: ○ System displays: "Failed to submit request. Please try again."
Business Rules	● System allows submission only when all mandatory fields are filled correctly ● Corporate Bookings - All fields are mandatory except ○ F&B Requirements ○ Other Requirements ● Bulk Gift Card Bookings - All fields are mandatory. ● Customer Experience - All fields are mandatory. ● If "Now Showing" is selected, Movies are fetched based on current listings logic.
Validation messages	Common - ● Name ○ "Please enter a valid name." ● Email ○ "Please enter a valid email." ● Phone Number ○ "Please enter a valid phone number." Corporate Booking ● City Not Selected - "Please select a city." ● Cinema Not Selected - "Please select a cinema." ● Invalid Date Selection - "Please select a valid date." ● Number of Seats is not in range – "No. of seats must be between 50 and 999" ● Preferred Show Time Not Selected - "Please select a preferred show time." ● Other Requirement > 500 characters - "Requirement must be within 500"

	characters.” Bulk Gift Card ● Location ○ Empty field - “Please enter your location.” ○ Location > 100 characters - “Location must be within 100 characters.” ● Company Name ○ Empty field - “Please enter your Company Name” ○ Company Name > 100 characters - “Company Name must be within 100 characters.” ● Message ○ Empty field - “Please enter your Message” ○ Message > 500 characters - “Message must be within 500 characters.” Customer Experience ● Feedback ○ Empty field - “Please enter your Feedback” ○ Feedback > 500 characters - “Feedback must be within 500 characters.”
--	---

42. Early Access Show

42.1. Use Case

Use Case No.	UC 42
Use case	Early Access Show Campaign
Description	This use case covers the Early Access Show campaign flow, where users participate in a city-based voting poll to unlock early access screenings for a movie. The campaign is hosted on an Admin-driven webpage (M-site), allowing users to view campaign details, track live voting progress, cast votes, and share the poll. The winning city is determined based on the highest votes, after which users are notified and the show is made available for booking under the Pre-release section.
Primary Actor	Customer (Guest / Logged-in User)
Secondary Actor	System Backend (Admin Panel)
Triggering Event	● User clicks on Early Access Show campaign link/page
Pre-Condition	● Campaign is active and configured in the admin panel. ● Multiple campaigns can be activated at a time.

	● User has an active internet connection
Post Condition	● User successfully casts a vote ● Vote is recorded in the admin panel ● Winning city is determined based on vote count ● Notifications are triggered to users ● Early access show is enabled for booking for the winning city
Basic Flow	UC 42.1.1. Landing page ● User lands on the Early Access Show webpage via: ○ Marketing link / external campaign ○ Direct navigation ● System loads Admin-driven campaign page displaying: ○ Movie poster ○ Movie name ○ Release date ○ “Early Access Show on <date>” ○ Status: “Voting lines are Open” ○ Button to watch trailers ○ Countdown timer (campaign end time) in format: Days Hours Minutes Seconds ■ Timer updates in real-time ○ Top Cities Live Poll Monitor ■ Displays Top 3 cities based on current vote count ■ Each city includes: ● City Name ● Visual vote indicator ○ Visual indicator (icons/progress) representing each city’s share of total votes in the campaign. ● Total votes count (e.g., 8,432 votes) ■ “LIVE” tag ○ CTA - “Vote Now” UC 42.1.2. Casting a Vote ● User clicks on “Vote Now” ● System navigates to Voting Screen displaying: ○ Countdown timer ○ City selection: ■ System displays a list of serviceable cities in alphabetical order, with a search option ○ Checkbox for “terms & conditions”

- Clicking on it displays terms and conditions configured from the admin panel.
 - CTA - "Vote Now"
- User clicks "Vote Now". System navigates to User Details Screen having:
 - Countdown timer
 - Selected city with an option to edit
 - User enters:
 - Name
 - Phone Number
 - CTA - "Continue"
- After filling the details, user clicks on the CTA →
 - System triggers OTP verification on phone number
 - The user enters OTP.
 - System validates OTP:
 - If valid → proceed
 - If invalid → show error and allow retry
- On successful OTP verification:
 - System records the vote against selected city
 - Vote is stored in the admin panel.
 - An sms/whatsapp is sent to the user for the same.
- System displays:
 - Confirmation state (e.g., "Voted")
 - Visual acknowledgement (e.g., voting badge / selected city highlight)
 - Option to share poll Includes:
 - Movie poster
 - Deep link
 - Tagline: "I voted for [Movie Name]. Cast your vote now!"
 - CTA - "Back to Homepage"

UC 42.1.3. Campaign Completion

- System determines winning city (highest votes / admin override)
 - System triggers:
 - WhatsApp notification to voters of winning city having deep link of movie detail page (Book now section)
 - System displays a Winning State Screen on the campaign page includes:
 - Movie poster/banner
 - Highlight section displaying:
 - Label: "Winner"
 - Winning City Name (e.g., DELHI)
 - CTA - "Back to Homepage"

	UC 42.1.4. Post Campaign Visit ● If user visits after campaign ends: ● System displays: ○ Movie poster ○ Movie name ○ Release date ○ Status: “Campaign is over” ○ Option to watch trailer ○ CTA - “Back to Homepage”
Alternate Flow	UCA 42.1.1. Logged-in User ● If user is logged in: ○ Name and Phone Number are auto-filled ○ User can edit before submission UCA 42.1.2. Terms & Conditions Not Checked ● If user tries to proceed without accepting T&C: ○ System blocks progression ○ Prompts user to accept T&C UCA 42.1.3. User Already Voted ● User has already cast a vote for the campaign ● User clicks on: ○ Campaign link / deep link ○ “Vote Now” CTA ● System identifies user using Phone number (primary identifier) ● System checks vote status → If vote already exists ○ System restricts duplicate voting ○ User is not allowed to vote again ○ The system displays a message: “You have already voted.” UCA 42.1.4. User opens EAS link in desktop ● If user tries to open the link in desktop ● Desktop Website has a page showing please open on mobile to view!
Exceptional flow	UCE 42.1.1. Campaign Ends During Voting Flow ● Campaign expires while user is mid-flow (OTP or submit stage) ● The system displays a message: “Voting lines are now closed.”
Business Rules	● Campaign page is fully Admin-driven (HTML). ● Multiple Early Access campaign can be activated at a time. ● Campaign is accessible only within configured start and end time.

	○ Campaign page can be browsed and should display status based on the configuration. ● User can vote using Phone number (mandatory verification via OTP) ● Vote is recorded only after successful OTP verification. ● Each user (Phone number) can cast only one vote per campaign. ● Winning city is the city with highest number of valid votes at campaign end. ○ Admin has the ability to manually set or update the vote count for any city from the admin panel. ○ This enables controlled intervention to adjust or define the winning city, if required.
Validation messages	● City Not Selected: ○ “Please select a city to continue.” ● Terms & Conditions Not Accepted: ○ “Please accept the terms and conditions to proceed.” ● Name ○ “Please enter a valid name.” ● Phone Number ○ “Please enter a valid phone number.” ● Duplicate Vote Attempt ○ “You have already voted.”

43. Trailer Screening Show

43.1. Use Case

Use Case No.	UC 43
Use case	Trailer Screening Show (TSS) – Voting Experience
Description	This use case covers the web-based (for M-site only) voting experience for the 30-minute Trailer Screening Show (TSS) conducted at cinemas. Users who attend the show can scan a QR code displayed in-theatre, which redirects them to a web voting page. Based on the user’s location (auto-detected or manually selected), the system fetches the list of trailers shown in that specific cinema and showtime. Users can then rank or select their top 3 preferred movies, authenticate via OTP, and submit their response. The collected data is stored in the admin panel for analysis and reporting.
Primary Actor	Customer (Guest / Logged-in User)
Secondary	System Backend (Admin Panel)

Actor	
Triggering Event	● User scans the QR code displayed in-theatre after the trailer screening show
Pre-Condition	● Trailer Screening Show is active for a cinema/showtime ● QR code is displayed on screen ● Trailer list is configured in admin panel(city/cinema-wise) ● User has an internet-enabled device
Post Condition	● User successfully submits movie preferences (Top 3 / ranking) ● User is authenticated via OTP ● Response is stored in the admin panel ● User cannot vote again for the same show ● Admin can view reports of user selections and rankings
Basic Flow	UC 43.1.1. Trailer Screening Show (for M-site only) ● User scans QR code displayed in-theatre after trailer screening. The system redirects users to the TSS Web Page. ● The system checks whether location permission is enabled. ● If location permission is enabled, System fetches user's current location (GPS) and auto-identifies: ○ Cinema name ○ City ○ Active TSS show ● If location permission is disabled, the system prompts the user to allow location access. ○ If the user allows location access, the system continues the flow as described. ○ If the user does not allow location access, the system redirects the user to the City selection page and then Cinema Listing page, based on the city selected. ■ System maps selection to Active TSS show UC 43.1.2. TSS page ● System shows TSS page having: ○ Cinema Name ○ Search option ○ List of movie trailers shown in that specific show ○ Each movie displays: ■ Poster ■ Movie Name ■ Censor Rating

	■ Genre (s) ■ CTA: Watch Trailer ■ Selection option (for ranking) ○ CTA - “Proceed” ● User selects preferred movies: ○ Max Top 3 selections ● Selected movies move to the top section. ● Ranking order visible (1st, 2nd, 3rd) ● User can reorder ranking or remove/change selection ● User clicks “Proceed”. System displays form having fields: ○ Name ○ Phone Number along with verify CTA ○ Email ID along with verify CTA ● User clicks Verify Phone ○ System triggers OTP verification on phone number ○ The user enters OTP. ○ System validates OTP: ■ If valid → proceed ■ If invalid → show error and allow retry ● User clicks Verify Email ○ System triggers OTP verification on phone number ○ The user enters OTP. ○ System validates OTP: ■ If valid → proceed ■ If invalid → show error and allow retry - resend OTP ● User clicks Submit ● System records: ○ Selected movies ○ Ranking order ○ User details ○ Cinema & show mapping ● The system displays a success message popup: “Thank you! Your response has been recorded.”
Alternate Flow	UCA 43.1.1. User Access After Submission ● If user reopens same link after submitting: ● System allows user to: ○ View trailer list ○ Select/rank movies ○ Enter details

	● On clicking Submit, system checks: ○ Phone number ○ Campaign + show mapping ● If submission already exists: ○ The system shows a message: “Your response has already been recorded for this show.” UC 43.1.2. User opens TSS link in desktop ● If user tries to open the link in desktop ● Desktop Website has a page showing please open on mobile to view!
Exceptional flow	UCE 43.1.1. Invalid / Expired QR ● QR is invalid, expired, or not mapped to any show ● System display error page (e.g., 404 / invalid link) ● Message: “This link is no longer valid.”
Business Rules	● TSS voting experience is available only on M-site. ● All configurations are managed via Admin Panel ● Each QR code is mapped to: ○ Specific cinema ○ Specific showtime/session ● User must select exactly Top 3 trailer ● Same movie cannot be selected multiple times ● User must verify: ○ Phone number (OTP) ○ Email ID (OTP) ● Submission allowed only after: ○ Successful verification ● Only one response per user per show is allowed ● User is identified by Phone number (primary identifier)
Validation messages	Duplicate Submission ● User already submitted response for same show ● Message: “Your response has already been recorded for this show.”

44. Deeplinks -

Refer to link for the deeplinks document - [PVR INOX - Deeplinks](#)

45. Analytics (GA4) -

Refer to link for the GA document - [PVR INOX - Updated GA4 Events](#)

46. Notifications -

Refer to link for the Notification document - [+ Notification Matrix | PVR INOX](#)

47. Fandom

47.1. Use Case

Use Case No.	UC 47
Use case	Fandom
Description	This use case allows registered users to access their personalized Fandom profile to view movie memories, track badge achievements, customize their highlighted badge, and view, download, and share their Year Recap.
Primary Actor	Registered User
Secondary Actor	System Backend (Admin Panel) Image Moderation tool
Triggering Event	User navigates to Account > Fandom from the Profile section.
Pre-Condition	- User is logged in. - Fandom feature is enabled. - User's booking history, badge data, and preferences are available.
Post Condition	- User can access and manage Memories, Badges, and Year Recap. - Any updates (memory upload/deletion, highlighted badge selection, etc.) are saved successfully. - Shared content is generated based on the selected configuration. - Fandom profile reflects the latest user activity and achievements.
Basic Flow	UC 47.1.1 User navigates to Account > Fandom. System opens the My Fandom page and displays the Memories tab by default. - System displays the user's profile information including: - Profile avatar along with edit icon (redirect to change avatar flow) - User name - Highlighted badge (if selected) along with edit option - User clicks the Edit Highlight Badge icon. - System displays only the earned (unlocked) badges with: - Badge icon. - Badge title. - Badge category.

- User selects a earned badge.
- User clicks Save Badge for Highlight.
- System updates the selected badge as the user's highlighted badge.
- System displays the user's Fandom statistics including:
 - Total visits
 - Displays the total number of movie visits.
 - Each completed booking/visit is counted, irrespective of whether the same movie is booked multiple times.
 - Both platform and partner past bookings are considered for Fandom.
 - Total watch time
 - Displays the cumulative duration of eligible movies watched.
 - Total badges earned
 - Displays the total number of badges unlocked by the user.
 Clicking this card navigates the user to the Badges section on the Fandom page.
- System displays the Memories, Badges, and Year Recap tabs, with Memories selected by default.

UC 47.1.2. Photo Memory section:

- System displays the Photo Memories section showing:
 - Total number of movies having uploaded memories out of eligible movies.
 - A list of all memory cards are displayed.
 - Memory cards are sorted in descending order of movie watch date, with the most recently watched movie displayed first.
 - Memory cards for movies where a memory has already been uploaded.
- Each memory card displays:
 - Applied memory theme.
 - Uploaded image.
 - Movie name.
 - Movie watched date.
 - Share option.
 - Edit option.
 - User can change the theme and can replace existing images.
 - Delete option.
 - Booking source (if other than PVR INOX web & app).
- Each Add Memory card (If image is not uploaded) displays:

- Movie name.
- Movie watched date.
- Add Memory CTA for uploading a photo for that movie.
- Supported image format & Max size
- Booking source (if other than PVR INOX web & app).

UC 47.1.2.1. Add a memory

- User clicks Add Memory for a movie.
- System opens the Add Memory screen.
 - The system displays the selected movie details including Movie Name and Watched On date.
 - The system displays the upload area along with the available predefined memory themes.
 - Supported image formats are JPG, JPEG, PNG.
 - The maximum supported image size is 10 MB.
 - User uploads an image from the device.
 - System validates that the uploaded file is an image and initiates content moderation through the configured third-party moderation service.
 - Upon successful moderation, system displays the uploaded image preview.
 - User selects a preferred theme.
 - User clicks Save Memory.
- System saves the uploaded image and selected theme against the respective movie booking.
- System updates the Photo Memories listing with the newly created memory card.
- System updates the memory count on the page.
- The uploaded memory becomes eligible for inclusion in the user's Year-End Recap and themed collage.
- User can share the memory using the Share option available on the memory card.
- User can delete the uploaded memory using the Delete option.

UC 47.1.2.2. Share a memory

- User clicks the Share icon on a memory card.
- System opens the Share Memory panel.
- System displays:
 - Preview of the selected memory.
 - A list of predefined caption templates.

	■ Each caption may include a predefined hyperlink/CTA (e.g., "Create yours now") that redirects recipients to the PVR INOX app or web page. ○ PVR INOX branding. ● User reviews the preview and clicks Generate. ● System displays a success state indicating that the memory is ready for sharing. ● System generates the shareable memory image along with selected caption. ● User clicks Share. ○ System opens the device's native sharing interface. ○ System shares the generated memory image along with the predefined caption. UC 47.1.2.3. Delete memory ● User clicks the Delete icon on a memory card. ● System displays a confirmation dialog informing the user that the memory will be removed from the Year-End Recap and cannot be recovered. ● User clicks Delete. ● System deletes the uploaded memory associated with the selected movie. ● System removes the memory from the Photo Memories listing. ● System updates the memory count displayed on the page. ● System marks the respective movie as eligible for uploading a new memory. ● System excludes the deleted memory from the Year-End Recap, collaged memories, and future sharing. UC 47.1.2.4. View Memory ● User clicks on an uploaded memory card. ● System opens the selected memory in a full-screen slideshow viewer. ● System displays: ○ Selected themed memory. ○ Movie name. ○ Movie attributes. ○ Movie watched date. ○ PVR INOX branding. ● User can navigate to the previous or next memory using swipe gestures or navigation controls (tapping left/right screen). ● System displays the corresponding memory while maintaining the chronological sequence (most recently watched movie first). ● System displays a timeline grouped by month for all memories available during the selected year (e.g., January, February, March, etc.), along with the current
--	---

memory position in each month (e.g., 2/3).

- Only months containing one or more memories are displayed in the timeline.
- User can navigate to the previous or next month using swipe gestures or navigation controls.
- User selects a month from the timeline.
 - System navigates the slideshow to the first memory available for the selected month.
- User continues browsing memories using swipe gestures or timeline navigation.
- User clicks Close.
 - System closes the slideshow and navigates the user back to the Photo Memories listing.

UC 47.1.3. Badges section

- User navigates to Account > Fandom. User selects the Badges tab.
- System displays:
 - Total badges earned, locked, and total badges.
 - Overall badge progression bar.
 - Informational text stating that badges are applicable only for all PVR INOX bookings.
- System groups badges based on their predefined categories (e.g., Foundation, Frequency & Core Behaviour).
- For each badge, system displays:
 - Badge icon.
 - Badge title.
 - Badge criteria.
 - Progress bar/Current progress.
 - Contributing movie thumbnails (If applicable).
 - For unlocked badges, system displays:
 - Coloured badge.
 - Unlock date.
 - Completed progress bar.
 - For locked badges, system displays:
 - Greyed-out badge.
 - Current progress.
 - Remaining progress required to unlock.

UC 47.1.3.1. View Badge details

- User clicks a badge from the Badges listing. System opens the Badge Detail panel

and displays:

- Badge image.
- Badge title.
- Badge category.
- Badge description.
- Badge status (Locked/Unlocked).
- Unlock date (for earned badges).
- Progress bar & Current progress.
- Contributing movie thumbnails.
- If the badge is unlocked, system displays:
 - Set as Highlight CTA.
 - System updates the highlighted badge displayed next to the user's profile avatar across the Fandom section.
 - If another badge was previously highlighted, system replaces it with the newly selected badge.
 - Share Badge CTA.
- If the badge is locked:
 - System displays the remaining progress required to unlock.
 - Highlight and Share actions are hidden/disabled.
- User closes the panel.
 - System navigates back to the Badges listing.

UC 47.1.3.2. Share a badge

- User clicks Share Badge. System opens the Share Badge panel and displays:
 - Badge preview.
 - Badge details.
 - Contributing movie thumbnails.
 - List of predefined caption templates.
 - Each caption template may include a predefined "Create yours now" hyperlink/CTA.
- User selects one of the available predefined caption templates.
- User clicks Generate.
- System displays a success state indicating that the badge is ready for sharing.
- System generates the shareable badge card using the selected caption.
- User clicks Share.
- System opens the device's native sharing interface.
- System shares the generated badge card along with the selected predefined caption and associated hyperlink/CTA.

UC 47.1.4. Year recap

- User navigates to Account > Fandom. User selects the Year Recap tab. System displays:
 - Available recap themes.
 - One recap theme is selected by default.
 - System renders the complete Year Recap using the selected theme.
 - User can switch between the available themes.
 - On selecting a different theme, the system re-renders the complete Year Recap using the selected theme while retaining the same recap data.
 - Recap title e.g. "Your 2025 Premiere Reel"
 - Stats -
 - Total badges earned.
 - Total visits.
 - Total watch time.
 - Uploaded memory images.
 - Movie names.
 - Movie watch dates.
 - Memories are sorted in descending order of movie watch date, with the most recently watched movie displayed first.
- Users can download or share the recap in the selected theme.

UC 47.1.4.1. Download Year Recap

- User clicks Download Recap after selecting a theme.
- System prepares the Year Recap using the currently selected theme.
- System generates the downloadable recap pdf file.
- System downloads the recap to the user's device.

UC 47.1.4.2. Share Year Recap

- User clicks Share CTA. System displays the recap preview along with the available shareable elements:
 - Highlighted Badge
 - Visit Stats
 - Earned Badges
 - Collage
- System displays an informational message guiding the user to select the elements they want to include in the final Fandom share card - "Personalize your Fandom card by selecting the highlights you'd like to share."

	● By default, all applicable shareable elements are selected. ○ User selects or deselects the elements to be included in the shared recap card. ● System updates the recap preview in real time based on the selected elements. ● System displays the list of predefined caption templates. ○ Each predefined caption may contain a "Create yours now" hyperlink/CTA. ● User selects one of the predefined caption templates. ● User clicks Generate. ● System generates the final shareable recap card using: ○ The selected recap theme. ○ The selected shareable elements. ○ The selected predefined caption. ○ System displays a success state indicating that the recap is ready for sharing. ○ User clicks Share. ○ System opens the device's native sharing interface. ○ System shares the generated recap card along with the selected predefined caption and associated hyperlink/CTA. Note: Different template for sharing and downloadable recap can be different which are defined by the design team.
Alternate Flow	UCA 47.1.1. User has no eligible movie bookings ● User opens Fandom. ● System displays the empty state for the selected section (Memories/Year Recap) along with a message. ○ "Complete movie bookings on PVR INOX to: ■ Capture photo memories ■ Unlock exclusive badges ■ Track your movie milestones ■ Generate your personalized Year-End Recap" ○ "Photo memories"/ "Year Recap" in locked state ○ CTA - "Book Movie" - redirects to homepage. UCA 47.1.2. Prompt user to add a Memory after movie completion ● User opens the application after the scheduled movie showtime has ended. ● System verifies that: ○ The booking is eligible for Fandom Memories.

	○ The booking does not already have a photo memory associated with it. ● If eligible, the system displays a "Unlock Your Year-End Recap" prompt on the Homepage once, encouraging the user to add a movie memory. ● The prompt contains - ○ Message - “Every memory you add brings you closer to a personalized Year-End Recap — a cinematic celebration of all the movies and shows you loved this year. Start adding your memories today!” ○ CTA - Add memory → redirects the user to fandom page. UCA 47.1.3. Notify user when Year Recap becomes available ● When the Year Recap for the previous calendar year is generated (after 31st December), the system displays a one-time promotional popup on the Homepage. ● The popup informs the user that their Year-End Fandom Recap is ready. ● User can: ○ Tap View My Fandom to navigate directly to the Year Recap section. ○ Dismiss the popup using the close (x) icon. ● If the user dismisses the popup, the system displays it again on subsequent app launches, for a maximum of three dismissals. ● Once the user taps View My Fandom, or the popup has been dismissed three times, the popup is not displayed again until the next year's recap is generated.
Exceptional flow	UCE 47.1.1. Image moderation fails ● Uploaded image violates moderation guidelines. ● System rejects the upload. ● System prompts the user to upload a different image.
Business Rules	● The recap will be retained till next year. For example, Year end recap of 2025 will be retained till 31st Dec 2026. Once the 2026 recap is generated, 2025 recap will be removed permanently." ● Only unique movies watched by the user are considered for Fandom eligibility. ● Users can upload one photo memory per eligible movie. ● A memory can be created only after the movie showtime has ended. ● Supported image formats are JPG, JPEG, PNG. ● The maximum supported image size is 10 MB. ● Memory cards are displayed in descending order of movie watch date (most recently watched movie first) ● Only earned badges can be selected as the Highlight Badge.

	- Only one Highlight Badge can be active at any time. - Refer this document for badges list - X All Badges V1.xlsx
Validation messages	Unsupported image format "Unsupported file format. Please upload a JPG, JPEG, PNG image." Image size exceeds limit "Image size exceeds the maximum limit of 10 MB. Please upload a different image." Image moderation failed "This image doesn't meet our community guidelines. Please upload a different image." Memory upload failed "Unable to upload your memory. Please try again." Delete memory confirmation "This photo will be removed from your Year-End Recap and cannot be recovered."

48. Custom Filters-

Refer to link for the custom filter configuration - [Custom Filter Options Configuration](#)

ADMIN - BUSINESS FUNCTIONAL REQUIREMENTS

1. Admin Login

1.1. USE CASE

Use Case No.	UC 1
Use Case Name	Login Screen
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1-3&t=0seinsE92y0uUeZf-0
Use Case Description	The Login screen serves as the secure entry point for administrators. It allows the admin to access the admin panel through manual login with Two-Factor Authentication (credentials + OTP). Once authenticated successfully, the administrator is granted access to the admin panel and all its modules.
Primary Actor	Admin
Secondary Actor	System Backend Authentication System (OTP service) Audit Logging system

Triggering Event	Admin opens the admin panel by entering the correct portal URL in the browser.
Pre-Condition	• The admin has entered the correct Admin Panel URL in the browser. • Network connectivity is available. • The admin account is active and valid credentials exist.
Post Condition	• Success Cases: ○ The admin is successfully authenticated and redirected to the dashboard screen. ○ A secure session is created. ○ The admin can access all modules and features of the admin panel. ○ The full login sequence is recorded in audit logs. If any step fails, that failure is recorded as well. • Failure Cases: ○ The admin remains on the login or OTP screen with appropriate error messages displayed. ○ Both credential failures and OTP failures are recorded in audit logs.
Basic Flow	• UC 1.1.1. The admin enters the correct Admin Panel URL in the browser and the Login screen is displayed. • UC 1.1.2. The Login page displays the following attributes: a. Company logo - an unique identification of the brand b. Placeholder text ("Welcome to PVR INOX Admin Panel!"). c. Email input (mandatory). d. Password input with an eye icon to show/hide the password (mandatory). ▪ When the eye icon is enabled, the entered password is displayed in plain text; when disabled, the password remains hidden and appears in encrypted form (e.g. asterisks *****). e. "Forgot Password?" CTA ▪ On click, the admin gets redirected to the forgot password screen. f. Continue Button g. Google reCAPTCHA v3 runs in the background (no visibility, unless suspicious). • UC 1.1.3. The admin types their registered email and password. The validations run immediately. a. If the validation fails, the relevant inline error message is shown. • UC 1.1.4. Admin clicks on the "Continue" button. If the admin enters the correct email and password, the system does not log them in directly. Instead, it triggers Two-Factor Authentication (2FA). In this step, the system generates a six digit One-Time Password (OTP) and sends it to the admin's registered email address.

	● UC 1.1.5. The admin is then redirected to the OTP verification screen, where they are prompted to enter the six-digit OTP. The OTP is only valid for two minutes, and if required, the admin can request a resend after sixty seconds. ● UC 1.1.6. Once the admin enters the OTP, the system verifies it. If the OTP is correct, the login is successful and the admin is redirected to the Dashboard. If the OTP is invalid or expired, the system shows an error message accordingly. After three failed OTP attempts, the admin panel blocks further login attempts for ten minutes. ● UC 1.1.7. After a successful login, a secure session is created, and the entire sequence is recorded in the audit logs.
Alternate Flow	● UCA 1.1.1. If the admin enters invalid credentials, the system keeps them on the login screen and displays the message - 'Invalid credentials. Please enter the valid credentials to proceed.' ● UCA 1.1.2. Resend OTP: Available after 60 seconds if OTP is not received. ● UCA 1.1.3. If the admin enters an incorrect OTP three times, the login is blocked for 10 minutes, and on the fourth and any further attempts within this 10-minute period, an error message is displayed - 'Too many failed attempts. Please try again after 10 minutes.' ● UCA 1.1.4. Google Captcha v3.0 runs in the background if suspicious activity is detected. ● UCA 1.1.5. When the admin attempts to log in with an expired password, an error message appears indicating that the password has expired, and the 'Continue' button is replaced with a 'Reset Password' button. ○ On clicking the 'Reset Password' button, the admin gets redirected to the OTP verification screen. ○ The admin receives a six digits One-Time Password (OTP) on the email and the admin is required to enter the correct OTP on the verification screen. ○ If the OTP is valid, the admin proceeds to the Password Reset screen. ○ On the Password Reset screen, the admin is required to: ■ Enter a new password ■ Confirm the new password (by entering it again) ■ Both fields must exactly match, i.e., new password and the confirm new password. ○ Once the new password is successfully created, a password reset popup appears confirming the password reset. ■ The popup contains a button to go back to the login screen which redirects to the login screen. ○ The admin must log in again using the new password to access the admin panel.

Exception Flow	● UCE 1.1.1. If the wrong OTP is entered → the admin will stay on the OTP screen and an error message will be displayed. ● UCE 1.1.2. If OTP is expired → “OTP expired” message will be displayed along with the option to resend. ● UCE 1.1.3. If three unsuccessful login attempts are there → “Too many failed attempts. Try again after 10 minutes.”
Business Rules	● OTP Length: 6 digits ● OTP is valid for 2 minutes. ● Resend OTP option enabled after 60 seconds. ● Maximum of 3 OTP requests per 10 minutes. ● Expired OTPs are automatically invalidated, even if unused. ● The admin will receive the OTP on the registered email. ● The OTP used for this login is invalidated after successful verification (cannot be reused) ● The login session will stay active while the admin is using the admin panel. If there’s no activity for 30 minutes, the session will automatically end, and the admin will be logged out. ● To ensure account security, admin will be required to reset their password every 30 days. Once the 30-days period expires, the system will automatically prompt them to set a new password before accessing the admin panel.

Validations	● If OTP is expired → Show “OTP expired. Please try again.” ● If the admin enters an incorrect OTP → Show “Invalid OTP. Please try again.” ● If the admin enters the incorrect OTP 3 times in 10 minutes → Show “Too many failed attempts. Please try again after 10 minutes” ● If the admin enters the incorrect credentials three times in 10 minutes → Show “Too many failed attempts. Please try again after 10 minutes” ● Email ○ Mandatory field. ○ Must follow standard email format: name@example.com. ○ Allowed characters: ■ Alphanumeric (A–Z, a–z, 0–9) ■ Period (.), underscore (_), hyphen (-) before @ ■ Valid domain name after @ (must contain at least one dot .) ○ Not allowed: ■ Multiple @ symbols ■ Spaces or special characters like ! # \$ % ^ & * ■ Consecutive dots (e.g., abc..xyz@gmail.com) ○ Length constraints: ■ Minimum: 5 characters ■ Maximum: 100 characters ● Admin enters email → System validates format. If the format is invalid → “Invalid Email Format. Please try again” ● Password expired after 30 days → Show “Password Expired! Reset a new password to access the admin panel.” ● If the admin enters an incorrect email or password during the password expiration process, display the message: “Invalid credentials. Please enter valid credentials to proceed.”
-------------	---

1.2.

2. Forgot Password

2.1. USE CASE

Use Case No.	UC 2
Use Case Name	Forgot Password Screen
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=5-1549&t=0seinsE92y0uUeZf-0
Use Case Description	The Forgot Password screen provides administrators with a secure option to recover access to the admin panel when they forget their password.
Primary Actor	Admin
Secondary Actor	System Backend Authentication System (OTP service)

Triggering Event	The admin accesses the Forgot Password screen by clicking the "Forgot Password?" CTA on the login screen.
Pre-Condition	• The admin has entered the correct Admin Panel URL in the browser. • The administrator clicks the "Forgot Password?" CTA on the login screen.
Post Condition	• Success Cases: ○ The request for password recovery is recorded in the audit logs. ○ The admin will receive an email with the URL of the admin panel and a newly generated password. • Failure Cases: ○ If the entered email is not registered, the system displays an appropriate error message and no OTP is sent. ○ Any unsuccessful attempt is recorded in the audit logs.
Basic Flow	• UC 2.1.1. When the admin clicks the Forgot password CTA on the Login screen, the system navigates the admin to the Forgot Password screen. • UC 2.1.2. The admin must enter the registered email and the system validates the email validations. • UC 2.1.3. On entering the registered email and tapping the Continue button, the system validates the email and sends an OTP to the registered email and redirects the admin to the OTP Verification screen. • UC 2.1.4. If the admin enters a correct OTP within 2 minutes, they are redirected to the Password Reset screen, where they must create and confirm a new password. • UC 2.1.5. Upon successful password reset, a confirmation popup appears indicating that the password has been reset successfully, along with a button to redirect to the login screen.
Alternate Flow	• UCA 2.1.1. If the admin provides an email that is not registered, the system displays the appropriate error message. • UCA 2.1.2. The admin enters the incorrect OTP on the OTP verification screen and the appropriate error message is displayed.
Exception Flow	• UCE 2.1.1. If the wrong OTP is entered → the admin will stay on the OTP page and an error message will be displayed. • UCE 2.1.2. If OTP is expired → "OTP expired" message will be displayed along with the option to resend. • UCE 2.1.3. If the admin enters incorrect OTP for the three attempts → an error message appears stating - "Too many failed attempts. Try again after 10 minutes."
Business Rules	• OTP Length: six digits • OTP is valid for 2 minutes. • Resend OTP option enabled after 60 seconds. • Maximum of 3 OTPs per 10 minutes. • Expired OTPs are automatically invalidated, even if unused.

	• The admin will receive the OTP on the registered email. • Password criteria: minimum 8 characters, maximum 16 characters, at least one uppercase letter, one lowercase letter, one number, and one special character (!@#%&*). • The confirm new password must exactly match the new password. • The new password and the confirm new password must not match the current password.
Validations	• If the admin enters an email address on the Forgot Password screen that is not registered, the system will display the error message stating - 'Email is not registered with us. Please enter a registered email.' • The admin enters an unregistered email, displays an error message stating - 'Email is not registered with us. Please enter a registered email.' • Admin enters email → System validates format. If the format is invalid → "Invalid Email Format. Please try again" • If OTP is expired → Show "OTP expired. Please try again." • If the admin enters an incorrect OTP → Show "Invalid OTP. Please try again." • If the admin enters the incorrect OTP 3 times in 10 minutes → Show "Too many failed attempts. Please try again after 10 minutes" • Email • Mandatory field. • Must follow standard email format: name@example.com • Allowed characters: ○ Alphanumeric (A–Z, a–z, 0–9) ○ Period (.), underscore (_), hyphen (-) before @ ○ Valid domain name after @ (must contain at least one dot .) • Not allowed: ○ Multiple @ symbols ○ Spaces or special characters like ! # \$ % ^ & * ○ Consecutive dots (e.g., abc..xyz@gmail.com) • Length constraints: ○ Minimum: 5 characters ○ Maximum: 100 characters • New Password: required + must meet password criteria. Show specific helper text listing criteria. Show -> 'Password must be 8–16 characters long and include at least one uppercase letter, one lowercase letter, one number, and one special character.' • Confirm New Password: required + must exactly match New Password. Show -> 'Password must be 8–16 characters long and include at least one uppercase letter, one lowercase letter, one number, and one special character.'

3. Admin Profile

3.1. USE CASE

Use Case No.	UC 3
Use Case Name	Admin Profile Screen
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=59-871&t=0seinsE92y0uUeZf-0
Use Case Description	The admin profile screen displays the administrator's profile details (name, registered email) and provides options to edit profile details and change password.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	The admin accesses the admin profile screen by clicking the admin name in the top-right corner of the admin panel interface.
Pre-Condition	- Admin is authenticated and has an active session. - The admin clicks on the admin name in the top-right corner of the admin panel screen and selects the profile option from the dropdown listing.
Post Condition	- Profile view: - Admin profile view is displayed with the details of the admin. - Edit option: - Admin can update the details and changes are saved for which audit log entry is created.
Basic Flow	- UC 3.1.1. When the admin clicks on the admin name displayed at the top-right corner of the admin panel screen, a dropdown menu appears with three options: Profile, Change Password & Logout. - UC 3.1.2. On selecting the Profile option from the dropdown, the admin is redirected to the Admin Profile screen. - UC 3.1.3. The Admin Profile screen displays the following attributes and actions: - Admin Name - Email Address - Phone Number - Edit CTA - UC 3.1.4. When the admin clicks on the Edit CTA, the admin profile screen becomes editable and two CTAs appear, i.e., cancel button and update button. - UC 3.1.5. On the Edit Admin Profile screen, the admin can alter or update the admin name, email address and phone number. - UC 3.1.6. When the admin alters or updates the admin name, and phone number and clicks on the update button, the admin details are updated.

	● UC 3.1.7. When the admin clicks the Edit CTA on the email field, the system sends a six-digit OTP to the admin's current email and displays a popup to enter that OTP. ● UC 3.1.8. If the admin enters the correct OTP for the current email, the system displays a popup prompting the admin to enter the new email to be used for the account. ● UC 3.1.9. After the admin submits the new email, the system sends a six-digit OTP to the new email and displays a popup asking the admin to enter that OTP. ● UC 3.1.10. When the admin enters the correct OTP for the new email, the system updates the admin's email, logs the admin out of the admin panel, and redirects them to the login screen.
Alternate Flow	● UCA 3.1.1. If admin clicks the Cancel button while editing → revert UI to read-only displaying unsaved original values; no call to backend is made. ● UCA 3.1.2. The admin is shown an error message if they enter an incorrect OTP while updating their email address. ● UCA 3.1.3. The administrator is shown an error message if they enter an invalid email address in the pop-up when updating their email.
Business Rules	● When the admin alters the email address successfully, they are redirected to the login screen. ● On the edit admin profile page, the update button disabled until all validations pass. ● The "Resend OTP" option will become available once 60 seconds have passed on the OTP popup screen.
Validations	● Admin Name: ○ Required: Field cannot be left empty. ○ Length: Must be between 1 to 100 characters. ○ Allowed Characters: Only alphabets (A–Z, a–z), numbers (0–9), and spaces are allowed. ○ Not Allowed: Special characters (e.g., @, #, \$, %, &, *) are restricted. ● Email ○ Mandatory field. ○ Must follow standard email format: name@example.com. ○ Allowed characters: ■ Alphanumeric (A–Z, a–z, 0–9) ■ Period (.), underscore (_), hyphen (-) before @ ■ Valid domain name after @ (must contain at least one dot .) ○ Not allowed: ■ Multiple @ symbols

	■ Spaces or special characters like ! # \$ % ^ & * ■ Consecutive dots (e.g., abc..xyz@gmail.com) ○ Length constraints: ■ Minimum: 5 characters ■ Maximum: 100 characters ● Phone: ○ Mandatory field. ○ Format: Must contain exactly 10 digits. ○ Allowed Characters: Only numeric digits (0–9) are allowed. ○ Starting Digit: Must begin with 9, 8, 7, or 6. ○ Not Allowed: Alphabets, special characters (e.g., +, -, (), space), or numbers starting with digits other than 9, 8, 7, or 6. ○ Phone code +91 will remain static. ● If the admin name is left empty, an error message appears stating → “Admin Name is required.” ● If the entered admin name has less than 1 or more than 100 characters → “Admin Name must be between 1 and 100 characters.” ● If the admin name has invalid characters are used → “Admin Name cannot contain special characters.” ● The admin is shown an error message if they enter an incorrect OTP while updating their email address stating - “Invalid OTP. Please try again.” ● The administrator is shown an error message if they enter an invalid email address in the pop-up when updating their email stating - “Please enter a valid email address.”
--	--

3.2.

4. Change Password

4.1. USE CASE

Use Case No.	UC 4
Use Case Name	Change Password Screen
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=587-1153&t=0seinsE92y0uUeZf-0
Use Case Description	Allows an authenticated admin to change their account password from within the Admin Profile. Enforces strong password criteria, validates current password, prevents reuse of old password and logs events.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin clicks Change Password CTA on Admin Profile screen.
Pre-Condition	● Admin is authenticated and has an active session.

	• The admin clicks on the admin name in the top-right corner of the admin panel screen and selects the profile option from the dropdown listing. • The admin clicks on the Change Password CTA on the admin profile screen.
Post Condition	• Success Cases: ○ The admin has created a new password by following the password creation criteria. ○ Password updated successfully. ○ Audit log entry created. • Failure Cases: ○ If the new password does not meet the password criterion, the system prevents the update and displays an error message. ○ If the current password entered is incorrect, the system prevents the update and displays an error message.
Basic Flow	• UC 4.1.1. When the admin clicks on the Change Password CTA on the Admin Profile screen, the system redirects the admin to the Change Password screen. • UC 4.1.2. The change password screen consists of the following attributes: ○ Current Password with eye icon (mandatory) ○ New Password with eye icon (mandatory) ○ Confirm New Password with eye icon (mandatory) ○ Cancel button ○ Update button • UC 4.1.3. On enabling the eye icon, the entered password is displayed in plain text; when disabled, the password remains hidden and appears in encrypted form (e.g. asterisks *****). • UC 4.1.4. When the admin clicks on the Update button, the system validates the entered details by verifying the Current Password with the authentication service. • UC 4.1.5. If the Current Password is correct, and the New Password meets the defined password criteria and is different from the current password, the system updates the password successfully.
Alternate Flow	• UCA 4.2.1. If the new password fails criteria → show inline error text under New Password describing missing criteria. Update disabled until criteria satisfied. • UCA 4.2.2. If Confirm does not match → show inline error under Confirm new password field and the appropriate error message is shown.
Exception Flow	• UCE 4.1.1. If admin enters incorrect current password 3 times in 10 minutes → block change password attempts for 10 minutes and show:

	“Too many failed attempts. Please try again after 10 minutes.” Log failure.
Business Rules	● Password criteria: minimum 8 characters, maximum 16 characters, at least one uppercase letter, one lowercase letter, one number, and one special character (!@#\$%^&*). ● The confirm new password must exactly match the new password. ● The new password and the confirm new password must not match the current password. ● On successful password change, invalidate all other active sessions for that admin and redirect the admin to the login screen. ● By default the password fields will be in an encrypted state. ● Record password change events are recorded in the audit log.
Validations	● Current Password: required; If incorrect → Please enter valid current password.” ● New Password: required + must meet password criteria. Show specific helper text listing criteria. Show -> ‘Password must be 8–16 characters long and include at least one uppercase letter, one lowercase letter, one number, and one special character.’ ● Confirm New Password: required + must exactly match New Password. Show -> ‘Password must be 8–16 characters long and include at least one uppercase letter, one lowercase letter, one number, and one special character.’ ● Update button disabled until all validations pass. ● If successful - Password has been updated successfully.

5. Tutorial Screen Management

5.1. USE CASE

Use Case No.	UC 5
Use Case Name	Tutorial Screen Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=491-1133&t=0seinsE92y0uUeZf-0
Use Case Description	This module allows administrators to create, manage, update, and organize tutorial screens displayed to app users (for onboarding or feature walkthrough). It provides CRUD operations (Create, Read, Update, Delete/Deactivate), platform/brand-based segmentation, sequence management, media upload (images/GIFs), and filter/search functionality.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin selects Tutorial Screen Management from the sidebar navigation.
Pre-Condition	● Admin is authenticated and has an active session.

	When the admin clicks on the “Tutorial Screen Management” CTA from the left navigation menu of the admin panel, the system redirects the admin to the Tutorial Screen Management module.
Post Condition	- Success Cases: - Admin successfully adds, views or edits and manages tutorial screens. - Media is uploaded, validated, and stored successfully. - Sequences are stored without duplication. - Audit log entries are recorded for each create/update/status change. - Failure Cases: - Invalid or missing mandatory fields. - Media upload fails (unsupported format, large size, network failure). - Backend/system error prevents saving or updating.
Basic Flow	- UC 5.1.1. Admin navigates to Tutorial Screen Management. System displays listing screen with the following attributes: - Four tabs for brands/platforms (PVR – iOS, PVR – Android, INOX – iOS, INOX – Android). - Table Columns (tabular view): - Search Bar (by Title) - The search bar does not support predictive and suggestive search. - Add Tutorial Screen CTA - Serial No. (auto generated) - Screen ID (system generated) - Title - Sequence Order - Created On Date - Status - Actions - View - Edit - Active/Inactive - Filter Options: - Status (Active/Inactive) - Created On Date (From/To). - UC 5.1.2. The Tutorial Screen Listing screen displays all the tutorial screens that have been created by the admin. - UC 5.1.3. The admin can search for a specific tutorial screen within the listing page by entering the title of the tutorial screen in the search bar. - UC 5.1.4. The admin can filter tutorial screens on the listing page using the Filter icon.

	○ When the admin clicks on the Filter icon, a popup window is displayed containing the following options. ■ Status Dropdown – Provides two filter options: ● Active – Tutorial screens marked as active are visible in the apps. ● Inactive – Tutorial screens marked as inactive are disabled and not visible in the apps. ● The admin can filter the tutorial screens on the listing screen based on their status. ■ Created On Date Filter – Allows the admin to filter tutorial screens based on their creation date. ● The admin can select a From Date and a To Date (date range). ● Once the date range is applied, the listing screen displays only the tutorial screens created within the selected range. ■ Reset- Allows the admin to reset the applied filters. ■ Apply CTA - On click, the selected filters will be applied and the results will be shown accordingly. ● UC 5.1.5 After selecting the desired filters or choosing the Reset option, the admin clicks on the Apply button in the filter popup. The listing screen then refreshes and displays the results according to the selected filters or resets to show the complete list of tutorial screens. ● UC 5.1.6. The admin can view all created tutorial screens by selecting the desired Platform and Brand through the four tabs located above the listing page. Based on the selected tab, the listing screen displays the corresponding tutorial screens. ● UC 5.1.7. The admin can view the details of a specific tutorial screen by clicking the View CTA (eye icon) in the Action column of the listing page. ● UC 5.1.8. The admin can edit the details of a specific tutorial screen by clicking the Edit CTA(pencil icon) in the Action column of the listing page. ● UC 5.1.9. The admin can view up to 25 records per page on the listing screen. ○ To view additional tutorial screens, the admin can click the Next CTA at the bottom of the page to navigate to the next set of records. ○ To return to the earlier set of records, the admin can click the Previous CTA, which redirects back to the previous page of the listing screen. ● UC 5.1.10. The admin can mark the specific tutorial screen as active or inactive by clicking the toggle in the action column. ○ When clicked, a pop-up appears asking the admin to confirm the deactivation of the selected tutorial screen. ● UC 5.1.11. Inactive to Active (No Existing Screen):
--	---

	○ When the admin activates an inactive tutorial screen and there is no other active screen with the same sequence order for the selected brand and platform, a popup appears informing the admin that this screen will become visible on the frontend. Upon confirmation ● Inactive to Active (Duplicate Sequence Order): ○ When the admin activates an inactive tutorial screen that has a sequence order already assigned to another active screen of the same brand and platform, a popup appears informing the admin that the requested sequence order is already assigned to <Screen ID + Title>. ○ Upon confirmation, the sequence order will be assigned to the newly activated screen, and the previously active screen holding that sequence order will be marked as Inactive. ● Missing Sequence Order in Between: ○ If no tutorial screen exists for sequence order 2, then the screens with sequence order 1 and 3 will be displayed on the frontend sequentially, skipping the missing sequence. <u>Add Tutorial Screen Flow:</u> ● UC 5.2.1. When the admin clicks on the “Add Tutorial Screen” button, the system redirects the admin to the Add Tutorial Screen, where the admin can create a new tutorial screen. ● UC 5.2.2. The Add Tutorial Screen consists of the following attributes: ○ Select Brand Dropdown ○ Select Platform Dropdown ○ Save button ○ Cancel button ● UC 5.2.3. The select brand dropdown consists of the three options, i.e., All, PVR and INOX. ● UC 5.2.4. The select platform dropdown consists of the three options, i.e., All, iOS and Android. ○ Each tutorial screen for selected brand (PVR/INOX) and platform (iOS/Android) will have a common Active/Inactive toggle available at the time of creating the screen. ○ This toggle controls the visibility of the tutorial screen on the respective app (iOS or Android) — when marked Active, the screen becomes immediately visible on the front end for the selected brand and platform. ● UC 5.2.5. Once the admin selects the desired Brand and Platform, additional fields appear on the Add Tutorial Screen page. The admin is required to enter the following details:
--	--

	○ Name of the selected Brand and Platform (e.g., PVR – iOS, PVR – Android, INOX – iOS, INOX – Android) ○ Title – The title to be displayed on the tutorial screen for the selected brand and platform. ○ Description (Text area) – A brief description to be shown on the tutorial screen. ○ Sequence Order – Defines the display order of the tutorial screen in the sequence. ■ The numeric value defines the display priority, with screen ‘1’ shown first and subsequent numbers following in order. ○ iOS Minimum Version / Android Minimum Version – The minimum app version required for the tutorial screen to be visible on iOS or Android platforms. ○ Upload Media – The admin can upload a single media file in either Image or GIF format. ■ Image format supported - .jpg, .png. ■ GIF format supported - .gif ○ Cancel button - The Cancel button allows the admin to discard the entered details and return to the Tutorial Screen Listing page without saving any changes. ○ Save button- The Save button allows the admin to save the newly added tutorial screens after filling in all the required fields. On successful save, the new tutorial screen is recorded in the system and reflected in the Tutorial Screen Listing page based on the set status(Active/Inactive). ● UC 5.2.6. The admin can create a tutorial screen for multiple brands and platforms at once. ○ During edit, the admin can only modify the tutorial screen details for the selected brand and platform tab. ○ The same applies to the Details screen, which displays and allows actions only for the selected brand and platform. ● UC 5.2.6. If the admin assigns a sequence number that is already in use, a popup appears displaying the <Screen ID> and Title of the screen(s) currently assigned to that sequence order. The message informs the admin that the new screen will take over this sequence order, and the previously assigned screen will be marked as Inactive. ● UC 5.2.7. Add Tutorial Screen (Duplicate Sequence on Creation): ○ When the admin selects the brand and platform while adding a new tutorial screen, an Active/Inactive toggle will be available to control its visibility on the frontend. ○ If the admin sets the screen to Active and a screen with the same sequence order already exists for the selected brand and platform, a popup appears informing the admin that the sequence order is already assigned to <Screen ID + Title>.
--	---

- Upon confirmation, the sequence order will be assigned to the newly created screen, and the previously active screen will be marked as Inactive. Once confirmed, the new screen will be reflected on the frontend as active.
- If the toggle is not marked as Active, the tutorial screen will still be created for the selected brand and platform but will not be displayed on the frontend, and its status will remain Inactive.
- **Note:** If the toggle is set to Inactive, the tutorial screen will not be shown on the frontend. However, it will still appear in the Admin > Tutorial Listing page for the selected brand and platform with the status marked as Inactive. In this state, the system will not perform a sequence order duplication check until the tutorial screen is activated.

Tutorial Screen Details:

- UC 5.3.1. When the admin clicks the View action for a specific record under a selected tab on the listing page, the system redirects the admin to the Tutorial Screen Details page.
- UC 5.3.2. The Tutorial Screen Details page displays information only for the tutorial screen that was selected by the admin (e.g., PVR – iOS, PVR – Android, INOX – iOS, INOX – Android).
- UC 5.3.3. The details screen will display the below information related to the tutorial screen:
 - Screen ID
 - Selected Brand
 - Selected Platform
 - Current State
 - Name of the selected Brand and Platform (e.g., PVR – iOS, PVR – Android, INOX – iOS, INOX – Android)
 - Title
 - Description
 - Sequence order
 - Uploaded Media (either GIF or an image)
 - When the admin clicks on the ellipsis icon, two options will appear — View Image and Download Image.
 - Edit button - on click, redirects to the edit screen.
 - Inactive/Active button
- UC 5.3.4. The admin can activate or deactivate a specific tutorial screen.
 - When the admin clicks the Active/Inactive button from either the Listing screen or the Details screen, a confirmation popup appears asking the admin to confirm the action.
 - Upon confirmation, the tutorial screen status is updated accordingly.

	<u>Edit Tutorial Screen:</u> ● UC 5.4.1. When the admin clicks the Edit CTA from either the Listing page or the Details page, the system redirects the admin to the Edit Tutorial Screen page. ● UC 5.4.2. The edit tutorial screen page consists of the following attributes: ○ Screen ID ○ Selected Brand ○ Selected Platform ○ Current state (active/Inactive) ○ Name of the selected Brand and Platform (e.g., PVR – iOS, PVR – Android, INOX – iOS, INOX – Android) ○ Title ○ Description ○ Sequence order ○ iOS/Android Minimum App Version ○ Uploaded Media (either GIF or an image) ○ Cancel button ○ Save button ● UC 5.4.3. On the Edit Tutorial Screen page, all the fields are editable, allowing the admin to update the tutorial screen details as needed. ○ The admin won't be able to edit the brand and platform at the time of editing a tutorial screen for the selected brand and platform.
Alternate Flow	● UCA 5.1.1. If the admin clicks the Cancel button while editing → the admin redirects to the listing page of the tutorial screen management and no changes are saved. ● UCA 5.1.2. Admin re-activates an inactive screen → status changes to Active with confirmation toast. ● UCA 5.1.3. Admin applies filters that yield no records → system shows empty state with message “No tutorial screens found. Try adjusting your filters.” ● UCA 5.1.4. If no tutorial screens are created, or if all existing tutorial screens are marked as Inactive, then no tutorial screens will be displayed in the apps.
Exception Flow	● UCE 3.1.1. Upload Error: If media upload fails due to network or unsupported format, show inline error under upload field. ● UCE 3.1.2. Inactive Screen Usage: If a tutorial screen is inactive, it must not display in the app.

Business Rules	● Only tutorial screens with an active status will be displayed on the frontend. ● On the Add Tutorial Screen page, the default status of the tutorial screens for selected platforms and brands will be Inactive. ● No two tutorial screens under the same brand and platform can have the same sequence order. Upon confirmation from the admin, the previously assigned screen will be marked as Inactive, and the newly created screen will be assigned the selected sequence order. ● Mandatory Fields: Title, Description, Sequence Order, Upload Media, Brand, Platform. ● Non-mandatory fields: iOS/Android Minimum Version ● Sequence Order: must be numeric, positive, and defines display order in-app. ○ The numeric value defines the display priority, with screen '1' shown first and subsequent numbers following in order. ● All active tutorial screens will be displayed at the top of the listing page, followed by the inactive screens. ● The search bar on the listing page should be case-insensitive (e.g., "tut" and "Tut" should yield the same results) and does not support predictive and suggestive search. ● Status Default: New tutorial screens default to Active unless explicitly marked Inactive. ● Sequence Order: required, numeric, greater than 0, unique per screen, less than 1000. ● Upload Media: required; must meet format/size rules. If invalid → "Please upload a valid image or GIF (max 5 MB)." ○ Size & Dimension: Upload image of upto size 5 MB and dimensions 535 * 416 px ■ Tolerance Margin: A 10% tolerance margin is allowed while uploading tutorial images. ● Brand & Platform: required, must be selected. ● iOS Minimum Version/ Android Minimum Version: optional ● If the admin assigns a sequence order higher than the next available number in the existing sequence, the system will automatically adjust it to the next sequential order on the frontend. ● PVR & INOX Android sections will be grouped together, and PVR & INOX iOS sections will be grouped together on the tutorial create screen. ○ Whenever the admin creates a tutorial screen, they will have the option to copy screens across brands for the same platform.
----------------	---

	■ For example, a tutorial screen created for PVR iOS can be copied to INOX iOS, but not to INOX Android and vice versa.
Validations	● Title ○ Empty Title → “Title is required.” ○ Exceeds Limit (20 characters) → “Title cannot exceed 20 characters.” ○ Minimum Limit (3 characters) → “Title should be at least 3 characters long.” ○ Allowed: Alphabets, numbers, spaces, basic punctuation (. , ! ? - _ , &) ○ Not Allowed: Special characters such as ` @ # \$ % ^ * () < > { } [] / \ ○ Leading/trailing spaces are not allowed. ● Description ○ Empty Description → “Description is required.” ○ Exceeds Limit (150 characters) → “Description cannot exceed 150 characters.” ○ Minimum Limit (10 characters) → “Description should be at least 10 characters.” ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (. , ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Leading/trailing spaces are not allowed. ● Sequence Order ○ Empty → “Sequence order is required.” ○ Non-numeric → “Sequence order must be a number.” ○ Zero or Negative → “Sequence order must be greater than 0.” ○ Only positive integers allowed (e.g., 1, 2, 3). No decimals, symbols, or letters. ○ Maximum Value → 1000 ● Upload Media (Image/GIF) ○ Empty → “Please upload an image or GIF.” ○ Invalid Format → “Unsupported file type. Only JPG, PNG, or GIF allowed.” ○ File Too Large (>5 MB) → “File size must not exceed 5 MB.” ○ Allowed Formats: .jpg, .png, .gif ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking an external URL.” ● Brand & Platform ○ Empty Brand Selection → “Please select a brand.” ■ Options: All, PVR, INOX ○ Empty Platform Selection → “Please select a platform.” ■ Options: All, iOS, Android

	○ Allowed: Only pre-configured options from dropdown. No free text allowed. ● Screen ID: ○ Required: System Generated ○ Numeric Value only ○ Range: 1-6 ○ Only positive integers allowed (e.g., 1, 2, 3). No decimals, symbols, or letters.
Frontend Links	Tutorial/Walkthrough Screens:  PVR INOX_Product Requirement Document

5.2.

6. Customer Management

6.1. USE CASE

Use Case No.	UC 6
Use Case Name	Customer Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=587-2038&t=0seinsE92y0uUeZf-0
Use Case Description	The Customers Management module allows administrators to view and manage registered users on the PVR INOX platform. Admins can search, filter, view user details, and change user status (Active/Inactive). This module is primarily used for monitoring customer accounts.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin selects Customer Management under the Reports Module from the sidebar navigation.
Pre-Condition	● Admin is authenticated and has an active session. ● Customer records are available in the system.
Post Condition	● Success Cases: ○ Admin can view the customer management and search for a desired customer. ○ Admin can view full details of a selected customer. ○ Admin can change user status (Active/Inactive) with confirmation. ○ All actions are recorded in the audit log. ● Failure Cases: ○ When the admin searches for a customer by different search types and filters, and no matching customer exists in the system, the listing page will display “No records found”.
Basic Flow	● UC 6.1.1. Admin navigates to Customer Management. System displays listing page with:

	○ Export CSV Button ■ The admin can download a CSV file containing all customer records based on the selected search type and filters. ● On clicking the 'Export CSV' button, the link of the CSV file as per the selected filters will be sent to the admin's email address. ■ The search bar does not support predictive and suggestive search. Also, offer case-insensitive search results. ○ Search Type Dropdown ■ Search Type Flow: ● The admin can select a search type—First Name, Last Name, Email, Phone Number, or App Version—and enter the corresponding keyword in the adjacent input field. ● The admin can also select the filter options which consists of the following: ○ Platform (All/iOS/Android/Website/Msite) ○ Brands (PVR, INOX) ○ Status (Active/Inactive/Deleted) ○ PVR Opt Ins (Transactional/Promotional) ○ INOX Opt Ins (Transactional/Promotional) ○ App Version (Input Field) ○ Gender (Male/Female/Others) ○ Marital Status (Married/Single) ○ Country (India/Sri Lanka) ○ City ○ Registered Date ■ By default, the Registered Date filter will display a preselected date range where the start date and end date are set to the same date (today's date). ■ If the admin wants to change this range, they can manually edit the start and end dates. ● The admin can search for the desired customers based on the combination of search types and filter options. ○ Tabular View: ■ Serial No. ■ First Name ■ Last Name ■ Phone Number
--	---

	■ Email ■ Transactional Opt Ins (Yes/No) ■ PVR Promotional Opt Ins (Yes/No) ■ INOX Promotional Opt Ins (Yes/No) ● The system displays separate icons for promotional and transactional types, and the icon is shown as per the customer's selection. ■ Registered Date ■ Status (Active/Inactive/Deleted) ■ Actions (View and Active/Inactive) ● UC 6.1.2. The admin is not shown the customer listing by default. The customer listing is displayed only after the admin selects a specific search type option or filter options or combination of both. ● UC 6.1.3. The Customer Management section will display all customers registered on the PVR and INOX platforms. ● UC 6.1.4. The admin cannot edit the details of the registered customers on the customer management. ● UC 6.1.5. The admin can change a customer's status to Active or Inactive by clicking on the toggle in the Action Column. ○ If the customer is marked as Active, they can access and use both the app and the website. ○ If the customer is marked as Inactive, their account associated with the registered number is disabled, and they will not be able to log in or use the app or website. ● UC 6.1.6. The admin can view a specific customer's details by clicking the View action (eye icon) in the action column. ● UC 6.1.7. The admin can sort the listing page using the column - Registered Date. ● UC 6.1.8. Once the administrator selects a specific search type option, the customer data is displayed on the listing page, and a Clear All button appears to allow the administrator to remove all applied filters. ● Note: On the listing page, a green verified icon appears next to a customer's phone number once it is authenticated by validating the OTP/verification code. If the user also verifies their email address, the same green verified icon will be shown next to the email. <u>Customer Details Page:</u> ● UC 6.2.1. When the admin clicks on the View CTA (eye icon) in the action column, it redirects to the customer details page. ● UC 6.2.2. The user details page consists of the following attributes: ○ Personal Information: This section captures the details that the customer provides while onboarding and creating their profile. ■ Avatar Profile Picture
--	---

	● The avatar profile picture will be the same across both the PVR and INOX platforms, based on the avatar selected by the customer. ■ First Name ■ Last Name ■ Phone Number ■ Email (the verified email will show the verified icon) ■ Gender ■ Registered Date ■ Martial Status ■ Anniversary Date ■ Date of Birth ■ Platform (e.g. iOS, Android, M-site, Website) ■ Current City (reflects the current location of the customer.) ■ Country (e.g. India) ■ Status (e.g. Active, Inactive, Deleted) ■ Last Login (date + time) ○ Registration Details ■ Registration Date ■ Location (City Name) ■ Platform ■ Brand ■ Version ● Captures and displays the platform (i.e., iOS or Android) and the corresponding app version of the application that the customer is using at the time of sign-up. ■ Registration Method (e.g. Google, Apple) along with the social access token ■ Manual Email ■ Apple Email ■ Google Email ○ Active Sessions: This section displays the devices and platforms (e.g., Android, iOS, Web, M-Site) where the customer has accessed using the app/website, along with technical details like model name, app version, and device ID. ■ Platform (e.g. Android, iOS) ■ Model Name (e.g. iphone 13) ■ App Version (e.g. iOS 26) ■ Device ID (unique identifier assigned to each device the user uses to access the app or website) ■ In case of Website and M- site, the following details would be shown: ● Operating System (OS)
--	--

	● Browser (e.g. Google Chrome) ● Browser Version ○ Opt Ins: This section reflects the communication settings chosen by the customer. It shows whether Transactional Alerts (e.g., booking confirmations) and Promotional Alerts (e.g., offers, campaigns) are enabled or disabled across channels such as WhatsApp, SMS, Emailers, and Push Notifications for PVR and INOX separately. ■ Transactional Alerts (A check mark will appear next to the options that are selected.) ● WhatsApp ○ The Transactional Alerts (Opt Ins) will be the same for the both the brands, i.e. PVR and INOX. ■ Promotional Alerts (A check mark will appear next to the options that are selected.) ● WhatsApp ● SMS ● Emailers ● Push Notifications ○ The Promotional Alerts (opt ins) will be different for both PVR and INOX. (SFMC) ○ PVR & INOX Preferences (displays the common preferences marked as favorite by the customers for PVR and INOX platforms) ■ Preferred Genres ■ Preferred Languages ■ Preferred Cinemas ■ Preferred Formats
Business Rules	● Customer Status ○ Active customers can be deactivated. ○ Inactive customers can be re-activated. ○ The default status of a newly registered customer is Active. ● The admin cannot edit/alter the customers information. ● If a customer deletes their account, their status in Customer Management will be shown as Deleted. In this state, the admin can only view the customer's details but cannot perform active/inactive action on the account. ● The search bar on the listing page should be case-insensitive (e.g., "rishab" and "Rishab" should yield the same results) and does not support predictive and suggestive search. ● The system will record the customer's last login details, including both date and time. ● A customer's registered city represents a city that is selected/auto-fetched during their registration. It can't be changed.

	● The current city represents the customer's current city. It will be updated when the customer confirms the city changed through city change nudge or via manual updation of the city. ● The Transactional Alerts (Opt Ins) will be the same for the both the brands, i.e. PVR and INOX. ● The Promotional Alerts (opt ins) will be different for both PVR and INOX. (SFMC) ● On the filter, there are two types of Opt-ins: Transactional Opt-Ins and INOX Opt-In. ○ Both filters offer the same two options: Transactional and Promotional. ○ For Transactional Opt-In, two options will be available: Yes and No, and the selection will be common across both the PVR and INOX platforms. ○ For Promotional opt-in of PVR and INOX separately, if the customer has opted in for any of the four promotional communication channels—WhatsApp, Emailers, Push Notifications, or SMS—then their promotional opt-in status will be considered Yes. ● Earned badges are displayed in the order in which they were earned. ● Only unlocked (earned) badges are displayed. ● Admin cannot edit or delete badges from the Customer Details page. ● Photo Memories displayed are uploaded by the customer and approved through the moderation process. ● Images older than one year or removed by the customer shall not be displayed. ● Year Recap displays the latest generated recap available for the customer. ● Clicking View Full Recap downloads the recap in PDF format. ● The Customer Management module is strictly read-only for Fandom data.
Validations	● App Version ○ Validation Rule: Must be in format x.y or x.y.z (numbers separated by dots) (e.g., 1.0, 2.3.1). ○ Error Message: "Please enter a valid app version." ● Status ○ Validation Rule: Must be selected from predefined values (Active/Inactive/Deleted). ○ Error Message: "Please select a status type." ● Date Range (Start and End Date) ○ End date must be greater than or equal to start date. ○ Error Messages: ■ "The end date cannot be earlier than the start date." ● Brands

	○ Validation Rule: Must be selected from predefined brand options, i.e., All, PVR and INOX. ○ Error Message: "Please select a brand type."
Frontend Links	Register/Login Screens:  PVR INOX_Product Requirement Document Profile Completion Screens:  PVR INOX_Product Requirement Document

7. Countries - Location Management

7.1. USE CASE

Use Case No.	UC 7
Use Case Name	Location Management - Countries
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1269-275&t=cXRCU90jxhMW9DI4-0
Use Case Description	The countries module in location management displays the list of countries where the PVR INOX cinema chains are located, and the admin will be able to view on the listing page, search and view the selected country details. The country list is pre-configured in the system (no new country creation is allowed).
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	The admin navigates to the Location Management section and selects the Countries module within it.
Pre-Condition	● Admin is authenticated and has an active session. ● At least one country's record is pre-configured in the system.
Post Condition	● Success Cases: ○ Admin can view the countries module and search for a desired country.
Basic Flow	● UC 7.1.1. Admin navigates to the Countries module under the location management. System displays listing page with: ○ Search Bar ■ The admin can search the desired country by country name and phone code. ○ Tabular View: ■ Serial No. ■ Country ID ■ Country Name

	■ ISO Code ■ Phone Code ■ Actions ● View ● UC 7.1.2. The admin is displayed with the country records and the admin can view the details of the countries if required. ● UC 7.1.3. The list of countries will be pre-configured and maintained in the system. Admins will only have the ability to view ;adding new countries will not be permitted. ● UC 7.1.4. On clicking the View CTA in the actions column, the admin is redirected to the country details page. <u>Country Details:</u> ● UC 7.2.1. The admin is shown all the information of the selected country. The following information of the selected country are shown: ○ Country ID ○ Country Name ○ ISO Code ○ Phone Code ○ Currency ○ Latitude ○ Longitude
Alternate Flow	● If the admin searches for a specific country using the search bar and no matching records are found, the system will display an appropriate error message.
Business Rules	● Country master data is managed in Admin Panel. ● On the Country details page, the following fields are displayed: ○ Country Name ○ ISO Code ○ Phone Code ○ Currency ○ Latitude ○ Longitude ● Search Bar does not offer predictive & suggestive search and will be case-insensitive. ● The admin can view up to 25 records per page on the listing screen.
Validations	● When the admin searches for a country using the search bar and no matching records are found. The system will not display any records in the listing table stating with the error message - “No countries found matching your searched criteria.”

7.2.

8. Cities - Location Management

8.1. USE CASE

Use Case No.	UC 8
Use Case Name	Location Management - Cities
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1299-1023&t=cXRCU90jxhMW9DI4-0
Use Case Description	Admin module to manage cities that are used for app/website/M-site city-selection and to display popular cities with images. City master list is primarily synchronized from Showbizz (automatic), or with a manual sync button available to fetch the latest city list.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	The admin navigates to the Location Management and selects the Cities module within it.
Pre-Condition	- Admin is authenticated and has an active session. - Cities records are available in the system. - Showbizz integration is available for automatic or manual sync.
Post Condition	Cities listing is displayed/updated; synced data is stored in Admin Panel and reflected on frontend.
Basic Flow	- UC 8.1.1. Admin navigates to the Cities module under the location management. System displays listing page with: - Export CSV - Sync City Master Button (along with last synced on date + time) - Search Bar - Filter Icon - Tabular View: - Serial No. - City ID - City Name - Sub-City Name - Sequence - Country - Region - Popular - Status (Active/Inactive) - Actions - View - Edit - Sync - Sync Food

	● UC 8.1.1. Search Bar allows searching by City Name, City ID & Sub-City Name. ● UC 8.1.2. Admin can filter the listing page by Status (Active/Inactive), Popular (Yes/No), Region (North/South/East/West/Centre) & Country (India/Sri Lanka). ● UC 8.1.3. Admin clicks Sync City Master (manual trigger) or scheduled sync runs: system calls Showbizz API to fetch cities. ○ System maps Showbizz city records to Admin Panel and update records. <u>Cities Detail:</u> ● UC 8.2.1. Admin clicks View CTA in the action column on the listing page for a particular city. ● UC 8.2.2. Details page displays fields: ○ Edit Button ○ Sync Details Button ○ Sync Food Button ○ City ID ○ City Name ○ Alias Name ○ Country ○ State ○ Sub-City ○ Region ○ Latitude ○ Longitude ○ Marked as Popular status (yes/no) ○ Sequence ○ City Image ○ Last Edited On (date +time) ● UC 8.2.3. On the details page, when the admin clicks the ellipsis icon, two options will appear — View and Download. ○ On clicking View, the image will open in a modal with an enlarged preview, along with options to zoom in/out and rotate the image left or right. ○ On clicking Download, the admin can download the uploaded image of the selected city. ● UC 8.2.4. The details page also displays the Edit CTA. <u>Edit Cities Flow:</u> ● UC 8.3.1. When the admin clicks the Edit CTA in the Actions column on the listing page, the system redirects the admin to the Edit City page with the selected city details pre-populated. ● UC 8.3.2. Edit City page displays editable fields:
--	---

	○ City ID (Non - Editable) ○ City Name (Non - Editable) ○ Alias Name (Editable) ○ Sub-City (Non - Editable) ○ State (Dropdown) (Editable) ○ Country (Non - Editable) ○ Region (dropdown) (Editable) ○ Latitude (Editable) ○ Longitude (Editable) ○ Mark as Popular (toggle) (Editable) ○ Upload/Remove City Image (Editable) ○ Sequence (Editable) ○ Update Button ○ Cancel button ● UC 8.3.3. Admin updates fields and clicks Update. System validates and saves; audit logged; frontend gets updated.
Alternate Flow	● If the admin searches for a specific city using the search bar and no matching records are found, the system will display an appropriate error message. ● If the admin clicks the Cancel button on the Edit page, no changes will be saved and the system will redirect the admin back to the listing page. ● Admin removes the city marked as popular → city removed from top popular listing on frontend and will be sequenced in the normal listing in the alphabetical order.
Exception Flow	● UCE 8.1.1. Showbizz sync fails or times out → system shows error message and keeps previous data. Admin can retry. ● UCE 8.1.2. Admin tries to mark Popular without image → show validation “Upload image to mark city as popular.”
Business Rules	● The admin cannot change the City name from the edit page. ● City data is auto-synced from Showbizz; admin may trigger a manual sync via Sync Cities button. The updated data reflects in the frontend after sync. ○ If the already synced city is now disabled from Showbizz, the city would be shown on the listing page with its status as ‘Inactive’. ○ When the admin clicks the ‘Sync City Master’ button, the basic city data will be synced from Showbizz. ○ When the admin clicks the sync icon in the Action column for a specific cinema, the cinema details, along with its sessions, will be fetched from Showbizz for the corresponding city. ○ On clicking the ‘Sync Food’ icon on the listing page or ‘Sync Food’ button on the details page, the system initiates syncing of all food items mapped to the selected city. ● City ‘Active/Inactive’ status will be fetched directly from Showbiz. Hence, the Admin cannot update it manually through the Admin Panel.

	● Sub-city linkage with city is fetched from Showbizz. ● Only cities with uploaded image will be marked as Popular; Popular cities show at top of city selection screens on app/web/m-site. ● Audit logging required for sync actions so changes are trackable in Audit Reports. ● All edit actions must be recorded in the Audit logs. ● The admin can view up to 25 records per page on the listing screen. ● On the listing page, cities will be displayed in order of sequence—starting with the lowest number (e.g., 1) at the top, followed by higher numbers in ascending order. ○ Sequences will be set only for popular cities. All other cities will be listed alphabetically. ● A city can be marked as popular even if an image is not uploaded. However, if the admin marks a city as Popular without uploading its corresponding image, a default placeholder image will be displayed on the frontend. Once marked Popular it appears in the front-end city-selection top section. ○ Image Format: JPG/PNG only ○ Hotlinking: External URLs not allowed. ● Sequence: The numeric value defines the display priority, with screen ‘1’ shown first and subsequent numbers following in order. ○ The admin can set the sequence only for cities marked as Popular. All other cities (not marked as Popular) do not require sequencing and will appear below the Popular cities on the listing page, sorted alphabetically. ○ When a new city is assigned a sequence value that is already allocated to an existing city, the system automatically reassigns the requested sequence to the new city on confirmation by the admin. The previously assigned city (with the same sequence value) will have its priority shifted down by one. ○ If City A currently holds Sequence 3 and the Admin assigns Sequence 3 to City B, then: ■ City B → Priority 3 (new) ■ City A → Priority 4 (automatically shifted) ● On the Cities Listing page (frontend), any city that is marked as Popular will automatically appear at the top of the list on the listing. ○ If there are multiple popular cities, their order will be decided by the priority/sequence number set by the admin. ■ All non-popular cities will appear below the popular ones in alphabetical order. ● The admin can configure multiple alias names for each city. On the frontend, when a customer searches using either the city’s primary name or any of its configured alias names, the corresponding city should be displayed in the search results.
--	--

	● The Last Edited On field shows the date of the most recent update made by the admin for the selected city. ● If a city has multiple sub-cities, then on the listing page, when the admin hovers over the Sub-City field on the listing page, a tooltip will appear displaying the complete list of sub-cities associated with that city. Also, all the sub cities will be displayed on the cities details page as well. ● The admin can export the details of the cities module by clicking on the Export CSV button on the listing page. The following details are fetched in the CSV file: ○ City ID ○ City Name ○ Sub-City ○ State ○ Country ○ Region ○ Latitude ○ Longitude ○ Mark as Popular ○ Sequence ○ City Image (URL) ■ On clicking the 'Export CSV' button, the link of the CSV file as per the selected filters will be sent to the admin's email address. ○ Last Edited On ● City ID: ○ Fetched from Showbizz. ■ Non-editable: Auto-fetched from Showbizz; admin cannot modify it. ● City Name: ○ Sourced from Showbizz. ○ Non-editable: Auto-fetched from Showbizz; admin cannot modify it. ● Alias Name ○ Editable; admin cannot add/modify it. ● Sub-City: ○ Fetched from Showbizz. ○ Non-editable: Auto-fetched from Showbizz; admin cannot modify it. ● State ○ Dropdown: Displays the list of all the states. ○ Single Select ● Country: ○ Sourced from Showbizz. ○ Non - Editable
--	---

	● Region: ○ Required (dropdown: North/South/East/West/Central) ○ Editable ● Latitude: ○ Required: Yes (Mandatory) ○ Cannot be empty ○ Must be a decimal number ○ Valid range: -90 to 90 ○ Leading/trailing spaces are not allowed. ● Longitude: ○ Required: Yes (Mandatory) ○ Cannot be empty ○ Must be a decimal number ○ Valid range: -180 to 180 ○ Leading/trailing spaces are not allowed ● Sequence: Numeric (used to order/reorder cities in admin or specific lists). ○ Mandatory if city is marked as popular ○ Cannot be a non-numeric value ○ Cannot be zero or negative ○ Only positive integers allowed (e.g., 1, 2, 3). No decimals, symbols, or letters. ○ Must be between 1 and 1000 → "Sequence must be between 1 and 1000." ○ Cities cannot have the same sequence order ● City Image: ○ Optional ○ The image supported format- .jpg/.png/.svg. ○ File size: Should not exceed 5 MB
Validations	● Region: ○ Required (dropdown options: North/South/East/West/Central) ○ Empty option: "Please select a region." ● State ○ Required (Dropdown) ○ Empty Option: "Please select a state." ● Mark as Popular ○ Required ○ Empty Option: "Please select the Mark as Popular status." ● Sequence: Numeric (used to order cities in admin or specific lists). ○ Empty → "Sequence is required." ○ Non-numeric → "Sequence must be a number." ○ Zero or Negative → "Sequence must be greater than 0."

	○ Only positive integers allowed (e.g., 1, 2, 3). No decimals, symbols, or letters. ○ Must be between 1 and 1000 → “Sequence must be between 1 and 1000.” ○ Sequence Conflict → “The <sequence order> is already assigned to <City Name>.Are you sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new city, and the previously assigned city with the same sequence order will have its sequence shifted down by one. ” ● City Image: ○ The image supported format- .jpg/.png/.svg. ■ Error Message: ‘Unsupported file type. Only JPG,PNG or SVG are allowed.’ ○ File size: Should not exceed 5 MB → “Image size must be less than 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking an external URL.” ● When the admin searches for a city using the search bar and no matching records are found. The system will not display any records in the listing table stating - “No cities found matching your searched criteria.”
Frontend Links	City Selection: 

8.2.

9. Experience Management

9.1. USE CASE

Use Case No.	UC 9
Use Case Name	Experience Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1409-1246&t=cXRCU90jxhMW9DI4-0
Use Case Description	Admin module to manage “experiences” (features such as IMAX, 4DX, etc.). Only the Experience Key (unique identifier) is fetched from Showbizz; all other experience metadata (name, image, description, terms & conditions, trailer URLs and status) is maintained in the Admin Panel by the admin.
Primary Actor	Admin
Secondary Actor	System Backend Frontend (Phone, M-site, Website)
Triggering Event	The admin clicks on the ‘Experience Management’ from the side navigation menu.
Pre-Condition	● Admin is authenticated and has an active session.

	● Showbizz integration endpoint is available for fetching the experience key.
Post Condition	● Admin Panel stores updated experience details (name, sequence, nudge experience sequence, trailers, description, terms and conditions, image and icon); published experiences are visible on frontend per sequence. ● Sync status is recorded with a timestamp.
Basic Flow	● UC 9.1.1. Admin opens Experience Management listing. ● UC 9.1.2. The Experience Management Listing page consists of the following: ○ Sync Experiences Button (along with last synced on date + time) ○ Global Logic/Default Logic Toggle ○ Search Bar ○ Filter Icon ○ Serial No. ○ Experience Key ○ Name ○ Sequence ○ Status (Active/Inactive) ○ Action ■ View ■ Edit ■ Active/Inactive ● UC 9.1.3. Admin uses Search Bar to search the desired experience records by Experience Key and Name. ● UC 9.1.4. On clicking the filter icon, the admin can filter the listing page by status (active/inactive). ● UC 9.1.5. Admin clicks the Sync Experiences button to trigger manual sync of experiences from Showbizz (or relies on scheduled/automatic sync). ● UC 9.1.6. When the admin clicks on the View icon in the Actions column, they are redirected to the Experience Details page. ● UC 9.1.7. When the admin toggle between the default logic and global logic, a popup appears asking for the confirmation related to both the cases. ● UC 9.1.8. The admin can toggle an experience between Active and Inactive, and the change will reflect accordingly on the frontend. This can be done either from the action column or from the experience details page. ● UC 9.1.9. The experience details page consists of the following attributes: ○ Experience Key (should not be editable) ○ Name ○ Sequence ○ Nudge Experience Sequence

	■ The Nudge Experience Sequence determines the order in which nudges are displayed for the selected experience, ensuring they appear in a sequential manner on the frontend. ○ Trailer URL 1-5 (YouTube Video URL) ■ The admin can add a YouTube video link for an experience. On the frontend, when a user clicks on the experience tile/box, a popup opens displaying a short promotional video (30–60 seconds) showcasing the experience format. ○ Description ■ Displays the description related to the experience. ○ Terms and Conditions ■ Displays the terms and conditions related to the experience. ○ Image ■ On the details page, when the admin clicks the ellipsis icon, two options will appear — View and Download. ● On clicking View, the image will open in a modal with an enlarged preview, along with options to zoom in/out and rotate the image left or right. ● On clicking Download, the admin can download the uploaded image of the selected city. ○ Icon Image ■ Shows the corresponding icon for the selected experience on the frontend. ○ Preferences Image ■ Displays the relevant experience image which is shown to customers on the frontend at the time of selecting experience preferences. ○ Edit button ○ Active/Inactive Button <u>Edit Experience Flow:</u> ● UC 9.2.1. When the admin clicks on the Edit icon in the Actions column, they are redirected to the Edit Experience page. ○ The edit experience page consists of the following: ■ Experience Key (Non editable) ■ Name (Editable) ■ Sequence (Editable) ■ Nudge Experience Sequence (Editable) ■ Add Trailer URLs (Editable) ■ Features (Editable)
--	---

	■ Description (Editable) ■ Terms & Conditions (Editable) ■ Image (Editable) ■ Image Icon (Editable) ■ Preferences Image (Editable) ■ Cancel button ■ Update button ● The Update button becomes enabled automatically when the system detects any changes made by the admin. ● UC 9.2.2. On the Edit Experience page, all fields are displayed with their values pre-populated. ● UC 9.2.3. The admin can upload or replace images using the Upload component. After upload, a thumbnail preview is displayed and a cross (X) icon is shown on the thumbnail, and on click, the image is removed, returning the field to its default “Upload Image” state. ● UC 9.2.4. When the admin clicks Update button, the system validates all fields, saves the changes, records an audit log entry, and redirects back to the Listing page. <u>Detail Page:</u> ● UC 9.3.1. When the admin clicks on the View CTA from the Actions Column in the listing page, they get redirected to the details page of the selected experience. ● UC 9.3.2. The experience details page consists of the following: ○ Experience Key ○ Experience Name ○ Sequence ○ Nudge Experience Sequence ○ Trailer URLs (max. 5) ○ Features ○ Description ○ Terms and Conditions ○ Image ■ On the details page, when the admin clicks the ellipsis icon, two options will appear — View and Download. ● On clicking View, the image will open in a modal with an enlarged preview, along with options to zoom in/out and rotate the image left or right. ● On clicking Download, the admin can download the uploaded image of the selected experience.
--	--

	○ Edit button ■ On click, redirects to the edit experience page. <u>Sequence Conflict:</u> ● UC 9.5.1.If the admin assigns a sequence number that's already linked to another experience, a pop-up appears notifying that the sequence is already in use. Upon confirmation, the entered sequence will be assigned to the new experience, and the previously assigned experience will automatically move down by one position in the order. ● UC 9.5.2. If the admin assigns a nudge experience sequence number that's already linked to another experience, a pop-up appears notifying that the nudge experience sequence is already in use. Upon confirmation, the entered nudge experience sequence will be assigned to the new experience, and the previously assigned experience will automatically move down by one position in the order. ● UC 9.5.3. If the admin assigns a sequence number and nudge experience sequence number that's already linked to another experience, a pop-up appears notifying that the sequence and the nudge experience sequence are already in use. Upon confirmation, the entered sequence and nudge experience sequence will be assigned to the new experience, and the previously assigned experience will automatically move down by one position in the order. ● UC 9.5.4. When an experience is inactive, it is excluded from sequence validation. This allows the admin to reuse or assign its sequence number to another experience without any conflict. However, once the inactive experience is activated again, it becomes part of the active list, and if the same sequence number is already in use, a sequence conflict will be triggered.
Alternate Flow	● UCA 9.3.1. Admin cancels while editing → system discards changes and returns to listing page. ● UCA 9.3.2. Admin uploads an invalid file format for experience image → system shows inline validation and prevents save.
Exception Flow	● UCE 9.3.1. Showbizz sync fails or times out → display error and keep prior data; allow retry.
Business Rules	● Experience Key is the unique identifier fetched from Showbizz; Admin Panel cannot edit it. ● In the admin panel > For experiences syncing will happen from the cinema list and then unique experiences per cinema will be captured and synced in the experience list.

	● Only the Experience Key comes from Showbizz; all other fields (image, description, terms & conditions, trailer URLs, sequence) are Admin Panel-maintained. ● On the listing page, experiences will be displayed in order of sequence—starting with the lowest number (e.g., 1) at the top, followed by higher numbers in ascending order. ● The linking of movies to their respective experiences is fetched directly from Showbizz. ● The admin can view up to 25 records per page on the listing screen. ● Experiences will be shown on the frontend, based on the below logics: ○ The sequence of experience will be based on the number of audi in the city. ○ In case two or more experiences' audi number overlap, display as per the priority given in the admin panel. ○ Admin can also override the entire sequence from the Admin Panel by changing the toggle to Global Logic and vice-versa. ● Sequence: required, numeric, greater than 0, unique per experience. ○ Uniqueness: Each record must have a unique sequence value. ○ When a new experience is assigned a sequence value that is already allocated to an existing experience, the system automatically reassigns the requested sequence to the new experience on confirmation by the admin. The previously assigned experience (with the same sequence value) will have its sequence shifted down by one. ○ If Experience A currently holds sequence 3 and the Admin assigns sequence 3 to Experience B, then: ■ Experience B → Sequence 3 (new) ■ Experience A → Sequence 4 (automatically shifted) ● Nudge Experience Sequence: required, numeric, greater than 0, unique per experience. ○ Uniqueness: Each record must have a unique sequence value. ○ When a new nudge experience sequence is assigned a sequence value that is already allocated to an existing experience, the system automatically reassigns the requested nudge experience sequence to the new experience on confirmation by the admin. The previously assigned experience (with the same nudge experience sequence value) will have its sequence shifted down by one. ● Upload Image: required; must meet format/size rules. ○ Supported Formats: JPG/PNG ● Upload Image Icon: required; must meet format/size rules. ○ Supported Formats: SVG/PNG ● Trailer URL: Optional; must be a valid YouTube URL (embedable).
--	---

	○ Maximum trailers: 5 ● The sequencing of experiences on the Preferences screen (frontend) will be configured based on predefined default logic. ● Whenever a new experience is synced from Showbizz, it will be set to an Inactive state by default. The Admin must mark it as Active to make it visible on the frontend.
Validations	● Experience Key: ○ Present (fetched from Showbizz) ○ Non-editable. ● Name: ○ Required: Cannot be empty → “Experience Name is required.” ○ Minimum length: 2 characters → “Experience Name must be at least 2 characters.” ○ Maximum length: 100 characters → “Experience Name cannot exceed 100 characters.” ○ Only letters, numbers, spaces allowed. Special characters like [] ‘ are also allowed. ● Sequence: ○ Required: Field cannot be left empty → “Sequence is required.” ○ Format: Must be a numeric value only → “Sequence must be a number.” ○ Minimum Value: 1 → “Sequence must be at least 1.” ○ Maximum Value: 1000 → “Sequence cannot exceed 1000.” ○ Allowed Values: Only positive whole numbers (no decimals, symbols, or negative values). ○ Sequence Conflict (In case of similar experience sequence) ■ Error Message → “The <sequence order> is already assigned to <Experience Name>.Are you sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new experience, and the previously assigned experience with the same sequence order will have its priority shifted down by one.” ● Nudge Experience Sequence: ○ Required: Field cannot be left empty → “Sequence is required.” ○ Format: Must be a numeric value only → “Sequence must be a number.” ○ Minimum Value: 1 → “Sequence must be at least 1.” ○ Maximum Value: 1000 → “Sequence cannot exceed 1000.” ○ Allowed Values: Only positive whole numbers (no decimals, symbols, or negative values). ○ Sequence Conflict (in case of nudge experience sequence) ■ Error Message → “The <nudge experience sequence order> is already assigned to <Experience Name>Are you

	sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new nudge experience priority, and the previously assigned nudge experience priority with the same experience priority will have its priority shifted down by one.” ○ Sequence Conflict (in case there is a conflict for both experience sequence and nudge experience sequence) ■ Error Message → “The <sequence order> is already assigned to <Experience Name> &the <nudge experience sequence order> is already assigned to <Experience Name>.Are you sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new experience, and the previously assigned experience with the same sequence order will have its priority shifted down by one.” ● Features: ○ Required ○ Maximum 12 features → “Maximum 12 features are allowed.” ○ Maximum length: 250 characters → “Features cannot exceed 250 characters.” ○ Minimum length: 10 characters → “Features should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ Special characters like @ # \$ % [] are also allowed. ● Description: ○ Required. ○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Terms & Conditions: ○ Required; shown as popup on frontend during slot selection (combined with cinema T&C). ○ Maximum length: 10000 characters → “Description cannot exceed 10000 characters.” ○ Minimum length: 10 characters recommended → “Description should be at least 10 characters for clarity.” ○ Allowed: Only letters, numbers, spaces allowed. All the special characters are also allowed. ● Trailer URL: ○ Required:Optional ○ Must be a valid YouTube URL (embedable).
--	--

	○ Format: Must be a valid URL format (must start with http:// or https://) → “Please enter a valid URL.” ○ Allowed Characters: Only standard URL-safe characters allowed (letters, numbers, /, :, ., ?, =, -, _, &). ○ No leading/trailing spaces → “URL cannot contain leading or trailing spaces.” ○ Maximum Length: Up to 500 characters → “URL cannot exceed 500 characters.” ○ Maximum 5 URLs → “Maximum 5 trailer URLs are allowed.” ● Images: ○ Image: for experience listing and details page ■ Error: “Unsupported file type. Only JPG/PNG allowed.” ○ Image Icon ■ Error: “Unsupported file type. Only SVG/PNG allowed.” ● Database / network error while saving during edit → show “Unable to save. Please try again.”
Frontend Links	Explore Cinema Formats/Experience:  PVR INOX_Product Requirement Document

10. Format Management

10.1. USE CASE

Use Case No.	UC 10
Use Case Name	Format Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2212-3244&t=cXRCU90jxhMW9DI4-0
Use Case Description	Admin module to manage “formats”. Only the Format Key (unique identifier) is fetched from Showbizz; all other formats metadata is maintained in the Admin Panel by the admin.
Primary Actor	Admin
Secondary Actor	System Backend Frontend (Mobile, M-site, Website)
Triggering Event	The admin clicks on the ‘Format Management’ from the side navigation menu.
Pre-Condition	● Admin is authenticated and has an active session. ● Showbizz integration endpoint is available for fetching the format key.
Post Condition	● Admin Panel stores updated format details (format name, brand, description); published formats are visible on frontend as per brand mapping. ● Sync status (format sync) is recorded with timestamp.
Basic Flow	● UC 10.1.1. Admin opens Format Management listing.

	● UC 10.1.2. The Format Management Listing page consists of the following: ○ Sync Formats Button (along with last synced on date + time) ○ Search Bar ○ Filter Icon ○ Serial No. ○ Format Key ○ Name ○ Brand ○ Status (Active/Inactive) ○ Action ■ View ■ Edit ■ Active/Inactive ● UC 10.1.3. Admin uses Search Bar to search the desired format records by Format Key and Name. ● UC 10.1.4. On clicking the filter icon, the admin can filter the listing page by status (active/inactive) and brand (All/PVR/INOX). ● UC 10.1.5. Admin clicks Sync Format to trigger manual sync of format status from Showbizz (or relies on scheduled sync). ● UC 10.1.6. When the admin clicks on the View icon in the Actions column, they are redirected to the format details page. ● UC 10.1.7. The experience details page consists of the following attributes: ○ Format Key ○ Name ○ Brand ○ Description ○ Activate/ Inactivate button ○ Edit button <u>Edit Format Flow:</u> ● UC 10.2.1. When the admin clicks on the Edit icon in the Actions column, they are redirected to the Edit format page. ● UC 10.2.2. On the Edit format page, all fields are displayed with their values pre-populated. ○ The edit format page consists of the following: ■ Format key (Non-editable) ■ Name (Editable) ■ Brand Dropdown (Editable) ■ Description Text Editor (Editable) ■ Update button ■ Cancel button
--	--

	● UC 10.2.3. The Update button becomes enabled automatically when the system detects any changes made by the admin. ○ When the admin clicks Update button, the system validates all fields, saves the changes, records an audit log entry, and redirects back to the Listing page. <u>Details Page:</u> ● UC 10.3.1. When the admin clicks on the View icon in the Actions column, they are redirected to the format details page. ● UC 10.2.2. On the format details page, the following fields are shown: ○ Format Key ○ Name ○ Brand ○ Description ○ Active/Inactive Button ■ On click, a confirmation pop-up appears asking the admin to confirm whether they want to activate or deactivate the format. Upon confirmation, the format status is updated accordingly — when activated, it becomes visible on the frontend, and when deactivated, it is hidden from the frontend. ○ Edit Button ■ On click, redirects to the edit format page. <u>Active/Inactive Flow:</u> ● UC 10.3.1. The admin can activate or inactivate a format either from the Action column or from the format details page. A confirmation modal is displayed for both actions. Upon confirmation, the system updates the format status.
Alternate Flow	● UCA 10.3.1. Admin cancels while editing → system discards changes and returns to Details.
Exception Flow	● UCE 10.3.1. Showbizz sync fails or times out → display error / partial sync status and keep prior data; allow retry. ● UCE 10.3.2. Database / network error while saving → show “Unable to save. Please try again.” and retain form state. ● UCE 10.3.3. If a duplicate Format Key is encountered during sync, the system will display the error message → “Duplicate Experience Key (unexpected)”.
Business Rules	● Format Key is the unique identifier fetched from Showbizz; Admin Panel cannot edit it.

	● The admin can view up to 25 records per page on the listing screen. ● Only the Format Key comes from Showbizz; all other fields are Admin Panel-maintained. ● The linking of movies to their respective formats is fetched directly from Showbizz. ● Format Key: ○ Present (fetched from Showbizz) ○ Non-editable. ● Name: ○ Required: Cannot be empty ○ Minimum length: 2 characters ○ Maximum length: 100 characters ○ Invalid characters: Only letters, numbers, spaces allowed. Special characters like [] ' are also allowed. ● Description: ○ Required. ○ Maximum length: 1000 characters ○ Minimum length: 10 characters ○ Only letters, numbers, spaces allowed. ○ Special characters like @ # \$ % [] are also allowed. ○ Leading/trailing spaces are not allowed.
Validations	● Name: ○ Required: Cannot be empty → "Format Name is required." ○ Minimum length: 2 characters → "Format Name must be at least 2 characters." ○ Maximum length: 100 characters → "Format Name cannot exceed 100 characters." ● Brand: ○ Required (dropdown: PVR / INOX / All). ○ Empty option: "Please select a brand." ● Description: ○ Maximum length: 1000 characters → "Description cannot exceed 1000 characters." ○ Minimum length: 10 characters → "Description should be at least 10 characters for clarity."
Frontend Links	Explore Cinema Formats/Experience:  PVR INOX_Product Requirement Document

11. Cinema Management

11.1. USE CASE

Use Case No.	UC 11
Use Case Name	Cinema Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=1409-5623&t=cXRCU90jxhMW9DI4-0
Use Case Description	Admin module to view, search, filter, sync and manage cinema master records sourced from Showbizz. All primary cinema metadata is synced from Showbizz; the Admin Panel allows admins to input certain attributes, edit, manual sync and upload images.
Primary Actor	Admin
Secondary Actor	System Backend Frontend (Mobile, M-site, Website)
Triggering Event	The admin clicks on the 'Cinema Management' from the side navigation menu.
Pre-Condition	- Admin is authenticated and has an active session. - Showbizz integration endpoint is available for fetching the various cinema details.
Post Condition	- Admin Panel reflects latest cinema master data; changes are logged in audit; active cinemas are visible on the frontend. - Last-synced timestamp is displayed.
Basic Flow	- UC 11.1.1. Admin opens the Cinema Management Listing page. - UC 11.1.2. The Cinema Management Listing page consists of the following attributes: - Sync Cinema button - Export CSV button - Search Bar - Filter Icon - Serial No. - Square Image - Horizontal Image - Cinema ID - Cinema Name - City - POS Menu (yes/no) - Brand - Ticket QR URL - Food QR URL - Last Sync (Date + Time) - Status - Action - View - Edit - Sync - Sync Food

- UC 11.1.3. The admin can search the desired cinema by Cinema ID & Cinema Name.
- UC 11.1.4. The admin can filter the cinema listing page using Status (Active/Inactive), POS Menu (Yes/No), Brand (All/PVR/INOX), Images and City.
- UC 11.1.5. The admin can manually sync cinemas from Showbizz by clicking the Sync Cinemas button, with the last sync date and time displayed just below it.
 - When the admin clicks the 'Sync Cinemas' button, the basic cinema details will be fetched from Showbizz.
 - When the admin clicks the sync icon in the Action column for a specific cinema, the basic cinema details, along with the associated movie sessions, will be synced for that cinema.
- UC 11.1.6. When the admin clicks the View icon in the action column, they are redirected to the Cinema Details page.
- UC 11.1.7. When the admin clicks the Edit icon in the action column, they are redirected to the edit cinema page.
- **Note:** All the cinema listings and details are being sourced from Showbizz.

Cinema Details Page:

- UC 11.2.1. The cinema details page displays all the relevant information related to the selected cinema.
- UC 11.2.2. The cinema details page consists of the following attributes:
 - Edit Button
 - Sync Details Button
 - Sync Food Button
 - Status & Settings
 - This section of the Cinema Details page displays settings with their status (Yes/No) fetched from Showbizz.
 - In Cinema
 - Displays the in cinema features status for the cinema, i.e., yes or no. The admin can update the In-Cinema status.
 - If enabled, the In-Cinema Mode will be activated for that cinema. When a customer visits the selected cinema to watch a movie, they will see the 'In-Cinema Mode' option on their home screen (if they have booked tickets for that cinema). On clicking it, they can view the remaining time for the movie and details of their food orders.
 - Food Available

	● Displays the food availability status for the selected cinema. ■ Cancel Booking ● Displays the cancel booking feature status for the cinema, indicating whether the cancel booking option is available for the selected cinema. ■ POS Menu ● When the POS Menu status is enabled ('Yes'), when the customers place food orders via QR code scanning, the full in-cinema food menu (real menu) for the selected cinema will be visible to them. When disabled, the other food inventory is shown. ○ Cinema Settings: ■ The admin can toggle the handicap and handicapRamp from the edit page. ■ Wheelchair ● If enabled, the icons will accordingly be displayed on the frontend. ■ Wheel Chair Ramp ● If enabled, the icons will accordingly be displayed on the frontend. ○ Basic Information ■ Name ● The official name of the cinema as displayed to users. ■ Theatre ID ● Unique identifier for the theatre. ■ Brand ● The cinema chain or brand the cinema belongs to (e.g., PVR, INOX). ■ GST Number ● Goods and Services Tax identification number for the cinema. ○ Codes & Integrations Identifiers ■ SAP Code ● SAP code is used for transaction mapping in SAP related to the cinema. ■ POS ● Point of Sale system used at the theatre for ticketing, food, and other services. (E.g. Showbizz) ○ Operational Configurations: ■ In Cinema (e.g. Food & beverage) ■ Amenities
--	--

	● Additional services or facilities available at the theatre (e.g., parking, lounge, wheelchair access). ■ Food Stop Time (in mins) ● Shows the time period before the end time of the showtime. This is the time period till the time food orders can be booked. After that, booking of food will not be allowed. ■ Movie Stop Time (in mins) ● Shows the grace period after the start of the showtime. This is the grace period till the time movie tickets can be booked after the movie has started. ■ Last Synced ● Timestamp of the last data synchronization for the cinema. ■ Business Place ● If a cinema offers ad-free shows, it will appear in the listing as: "Cinema Name (Ad free shows)". ● This information is fetched from Showbizz under the Business Place tab and used to display the label in the cinema listing. ○ Contact & Management Details ■ Relation Manager ● Contact person responsible for managing relationships with the theatre. ■ Email ● Official email address for the theatre for communication and support. ■ Cinema Manager Number (GRE) ● Mobile number of the person responsible for guest relations or on-site customer support. ○ Booking & Integration URLs ■ Ticket QR Booking URL ■ Food QR Booking URL ○ Cinema Address ■ City ● City where the cinema is located. ■ Sub-City ● Area or locality within the city where the theatre is located. ■ State ● State where the cinema is located. ■ Address Line 1 ● Primary address of the cinema. ■ Address Line 2
--	--

	● Optional secondary address details (e.g., street, landmark). ■ Address Line 3 ● Optional additional address details (e.g., street, landmark). ■ Latitude ● Geographic latitude coordinate of the cinema. ■ Longitude ● Geographic longitude coordinate of the cinema. ■ API Timeout (in seconds) ● Refers to the maximum time the system will wait for a response from a specific cinema's API before terminating the request. ● Each cinema can have a custom timeout duration defined in the system. ■ Radius (in meters) ● The distance (in meters) around a cinema where customers won't be charged a convenience fee when booking tickets. ○ SEO & Meta Tags ■ Meta Title ● The Meta Title is the title that appears on search engine results for the cinema's detail page. ■ Meta Tags ● The Meta Tags are a set of keywords or phrases related to the cinema that help search engines understand the page content. ■ Meta Description ● The Meta Description is a short summary of the cinema page that appears below the title in search results. ● It should describe what the page offers, including key details like location, amenities, or booking options. ○ Other Information ■ Other Helper Information ● Operational alerts, such as "Elevator Not Working" or other cinema-specific notices related to the default digital payments, are added on the Showbizz and are kept under other helper information as well and are then reflected on the app/website/m-site. ● These cinema specific pop ups information are sourced from Showbizz and are non editable. ■ Terms and Conditions (text editor)
--	---

	■ Square Image ● Displays the common image frontend (e.g., app, m-site or web listings) ■ Horizontal Image ● Displayed on the cinema details page. <u>Edit Cinema Page:</u> ● UC 11.3.1. The admin can edit or enter the rich data of the selected cinema. ● UC 11.3.2. On the edit page of a cinema, the admin will be shown all the attributes of the selected cinema. ● UC 11.3.3. The edit cinema details page consists of the following editable attributes: ○ Status & Settings ■ In Cinema (Dropdown - Yes/No) ○ Cinema Settings ■ Wheel Chair (toggle) ■ Wheel Chair Ramp (toggle) ○ Identification Details ■ Brand (dropdown- PVR/INOX) ○ Codes & Integrations Identifiers ■ SAP Code ○ Operational Configurations ■ In Cinema Features (e.g. Food & Beverages) ■ Amenities dropdown ■ Food Stop Time ○ Contact & Management Details ■ Relation Manager ○ Cinema Address ■ Radius ■ API Timeout (in seconds) ○ SEO & Meta Tags ■ Meta Title ■ Meta Tags ■ Meta Description ○ Booking & Integration URLs ■ Ticket QR Booking URL ■ Food QR Booking URL ○ Other Information ■ Terms and Conditions ■ Square Image ■ Horizontal Image ○ Cancel button
--	--

	○ Update button <u>Export CSV:</u> ● UC 11.4.1. On clicking the 'Export CSV' button, the following details would be fetched in the CSV file and the link of the CSV file as per the selected filters will be sent to the admin's email address. ○ In Cinema ○ Cancel Booking ○ Food Available ○ POS Menu ○ Wheel Chair ○ Wheel Chair Ramp ○ Name ○ Theatre ID ○ Brand ○ GST Number ○ SAP Code ○ POS ○ In Cinema Feature ○ Amenities ○ Food Stop Time (in mins) ○ Movie Stop Time (in mins) ○ Last Sync ○ Business Place ○ Relation Manager ○ Email ○ Cinema Manager Number ○ Ticket QR URL ○ Food QR Booking URL ○ City ○ Sub-City ○ State ○ Latitude ○ Longitude ○ Radius ○ Address Line 1 ○ Address Line 2 ○ Address Line 3 ○ Meta Tile ○ Meta Tags ○ Meta Description ○ Other Helper Text ○ Square Image ○ Horizontal Image
--	--

Alternate Flow	● UCA 11.1.1. Admin cancels edit → changes discarded, return to Details. ● UCA 11.1.2. Admin uploads unsupported image format → show inline validation and prevent save.
Exception Flow	● UCE 11.1.1. Showbizz sync fails/times out → no Last Synced timestamp; system displays error and allows retry/manual sync. ● UCE 11.1.2. Save fails due to network/DB error → show “Unable to save. Please try again.” and preserve form state.
Business Rules	● Primary cinema master data is sourced from Showbizz. ● The admin can view up to 25 records per page on the listing page. ● When the POS Menu status is enabled (‘Yes’), when the customers place food orders via QR code scanning, the full in-cinema food menu (real menu) for the selected cinema will be visible to them. When disabled, the other food inventory is shown. ● The Wheelchair and Wheelchair Ramp options cannot be enabled simultaneously for a cinema; only one can be active at a time for the selected cinema. ● On the details page, when the admin clicks the ellipsis on any image, two options appear: View and Download. ○ Selecting View opens the image in an enlarged modal, where the admin can rotate it left or right and zoom in or out. ○ Selecting Download downloads the selected cinema image to the admin’s device. ● The amenities information will be sourced from the Amenities Management. ○ The dropdown options will appear in the same sequence defined by the admin in the Amenities Management section. ● The last sync date and time should be displayed after every sync, whether performed manually or automatically. ○ When the ‘Sync Cinemas’ button is clicked, the master cinema data will be synced. ○ When performing an individual sync through the Action column for a selected cinema, both the cinema details and movie sessions will be synced. ○ The syncing process will run in the background, and once completed, the admin will receive an email notification stating that the sync has been successfully completed or failed. ○ On clicking the ‘Sync Food’ icon on the listing page or ‘Sync Food’ button on the details page, the system initiates syncing of all food items mapped to the selected cinema.

	● The seat layout information for the cinemas will be sourced from Showbizz. ● .jpg & .png are the supported formats for the square and horizontal images. ● When cinemas are synced manually or automatically from Showbizz, and no images are uploaded by the admin, placeholder images will be displayed by default on the frontend. ○ When the 'Sync Cinemas' button is clicked, the master cinema data will be synced, including the Food and Cancellation details as part of the basic cinema information. ○ When performing an individual sync through the Action column for a selected cinema, both the cinema details and movie sessions will be synced. ● If multiple addresses (Address 1, Address 2, and Address 3) are fetched from Showbizz, the system will always give priority to Address 1. ○ If Address 1 is available, it will be shown on the cinema details page and on the frontend ○ If Address 1 is not available, the system falls back to Address 2. ○ If Address 2 is also not available, it finally falls back to Address 3. ● If the cinema is serving in an 'Ads Free' show, then the admin should ensure the cinema image is 'Ads Free' stamped image. ● Other helper text is fetched from Showbizz and is non-editable. ● Cinema Specific Terms and Conditions should be able to override the Global Terms and Conditions. ○ The Global Terms and Conditions are configured separately and can be accessed by customers from the login screen in the app or mobile site, and from the footer on the website. ○ The Cinema-specific Terms and Conditions are displayed when a customer selects a cinema, chooses a movie, and selects a showtime for that cinema. These terms take precedence over the global ones for that particular cinema.
Validations	● Amenities: ○ Required: Optional ○ Sourced: Amenities Management ○ Allowed: Only predefined options fetched from the Amenities Management ○ Only amenities with active status will be shown in the dropdown ● API Timeout (in seconds): ○ Required: Optional

	○ Format: Must be a numeric value → “API Timeout must be a whole number.” ■ Allowed Type: Integer (no decimals, symbols, or letters). ○ Minimum Value: 1 → “API Timeout must be at least 1 second.” ○ Maximum Value: 10 → “API Timeout cannot exceed 10 seconds.” ○ No leading/trailing spaces. ● Radius (in meters): ○ Required: Optional ○ Format: Must be a numeric integer → “Radius must be a number.” ○ Allowed Type: Integer (no decimals or negative values). ○ Minimum Value: 0 → “Radius cannot be less than 0 meters.” ○ Maximum Value: 10000 → “Radius cannot exceed 10000 meters.” ○ No leading/trailing spaces. ○ Note: If 0, convenience fee applies everywhere; if > 0, convenience fee waived within that radius. ● Food Stop Time (in mins) ○ Required: Optional ○ Format: Must be a numeric integer → “Food Stop Time must be a valid number.” ○ Allowed Type: Integer (no decimals or negative values). ○ Minimum Value: 0 → “Food Stop Time cannot be less than 0 minutes.” ○ Maximum Value: 100 → “Food Stop Time cannot exceed 100 minutes.” ○ No leading/trailing spaces. ● Relation Manager ○ Must be 1–30 characters. ○ Only alphabets (A–Z, a–z), dots and spaces allowed. ○ Cannot contain numbers or special characters (e.g., @, #, \$, %). ○ Error message → “Please enter a valid Relation Manager Name.” ● Ticket Booking QR URL: ○ Required:Optional ○ Format: Must be a valid URL format (must start with http:// or https://) → “Please enter a valid URL.” ○ Allowed Characters: Only standard URL-safe characters allowed (letters, numbers, /, :, ., ?, =, -, _, &). ○ No leading/trailing spaces → “URL cannot contain leading or trailing spaces.” ○ Maximum Length: Up to 500 characters → “URL cannot exceed 500 characters.” ● Food Booking QR URL: ○ Required:Optional
--	--

	○ Format: Must be a valid URL format (must start with http:// or https://) → “Please enter a valid URL.” ○ Allowed Characters: Only standard URL-safe characters allowed (letters, numbers, /, :, ., ?, =, -, _, &). ○ No leading/trailing spaces → “URL cannot contain leading or trailing spaces.” ○ Maximum Length: Up to 500 characters → “URL cannot exceed 500 characters.” ● Meta Title: ○ Required: Optional ○ Format: Must contain only letters, numbers, spaces, and basic punctuation (.,-&). ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (., ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 10 characters → “Meta Title must be at least 10 characters long.” ○ Maximum Length: 60 characters → “Meta Title cannot exceed 60 characters.” ○ No leading/trailing spaces. ● Meta Tags: ○ Required: Optional ○ Format: Comma-separated keywords or phrases. ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (., ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 3 characters → “Meta Tags must contain at least one valid keyword.” ○ Maximum Length: 255 characters → “Meta Tags cannot exceed 255 characters.” ○ No leading/trailing spaces or unnecessary commas. ● Meta Description: ○ Required: Optional ○ Format: Must be plain text — letters, numbers, spaces, and punctuation (no HTML tags or special characters like @, #, \$) → ‘Please enter the valid meta description.’ ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (., ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 50 characters → “Meta Description must be at least 50 characters long.”
--	--

	○ Maximum Length: 150 characters → “Meta Description cannot exceed 150 characters.” ○ No leading/trailing spaces. ● Terms and Conditions: ○ Required: Optional ○ Minimum Length: 10 characters → “Terms & Conditions should be at least 10 characters long.” ○ Maximum Length: 10000 characters → “Terms & Conditions cannot exceed 10000 characters.” ○ No leading/trailing spaces. ○ Error Messages: ■ Empty (if required): “Please enter Terms & Conditions.” ■ Too short: “Terms & Conditions must contain at least 10 characters.” ■ Too long: “Terms & Conditions cannot exceed 10,000 characters.” ● Images (Square): ○ Required: Optional ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking an external URL.” ● Images (Horizontal): ○ Required: Optional ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking an external URL.”
Frontend Links	 PVR INOX_Product Requirement Document

12. Amenities Management

12.1. USE CASE

Use Case No.	UC 12
Use Case Name	Amenities Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2528-379&t=EVuvHg3Y6mepH7WF-1
Use Case Description	Allows the Admin to view and manage all amenities in the system, including searching, filtering, viewing, editing, activating, or deactivating them. The

	Admin can also create new amenities specific to a selected chain (PVR, INOX, or All).
Primary Actor	Admin
Secondary Actor	System Backend Frontend (Mobile, M-site, Website) Cinema Management > Cinema Details Page
Triggering Event	The admin clicks on the 'Amenities Management' from the side navigation menu.
Pre-Condition	- Admin is authenticated and has an active session. - The created amenities exist in the Admin Panel.
Post Condition	- Amenities list is displayed which are created by the admin. - The admin can perform actions such as adding a new amenity, viewing details of a specific amenity, filtering the amenities list, editing an existing amenity, and activating or deactivating an amenity.
Basic Flow	- UC 12.1.1. The Admin navigates to the Amenities Management section. The system displays the listing page showing: - Add Amenity button - Search Bar - Filter Icon - Listing page columns: Serial No., Amenity Name, Created On date (with sort icon), Status (Active/Inactive), and Action (View, Edit, Activate/Deactivate). - UC 12.1.2. The Admin clicks the Add Amenity button, the system redirects to the Add Amenity page where the Admin can create a new amenity. - UC 12.1.3. The Admin can use the Search Bar to find specific amenities by name. - UC 12.1.4. The admin can filter the listing page using the filter options - Status (Active/Inactive) and created on date (start and end date). - UC 12.1.5. The Admin clicks the View icon under the Action column. The system redirects to the Amenity Details page for the selected record. - UC 12.1.6. The Admin clicks the Edit icon under the Action column. The system redirects to the Edit Amenity page where the Admin can modify details. - UC 12.1.7. The Admin clicks the Active/Inactive toggle under the Action column. A confirmation popup appears asking the Admin to confirm the activation or deactivation of the amenity. - UC 12.1.8. The Admin can sort the amenities list by clicking the sort icon next to the Created On column to reorder. <u>Add Amenity Flow:</u> - UC 12.2.1. On the Add Amenity page, the following fields and actions are displayed:

	○ Amenity Name (text field) ○ Sequence ○ Upload Icon (SVG or PNG format) ○ Add button ○ Cancel button ● UC 12.2.2. After the Admin successfully creates an amenity, the new record appears on the Amenities Listing page. ● UC 12.2.3. Additionally, the newly added amenity becomes available in the Amenity dropdown on the cinema details page (under Cinema Details > Cinema Management) in the added sequence. <u>Edit Amenity Flow:</u> ● UC 12.3.1. On the Edit Amenity page, the following fields and options are displayed: ○ Amenity Name (Editable) ○ Sequence (Editable) ○ Uploaded Icon (Editable) – shows a thumbnail preview of the currently uploaded icon along with a cross (✕) icon. ■ If the Admin clicks the cross icon, the existing icon is removed, and an Upload Icon option appears, displaying the required file format, size, and dimension guidelines. ○ Cancel Button – discards all unsaved changes and returns the Admin to the Amenities Listing page. ○ Update Button – saves the updated details. Once saved, the changes are reflected on the Cinema Details page if the amenity is applied there. <u>Amenity Details Page:</u> ● UC 12.4.1. On the Amenity Details page, the following fields and actions are displayed: ○ Amenity Name ○ Sequence ○ Created On (non editable and auto generated) ○ Last Edited On (non editable and auto generated) ○ Amenity Icon (thumbnail preview) ○ Edit button ○ Activate/Deactivate button ● UC 12.4.2: All fields on the Amenity Details page are read-only. The Admin cannot make any changes unless they click the Edit button, which redirects to the Edit Amenity page. ● UC 12.4.3: The Admin can activate or deactivate the selected amenity using the Activate/Deactivate button.
--	---

	○ When clicked, a confirmation popup appears asking the Admin to confirm the activation or deactivation action before applying the change. <u>Sequence Conflict:</u> ● UC 12.5.1. If the admin assigns a sequence number that's already linked to another amenity, a pop-up appears notifying that the sequence is already in use. Upon confirmation, the entered sequence will be assigned to the new amenity, and the previously assigned amenity will automatically move down by one position in the order.
Alternate Flow	● UCA 12.1.1. If no amenities exist, a "No Records Found" message is shown with an "Add Amenity" button. ● UCA 12.1.2. If search yields no results, "No Results Found" message is shown.
Exception Flow	● UCE 12.1.1. Database or API failure → Display error message: "Unable to load amenities. Please try again later." ● UCE 12.1.2. Duplicate name → show "Amenity name already exists." ● UCE 12.1.3. Invalid icon format or size → show "Please upload a valid icon in SVG/PNG format." ● UCE 12.1.4. Network failure → show "Unable to save. Please retry."
Business Rules	● Pagination default: 25 records per page. ● Sorting: Can sort by Created On date. ● Amenity Name must be unique within a chain. ● Icon upload is non-mandatory and the supported format is SVG/PNG. ○ If the admin does not upload an icon for an amenity, a placeholder icon will be displayed on the frontend for that amenity. ● Automatically assigns Created On and Last Edited On dates. ○ Created On: The date on which the amenity was created. ○ Last Edited On: The date on which the amenity was last edited by the admin. ● The search bar on the listing page should be case-insensitive (e.g., "child" and "Child" should yield the same results) and does not support predictive and suggestive search. ● The listing page would be sorted based on the created date of the amenity. ● The sequence defined for the amenities will determine the order in which they appear on the frontend. The amenities selected for a cinema will be displayed on the frontend according to this defined sequence. ● Search Bar: ○ The admin can search the desired amenity by amenity name. ○ Leading/trailing spaces are trimmed automatically.

	○ Case - Insensitive ○ No predictive search ○ No suggestive search
Validations	● Amenity Name: ○ Empty Amenity Name → “Amenity name is required.” ○ Maximum Limit (100 characters) → “Amenity name cannot exceed 100 characters.” ○ Minimum Limit (3 characters) → “Amenity name should be at least 3 characters long.” ○ Allowed: Alphabets (A–Z, a–z), numbers (0–9), spaces, and basic punctuation (. , ! ? - _ &) ○ Not Allowed: Special characters such as @ # \$ % ^ * () < > { } [] / \ " ' : ; ○ Leading/trailing spaces are not allowed. ○ Uniqueness Rule: The amenity name must be unique within the same chain (no duplicates). ● Sequence: ○ Sequence: required, numeric, greater than 0, unique per experience. ■ Allowed range: 1 – 1000 ○ Uniqueness: Each record must have a unique sequence value. ○ When a new amenity is assigned a sequence value that is already allocated to an existing amenity, the system automatically reassigns the requested sequence to the new amenity on confirmation by the admin. The previously assigned amenity (with the same sequence value) will have its sequence shifted down by one. ○ If Amenity A currently holds sequence 3 and the Admin assigns sequence 3 to Amenity B, then: ■ Amenity B → Sequence 3 (new) ■ Amenity A → Sequence 4 (automatically shifted) ○ Sequence Conflict → “The <sequence order> is already assigned to <Amenity Name>.Are you sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new amenity, and the previously assigned amenity with the same sequence order will have its sequence shifted down by one. ” ● Amenity Icon: ○ Optional ○ Invalid Format → “Unsupported file type. Only SVG/PNG formats are allowed.” ○ Corrupted/Unreadable File → “Unable to process icon. Please upload a valid file.”

	○ Only single upload
Frontend Links	 PVR INOX_Product Requirement Document

13. Now Showing - Movies Management

13.1. USE CASE

Use Case No.	UC 13
Use Case Name	Now Showing
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2544-11525&t=EVuvHg3Y6mepH7WF-1
Use Case Description	● Now Showing: Allows the admin to view and manage movies that have already been released, are currently running in theaters or even if the movie has not yet been released but has sessions open for advance booking. Provides functionalities such as search, sorting, filtering, and inline actions including view, edit, sync and upload common image.
Primary Actor	Admin
Secondary Actor	Backend System Showbizz/ TMDB/ Moviesbuff API integrations
Triggering Event	● The admin selects 'Now Showing' from the side navigation menu under Movies Management.
Pre-Condition	● Admin is authenticated and has an active session. ● Movie records exist in the system and are divided into 'Now Showing', 'Coming Soon' & 'Movie Master' based on the movie sessions.
Post Condition	● Movies listing is displayed/updated; synced data from Showbizz and TMDB/Moviesbuff is stored in Admin Panel and reflected on frontend.
Basic Flow	<u>Now Showing Listing Page:</u> ● UC 13.1.1. Admin opens Now Showing listing under the Movies Management. ● UC 13.1.2. The Now Showing Listing page consists of the following: ○ Sync Movies Button (along with last synced on date + time) ○ Export CSV ○ Search Bar ○ Filter Icon ○ Tabular View: ■ Serial No. ■ Apps (T) ■ Web (T) ■ Images (V) ■ Images (H)

	■ Movie ID ■ Movie Name ■ Alias Name ■ Common Code ■ Release Date (along with sort) ■ Trailers (yes/no) ■ Languages ■ Action ● View Icon ● Edit Icon ● Upload Common Image Icon ● UC 13.1.3. The Admin can search for movies using Movie Name, Common Code, or Movie ID. ● UC 13.1.4. Additionally, the Admin can use the Filter option to refine the movie list based on: Release Date (From–To), Images (Yes/No), Common Code (Yes/No), Trailers (Yes/No) and Languages. ● UC 13.1.5. The admin can redirect to the details page of the selected movie by clicking the View Icon in the action column. ● UC 13.1.6. The admin will redirect to the edit movie details page when clicked on the edit icon. ● UC 13.1.7. When the admin clicks on the upload common image icon in the Action column, a pop up appears using which the admin can upload the common image for the movie, i.e., common vertical image and common horizontal image. <u>Movies Details Page:</u> ● UC 13.2.1. The movie details page consists of the following attributes: ○ Edit button ○ Sync Button ○ Basic information ■ Movie Code ● Unique code assigned to the movie in the system. ■ Movie Name ● Official title/name of the movie. ■ Master Code ● Internal master reference code for the movie. ■ Alias Name ● Alternate or short name of the movie. ○ Movie Details: ■ Format ● Primary format of the movie (e.g., 2D, 3D, IMAX). ■ Secondary Format ● Additional format if applicable (e.g., 4DX, IMAX 3D).
--	--

	■ Curated Show Category ● The Category of the movie (e.g., Senior Citizen) can be selected by the admin under the Curated Show Category, and it will be displayed in the Curated Show section. These categories are either created in the Curated Show Category module or fetched from Showbizz. ● If the admin updates the category for one movie version, the change should be automatically applied to all versions of that movie. ■ Director ● Name(s) of the director(s). ■ Producer ● Name(s) of the producer(s). ■ Movie Length (in minutes) ● Duration of the movie in minutes. ■ Star Cast ● Names of lead actors and actresses. ■ Censor ● Censor rating of the movie (e.g., U, UA, A, UA 18+, T.B.A.). ■ Languages ● Languages in which the movie is available. ■ Genre ● Primary genre (e.g., Action, Comedy, Thriller). ■ Secondary Genre ● Additional genre classification. ■ Release Date ● Official release date of the movie. ■ Common Code ● A unique reference code for the movie used across systems. ■ Movie ID ● The system-generated ID of the movie. ■ Movie Status ● Displays the movie's label (e.g., Re-release, New Release etc.). ■ Average Movie Ratings ● Displays the average movie ratings (5 star) of the movie as provided by the customers after booking the ticket. ■ Caption Type ● Displays the caption type fetched from Showbizz, i.e., open or close captions or both. ■ Last Sync (Date + Time)
--	---

	● Displays the last date and time of the synchronisation from Showbizz. ○ SEO & Meta Details: ■ Meta Title ● Specifies the title of the movie page that appears in search engine results and browser tabs. ■ Meta Tags ● Defines a set of keywords or phrases related to the movie, used by search engines to understand the page content and improve discoverability. ■ OG Title ● Specifies the title of the movie used when the page is shared on social media platforms via Open Graph (OG) protocol. ■ OG Tags ● Represents Open Graph metadata tags that help control how the movie page is displayed on social media platforms. ■ Meta Tags Description ● Provides a brief summary of the movie's content that appears below the title in search engine results. ■ OG Tags Description ● Defines the description text shown when the movie page is shared on social media platforms. It gives context about the movie to users viewing the shared link. ○ Movie Data Provider Information: ■ Synopsis ● Description related to the movie. ■ TMDB/Moviesbuff - Movie Cast ● Displays posters along with the name of the movie where the actor or actress were a part of the cast. ■ TMDB/Moviesbuff -Movie Crew ● Displays posters along with the name of the movie where the actor or actress were a part of the crew like the Director . ■ TMDB/Moviesbuff - Posters/Backdrops ● Displays the backdrops/posters of the movie. ○ Other Information ■ Adult Movie Description ● Displays the description related to the other adult movie description. ○ Media Assets:
--	--

	■ Trailers 1 ■ Trailers 2 ■ Trailers 3 ■ Trailers 4 ● Displays the trailer URLs associated with movies. Maximum four trailers. ■ Common Image/GIF Vertical ● Displays the uploaded image or GIF related to the movie for the movies listing page on the frontend. ■ Common Image/GIF Horizontal ● Displays the uploaded image or GIF related to the movie for the movie details page on the frontend. ■ Regional Image/GIF Vertical ● Displays the uploaded regional image or GIF related to the movie for the movies listing page on the frontend. ■ Regional Image/GIF Horizontal ● Displays the uploaded regional image or GIF related to the movie for the movies listing page on the frontend. ■ Apps Trending Image ● Displays the trending image uploaded by the admin for the selected movie. This image will appear in the Trending section on the apps and m-site. ■ Web Trending Image ● Displays the trending image uploaded by the admin for the selected movie. This image will appear in the Trending section on the website. <u>Cast/Crew Information Details:</u> ● UC 13.3.1. When the admin clicks on a specific cast or crew member, they are redirected to the Cast/Crew Details page, where all the information related to the selected member is displayed. ● UC 13.3.2. The Cast/Crew details page displays the following information which are also shown on the frontend to the customers. ○ Name ○ Gender ○ Date of Birth ○ Known For ○ Social Media Handles ○ Biography ○ Known for (Displays the movie posters featuring the selected cast or crew member.)
--	--

	○ Photos (Displays the photos of the selected cast/crew member) <u>Movies Edit Page:</u> ● UC 13.4.1. The movie edit page consists of all the fields of the movie details page and displays all the editable attributes. ● UC 13.4.2. The editable fields in the edit movies page consists of the following: ○ Movies Details: ■ Curated Show Category (dropdown) ○ SEO & Meta Details: ■ Meta Title ■ Meta Tags ■ OG Title ■ OG Tags ■ Meta Tags Description ■ OG Tags Description ○ Movie Data Provider Information. ■ Synopsis ● Displays the synopsis sourced from Showbizz or an external API such as TMDB or Moviesbuff. ● The synopsis selected by the admin—whether from Showbizz, TMDB, or Moviesbuff—will appear preselected. ● The admin can choose only one synopsis source (either Showbizz or the selected API), and the chosen synopsis will be displayed on the frontend. ■ Cast/Crew/Backdrops ● The admin can sync data from TMDB, Moviesbuff, or both sources, and on the edit page, choose to select or deselect the information that should be displayed on the frontend. ● When the admin clicks on a specific cast or crew member, they can select which assets to import—such as biography, known-for, and backdrops/posters. Once saved, the selected information will be updated and displayed on the frontend related to the specific cast/crew member for the selected movie. ○ Other Information ■ Adult Movie Description ○ Media Assets: ■ Trailers 1 ■ Trailers 2 ■ Trailers 3
--	--

	■ Trailers 4 ■ Common Vertical Image/GIF ■ Common Horizontal Image/GIF ■ Regional Vertical Image/GIF ■ RegionalHorizontal Image/GIF ■ Apps Trending Image ■ Web Trending Image ○ Cancel Button ○ Update Button <u>Export CSV:</u> ● UC 13.5.1. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email. ○ Movie Code ○ Movie Name ○ Master Code ○ Alias Name ○ Format ○ Secondary Format ○ Curated Show Category ○ Director ○ Producer ○ Movie Length (in mins) ○ Star Cast ○ Censor ○ Languages ○ Genre ○ Secondary Genre ○ Release Date ○ Common Code ○ Movie ID ○ Movie Status ○ Average Movie Ratings ○ Captions Type ○ Last Sync ○ Meta Title ○ Meta Tags ○ OG Title ○ OG Tags ○ Meta Description ○ OG Description ○ Synopsis
--	--

	○ Adult Movie Description ○ Trailer 1 ○ Trailer 2 ○ Trailer 3 ○ Trailer 4 ○ Common Image (V) ○ Common Image (H) ○ Regional Image (V) ○ Regional Image (H) ○ Apps (T) ○ Web (T)
Alternate Flow	● No records: show “No movies found” ● Admin uploads unsupported image format → show inline validation and prevent save.
Exception Flow	● API error or timeout: show “Unable to load movies. Try again later.”
Business Rules	● A movie is marked as Now Showing if it has any ongoing or upcoming active sessions fetched from Showbizz, even if the movie has not yet been released but has sessions open for advance booking. Once all sessions have ended, the movie is automatically removed from this module. ● Movies appear on the Curated Shows page on the frontend only when they are linked (mapped) to one or more curated shows categories. ○ If a movie is not mapped to any category, it will not be displayed under Curated Shows. ● A movie can have multiple language versions with availability varying based on Showbizz data and would be shown separately on the listing page. ● The listing page can be sorted based on the movie release date, allowing admin to view records in order of their release date— either newest to oldest or oldest to newest. ● Movies are mapped to cities based on their Movie Common Code, which acts as a unique identifier across locations. ○ When a movie’s booking is active in one city (for example, Delhi), it will be shown as “Now Showing” for users in that city. ○ However, in other cities (for example, Chennai) where show times are not yet opened, the same movie (with the same Common Code) will continue to appear under “Coming Soon.” ● If the admin selects cast, crew, and backdrop/poster assets from TMDB, Moviesbuff, or both sources, the selected assets will be displayed with a clear bifurcation indicating their respective sources on the movies details page.

	○ If the admin updates the cast, crew, or synopsis details, the changes will automatically be reflected across all movies that share the same common code. ● By default, the synopsis is sourced from Showbizz or the admin can select synopsis from only one source — either TMDB or Moviesbuff — and the chosen synopsis will be displayed on the frontend after a successful sync. The synopsis can also be edited from the edit page of the selected movie. ○ The Movie Details page will display only the synopsis sourced from Showbizz. Cast, crew, and backdrop images will remain hidden until the admin manually syncs this information from TMDB or Moviesbuff. ● The curated show categories options will be sourced from the Curated Show Category Module and Showbizz. ● When the admin hovers over the Movie Name field on the listing page, the full movie name will be displayed in a tooltip. ● If a movie has multiple formats (e.g., IMAX, 2D, 4DX), they all appear under one unified listing on Now Showing with their format labels. ● Movie Status: ○ New Release: Displayed for movies released on the most recent Friday. Stays active for 7 days (configurable from Admin Panel → Global Configuration). ○ Releasing on Date: Displayed for movies with showtimes opened before the official release date (Advance Booking). ○ Re-Release: Displayed for old movies being re-screened after a defined time period (default 60 days; configurable in Global Config). ○ Live: Automatically tagged based on category fetched from Showbizz for live content. ● The admin can upload common images or GIFs for all movies that share the same common code, and from the edit page, upload regional images or GIFs for different versions of that movie. The regional images will be displayed only for the specific movie versions where they have been uploaded separately. ○ The regional images or GIFs will override the common images or GIFs when uploaded, and the updated visuals will be reflected on the frontend accordingly. ● The admin can upload trending images for any desired movie within the Now Showing module, separately for the web and apps. ○ When the movie appears in the Trending section on the web or app/m-site, the respective trending images will be displayed. However, in the Now Showing listing section, the common or regional images will be shown instead. ● When movies are synced from Showbizz, they remain hidden on the frontend until the admin uploads a common or regional image. Movies
--	---

	missing an image/poster, a common code, or both will not be displayed on the frontend. ■ Vertical and Horizontal common images are mandatory for frontend display; recommended formats JPG/PNG. ■ The admin can also upload the GIF instead of vertical and horizontal images. ■ Regional images take priority over common images. If both are available, the regional images will be displayed on the frontend instead of the common ones. ● Up to 4 trailers can be added (manually or via TMDB/Moviesbuff sync). Hosted on YouTube but played natively within the app without redirection. ● Filters on the listing page: ○ Release Date ■ Fields: Select Start and End Date ■ Filters movies within a specific release date range. ■ End date must be greater than or equal to start date. ■ Example: If “Start Date = 01 Oct 2025” and “End Date = 31 Oct 2025,” only movies releasing in October 2025 will appear. ○ Images ■ Options: Yes / No ■ Filters movies based on whether common or regional images have been uploaded. ■ Yes: When both Horizontal and Vertical images are uploaded successfully. ■ No: If either one (Horizontal or Vertical) image is missing, the movie will be considered as No. ○ Common Code ■ Options: Yes / No ■ Filters based on whether a Common Code is assigned to the movie. ■ Yes: Movies mapped with a valid Common Code. ■ No: Movies without a Common Code. ○ Trailers ■ Options: Yes / No ■ Filters movies depending on the availability of trailer links. ■ Yes: Movies with at least one trailer added. ■ No: Movies without trailers. ○ Languages ■ Dropdown list showing all available languages (e.g., Hindi, English, Tamil, Telugu). ■ Allows the admin to filter movies based on one or multiple selected languages.
--	--

	○ Apply Button: ■ Once the admin selects filter options, clicking Apply will refresh the movie list based on the chosen criteria. ○ Reset Button: ■ Clears all selected filters and resets the list to show all movies again. ● Curated Show Category ○ Required: Optional ○ Allowed Values: Film Festival, Regular, Documentary, etc. (preconfigured from the Curated Shows Category module or Showbizz) ● Meta Title: ○ Required: Field cannot be left empty. ○ Length: Minimum 3, Maximum 120 characters. ○ Allowed: Alphabets, numbers, spaces, basic punctuation (. , ! ? - _). ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ● Meta Tags ○ Required: Optional ○ Length: 3 - 100 characters. ○ Allowed: Alphabets, numbers, commas, spaces. ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ● Meta Tags Description ○ Required: Field cannot be left empty. ○ Length: Between 10 and 120 characters. ○ Allowed: Alphabets, numbers, punctuation (. , ! ? - _). ○ Not Allowed: HTML tags or URLs. ● OG Title / OG Tags / OG Description ○ Same rules as Meta fields. ○ Error Messages: Mirror those above but prefix with “OG”. ● Synopsis ○ Required: Field cannot be left empty. ■ Length: Minimum 10, Maximum 1000 characters. ○ Allowed: Text only (letters, numbers, punctuation). ○ Not Allowed: HTML or URLs. ● Adult Movie Description ○ Required. ○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Trailers ○ Required: At least one trailer or “NA” must be provided.
--	--

	○ Format: Valid YouTube link ○ Length: Max 200 characters. ● Common Image or GIF V (Vertical) / Common Image or GIF H (Horizontal) ○ Required: At least one image or GIF must be uploaded. ○ Allowed Formats: .jpg/.png/.gif ● Regional Image or GIF V (Vertical) / Regional Image or GIF H (Horizontal) ○ Required: At least one image or GIF must be uploaded. ○ Allowed Formats: .jpg/.png/.gif
Validations	● Meta Title: ○ Error Messages: ■ Empty → “Meta title is required.” ■ Exceeds limit → “Meta title cannot exceed 120 characters.” ■ Invalid → “Meta title contains unsupported characters.” ● Meta Tags ○ Error Message: “Meta tags contain invalid characters.” ● Meta Tags Description ○ Error Messages: ■ Empty → “Meta description is required.” ■ Exceeds 160 → “Meta description cannot exceed 160 characters.” ● OG Title / OG Tags / OG Description ○ Error Messages: Mirror those above but prefix with “OG”. ● Synopsis ○ Error Messages: ■ Empty → “Synopsis is required.” ■ Exceeds limit → “Synopsis cannot exceed 1000 characters.” ● Trailers ○ Error Messages: ■ Empty → “Please enter a trailer link or mark as NA.” ■ Invalid URL → “Please enter a valid YouTube URL.” ● Common Image or GIF V (Vertical) / Common Image or GIF H (Horizontal) ○ Error Messages: ■ Empty → “Please upload movie images.” ■ Invalid format → “Only JPG/PNG/GIF files are allowed.” ■ Oversized → “File size must not exceed 5 MB.” ● Regional Image or GIF V (Vertical) / Regional Image or GIF H (Horizontal) ○ Error Messages: ■ Invalid format → “Only JPG/PNG/GIF files are allowed.” ■ Oversized → “File size must not exceed 5 MB.”

Frontend Links	PVR INOX_Product Requirement Document
----------------	---

14. Coming Soon - Movies Management

14.1. USE CASE

Use Case No.	UC 14
Use Case Name	Coming Soon
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2545-17696&t=EVuvHg3Y6mepH7WF-1
Use Case Description	● Coming Soon: Enables the admin to view and manage movies that are scheduled for future release. Provides functionalities such as search, sorting, filtering, and inline actions including view, edit, sync and upload common image.
Primary Actor	Admin
Secondary Actor	Backend System Showbizz/ TMDB/ Moviesbuff API integrations
Triggering Event	● The admin selects 'Coming Soon' from the side navigation menu under Movies Management.
Pre-Condition	● Admin is authenticated and has an active session. ● Movie records exist in the system and are divided into 'Now Showing', 'Coming Soon' & 'Movie Master' based on the movie sessions.
Post Condition	● Movies listing is displayed/updated; synced data from Showbizz and TMDB is stored in Admin Panel and reflected on the frontend.
Basic Flow	<u>Coming Soon Listing Page:</u> ● UC 14.1.1. Admin opens Coming Soon listing under the Movies Management. ● UC 14.1.2. The Coming Soon Listing page consists of the following: ○ Sync Movies Button (along with last synced on date + time) ○ Export CSV ○ Search Bar ○ Filter Icon ○ Tabular View: ■ Serial No. ■ Images (V) ■ Images (H) ■ Movie ID ■ Movie Name ■ Alias Name ■ Common Code ■ Release Date (along with sort) ■ Trailers (yes/no)

	■ Languages ■ Status (Active/Inactive) ■ Action ● View ● Edit ● Upload Image ● UC 14.1.3. The Admin can search for movies using Movie Name, Common Code, or Movie ID. ● UC 14.1.4. Additionally, the Admin can use the Filter option to refine the movie list based on: Release Date (From–To), Images (Yes/No), Common Code (Yes/No), Trailers (Yes/No) and Languages. ● UC 14.1.5. The admin can redirect to the details page of the selected movie by clicking the View Icon in the action column. ● UC 14.1.6. The admin will redirect to the edit movie details page when clicked on the edit icon. ● UC 14.1.7. When the admin clicks on the upload image icon in the Action column, a pop up appears using which the admin can upload the common images for the movie. <u>Movies Details Page:</u> ● UC 14.2.1. The movie details page consists of the following attributes: ○ Activate/Inactivate Button ○ Edit button ○ Sync Button ○ Basic information ■ Movie Code ● Unique code assigned to the movie in the system. ■ Movie Name ● Official title/name of the movie. ■ Master Code ● Internal master reference code for the movie. ■ Alias Name ● Alternate or short name of the movie. ○ Movie Details: ■ Format ● Primary format of the movie (e.g., 2D, 3D, IMAX). ■ Secondary Format ● Additional format if applicable (e.g., 4DX, IMAX 3D). ■ Director ● Name(s) of the director(s). ■ Producer ● Name(s) of the producer(s). ■ Movie Length (in minutes)
--	---

	● Duration of the movie in minutes. ■ Star Cast ● Names of lead actors and actresses. ■ Censor ● Censor rating of the movie (e.g., U, UA, A, UA 18+, T.B.A.). ■ Languages ● Languages in which the movie is available. ■ Genre ● Primary genre (e.g., Action, Comedy, Thriller). ■ Secondary Genre ● Additional genre classification. ■ Release Date ● Official release date of the movie. ■ Common Code ● A unique reference code for the movie used across systems. ■ Movie ID ● The system-generated ID of the movie. ■ Caption Type ● Displays the caption type fetched from Showbizz, i.e., open or close captions or both. ■ Last Sync (Date + Time) ● Displays the last date and time of the synchronisation from Showbizz. ○ SEO & Meta Details: ■ Meta Title ● Specifies the title of the movie page that appears in search engine results and browser tabs. ■ Meta Tags ● Defines a set of keywords or phrases related to the movie, used by search engines to understand the page content and improve discoverability. ■ OG Title ● Specifies the title of the movie used when the page is shared on social media platforms via Open Graph (OG) protocol. ■ OG Tags ● Represents Open Graph metadata tags that help control how the movie page is displayed on social media platforms. ■ Meta Tags Description ● Provides a brief summary of the movie's content that appears below the title in search engine results.
--	---

	■ OG Tags Description ● Defines the description text shown when the movie page is shared on social media platforms. It gives context about the movie to users viewing the shared link. ○ Movie Data Provider Information: ■ Synopsis ● Description related to the movie. ■ TMDB/Moviesbuff - Movie Cast ● Displays posters along with the name of the movie where the actor or actress were a part of the cast. ■ TMDB/Moviesbuff - Movie Crew ● Displays posters along with the name of the movie where the actor or actress were a part of the crew like the Director . ■ TMDB/Moviesbuff - Posters/Backdrops ● Displays the backdrops/posters of the movie. ○ Media Assets: ■ Trailers 1 ■ Trailers 2 ■ Trailers 3 ■ Trailers 4 ● Displays the trailer URLs associated with movies. Maximum four trailers. ■ Image/GIF Vertical ● Displays the uploaded image or GIF related to the movie for the movies listing page on the frontend. ■ Image/GIF Horizontal ● Displays the uploaded image or GIF related to the movie for the movie details page on the frontend. ■ Regional Image/GIF Vertical ● Displays the uploaded regional image or GIF related to the movie for the movies listing page on the frontend. ■ Regional Image/GIF Horizontal ● Displays the uploaded regional image or GIF related to the movie for the movies listing page on the frontend. <u>Cast/Crew Information Details:</u> ● UC 14.3.1. When the admin clicks on a specific cast or crew member, they are redirected to the Cast/Crew Details page, where all the information related to the selected member is displayed.
--	--

	● UC 14.3.2. The Cast/Crew details page displays the following information which are also shown on the frontend to the customers. ○ Name ○ Gender ○ Date of Birth ○ Known For ○ Social Media Handles ○ Biography ○ Known for (Displays the movie posters featuring the selected cast or crew member.) ○ Photos (Displays the photos of the selected cast/crew member) <u>Movies Edit Page:</u> ● UC 14.4.1. The movie edit page consists of all the fields of the movie details page and displays all the editable attributes. ● UC 14.4.2. The editable fields in the edit movies page consists of the following: ○ SEO & Meta Details: ■ Meta Title ■ Meta Tags ■ OG Title ■ OG Tags ■ Meta Tags Description ■ OG Tags Description ○ Movie Data Provider Information. ■ Synopsis ● Displays the synopsis sourced from Showbizz or an external API such as TMDB or Moviesbuff. ● The synopsis selected by the admin—whether from Showbizz, TMDB, or Moviesbuff—will appear preselected. ● The admin can choose only one synopsis source (either Showbizz or the selected API), and the chosen synopsis will be displayed on the frontend ■ Cast/Crew/Backdrops ● The admin can sync data from TMDB, Moviesbuff, or both sources, and on the edit page, choose to select or deselect the information that should be displayed on the frontend. ● When the admin clicks on a specific cast or crew member, they can select which assets to import—such as biography, known-for, and backdrops/posters. Once saved, the selected
--	--

	information will be updated and displayed on the frontend related to the specific cast/crew member for the selected movie. ○ Other Information ■ Adult Movie Description ○ Media Assets: ■ Trailers 1 ■ Trailers 2 ■ Trailers 3 ■ Trailers 4 ■ Common Vertical Image/GIF ■ Common Horizontal Image/GIF ■ Regional Vertical Image/GIF ■ RegionalHorizontal Image/GIF ○ Cancel Button ○ Update Button <u>Export CSV:</u> ● UC 14.5.1. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email. ○ Movie Code ○ Movie Name ○ Master Code ○ Alias Name ○ Format ○ Secondary Format ○ Director ○ Producer ○ Movie Length (in mins) ○ Star Cast ○ Censor ○ Languages ○ Genre ○ Secondary Genre ○ Release Date ○ Common Code ○ Movie ID ○ Movie Status ○ Captions Type ○ Last Sync ○ Meta Title ○ Meta Tags
--	---

	○ OG Title ○ OG Tags ○ Meta Description ○ OG Description ○ Synopsis ○ Adult Movie Description ○ Trailer 1 ○ Trailer 2 ○ Trailer 3 ○ Trailer 4 ○ Common Image (V) ○ Common Image (H) ○ Regional Image (V) ○ Regional Image (H)
Alternate Flow	● No records: show “No movies found” + CTA to Sync manually. ● Admin uploads unsupported image format → show inline validation and prevent save.
Exception Flow	● API error or timeout: show “Unable to load movies. Try again later.”
Business Rules	● A movie is shown under ‘Coming Soon’ if its release date is greater than today AND advance schedule is not yet open. Once showtimes are opened, it automatically moves to the ‘Now Showing’ module. ● Coming Soon movies do not fall under any Curated Show category. ● Movies are mapped to cities based on their Movie Common Code, which acts as a unique identifier across locations. ○ When a movie’s booking is active in one city (for example, Delhi), it will be shown as “Now Showing” for users in that city. ○ However, in other cities (for example, Chennai) where bookings have not yet opened, the same movie (with the same Common Code) will continue to appear under “Coming Soon.” ● A movie can have multiple language versions with availability varying based on Showbizz data and would be shown separately on the listing page. ● The listing page can be sorted based on the movie release date, allowing admin to view records in order of their release date— either newest to oldest or oldest to newest. ● If the admin selects cast, crew, and backdrop/poster assets from TMDB, Moviesbuff, or both sources, the selected assets will be displayed with a clear bifurcation indicating their respective sources on the movie edit page. ● By default the synopsis are sourced from Showbizz or the admin can select synopsis from only one source — either TMDB or Moviesbuff — and the chosen synopsis will be displayed on the frontend after a

	successful sync. The synopsis can also be edited from the edit page of the selected movie. ● If a movie has multiple formats (e.g., IMAX, 2D, 4DX), they all appear under one unified listing on Now Showing with their format labels. ● The admin can upload common images for a movie that shares the same common code, and from the edit page, upload regional images or GIFs for different versions of that movie. The regional images will be displayed only for the specific movie versions where they have been uploaded separately. ○ The regional images or GIFs will override the common images or GIFs when uploaded, and the updated visuals will be reflected on the frontend accordingly. ○ Regional images take priority over common images. If both are available, the regional images will be displayed on the frontend instead of the common ones. ● When movies are synced from Showbizz, they remain hidden on the frontend until the admin uploads a common or regional image. Movies missing an image/poster, a common code, or both will not be displayed on the frontend. ○ Vertical and Horizontal common images are mandatory for frontend display; recommended formats JPG/PNG. ○ The admin can also upload the GIF instead of vertical and horizontal images. ○ Regional images take priority over common images. If both are available, the regional images will be displayed on the frontend instead of the common ones. ● Coming Soon movies can be displayed on the frontend even if common or regional images are not uploaded. In such cases, placeholder images will be shown until the actual images are added. ● Admin can trigger Showbizz manual sync to update movie slots/timings for the selected movie. ● Admin can toggle movie status (Active/Inactive); inactive movies are hidden from customers on the frontend. ● Up to 4 trailers can be added (manually or via TMDB/Moviesbuff sync). Hosted on YouTube but played natively within the app without redirection. ● Customers can view upcoming releases up to 1 year ahead in the Coming Soon section on the frontend. ● When the admin hovers over the Movie Name field on the listing page, the full movie name will be displayed in a tooltip. ● Filters on the listing page: ○ Release Date ■ Fields: Select Start and End Date ■ Filters movies within a specific release date range. ■ End date must be greater than or equal to start date.
--	---

	■ Example: If “Start Date = 01 Oct 2025” and “End Date = 31 Oct 2025,” only movies releasing in October 2025 will appear. ○ Images ■ Options: Yes / No ■ Filters movies based on whether poster or promotional images have been uploaded. ■ Yes: When both Horizontal and Vertical images are uploaded successfully. ■ No: If either one (Horizontal or Vertical) image is missing, the movie will be considered as No. ○ Common Code ■ Options: Yes / No ■ Filters based on whether a Common Code is assigned to the movie. ■ Yes: Movies mapped with a valid Common Code. ■ No: Movies without a Common Code. ○ Trailers ■ Options: Yes / No ■ Filters movies depending on the availability of trailer links. ■ Yes: Movies with at least one trailer added. ■ No: Movies without trailers. ○ Languages ■ Dropdown list showing all available languages (e.g., Hindi, English, Tamil, Telugu). ■ Allows the admin to filter movies based on one or multiple selected languages. ○ Apply Button: ■ Once the admin selects filter options, clicking Apply will refresh the movie list based on the chosen criteria. ○ Reset Button: ■ Clears all selected filters and resets the list to show all movies again. ● Meta Title: ○ Required: Field cannot be left empty. ○ Length: Minimum 3, Maximum 120 characters. ○ Allowed: Alphabets, numbers, spaces, basic punctuation (., ! ? - _). ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ● Meta Tags ○ Required: Optional ○ Length: 3 - 100 characters. ○ Allowed: Alphabets, numbers, commas, spaces. ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >).
--	---

	● Meta Tags Description ○ Required: Field cannot be left empty. ○ Length: Between 10 and 120 characters. ○ Allowed: Alphabets, numbers, punctuation (. , ! ? - _). ○ Not Allowed: HTML tags or URLs. ● OG Title / OG Tags / OG Description ○ Same rules as Meta fields. ○ Error Messages: Mirror those above but prefix with “OG”. ● Synopsis ○ Required: Field cannot be left empty. ■ Length: Minimum 10, Maximum 500 characters. ○ Allowed: Text only (letters, numbers, punctuation). ○ Not Allowed: HTML or URLs. ● Adult Movie Description ○ Required. ○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Trailers ○ Required: At least one trailer or “NA” must be provided. ○ Format: Valid YouTube link ○ Length: Max 200 characters. ● Image or GIF V (Vertical) / Image or GIF H (Horizontal) ○ Required: At least one image or GIF must be uploaded. ○ Allowed Formats: .jpg/.png/.gif
Validations	● Meta Title: ○ Error Messages: ■ Empty → “Meta title is required.” ■ Exceeds limit → “Meta title cannot exceed 120 characters.” ■ Invalid → “Meta title contains unsupported characters.” ● Meta Tags ○ Error Message: “Meta tags contain invalid characters.” ● Meta Tags Description ○ Error Messages: ■ Empty → “Meta description is required.” ■ Exceeds 160 → “Meta description cannot exceed 160 characters.” ● OG Title / OG Tags / OG Description ○ Same rules as Meta fields.

	○ Error Messages: Mirror those above but prefix with “OG”. ● Synopsis ○ Error Messages: ■ Empty → “Synopsis is required.” ■ Exceeds limit → “Synopsis cannot exceed 500 characters.” ● Trailers ○ Error Messages: ■ Empty → “Please enter a trailer link or mark as NA.” ■ Invalid URL → “Please enter a valid YouTube URL.” ● Image or GIF V (Vertical) / Image or GIF H (Horizontal) ○ Error Messages: ■ Empty → “Please upload movie images.” ■ Invalid format → “Only JPG/PNG/GIF files are allowed.” ■ Oversized → “File size must not exceed 5 MB.”
Frontend Links	 PVR INOX_Product Requirement Document

15. Movie Master - Movies Management

15.1. USE CASE

Use Case No.	UC 15
Use Case Name	Movie Master
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2545-20452&t=EVuvHg3Y6mepH7WF-1
Use Case Description	● Movie Master: Provides the admin with a comprehensive list of all movies, including past releases, currently running titles, and upcoming releases. Offers functionalities such as search, sorting, filtering, and inline actions including view, edit, sync and upload image.
Primary Actor	Admin
Secondary Actor	Backend System Showbizz/ TMDB/ Moviesbuff API integrations
Triggering Event	● The admin selects ‘Movie Master’ from the side navigation menu under Movies Management.
Pre-Condition	● Admin is authenticated and has an active session. ● Movie records exist in the system and are divided into ‘Now Showing’, ‘Coming Soon’ & ‘Movie Master’ based on the movie sessions.
Post Condition	● Movies listing is displayed/updated; synced data from Showbizz and TMDB/Moviesbuff is stored in Admin Panel and reflected on frontend.
Basic Flow	<u>Movie Master Listing Page:</u>

- UC 15.1.1. Admin opens Movie Master listing under the Movies Management.
- UC 15.1.2. The Movie Master Listing page consists of the following:
 - Sync Movies Button (along with last synced on date + time)
 - Search Bar
 - Filter Icon
 - Tabular View:
 - Serial No.
 - Images (V)
 - Images (H)
 - Movie ID
 - Movie Name
 - Alias Name
 - Common Code
 - Release Date (along with sort)
 - Trailers (yes/no)
 - Languages
 - Status (Active/Inactive)
 - Action
 - View
 - Edit
 - Upload Image
- UC 15.1.3. The Admin can search for movies using Movie Name, Common Code, or Movie ID.
- UC 15.1.4. Additionally, the Admin can use the Filter option to refine the movie list based on: Release Date (From–To), Images (Yes/No), Common Code (Yes/No), Trailers (Yes/No) and Languages.
- UC 15.1.5. The admin can redirect to the details page of the selected movie by clicking the View Icon in the action column.
- UC 15.1.6. The admin will redirect to the edit movie details page when clicked on the edit icon.
- UC 15.1.7. When the admin clicks on the upload image icon in the Action column, a pop up appears using which the admin can upload the common image for the movie.

Movies Details Page:

- UC 15.2.1. The movie details page consists of the following attributes:
 - Edit button
 - Basic information
 - Movie Code
 - Unique code assigned to the movie in the system.
 - Movie Name
 - Official title/name of the movie.
 - Master Code

	● Internal master reference code for the movie. ■ Alias Name ● Alternate or short name of the movie. ○ Movie Details: ■ Format ● Primary format of the movie (e.g., 2D, 3D, IMAX). ■ Secondary Format ● Additional format if applicable (e.g., 4DX, IMAX 3D). ■ Curated Show Category ● Category of the movie (e.g., Senior Citizen). Admin can select the curated show category accordingly and it will be displayed under the Curated Show section. These categories are getting created from the Curated Show Category module or are being fetched from Showbizz. ■ Director ● Name(s) of the director(s). ■ Producer ● Name(s) of the producer(s). ■ Movie Length (in minutes) ● Duration of the movie in minutes. ■ Star Cast ● Names of lead actors and actresses. ■ Censor ● Censor rating of the movie (e.g., U, UA, A, UA 18+, T.B.A.). ■ Languages ● Languages in which the movie is available. ■ Genre ● Primary genre (e.g., Action, Comedy, Thriller). ■ Secondary Genre ● Additional genre classification. ■ Release Date ● Official release date of the movie. ■ Common Code ● A unique reference code for the movie used across systems. ■ Movie ID ● The system-generated ID of the movie. ■ Movie Status ● Displays the movie's label (e.g., Re-release, New Release etc.). ■ Average Movie Ratings
--	---

	● Displays the average status of the movie as provided by the customers after booking the ticket. ■ Caption Type ● Displays the caption type fetched from Showbizz, i.e., open or close captions. ■ Last Sync (Date + Time) ● Displays the last date and time of the synchronisation from Showbizz. ○ SEO & Meta Details: ■ Meta Title ● Specifies the title of the movie page that appears in search engine results and browser tabs. ■ Meta Tags ● Defines a set of keywords or phrases related to the movie, used by search engines to understand the page content and improve discoverability. ■ OG Title ● Specifies the title of the movie used when the page is shared on social media platforms via Open Graph (OG) protocol. ■ OG Tags ● Represents Open Graph metadata tags that help control how the movie page is displayed on social media platforms. ■ Meta Tags Description ● Provides a brief summary of the movie's content that appears below the title in search engine results. ■ OG Tags Description ● Defines the description text shown when the movie page is shared on social media platforms. It gives context about the movie to users viewing the shared link. ○ Movie Data Provider Information: ■ Synopsis ● Description related to the movie. ■ TMDB/Moviesbuff - Movie Cast ● Displays posters along with the name of the movie where the actor or actress were a part of the cast. ■ TMDB/Moviesbuff -Movie Crew ● Displays posters along with the name of the movie where the actor or actress were a part of the crew like the Director .
--	--

	■ TMDB/Moviesbuff -Posters/Backdrops ● Displays the backdrops/posters of the movie. ○ Media Assets: ■ Trailers 1 ■ Trailers 2 ■ Trailers 3 ■ Trailers 4 ● Displays the trailer URLs associated with movies. Maximum four trailers. ■ Image/GIF Vertical ● Displays the uploaded image or GIF related to the movie for the movies listing page on the frontend. ■ Image/GIF Horizontal ● Displays the uploaded image or GIF related to the movie for the movie details page on the frontend. ■ Regional Image/GIF Vertical ● Displays the uploaded regional image or GIF related to the movie for the movies listing page on the frontend. ■ Regional Image/GIF Horizontal ● Displays the uploaded regional image or GIF related to the movie for the movies listing page on the frontend. <u>Movies Edit Page:</u> ● UC 15.3.1. The movie edit page consists of all the fields of the movie details page and displays all the editable attributes. ● UC 15.3.2. The editable fields in the edit movies page consists of the following: ○ Movies Details: ■ Curated Show Category (dropdown) ○ SEO & Meta Details: ■ Meta Title ■ Meta Tags ■ OG Title ■ OG Tags ■ Meta Tags Description ■ OG Tags Description ○ Movie Data Provider Information. ■ Synopsis ● Displays the synopsis sourced from Showbizz or an external API such as TMDB or Moviesbuff.
--	--

	• The synopsis selected by the admin—whether from Showbizz, TMDb, or Moviesbuff—will appear preselected. • The admin can choose only one synopsis source (either Showbizz or the selected API), and the chosen synopsis will be displayed on the frontend ■ Cast/Crew/Backdrops • The admin can sync data from TMDb, Moviesbuff, or both sources, and on the edit page, choose to select or deselect the information that should be displayed on the frontend. • When the admin clicks on a specific cast or crew member, they can select which assets to import—such as biography, known-for, and backdrops/posters. Once saved, the selected information will be updated and displayed on the frontend related to the specific cast/crew member for the selected movie. ○ Other Information ■ Adult Movie Description ○ Media Assets: ■ Trailers 1 ■ Trailers 2 ■ Trailers 3 ■ Trailers 4 ■ Common Vertical Image/GIF ■ Common Horizontal Image/GIF ■ Regional Vertical Image/GIF ■ RegionalHorizontal Image/GIF ○ Cancel Button ○ Update Button <u>Export CSV:</u> • UC 15.4.1. On clicking the ‘Export CSV’ button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin’s system instead of being sent via email. ○ Movie Code ○ Movie Name ○ Master Code ○ Alias Name ○ Format ○ Secondary Format ○ Curated Show Category
--	---

	○ Director ○ Producer ○ Movie Length (in mins) ○ Star Cast ○ Censor ○ Languages ○ Genre ○ Secondary Genre ○ Release Date ○ Common Code ○ Movie ID ○ Movie Status ○ Average Movie Ratings ○ Captions Type ○ Last Sync ○ Meta Title ○ Meta Tags ○ OG Title ○ OG Tags ○ Meta Description ○ OG Description ○ Synopsis ○ Adult Movie Description ○ Trailer 1 ○ Trailer 2 ○ Trailer 3 ○ Trailer 4 ○ Common Image (V) ○ Common Image (H) ○ Regional Image (V) ○ Regional Image (H)
Alternate Flow	● No records: show “No movies found” + CTA to Sync manually. ● Admin uploads unsupported image format → show inline validation and prevent save.
Exception Flow	● API error or timeout: show “Unable to load movies. Try again later.” ● Backend error → show “Failed to update trending status.”
Business Rules	● The movie master module displays the complete list of movies across all categories — Now Showing & Coming Soon. All the movies of the past, present and upcoming will be displayed. ● Movies appear on the Curated Shows page on the frontend only when they are linked (mapped) to one or more movie categories. ○ If a movie is not mapped to any category, it will not be displayed under Curated Shows.

	● A movie can have multiple language versions with availability varying based on Showbizz data and would be shown separately on the listing page. ● The listing page can be sorted based on the movie release date, allowing admin to view records in order of their release date— either newest to oldest or oldest to newest. ● If the admin selects cast, crew, and backdrop/poster assets from TMDB, Moviesbuff, or both sources, the selected assets will be displayed with a clear bifurcation indicating their respective sources. ● By default the synopsis are sourced from Showbizz or the admin can select synopsis from only one source — either TMDB or Moviesbuff — and the chosen synopsis will be displayed on the frontend after a successful sync. The synopsis can also be edited from the edit page of the selected movie. ● The curated show categories options will be sourced from the Curated Show Category Module and Showbizz. ● If a movie has multiple formats (e.g., IMAX, 2D, 4DX), they all appear under one unified listing on Now Showing with their format labels. ● Movie Status: ○ New Release: Displayed for movies released on the most recent Friday. Stays active for 7 days (configurable from Admin Panel → Global Configuration). ○ Releasing on Date: Displayed for movies with showtimes opened before the official release date (Advance Booking). ○ Re-Release: Displayed for old movies being re-screened after a defined time period (default 60 days; configurable in Global Config). ○ Live: Automatically tagged based on category fetched from Showbizz for live content. ● The admin can upload common images for a movie that shares the same common code, and from the edit page, upload regional images or GIFs for different versions of that movie. The regional images will be displayed only for the specific movie versions where they have been uploaded separately. ○ The regional images or GIFs will override the common images or GIFs when uploaded, and the updated visuals will be reflected on the frontend accordingly. ● When the admin hovers over the Movie Name field on the listing page, the full movie name will be displayed in a tooltip. ● Up to 4 trailers can be added (manually or via TMDB/Moviesbuff sync). Hosted on YouTube but played natively within the app without redirection. ● Filters on the listing page: ○ Release Date ■ Fields: Select Start and End Date
--	---

	■ Filters movies within a specific release date range. ■ End date must be greater than or equal to start date. ■ Example: If “Start Date = 01 Oct 2025” and “End Date = 31 Oct 2025,” only movies releasing in October 2025 will appear. ○ Images ■ Options: Yes / No ■ Filters movies based on whether poster or promotional images have been uploaded. ■ Yes: When both Horizontal and Vertical images are uploaded successfully. ■ No: If either one (Horizontal or Vertical) image is missing, the movie will be considered as No. ○ Common Code ■ Options: Yes / No ■ Filters based on whether a Common Code is assigned to the movie. ■ Yes: Movies mapped with a valid Common Code. ■ No: Movies without a Common Code. ○ Trailers ■ Options: Yes / No ■ Filters movies depending on the availability of trailer links. ■ Yes: Movies with at least one trailer added. ■ No: Movies without trailers. ○ Languages ■ Dropdown list showing all available languages (e.g., Hindi, English, Tamil, Telugu). ■ Allows the admin to filter movies based on one or multiple selected languages. ○ Apply Button: ■ Once the admin selects filter options, clicking Apply will refresh the movie list based on the chosen criteria. ○ Reset Button: ■ Clears all selected filters and resets the list to show all movies again. ● When movies are synced manually or automatically from Showbizz, they appear as Inactive in the movie listing. ○ Only after the admin uploads the required assets (images or GIF) and activates the movie will it be visible to customers on the frontend. ● Curated Shows Category ○ Required: Optional
--	--

	○ Allowed Values: Film Festival, Regular, Documentary, etc. (preconfigured from the Curated Shows Category module or Showbizz)
Validations	● Meta Title: ○ Required: Field cannot be left empty. ○ Length: Minimum 3, Maximum 120 characters. ○ Allowed: Alphabets, numbers, spaces, basic punctuation (. , ! ? - _). ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ○ Error Messages: ■ Empty → “Meta title is required.” ■ Exceeds limit → “Meta title cannot exceed 120 characters.” ■ Invalid → “Meta title contains unsupported characters.” ● Meta Tags ○ Required: Optional ○ Length: 3 - 100 characters. ○ Allowed: Alphabets, numbers, commas, spaces. ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ○ Error Message: “Meta tags contain invalid characters.” ● Meta Tags Description ○ Required: Field cannot be left empty. ○ Length: Between 10 and 120 characters. ○ Allowed: Alphabets, numbers, punctuation (. , ! ? - _). ○ Not Allowed: HTML tags or URLs. ○ Error Messages: ■ Empty → “Meta description is required.” ■ Exceeds 160 → “Meta description cannot exceed 160 characters.” ● OG Title / OG Tags / OG Description ○ Same rules as Meta fields. ○ Error Messages: Mirror those above but prefix with “OG”. ● Synopsis ○ Required: Field cannot be left empty. ■ Length: Minimum 10, Maximum 500 characters. ○ Allowed: Text only (letters, numbers, punctuation). ○ Not Allowed: HTML or URLs. ○ Error Messages: ○ Empty → “Synopsis is required.” ○ Exceeds limit → “Synopsis cannot exceed 500 characters.” ● Adult Movie Description ○ Required.

	○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Trailers ○ Required: At least one trailer or “NA” must be provided. ○ Format: Valid YouTube link ○ Length: Max 200 characters. ○ Error Messages: ○ Empty → “Please enter a trailer link or mark as NA.” ○ Invalid URL → “Please enter a valid YouTube URL.” ● Image or GIF V (Vertical) / Image or GIF H (Horizontal) ○ Required: At least one image or GIF must be uploaded. ○ Allowed Formats: .jpg/.png/.gif ○ Error Messages: ■ Empty → “Please upload movie images.” ■ Invalid format → “Only JPG/PNG/GIF files are allowed.” ■ Oversized → “File size must not exceed 5 MB.”
Frontend Links	 PVR INOX_Product Requirement Document  PVR INOX_Product Requirement Document

16. Movie Data Provider - Movies Management

16.1. USE CASE

Use Case No.	UC 16
Use Case Name	Movie Data Provider
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2882-7797&t=EVuvHg3Y6mepH7WF-1
Use Case Description	Allows the admin to search for a movie by name and select the source — TMDB or Moviesbuff — by entering the respective TMDB or Moviesbuff ID. Based on the search, the movie details such as synopsis, cast, crew, backdrops, and trailers are fetched. The admin can then review the fetched data, select which cast, crew, backdrops, and trailers should be displayed for the selected movie, and also modify or manage the details of the chosen cast and crew members. Once finalized, the selected and updated information is synced into the Admin Panel for the desired movie and reflected on the frontend accordingly.
Primary Actor	Admin
Secondary Actor	System Backend TMDB API integration

	Moviesbuff API Integration Showbiz (for mapping to movie records)
Triggering Event	- The admin selects 'Movie Data Provider' from the side navigation menu under Movies Management. - Admin opens the "Movie Data Provider" screen and submits a search (either movie name or by selecting the source, i.e., TMDB or Moviesbuff or both).
Pre-Condition	- Admin authenticated with TMDB and Moviesbuff sync permission. - TMDB & Moviesbuff APIs are configured and valid. - If syncing into an existing movie: a target movie record (Movie ID) exists.
Post Condition	Selected TMDB/Moviesbuff metadata and assets are imported into the Admin Panel and associated with the target movie.
Basic Flow	- UC 16.1.1. Admin navigates to Movies Management →Movie Data Provider - UC 16.1.2. Admin enters the Movie Name and then selects the source, i.e., TMDB or Moviesbuff and enters the respective IDs which are related to the desired movie. - UC 16.1.3. The system calls the selected source API (TMDB or Moviesbuff) and returns a list of matching results related to the searched movie. - The admin is shown a screen where based on the search keywords, the list of movies appear, and the option which the admin selects further redirects to the screen where the admin can select the assets for the corresponding movie. - If the admin selects a movie and source but doesn't enter the TMDB/MovieBuff ID, a list of related movies will be displayed based on the movie name and release date, allowing the admin to select the correct movie to fetch its data. - If the admin selects either TMDB or Moviesbuff as the source, the results page will display only the assets fetched from the selected source. By default, TMDB will be selected. - UC 16.1.4. Admin is redirected to the results page where the following are shown: - Title (Non -Selectable) - Displays the title/name of the movie. - Status (Non -Selectable) - Current status of the movie (e.g. New Release, released etc.) - Duration (Non -Selectable) - The duration of the movie (in minutes). - IMDB URL (Non -Selectable) - Displays the link of the movie's IMDB page. - Synopsis (Selectable & Editable) - Description related to the movie.

	○ Cast (Selectable) ■ Displays the images of the cast members with the option to select individual cast members or select all cast member images at once. ○ Crew (Selectable) ■ Displays the images of the crew members with the option to select individual crew members or select all crew member images at once. ○ Backdrops/posters (Selectable) ■ Displays the posters of the movies with the option to select individual posters or select all the posters at once. ○ Videos/Trailers (Selectable) ■ Displays the videos/trailers of the movies with the option to select individual videos/trailers or select all the videos/trailers at once. ● UC 16.1.5. UI shows each asset in selectable tiles with checkboxes (Movie Cast, Movie Crew, Backdrops/Posters, Videos). Admin may 'Select All' or choose specific assets to import. ● UC 16.1.6. Admin selects the assets and clicks the Submit button. ● UC 16.1.7. The system imports the selected data: synopsis, selected cast/crew entries, selected poster/backdrop assets, selected trailers. and records are updated in DB and linked to the movie. <u>Cast & Crew Details:</u> ● UC 16.2.1. On clicking the specific cast or crew member, the admin is redirected to a new page where they can view the assets associated with the selected cast or crew members. ● UC 16.2.2. UI shows each asset in selectable tiles with checkboxes (Movie Cast, Movie Crew, Backdrops/Posters, Videos). Admin may 'Select All' or choose specific assets to import. ○ When an asset is selected, a check icon appears on the thumbnail of the selected asset, confirming the selection. ■ Attributes of the cast/crew member for selection are as follows: ● Name (Non-selectable) ● Gender (Non-selectable) ● Date of Birth (Non-selectable) ● Known For (Non-selectable) ● Social Media Handles (Non-selectable) ● Biography (Selectable and Editable) ● Known For (Selectable) ● Photos(Selectable) ● Submit button
--	---

	• Cancel button • UC 16.2.3. Admin selects the assets and clicks the Submit button. • UC 16.1.4. The system imports the selected data of the cast or crew: biography, selected cast/crew entries, selected poster/backdrop assets, and records are updated in DB and linked to the movie.
Alternate Flow	• UCA 16.1.1. Admin cancels on the results page→ selections discarded, admin redirects to the Movie Data Provider main page.
Exception Flow	• UCE 16.1.1. TMDB/Moviesbuff API returns no matches → show “No results found. Try a different name or TMDB/Moviesbuff ID.” • UCE 16.1.2. TMDB/Moviesbuff API error → show “TMDB/Moviesbuff unavailable. Try again later.”
Business Rules	• Search sources: TMDB and Moviesbuff are the primary external metadata source for synopsis, cast, crew, posters/backdrops, and trailers. ○ On search the movies listing would be populated from the Now Showing or Coming Soon movies. • Selective import: Admin must be able to choose which cast, crew, posters, backdrops, and trailers to import for the desired movie. • When importing, TMDB, Moviesbuff or both results must be mapped to a movie. • When the admin lands on the results page, by default, 10 items will be preselected for Cast & Crew and Backdrops, while only 1 item should be preselected for the Movie Poster. For the Trailer, there will be no default selection. ○ The same applies when syncing data for individual cast and crew members. • If the admin has previously fetched data for any movie or cast & crew, then upon reopening, all the previously fetched details would appear preselected by default. • Admin can edit the synopsis fetched from TMDB/MovieBuff. ○ If the Admin deleted the fetched synopsis from TMDB/MovieBuff then the default movie synopsis should be displayed on the frontend. • Only the assets selected during import will be displayed on the frontend under the movie details page and within the cast and crew sections. ○ Also, on the movie edit page only the selected assets will be shown. • The Select Movie and Select Source fields are mandatory. • When the admin selects only one source — either TMDB or Moviesbuff — the chosen assets (cast, crew, backdrops, and posters) from the selected source will be displayed. However, for the synopsis, only one version can be selected — either from TMDB or Moviesbuff. The same will be reflected on the movie details page in the Admin Panel, with a

	clear bifurcation indicating which assets are sourced from TMDB and which are from Moviesbuff. ● Fallback placeholders: For missing cast/crew images or posters, use placeholder thumbnails on the frontend (Website/Apps/M-site) until admin retries again. ● Search Movie ○ Minimum Length: 2 Characters ○ Maximum Length: 100 characters ○ Leading/trailing spaces are not allowed. ○ Search bar offers suggestive search and will be case-insensitive. ● Images (Cast/Crew/Posters) ○ Supported Formats: JPG/PNG
Validations	● Search Movie ○ Mandatory ○ Error Messages: ■ Empty: "Movie name is required." ■ Minimum Length (2 characters): "Please enter at least 2 characters." ■ Maximum Length (100 characters): "Search query cannot exceed 100 characters."
Frontend Links	 PVR INOX_Product Requirement Document

17. Curated Shows Category - Movies Management

17.1. USE CASE

Use Case No.	UC 17
Use Case Name	Curated Shows Category
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=3712-5328&t=gKq2db7xBeN6nq6b-1
Use Case Description	Admin can view, search, filter, and manage all existing curated shows categories (e.g. Film Festival, Live Event, Sports) in the listing screen under the Movies Management.
Primary Actor	Admin
Secondary Actor	System Backend Movies Details page > Movies Management
Triggering Event	Admin navigates to Movies Management → 'Curated Shows Category' is selected from the sidebar.
Pre-Condition	● Admin is authenticated and has an active session. ● The created curated shows categories exist in the Admin Panel.

Post Condition	List of all created curated shows categories and categories fetched from Showbizz are displayed with their respective details.
Basic Flow	- UC 17.1.1. Admin opens the “Curated Shows Category” page. - UC 17.1.2. The system displays all created and Showbizz fetched movie categories. - UC 17.1.3. Listing displays attributes: - Add Category Button - Search Bar - Filter Icon - Status - Category Type - Created On Date - Serial No. - Category Name - Category Type (Category/ Special Shows) - Sequence - Created On - Status - Action - View - Edit - Active/Inactive - UC 17.1.4. Admin can search curated shows categories by name. - UC 17.1.5. Admin can filter categories by Status, Category Type (Categories/Specialshows) and Created On Date (To and From) - UC 17.1.6. Admin can view, edit, activate/deactivate, or add new categories. <u>Add Flow:</u> - UC 17.2.1. Admin clicks Add Category on the listing page. - UC 17.2.2. System opens Create Movie Category Form. - UC 17.2.3. Admin fills the following fields: - Current Status (Active/Inactive) - Category Name* - Category Display Name* - Text (Sub-heading) - Sequence* - Expiration Date* - Select Movies (dropdown) - Displays the list of Now Showing movies. - The admin can select multiple movies at once for the desired category. - Meta title - Meta Tags

	○ Meta Description ○ Description ○ Other Helper Text ○ Image ○ Add button ■ System validates fields and saves data. ■ New category appears in the listing with Active status by default. ○ Cancel button ■ On click, the changes are discarded and not saved. Edit Flow: ● UC 17.3.1. Admin clicks the Edit icon. ● UC 17.3.2. System opens category detail form pre-filled with existing data. ● UC 17.3.3. The admin can update the following fields in the edit page: ○ Current Status (Editable) ○ Name* (Editable/Non-Editable if fetched from Showbizz) ○ Display Name* (Editable) ○ Text (Sub-heading) (Editable) ○ Sequence* (Editable) ○ Expiration Date (Editable) ○ Select Movies (dropdown) (Editable) ■ Displays the list of Now Showing movies. ■ The admin can select multiple movies at once for the desired category. ○ Meta title (Editable) ○ Meta Tags (Editable) ○ Meta Description (Editable) ○ Other Helper Text (Editable) ○ Description (Editable) ○ Image (Editable) ○ Save button ○ Cancel button ● Admin clicks the Save button. ○ The system validates and saves changes.
Alternate Flow	● UCA 17.1.1. If no records match the filter criteria → system displays “No records found.” ● UCA 17.1.2. Admin can reset filters using the Reset button on the filter popup.
Exception Flow	● UCE 17.1.1. If network/server error occurs → “Unable to save category. Please retry.”

	● UCE 17.1.2. Admin clicks Cancel on the add and edit page → returns to listing without saving. ● UCE 17.1.3. Admin uploads invalid image → system rejects upload.
Business Rules	● Each Category Name must be unique across the entire Admin Panel. ● Sequence: required, numeric, greater than 0, unique per experience. ○ Uniqueness: Each record must have a unique sequence value. ○ When a new category is assigned a sequence value that is already allocated to an existing category, the system automatically reassigns the requested sequence to the new category on confirmation by the admin. The previously assigned category (with the same sequence value) will have its sequence shifted down by one. ○ If category A currently holds Sequence 3 and the Admin assigns Sequence 3 to category B, then: ■ Category B → Sequence 3 (new) ■ Category A → Sequence 4 (automatically shifted) ● Movies displayed under a specific Curated Show Category are determined by their open sessions—only movies with active or upcoming sessions will appear. ● Movies will no longer be displayed on the Curated Shows page on the frontend once the expiration date for the selected Curated Show Category is reached. ● All Special Shows categories are fetched from Showbizz movie slots and will appear on the listing page. ○ If the category type is set to “Special Show,” the admin cannot modify the category name and can only update the display name. ● A movie can have multiple language versions with availability varying based on Showbizz data. ○ All versions of the same movie will be displayed as a single movie entry, rather than as separate listings. ● Two Category Types: ○ Category: If a Movie Category is marked as “Category” → all shows linked to this newly created category by the admin will appear under the Curated Shows section on the frontend. ○ Special shows: If a Movie Category is marked as “Special Shows” → all shows tagged as ‘Special Shows’ in Showbizz (with respect to the city mapping) will be displayed under the Curated Shows section. ● All system-generated categories will be created in an Inactive state by default. The admin must edit the respective category to define its display sequence and set the expiration date. ○ However, the admin will not be permitted to modify the category name of any system-generated category.

	○ Additionally, the admin will not be allowed to add or edit movies under the system-generated category. ● All movies assigned to a specific category are selected by the admin or fetched from Showbizz, and the cities where each movie will be screened are determined through movie sessions, based on their availability in the respective cinemas. ● By default, when a new category is created, its status will be set to Inactive. If the admin changes the status to Active, the category will appear on the Curated Shows Category Listing page as well as on the frontend. ○ On the curated shows listing page, data from the last 30 days will be displayed by default. ● If the new curated show category is created in the Inactive state, then on saving the category would be shown on the listing page but won't be visible on the frontend. ○ Only the categories with active status would be visible on the frontend. ● The Other helper text is displayed on the frontend, when the customer clicks on the showtime of the movie in a curated show category, this text is displayed on the pop up. ● Category Name (internal code) ○ Required: Yes ○ Either manually created or fetched from Showbizz ○ Allowed characters: Letters (A–Z, a–z), numbers (0–9), hyphen (-), underscore (_), space. ○ Length: 1 – 100 characters. ○ Uniqueness: Must be unique within the system ○ Trim leading/trailing whitespace; collapse multiple interior spaces to single space when saving. ● Display Name ○ Required: Yes. ○ Allowed characters: Letters (A–Z, a–z), numbers (0–9), hyphen (-), underscore (_), space. ○ Length: 1 – 100 characters. ● Text (Sub-heading) ○ Required: No (optional). ○ Type: String. ○ Length: 0 – 200 characters (short sub-heading). ● Category Type ○ Required: Yes. ○ Type: Dropdown. Allowed values: Category, SpecialShows ● Sequence: ○ Required: Yes. ○ Type: Integer. ○ Allowed range: 1 – 1000
--	---

	○ Unique Sequence per curated show category ○ (allows 1–4 digits, no leading zero) ● Expiration Date ○ Required: Mandatory ○ Format: Must be a valid date → “Please enter a valid date.” ○ Allowed Range: Cannot be a past date → “Expiration date cannot be in the past.” ● Select Movies: ○ Only the ‘Now Showing’ movies will be shown in the dropdown with multi-select. ● Meta Title: ○ Required: Optional ○ Format: Must contain only letters, numbers, spaces, and basic punctuation (.,-&). ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (. , ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 10 characters ○ Maximum Length: 60 characters ○ No leading/trailing spaces. ● Meta Tags: ○ Required: Optional ○ Format: Comma-separated keywords or phrases. ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (. , ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 3 characters ○ Maximum Length: 255 characters ○ No leading/trailing spaces or unnecessary commas. ● Meta Description: ○ Required: Optional ○ Format: Must be plain text — letters, numbers, spaces, and punctuation (no HTML tags or special characters like @, #, \$). ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (. , ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 50 characters ○ Maximum Length: 160 characters ○ No leading/trailing spaces. ● Other Helper Text ○ Required: Optional ○ Length: 0 – 200 words
--	--

	○ Allowed: Alphabets, numbers, spaces, basic punctuation (. , ! ? - _ , &) ○ Not Allowed: Special characters such as ` @ # \$ % ^ * ( ) < > { } [ ] / \     ○ Leading/trailing spaces are not allowed.     ● Description      ○ Required: No optional     ○ Length: 0 – 200 words     ○ Allowed: Alphabets, numbers, spaces, basic punctuation (. , ! ? - _ , &)     ○ Not Allowed: Special characters such as ` @ # \$ % ^ * () < > { } [] / \ ● Image ○ Required: Yes ○ Type: File upload (image). ○ Allowed formats: JPG/PNG. ○ Max file size: 5 MB ● Created On / Last Edited On ○ Created On: Auto-populated by system — not editable on Add form (only recorded). ○ Last Edited On: Auto-set on update. ● Status (Active/Inactive) ○ Default on creation: Inactive ○ Required: Yes (toggle). ○ Allowed values: Active, Inactive
Validations	● Category Name (internal code) ○ Error messages (UI): ■ If empty: “Name is required.” ■ If invalid chars: “Only letters, numbers, spaces, hyphens and underscores are allowed.” ■ If length exceeded: “Name cannot exceed 100 characters.” ■ If not unique: “A category with this name already exists.” ● Display Name ○ Error messages: ■ If empty: “Display Name is required.” ■ If length exceeded: “Display Name cannot exceed 100 characters.” ■ Additional: Consider uniqueness within the same brand. ● Text (Sub-heading) ○ Error messages: “Sub-heading cannot exceed 200 characters.” ● Sequence: ○ Error messages:

	■ If empty: "Sequence is required." ■ If non-numeric: "Sequence must be a number." ■ If out of range: "Sequence must be between 1 and 1000." ● Meta Title: ○ Minimum Length: 10 characters → "Meta Title must be at least 10 characters long." ○ Maximum Length: 60 characters → "Meta Title cannot exceed 60 characters." ● Meta Tags: ○ Minimum Length: 3 characters → "Meta Tags must contain at least one valid keyword." ○ Maximum Length: 255 characters → "Meta Tags cannot exceed 255 characters." ● Meta Description: ○ Minimum Length: 50 characters → "Meta Description must be at least 50 characters long." ○ Maximum Length: 160 characters → "Meta Description cannot exceed 160 characters." ● Other Helper Text ○ Error message: "Alert text cannot exceed 200 words." ● Description ○ Error message: "Description cannot exceed 200 words." ● Image ○ Error messages: ■ If not provided: "Please upload an image." ■ If wrong type: "Allowed file types: JPG/PNG." ■ If too large: "The image must be smaller than 5 MB." ■ If dimensions are too small: "Image dimensions are too small; minimum required is x*y px." ■ Preview thumbnail, show remove (x) icon prior to save and after save.
Frontend Links	 PVR INOX_Product Requirement Document

18. Trending Movies/ Events

18.1. USE CASE

Use Case No.	UC 18
Use Case Name	Trending Movies/ Events
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=9011-4631&t=aX41zcTpQdQtPqzn-1
Use Case Description	Allows the admin to add the trending movies/events on city basis, mark as spotlight and mark as non trending.

Primary Actor	Admin
Secondary Actor	Backend System Showbizz Integration
Triggering Event	The admin selects 'Trending Movies/Events' from the side navigation menu of the Admin Panel.
Pre-Condition	Admin is authenticated and has an active session.
Post Condition	Movies listing is displayed/updated; synced data from Showbizz is stored in Admin Panel and reflected on the frontend.
Basic Flow	<u>Trending Movies/Events Listing Page:</u> - UC 18.1.1. Admin opens Trending Movies/Events from the left navigation. - UC 18.1.2. A blank page is displayed initially with no data. - UC 18.1.3. The Trending Movies/Events Listing page (Trending Selected) consists of the following: - Two tabs: - Trending (Selected) - Non - Trending - Add Trending Button - Search Bar - Tabular View: - Serial No. - Apps (T) - Web (T) - Images (V) - Images (H) - Movie/Event ID - Movie/Event Original Name - Movie/Event Alias Name - Common Code - Type - City - Action - Edit Icon - Spotlight Icon - Delete Icon - UC 18.1.5. The Admin can search for movies using Movie/Event Name or Movie/Event ID. - UC 18.1.6. When the admin clicks on the Add Trending Button, a pop up appears. The pop up consists of the following: - Select Movie/Event (dropdown) - The admin can select the required movies/events and mark them as Trending, Spotlight, or both, based on the configuration needs. The system should display only

	master movie entries for a movie and not all entries for the same movie. ■ Single Select ○ Select City (dropdown) ■ Displays the full list of cities, along with search and select 'All' options, allowing the admin to choose where the movie/event should be marked as Trending, Spotlight, or both. ○ Mark as Spotlight (checkbox) ■ If checked, the cities selected in the above 'Select City' dropdown will be treated as Spotlight cities. ○ Submit Button ■ On click, the selected movie/event will be marked as Trending, Spotlight, or both for the chosen cities and are shown on the listing page of this module. ○ Cancel Button ■ On click, all inputs are discarded, no changes are saved, and the pop-up closes. ● UC 18.1.7. When the admin clicks the Edit Icon in the Action column, the Edit pop up appears. The pop up displays the following: ○ Selected Movie/Event (Non editable) ○ Select City (Dropdown) ■ Displays the cities where the movie/event is currently marked as Trending. The admin can add or remove cities to update the movie/event's status as Trending, Spotlight, or both. ○ Mark as Spotlight (checkbox) ■ If the admin unchecks this option, all cities selected in the 'Select City' dropdown will be removed from the Spotlight status. ■ If checked, the cities selected in the above 'Select City' dropdown will be treated as Spotlight cities. ○ Submit Button ■ On click, all cities selected/unselected by the admin will be updated or removed from Trending, Spotlight, or both, based on the chosen configuration above. ○ Cancel Button ■ On click, all inputs are discarded, no changes are saved, and the pop-up closes. ● UC 18.1.8. When the admin clicks the Spotlight icon for a movie/event that is trending but not yet marked as Spotlight, a confirmation pop-up appears. The pop-up asks the admin to confirm marking the selected movie/event as Spotlight and provides a dropdown listing only the cities where the movie/event is already marked as Trending. The admin can review or adjust the city selection before confirming. The same icon is
--	--

	clicked when the admin wants to remove the selected movie/event as spotlight. ○ The pop up consists of the following: ■ Case 1 - When the admin wants to mark it as Spotlight. ● Are you sure you want to mark the <Movie/event Name> as Spotlight? ● Choose cities to mark as Spotlight ○ Select City (Dropdown) ■ Displays the cities in the dropdown list, where the selected movie/event is already marked as trending but not spotlight. ● Submit Button ○ On click, all cities selected by the admin will be updated to Spotlight. ● Cancel Button ○ On click, all inputs are discarded, no changes are saved, and the pop-up closes. ■ Case 2 - When the admin wants to remove from Spotlight. ● Are you sure you want to remove this <Movie/event Name> from Spotlight? ● Choose cities to remove from Spotlight ○ Select City (dropdown) ■ Displays the list of cities from which the admin can select the cities where the movie/event should be removed from Spotlight. ○ Submit Button ■ On click, all cities selected by the admin will be removed from Spotlight. ○ Cancel Button ■ On click, all inputs are discarded, no changes are saved, and the pop-up closes.
--	--

- UC 18.1.9. When the admin clicks the Delete icon in the Action column, a confirmation pop-up appears. Upon confirming, the selected movie/event is removed from its assigned status—Trending, Spotlight, or both.
- UC 18.1.10. When the admin clicks the cities listed in the City column on the listing page, a pop-up appears showing the cities where the selected movie/event is marked as Trending and the cities where it is marked as Spotlight.

- UC 18.1.11. When the admin selects the Non-Trending tab on the listing page, the following parameters are displayed:
 - Two tabs:
 - Trending
 - Non - Trending (Selected)
 - Add Non - Trending Button
 - Search Bar
 - Tabular View:
 - Serial No.
 - Apps (T)
 - Web (T)
 - Images (V)
 - Images (H)
 - Movie/Event ID
 - Movie/Event Original Name
 - Movie/Event Alias Name
 - Common Code
 - Type
 - City
 - Action
 - Remove Non - Trending Icon
- UC 18.1.12. When the admin clicks on the Add Non Trending Icon on the listing page, a pop up appears. The pop up displays the following:
 - Select Movie/Event (dropdown)
 - The admin can select the required movies/events to mark as Non Trending.
 - Single Select
 - Select City (dropdown)
 - Displays the full list of cities, along with search and select 'All' options, allowing the admin to choose where the movie/event should be marked as Non-Trending.
 - Submit Button
 - On click, the selected movie/event will be marked as Non - Trending for the chosen cities and are shown on the listing page of this module.
 - Cancel Button
 - On click, all inputs are discarded, no changes are saved, and the pop-up closes.
- UC 18.1.13. When the admin clicks on the 'Remove Non-Trending' Icon, a pop appears. The pop up displays the following:
 - Are you sure you want to remove this <Movie/event Name> from Non-Trending?
 - Choose cities to remove from Spotlight
 - Select City (dropdown)

	○ Displays the list of cities from which the admin can select the cities where the movie/event should be removed from Non- Trending. ■ Submit Button ● On click, all cities selected by the admin will be removed from Spotlight. ■ Cancel Button ● On click, all inputs are discarded, no changes are saved, and the pop-up closes.
Exception Flow	● API error or timeout: show “Unable to load movies/events. Try again later.”
Business Rule	● The Select Movie/Event dropdown will display the master list of movies/events and will allow only single selection. It will list only those movies/events whose sessions are active, open, or open for advance booking. ○ Once all sessions for a movie/event have ended, it is automatically removed from the Trending Movies/Events module and on the frontend. ● Only one movie/event can be set as Spotlight for a given city at a time. ● If the admin assigns a movie as Spotlight for a city where another Spotlight movie already exists, the new selection will automatically override the previously assigned movie. ● When the admin clicks the cities listed in the City column on the listing page, a pop-up appears showing the cities where the selected movie/event is marked as Trending and the cities where it is marked as Spotlight. ● A movie marked as Non-Trending in one city can still be marked as Trending in other cities, depending on the admin’s configuration for the required cities. ● If the admin marks a movie/event as trending for a particular city, it will take the highest priority over personalisation and base logic. ● Admin can also mark multiple movies/events as trending. ● If two or more movies/events are marked trending by the admin, the sequencing will follow base movie sorting logic. ○ Movie Sorting Logic: ■ By default, movies are sorted according to the number of showtimes (as per Showbizz data) available in the city. ● Admin can also set a number of movies/events to be shown as Trending for PAN India via global configuration. ● Admin can mark a movie/event as non-trending for a particular city from the Admin Panel; it will not appear in the Trending carousel.

	• Admin can also set a movie to be displayed in the “In the spotlight” section for a particular city. • If the admin has not marked any movie to be displayed in the “In the spotlight” section for a particular city, the top-priority movie (as per base logic) will be displayed in the “In the spotlight” section. • Note: ○ If the admin marks a movie/event as trending but no showtimes are available in the selected city, that movie/event will not be displayed in the Trending carousel. • If a movie is currently marked as Non-Trending, the admin must first remove it from the Non-Trending status before marking it as Trending or Spotlight. ○ If an admin tries to mark a non-trending movie as trending, the system should notify them to remove the movie from the non-trending list first. • Movies appear in the Trending Movies/Events module based on their session status. Only the Now Showing movies are displayed in the Trending module, following the base logic that trending applies exclusively to movies/events with ongoing or future sessions. ○ Once all sessions for a movie have ended, it is automatically removed from the Trending Movies/Events module.
Validations	• When the admin attempts to mark a movie/event as Trending that is currently marked as Non-Trending. ○ Error Message: “This movie/event is currently marked as Non-Trending. Please remove it from the Non-Trending list before marking it as Trending.” • When the admin attempts to mark a movie/event as Non -Trending that is currently marked as Trending. ○ Error Message: “This movie/event is currently marked as Trending. Please remove it from the Trending list before marking it as Non-Trending.”
Frontend Links	PVR INOX_Product Requirement Document

19. Now Showing Sequence

19.1. USE CASE

Use Case No.	UC 19
Use Case Name	Now Showing Sequence

Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=9166-9067&t=aX41zcTpQdQtPqzn-1
Use Case Description	Allows the admin to configure and update the display sequence of 'Now Showing' movies on the frontend.
Primary Actor	Admin
Secondary Actor	Backend System Showbizz Integration
Triggering Event	The admin selects 'Now Showing Sequence' from the side navigation menu of the Admin Panel.
Pre-Condition	Admin is authenticated and has an active session.
Post Condition	Movies listing is displayed/updated; synced data from Showbizz is stored in Admin Panel and reflected on the frontend.
Basic Flow	<u>Now Showing Sequence Listing Page:</u> - UC 19.1.1. Admin opens 'Now Showing Sequence' from the left navigation. - UC 19.1.2. A blank page is displayed initially with no data. - UC 19.1.3. The Now Showing Sequence Listing page consists of the following: - Add Now Showing Sequence Button - Search Bar - Tabular View: - Serial No. - Apps (T) - Web (T) - Images (V) - Images (H) - Movie ID - Movie Original Name - Movie Alias Name - Common Code - City - Action - Edit Icon - Delete Icon - UC 19.1.5. The Admin can search for movies using Movie Name or Movie ID. - UC 19.1.6. When the admin clicks on the Add Now Showing Sequence Button, a pop up appears. The pop up consists of the following: - Select Movie (dropdown) - The admin can select the movies for which the sequence needs to be updated. - Single Select - Select City (dropdown)

	■ Displays the full list of cities, along with search and 'Select All' options, allowing the admin to choose the cities where the movie sequence should be updated. ○ Submit Button ■ On click, the selected movie sequence will be updated and reflected on the frontend. ○ Cancel Button ■ On click, all inputs are discarded, no changes are saved, and the pop-up closes. ● UC 19.1.7. When the admin clicks the Edit Icon in the Action column, the Edit pop up appears. The pop up displays the following: ○ Selected Movie (Non editable) ○ Select City (Dropdown) ■ Displays the cities where the movie sequence is currently configured. The admin can add or remove cities to update the sequence as needed. ○ Submit Button ■ On click, all cities selected or unselected by the admin will be added to or removed from the movie's sequence configuration, based on the selections made above. ○ Cancel Button ■ On click, all inputs are discarded, no changes are saved, and the pop-up closes. ● UC 19.1.8. When the admin clicks the Delete icon in the Action column, a confirmation pop-up appears. Upon confirmation, the selected movie is removed from the listing page, and the frontend will display movies based on the default Now Showing logic.
Exception Flow	● API error or timeout: show "Unable to load movies/events. Try again later."
Business Rules	● The Select Movie dropdown will display the master list of movies and will allow only single selection. It will list only those movies whose sessions are active, open, or open for advance booking. ○ Once all sessions for a movie have ended, it is automatically removed from the Now Showing Movies module and on the frontend. ● Admin can mark a movie to be shown on top priority (city wise) in the Now Showing movie section. ● Admin can mark more than one movie to be shown on top priority.. ○ In such cases, sorting will be based on the default logic along with the descending total number of showtimes (as per ShowBizz data). ○ Movie Sorting Logic:

	■ By default, movies are sorted according to the number of showtimes (as per ShowBiz data) available in the city. ■ No priority is given to “New Release” & “Releasing on Friday” movies (Hollywood/Indian). ● Note: Movies with no showtimes available in the selected city will not be displayed in the Now Showing list, even if they are marked as top priority. ● No trending logic to be introduced in this section for listing movies.
Frontend Links	PVR INOX_Product Requirement Document

20. Events Management

20.1. USE CASE

Use Case No.	UC 20
Use Case Name	Events Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-40237&t=jslIJPzPy1TlgZIG-1
Use Case Description	Allows the admin to view all events fetched from Showbizz. The admin can view details, edit information, upload common images, and sync events from Showbizz as needed.
Primary Actor	Admin
Secondary Actor	Backend System Showbizz/ TMDB API integrations
Triggering Event	● Admin navigates to: ○ Admin Panel → Events Management
Pre-Condition	● Admin is authenticated and has an active session.
Post Condition	● Events listing is displayed/updated; synced data from Showbizz and TMDB is stored in Admin Panel and reflected on the frontend.
Basic Flow	<u>Events Management - Listing Page</u> ● UC 20.1.1. Admin navigates to the Events Management. ● UC 20.1.2. The Events Management Listing Page consists of the following: ○ Tabs: ■ Now Showing ■ Coming Soon ○ Search Bar ○ Export CSV ○ Sync Events button (along with last synced date + time) ○ Tabular View: ■ Serial No.

	■ Images (V) ■ Images (H) ■ Event ID ■ Event Name ■ Common Code ■ Event Start Date (along with sort) ■ Event End Date (along with sort) ■ Trailers (yes/no) ■ Languages ■ Action ● View Icon ● Edit Icon ● Upload Common Image Icon ● UC 20.1.3. The Admin can search for events using Event Name, Common Code, or Event ID. ● UC 20.1.4. Additionally, the Admin can use the Filter option to refine the event list based on: Event Date (From–To), Images (Yes/No), Common Code (Yes/No), Trailers (Yes/No) and Languages. ● UC 20.1.5. The admin can redirect to the details page of the selected event by clicking the View Icon in the action column. ● UC 20.1.6. The admin will redirect to the edit event details page when clicked on the edit icon. ● UC 20.1.7. When the admin clicks on the upload image icon in the Action column, a pop up appears using which the admin can upload the common image for the event. ● UC 20.1.8. When the admin clicks the Now Showing – Top Priority icon, a confirmation popup appears asking whether they want to set the selected event as top priority. ○ Confirm Button ■ On click, all top-priority movies are displayed at the top of the Now Showing listing and are visually highlighted using a distinct color code. ○ Cancel button ■ On click, the popup closes and the admin stays on the listing page. <u>Events Details Page:</u> ● UC 20.2.1. The event details page consists of the following attributes: ○ Basic information ■ Event Code ● Unique code assigned to the event in the system. ■ Event Name ● Official title/name of the event . ■ Master Code
--	--

	● Internal master reference code for the event. ■ Alias Name ● Alternate or short name of the event. ○ Event Details: ■ Format ● Primary format of the event (e.g., 2D, 3D, IMAX). ■ Secondary Format ● Additional format if applicable (e.g., 4DX, IMAX 3D). ■ Event Length (in minutes) ● Duration of the event in minutes. ■ Artists ● Names of lead actors and actresses. ■ Age Restrictions ● Displays whether the event is age restricted, i.e., 18+. ■ Event Category ● Displays the category of the event. Fetched from Showbizz. ■ Event Start and End Date ● Displays the start and end of the event. ■ Event ID ● The system-generated ID of the event. ■ Event Status ● Displays the event's label (e.g., Live). ■ Common Code ● A unique reference code for the event used across systems. ■ Languages ● Languages in which the event is available. ■ Last Sync (Date + Time) ● Displays the last date and time of the synchronisation from Showbizz. ○ SEO & Meta Details: ■ Meta Title ● Specifies the title of the event page that appears in search engine results and browser tabs. ■ Meta Tags ● Defines a set of keywords or phrases related to the event , used by search engines to understand the page content and improve discoverability. ■ OG Title ● Specifies the title of the event used when the page is shared on social media platforms via Open Graph (OG) protocol.
--	---

	■ OG Tags ● Represents Open Graph metadata tags that help control how the event page is displayed on social media platforms. ■ Meta Tags Description ● Provides a brief summary of the event's content that appears below the title in search engine results. ■ OG Tags Description ● Defines the description text shown when the event page is shared on social media platforms. It gives context about the movie to users viewing the shared link. ○ Event Data Provider Information: ■ Event Description ● Description related to the event. Sourced from Showbizz. ■ Artists ● Displays images of the event where the actor or actress were a part of the cast. Primary source will be Showbizz and the secondary source is TMDB. ■ Posters/Backdrops (By Admin) ● Displays the backdrops/posters of the event uploaded by the admin. ○ Other Information ■ FAQs ● Displays the frequently asked questions related to the selected event. ■ Important Points ● Displays the important information related to the event. ■ Terms and Conditions ● Displays the terms and conditions related to the selected event. ■ Age Restriction Message ● Displays the description related to the age restriction related to the event. ○ Media Assets: ■ Campaigning Videos 1 ■ Campaigning Videos 2 ■ Campaigning Videos 3 ■ Campaigning Videos 4 ● Displays the trailer URLs associated with movies. Maximum four trailers. ■ Common Image/GIF Vertical
--	--

	• Displays the uploaded image or GIF related to the movie for the movies listing page on the frontend. ■ Common Image/GIF Horizontal • Displays the uploaded image or GIF related to the movie for the movie details page on the frontend. <u>Artist Information Details:</u> • UC 20.3.1. When the admin clicks on a specific artist from the event details page, they are redirected to the Artist Details page, where all the information related to the selected artist is displayed. • UC 20.3.2. The Artist details page displays the following information which are also shown on the frontend to the customers. ○ Name ○ Gender ○ Date of Birth ○ Known For (e.g. Singer) ○ Social Media Handles ○ Biography ○ Known for (Displays the event posters featuring the selected artist member.) ○ Photos (Displays the photos of the selected artist member) <u>Event Edit Page:</u> • UC 20.4.1. The event edit page consists of the following editable fields: ○ SEO & Meta Tags ■ Meta Title ■ Meta Tag ■ Meta Description ■ OG Title ■ OG Tag ■ OG Description ○ Event Data Provider ■ Artists • The artist information is primarily fetched from Showbizz. • When the admin clicks on a specific artist from the Edit Event page, they are redirected to a page where the admin will be shown the results which are being fetched from TMDB related to the selected artists. • On selecting the desired results, the admin will redirect to a page where the assets of the artists
--	---

	are shown and whatever the admin selects will be shown on the frontend for that artist. • After importing, the admin can click Submit, and the updated artist details will be displayed on the frontend for customers. ■ Add Backdrops/Posters (By Admin) ○ On click, a popup appears allowing the admin to upload one or multiple posters of the selected event. Once saved, the uploaded posters are displayed on the event edit page, each with a cross icon that allows the admin to remove a poster if needed. ○ Other Information ■ FAQs ■ Important Information ■ Terms & Conditions ■ Age Restriction Message ■ Instructions to Follow ○ Media Assets ■ Campaigning Videos ■ Vertical Image ■ Horizontal Image ■ Apps (T) ■ Web (T) ■ Update button ■ Cancel button ○ Update Button ■ On click, the changes will be saved and reflected on the frontend. ○ Cancel Button ■ On click, the unsaved changes are discarded and redirects the admin to the listing page. <u>Export CSV:</u> • UC 20.5.1. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email. ○ The CSV file will consists of the following: ■ Basic Information • Event Code • Event Name • Master Code
--	---

	• Alias Name ■ Event Details • Primary Format • Secondary Format • Event Length (in mins) • Artist • Age Restriction • Event Category • Event Start Date • Event End Date • Event ID • Event Status • Common Code • Languages • Last Sync (date + time) ■ SEO & Meta Tags • Meta Title • Meta Tags • OG Title • OG Tags • Meta Description • OG Description ■ Media Assets • Campaigning Videos • Image (V) • Image (H) • Apps (T) • Web (T)
Alternate Flow	• UCA 20.1.1. No records: show “No events found” • UCA 20.1.2. Admin uploads unsupported image format → show inline validation and prevent save.
Exception Flow	• UCE 20.1.1. API error or timeout: show “Unable to load events. Try again later.”
Business Rules	• The events are fetched from Showbizz and categorized into different event types. Each event type is displayed under its respective section within the Events Management module — such as Sport Events, Live Performances, Live Music Screenings, and Stand-Up Comedy. • The listing page can be sorted based on the event start and end date, allowing admin to view records in order of their start and end date— either newest to oldest or oldest to newest. • The admin can view up to 25 records per page on the listing screen. • If the artist's information is available on TMDB, then only the admin can populate the assets for the artist for the selected event.

	● When the admin hovers over the Event Name field on the listing page, the full event name will be displayed in a tooltip. ● The admin can upload common images or GIFs for an event that shares the same common code. ● If no image is uploaded for an event, the placeholder images will be shown on the frontend. ● The admin can upload the common images for an event which will be shown on the listing page and the trending images are shown on the trending section of the apps/M-site/website. ● Up to 4 campaigning videos can be added (manually). Hosted on YouTube but played natively within the app without redirection. ● Filters on the listing page: ○ Event Start & End Date ■ Fields: Select Start and End Date ■ Filters movies within a specific release date range. ■ End date must be greater than or equal to start date. ■ Example: If “Start Date = 01 Oct 2025” and “End Date = 31 Oct 2025,” only movies releasing in October 2025 will appear. ○ Images ■ Options: Yes / No ■ Filters events based on whether common images have been uploaded. ■ Yes: When both Horizontal and Vertical images are uploaded successfully. ■ No: If either one (Horizontal or Vertical) image is missing, the movie will be considered as No. ○ Common Code ■ Options: Yes / No ■ Filters based on whether a Common Code is assigned to the event. ■ Yes: Events mapped with a valid Common Code. ■ No: Events without a Common Code. ○ Campaigning Videos ■ Options: Yes / No ■ Filters events depending on the availability of campaigning videos links. ■ Yes: Events with at least one campaigning video added. ■ No: Events without campaigning video. ○ Languages ■ Dropdown list showing all available languages (e.g., Hindi, English, Tamil, Telugu). ■ Allows the admin to filter Events based on one or multiple selected languages. ○ Apply Button:
--	---

	■ Once the admin selects filter options, clicking Apply will refresh the movie list based on the chosen criteria. ○ Reset Button: ■ Clears all selected filters and resets the list to show all movies again. ● Meta Title: ○ Required: Field cannot be left empty. ○ Length: Minimum 3, Maximum 120 characters. ○ Allowed: Alphabets, numbers, spaces, basic punctuation (. , ! ? - _). ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ● Meta Tags ○ Required: Optional ○ Length: 3 - 100 characters. ○ Allowed: Alphabets, numbers, commas, spaces. ○ Not Allowed: HTML tags, special characters (@ # \$ % ^ & * < >). ● Meta Tags Description ○ Required: Field cannot be left empty. ○ Length: Between 10 and 120 characters. ○ Allowed: Alphabets, numbers, punctuation (. , ! ? - _). ○ Not Allowed: HTML tags or URLs. ● OG Title / OG Tags / OG Description ○ Same rules as Meta fields. ○ Error Messages: Mirror those above but prefix with “OG”. ● Event Description ○ Required: Field cannot be left empty. ■ Length: Minimum 10, Maximum 500 characters. ○ Allowed: Text only (letters, numbers, punctuation). ○ Not Allowed: HTML or URLs. ● Campaigning Video ○ Required: Optional ○ Format: Valid YouTube link ● Common Image or GIF V (Vertical) / Common Image or GIF H (Horizontal) ○ Required: At least one image or GIF must be uploaded. ○ Allowed Formats: .jpg/.png/.gif
Validations	● Meta Title: ○ Error Messages: ■ Empty → “Meta title is required.” ■ Exceeds limit → “Meta title cannot exceed 120 characters.” ■ Invalid → “Meta title contains unsupported characters.” ● Meta Tags

	○ Error Message: “Meta tags contain invalid characters.” ● Meta Tags Description ○ Error Messages: ■ Empty → “Meta description is required.” ■ Exceeds 160 → “Meta description cannot exceed 160 characters.” ● OG Title / OG Tags / OG Description ○ Error Messages: Mirror those Meta title/Meta Tags/Meta Description but prefix with “OG”. ● Event Description ○ Error Messages: ■ Empty → “Event Description is required.” ■ Exceeds limit → “Event Description cannot exceed 500 characters.” ● Campaigning Video ○ Error Messages: ■ Empty → “Please enter a campaigning video link” ■ Invalid URL → “Please enter a valid YouTube URL.” ● Common Image or GIF V (Vertical) / Common Image or GIF H (Horizontal) ○ Error Messages: ■ Empty → “Please upload movie images.” ● Invalid format → “Only JPG/PNG/GIF files are allowed.” ● Oversized → “File size must not exceed 5 MB.”
Frontend Links	 PVR INOX_Product Requirement Document

21. Global Maintenance

21.1. USE CASE

Use Case No.	UC 21
Use Case Name	Global Maintenance
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=6687-54224&t=0WG5P5fNfXBG4ZrQ-1
Use Case Description	Allows an admin to enable/disable a global maintenance mode and publish a Maintenance Message to one or more platforms (Website, M-Site, iOS, Android). When enabled for a platform, customers see a maintenance page containing the configured message.
Primary Actor	Admin
Secondary Actor	System Backend Frontends (Website, M-Site, iOS, Android)

Triggering Event	Admin navigates to Global Maintenance from the left navigation and decides to enable/disable maintenance for one or more platforms.
Pre-Condition	- Admin is authenticated and has an active session. - Frontends are integrated to read the maintenance message per platform.
Post Condition	- Success: - Selected platforms immediately reflect maintenance state and message. - Failure: - No change is applied and the admin remains on the screen with an error shown.
Basic Flow	- UC 21.1.1. Admin opens Global Maintenance. The screen shows: - Maintenance Mode toggle (Off/On). - Maintenance Message (text editor with live word counter) - Select Brand: Select All, PVR, INOX (checkboxes) - Affected Platforms: Select All, Website, M-Site, iOS, Android (checkboxes). - Submit button - Cancel button - UC 21.1.2. Admin turns Maintenance Mode = On. - UC 21.1.3. Admin types the Maintenance Message (e.g., planned downtime window, contact info). - UC 21.1.4. Admin selects one or more Platforms (or Select All). - UC 21.1.5. Admin clicks the Submit button. - UC 21.1.6. When the admin clicks Submit, the system checks all inputs, saves the settings, updates them across all platforms. - Frontends for selected platforms start showing a maintenance page with the configured message.
Alternate Flow	- UCA 21.1.1. With maintenance already On, Admin edits the message and clicks Submit → system updates and propagates without toggling Off/On again. - UCA 21.1.2. Admin unchecks specific platforms (leaving others checked) and Submit → only those platforms exit maintenance. - UCA 21.1.3. Ticking 'Select All' selects every platform; unticking it clears all selections. - UCA 21.1.4. Admin clicks Cancel → unsaved changes are discarded; last saved state remains active.
Exception Flow	- UCE 21.1.1. Validation failure: - Required inputs missing (e.g., no platform selected while turning On) → inline error; no changes saved. - UCE 21.1.2. Backend/save error:

	○ If saving fails due to a network or database error, an error message appears → “Unable to save. Please try again.”; keep form state so the admin can retry.
Business Rules	● Maintenance applies only to the platforms checked at save time; platforms can be independently toggled. ○ Changes take effect immediately upon successful save/propagation. ● Maintenance Message (text area) ○ Required ○ Minimum Length: 10 characters ○ Maximum Length: 500 characters ○ Allowed: Only letters, numbers, spaces allowed. Special characters like @ # \$ % are also allowed. ○ Leading/trailing spaces are not allowed. ● Maintenance Toggle (On/Off) ○ When On: ■ The maintenance page is shown on the frontend on the selected platform. ○ When Off: ■ The maintenance page does not appear on the frontend.
Validations	● Maintenance Message (text area) ○ Minimum length: 10 characters recommended → “Description should be at least 10 characters for clarity.” ○ Maximum length: 500 characters → “Description cannot exceed 500 characters.” ● Toggle On requires selections: ○ If Maintenance Mode = On, at least one platform must be selected → “Please select at least one platform.” ● Message required when On: ○ If turning On, Maintenance Message is mandatory → “Please enter a maintenance message.” ● Non-empty content: ○ Reject messages that are only whitespace or disallowed markup → “Please enter valid text.” ● Submit state: ○ Submit disabled until all validations pass; show inline errors under fields. ● Confirm turn-off (optional): ○ When switching Off for any platform(s), optionally show a confirmation modal → “Turn off maintenance for the selected platforms?”

Frontend Links	 PVR INOX_Product Requirement Document
----------------	---

22. Nudge Management

22.1. USE CASE

Use Case No.	UC 22
Use Case Name	Global Maintenance
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=2212-3244&t=d3aiB7ifs3WblU22-1
Use Case Description	Admins can view, search, filter, edit, and activate/deactivate nudges shown to users in the app. Each nudge has a name and a “Reappear After (in days)” cadence that drives how often the nudge can resurface to the user.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin navigates to Nudge Management in the left navigation of the Admin Panel.
Pre-Condition	- Admin is authenticated and authorized. - Nudges exist in the system.
Post Condition	- Nudge metadata (name, reappear after, status) is saved and reflected in the list. - Status changes (Active/Inactive) are applied and available on the frontend.
Basic Flow	- UC 22.1.1. Admin opens Nudge Management (Listing). - UC 22.1.2. System displays a table with columns: - Search Bar - Filter Icon - Serial No. - Nudge Name - Reappear After (in days) - Status - Action - Edit - Active/Inactive - UC 22.1.3. The admin can search the nudge using the Nudge Name. - UC 22.1.4. The admin can filter the Nudge Management listing page using the Status (Active/Inactive) filter. - UC 22.1.5. The admin redirects to the edit nudge screen when clicked on the Edit Icon in the action column. - UC 22.1.6. The admin can activate or deactivate a selected nudge using the toggle in the Action column. When the toggle is clicked, a

	confirmation popup appears, and upon confirmation, the nudge is either displayed on or removed from the frontend accordingly. <u>Edit Nudge Page:</u> ● UC 22.2.1. The Edit Nudge Listing Page consists of the following: ○ Nudge Name (Pre exists in the system and is non-editable) ○ Reappear After (in days) (editable) ○ Update Button ○ Cancel Button
Alternate Flow	● UCA 22.1.1. With maintenance already On, Admin edits the message and clicks Submit → system updates and propagates without toggling Off/On again. ● UCA 22.1.2. Admin unchecks specific platforms (leaving others checked) and Submit → only those platforms exit maintenance. ● UCA 22.1.3. Ticking ‘Select All’ selects every platform; unticking it clears all selections. ● UCA 22.1.4. Admin clicks Cancel → unsaved changes are discarded; last saved state remains active.
Exception Flow	● Validation failure: ○ Required inputs missing (e.g., no platform selected while turning On) → inline error; no changes saved. ● Backend/save error: ○ If saving fails due to a network or database error, an error message appears → “Unable to save. Please try again.”; keep form state so the admin can retry.
Business Rules	● All existing nudges in the system are displayed on the listing page. ● “Reappear After (in days)” defines the minimum interval before the same user can see that nudge again on the frontend. ● Reappear After (in days) ○ Required. ○ Integer only. ○ No leading zeros (system normalizes). ○ Reject decimals, negatives, or non-numeric input. ● Only Active nudges are eligible for delivery; Inactive nudges does not appear on the frontend. ● Search & Filters: ○ Search text: 0–60 characters ○ Trims spaces ○ Case - insensitive ○ No predictive and suggestive search

Validations	- Required → “Please enter the number of days after which the nudge should reappear.” - Integer only (no decimals or non-numeric) → “Reappear After must be a valid whole number.”
Frontend Links	Complete Profile:  PVR INOX_Product Requirement Document Location Permission:  PVR INOX_Product Requirement Document Now Showing Movies Details:  PVR INOX_Product Requirement Document

23. Booking Management - Reports

23.1. USE CASE

Use Case No.	UC 23
Use Case Name	Booking Management
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=9679-10078&t=ZJsysukoSaJnZDtb-1
Use Case Description	Allows the admin to search, filter and view detailed information for all bookings created across all platforms (e.g. Website, iOS,Android, M-site) & DTM sources.
Primary Actor	Admin
Secondary Actor	Backend System Payment Gateway (Razorpay)
Triggering Event	Admin navigates to Booking Management from the Admin Panel sidebar under the Reports Module.
Pre-Condition	- Booking data exists in the system. - Payment and booking data has been synced into the database.
Post Condition	- Admin is able to view filtered or searched booking records. - Admin can access a detailed view of any booking. - Export functionality (CSV) exports the filtered dataset where applicable.
Basic Flow	- UC 23.1.1. Admin opens the Booking Management module. - UC 23.1.2. The Booking Management listing page consists of the following: - Serial Number - Track ID - Order ID - Booking ID

	○ Customer Name ○ Phone Number ○ Movie/Event Original Name ○ Movie/Event Alias Name ○ Movie/Event ID ○ Language ○ Booking Type ○ Theatre ○ Booking Date ○ Show Time ○ Seat Count ○ Food Count - on click, a popup appear showing all the food items ○ Total Ticket Price ○ Total Food Price ○ Payment Gateway ○ Pay Mode ○ App/Browser Version ○ Final Price ○ Booking Status ○ Action ■ View ● On click, the admin redirects to the booking details page of the selected booking. ● UC 23.1.3. Admin selects a Search Type (Booking ID, Phone Number, Email). ○ When Track ID is selected: ■ The admin can enter the Track ID and click Search. ■ The system performs an exact match search. ■ In case when the Track ID is selected, only the Booking Date Range and DTM Source will be shown in the additional filter pop up. ○ When Phone Number or Email is selected: ■ All the filter options in the filter pop up will be shown to the admin. ■ The admin may open the Filter pop up to apply additional filter combinations. ● UC 23.1.4. The admin can enter the keyword and click Search to retrieve results. ○ After the admin submits the search, the system fetches results based on the selected Search Type and applied filters (if any). ○ Matching records are displayed in the listing table. <u>Filter Options:</u>
--	---

- UC 23.2.1. When the admin selects either Phone Number or Email option, then the additional filter options are enabled.
- UC 23.2.2. The additional filter options consists of the following:
 - Booking Status
 - Booked
 - Cancelled
 - Initialized
 - Cancel Complete
 - Bad Transaction
 - User Cancelled
 - Booking Date Range
 - From and To (by default current date will be selected on both)
 - Platform
 - Website
 - iOS
 - Android
 - M-Site
 - WhatsApp Chatbot
 - Booking type
 - Booking
 - Food
 - DTM Source
 - POS
 - Cinema
 - Chatbot
 - Google
 - Food Type
 - Normal
 - Add Food
 - On Seat
 - Only Food
 - City
 - Displays the list of all the cities.
 - Theatre
 - Displays the list of all theatres.
 - Brand
 - PVR
 - INOX
 - Reset Button
 - Upon clicking, all applied filters will be removed, enabling the admin to reconfigure the filters as required.
 - Apply Button

	■ Upon clicking, the selected filters are executed, and the listing page is updated with the filtered results. <u>Details Page:</u> ● UC 23.3.1. Upon clicking the View icon in the Action column for the selected booking, the admin is navigated to the Booking Details page. ● UC 23.3.2. The Booking Details Page consist of the following: ○ Booking Information ■ Track ID ● An unique identifier generated at the start of every transaction attempt, regardless of outcome. ● Created before payment is initiated. ● Exists for all states: Initialized, Booked, Cancelled, Bad Transaction. ■ Order ID ● A system-generated unique identifier created when the user proceeds with booking on PVR/INOX platforms. ● Present for both successful and failed bookings. ● Used to track orders at the platform level and match them with payment gateway records. ■ Booking ID ● An unique identifier generated by ShowBizz only when a booking is successfully completed. ● Not generated for Initialized, Cancelled, or Bad Transactions. ● Used for seat confirmation and post-booking actions (cancellation/refund). ■ Booking Type ● Specifies whether the booking is for: ○ Booking → Movie ticket booking + Food ○ Food → F&B order only (without movie seats) ■ DTM Source ● Indicates the origin channel from where the user entered the booking flow. Examples: ○ Google ○ Cinema ○ POS ○ Chatbot ■ Platform ● The platform where the booking was completed: ○ Website ○ Android App
--	--

	○ iOS App ○ M-Site ○ WhatsApp Chatbot ■ App/Browser Version ● Version of the apps (iOS/Android) or browser (in case of M-Site & website) used for the booking. ○ In the case of Website and M-Site platforms, the browser name will also be displayed. ■ Booking Status ● The current booking state: ○ Booked – Successful booking ○ Cancelled – User abandoned the flow after selecting seats/F&B ○ Cancel Complete – Booking was cancelled successfully after completion ○ Initialized – Only initial steps completed; no payment ○ Bad Transaction – Payment successful but booking not created in ShowBizz ■ Request ID ● An ID generated at the beginning of the transaction, before payment. ■ Booking Start Date and Time ● Displays the date and time when the customer selects seats and proceeds to the checkout screen. ■ Commit Date and Time ● Displays the date and time when the payment transaction is committed/confirmed by the payment gateway and acknowledged by Showbizz. ■ Booking Date ● The date and time on which the booking was created by the customer (not the movie show date) ■ Generic QR/Cinema Specific QR ● Displays either the Generic QR or Cinema Specific QR, using which the customer has begun their booking journey. ○ UTM Parameters ■ Source ■ Medium ■ Campaign Name
--	--

	■ These parameters will be passed through the URL. If the URL contains these parameters, they will be displayed on the Booking Details page; otherwise, they will remain hidden. ○ Customer Information ■ Customer Name ● The name of the user making the booking (from Customer Profile or Guest Checkout). ■ Phone Number ● Customer's registered mobile number used for authentication and communication. ■ Email ● Customer's email address used for booking confirmation, invoices, and communication. ■ IP Address ● The IP address captured at the time of booking to identify the network source. ■ Geolocation ● The geographic coordinates (Lat-Long) captured at the time of booking to identify the customer's approximate physical location. ○ Movie & Theatre Details ■ Movie Name ● Title of the movie selected for booking. ■ Movie ID ● Unique identifier of the movie from ShowBizz. ■ Master Code ● Displays the master code of the movie/event. ■ Language ● The language in which the movie is booked (e.g., English, Hindi, Tamil). ■ Show Time ● The date and time of the scheduled movie show. ■ Theatre Name ● Name of the cinema complex where the show is scheduled. ■ Theatre ID ● Unique identifier of the theatre and fetched from Showbizz. ■ City ● Specifies the city where the cinema is located. ■ Country ● Specifies the country where the cinema is located. ■ Audi ● Specific auditorium (screen) in the theatre.
--	--

	■ Screen ID ● System identifier for the particular audi/screen. ■ Experience ● Special experience format of the show. ■ Format ● Display format used for the movie show. ■ Brand ● Indicates the circuit brand: ○ PVR ○ INOX ■ E- Ticket URL ● Displays the URL shared with the customer as the e-ticket after the booking is successfully confirmed. ■ Ticket Generated QR ● Displays the URL of the QR generated on the E-Ticket. ○ Seat Details ■ Seats ● Seat numbers selected by the customer, displayed as a comma-separated list (e.g., A12, A13, A14). ■ Seat Count ● Total number of seats booked. ■ Class ● Ticket category the seats belong to, such as: ○ Classic ○ Prime ○ Recliner ○ Gold ○ Director's Cut ○ Pricing Breakdown ■ Ticket Price (per seat) ● Base ticket amount per seat (without surcharges or convenience fee). ■ Total Ticket Price ● Total base ticket amount: Seat Count × Ticket Price. ■ Surcharge Amount ● Additional charge applicable in case of Passport benefits. Sourced from Showbizz. ■ Convenience Fee ● Platform convenience charge applied per transaction. Sourced from Showbizz. ■ Convenience GST
--	---

	● GST charged on the convenience fee. Sourced from Showbizz. ■ Donation ● Optional donation amount added by the customer. ■ Final Price ● Total amount paid by the customer, including: Ticket Price + Surcharge + Convenience Fee + GST + Donation ■ GST Invoice URL ● The URL shared with the customer as the GST Invoice after the booking is successfully confirmed. ○ Payment Details ■ Payment Gateway Details for each transaction attempts ● Payment Gateway ID ○ A unique identifier generated for each payment attempt. ○ Helps track multiple payment retries for the same booking. ● Request ○ The JSON request sent from your system to the payment gateway. On click, a pop up appears displaying the complete JSON object. ● Response ○ The JSON response received from the payment gateway. On click, a pop up appears displaying the complete JSON object. ● Payment Gateway ○ The PG service that processed the transaction (e.g. Razorpay) ● Pay Mode ○ The actual payment method used for the final transaction.Examples: ■ UPI ■ Credit Card ■ Debit Card ■ Net Banking ● Amount ○ The monetary value attempted in that transaction. ● Status ○ Final outcome of that specific attempt.
--	--

	■ Success – Payment was approved. ■ Failed – Payment was rejected or encountered an error. ■ Pending – Awaiting confirmation. ■ Cancelled – User backed out mid-payment. ○ Invoice & Accounting ■ Invoice Number ● Invoice ID generated by ShowBizz for each booked ticket or F&B item. ● A booking may contain multiple invoice numbers. ■ SAP Code ● The financial code linked to theatre or revenue head used for SAP reconciliation and reporting. ● Admin Controlled ■ Credit Note ● A Credit Note will be fetched from Showbizz in case of cancelled bookings, and a Cancel Invoice Number will be shown for cancelled orders. ■ Cancel Invoice Number ● The invoice number associated with the cancellation transaction for a booked ticket. ○ Showbizz Status ■ Displays the payment gateway information passed to Showbizz. ● PG Type ○ The payment gateway type/identifier used for the final confirmed transaction. (e.g. Razorpay) ○ Used for reconciliation. ● Card Type ○ The card brand used in the confirmed transaction (e.g., Visa, Mastercard). ● Paymode ○ The final mode recognized by Showbizz (e.g., Credit Card, Debit Card, UPI). <u>Export CSV:</u> ● UC 23.4.1. When the admin clicks the “Export CSV” button, a popup appears displaying all parameters available on the booking details page. The system generates a CSV file with the selected parameters, filtered according to the applied criteria. The CSV file will be sent to the admin's email. The following will be fetched in the CSV file: ○ Booking Information
--	--

	■ Track ID ■ Order ID ■ Booking ID ■ Booking Type ■ Booking Time ■ DTM Source ■ Platform ■ App/Browser Version ■ Booking Status ■ Payment Status ■ Request ID ■ Booking Start Date and Time ■ Commit Date and Time ○ Customer Information ■ Customer Name ■ Phone Number ■ Email ■ IP Address ■ Geolocation ○ Movie & Theatre Details ■ Movie Name ■ Movie ID ■ Master Code ■ Language ■ Show Time ■ Theatre Name ■ Theatre ID ■ City ■ Country ■ Audi ■ Screen ID ■ Experience ■ Format ■ Brand ■ E-Ticket URL ■ Ticket Generated QR ○ Seat Details ■ Seats ■ Seat Count ■ Class ○ Food Details ■ Food ID ■ Food Items ■ Quantity ■ Amount
--	---

	○ Pricing Breakdown ■ Ticket Price (per seat) ■ Total Ticket Price ■ Surcharge Amount ■ Convenience Fee ■ Convenience GST ■ Donation ■ Final Price ○ Payment Details ■ Payment Gateway Details for every transaction ● PG ID ■ Pay Mode ■ Payment Gateway ■ Status ○ Invoice & Accounting ■ Invoice Number ■ SAP Code ■ Credit Note ■ Cancel Invoice Number ○ Showbizz Status ■ PG Type ■ Card Type ■ Paymode
Exception Flow	● Search or filter returns zero results → System displays an empty state message: “No bookings found for the selected criteria.” ● System fails to load bookings due to server error → System displays: “Unable to fetch booking data. Please try again later.”
Business Rules	● Search Types are limited to Booking ID, Phone Number, Email. ● Booking Status only reflects real booking flow statuses: ○ Booked: ■ The booking was successfully completed by the customer. ○ Cancelled: ■ The customer started the booking and added the food items in the cart, but did not complete the payment. ○ Cancel Complete: ■ The booking was successfully created earlier, but later the customer chose to cancel it. It's a confirmed booking and cancelled by the user. ○ Bad Transaction: ■ The customer completed the payment, but the booking did not appear in Showbizz. ○ Initialized:

	■ The booking process has started, but no payment action has been taken yet. ○ User Cancelled ■ The customer cancelled the booking during the booking or payment process before the transaction was completed. ● Payment Statuses: ○ Initialized ■ This status is assigned when the customer begins the payment process. At this stage, the Order ID is created, the payment request is triggered to Showbizz, and the Track ID is generated. No payment has been made yet, and no booking is confirmed. The system is simply waiting for the customer to complete the payment through the selected payment method. ○ Paid ■ This status indicates that the payment has been successfully completed and confirmed by the payment gateway. After receiving a successful callback, the system validates the transaction using the Track ID, Showbizz confirms the booking, and the Booking ID is generated. Once marked as “Paid,” the booking becomes confirmed and is visible in the customer’s booking history. ○ Rolledback/Refunded ■ This status is used when the payment amount is reversed and returned to the customer. It occurs in cases where the customer cancels the order, Showbizz fails to confirm the booking after payment, or the payment gateway captures the amount but does not finalize the transaction. Once refunded, the order is closed, no booking is created, and the amount is returned to the original payment method. ○ Pending ■ This status is assigned when the payment gateway has not yet provided a final success or failure response. It usually happens when the customer switches apps, kills the PVR app, experiences network issues, or the payment gateway takes additional time to confirm the transaction. No booking is created in this state. The system continues to check for updates using the Track ID until the payment resolves into a final status such as Paid or Rolledback. ○ Partial Paid ■ This status is used when the customer pays using multiple payment methods, but only one part of the total amount has been successfully collected so far.
--	---

	● Payment Gateway - Request and Response for each attempt against that transaction. In the Payment Details section on the details page, the system will display both the payment method's Request and Response as JSON objects along with the payment gateway ID. If the JSON content is lengthy, it will be presented in a scrollable view for easy access. ● DTM Sources: ○ Google ■ Customer searches for a movie on Google → clicks on “Book” button → deep link opens PVR M-site/App → booking flow is initiated. ■ Platform: Website / Msite / App ■ DTM Source: Google ○ Cinema ■ QR Scan at Cinema ● Customer scans a booking QR displayed at the cinema → a deep link opens PVR M-Site/App → the booking continues online. ● Platform: Msite / App ● DTM Source: Cinema ○ Chatbot ■ Customer interacts with the chatbot (on app or website) → chatbot launches the ticket booking flow → booking is initiated. ■ Platform: iOS / Android / Website / M-Site ■ DTM Source: Chatbot ○ POS ■ Customer selects seats at the cinema → the booking is created as “unpaid” → booking flow is initiated at the cinema. ■ Later, a payment link is sent via SMS/WhatsApp → customer completes payment through that link. ■ Platform: Apps/M-Site (payment link interface) ■ DTM Source: POS ● By default, the system populates the listing page with booking records corresponding to the current date. (default: 25 records per page) ● The Date Range filter must return bookings within the selected From–To period. By default, the system sets both dates to the current date. ● Export CSV must export only filtered dataset. ○ The Export CSV action allows you to export booking records for a date range spanning 32 days before and 32 days after the selected date. ● Platform filter options include: Website, iOS, Android, M-Site, WhatsApp Chatbot.
--	--

	○ The admin can dynamically configure platform options, allowing them to control which options are displayed or hidden via the Global Configurations. ● Booking Start Date and Time: The date and time when the customer selects seats and proceeds to the checkout screen. This timestamp is system-calculated. ● Commit Date and Time: The date and time when the payment transaction is committed/confirmed by the payment gateway and acknowledged by Showbizz. ● The platform is always where the transaction is executed and the DTM Source is how the user entered the booking flow. ● The Booking Type field supports two values: Booking and Food. ○ Booking refers to transactions containing movie tickets with or without food. ○ Food refers exclusively to standalone food orders. ● Only bookings made through PVR or INOX platforms must be displayed. ○ Aggregator bookings (e.g., Paytm, BookMyShow) must not appear in Booking Management. ○ Transactions that are not initiated through any digital platform will not appear in the Admin Panel. Only bookings created via iOS, Android, Website, Msite, or WhatsApp Chatbot or through recognized DTM Sources (Google, Cinema, Chatbot, POS) will be displayed in the Booking Management module. ● ID Generation Flow: Order ID, Track ID, Booking ID ○ Order ID: ■ Use Case: Customer enters Booking Flow (Seat Selection → Checkout) ■ When does Order ID generate? ● The customer selects the seats on the Seat Selection screen and is redirected to the Checkout screen by tapping the “Continue” button. At this point, the system generates a Unique Request ID and sends it to Showbizz. ● The unique request ID is considered as the Order ID. ● This happens before redirection to the payment gateway. ■ Order ID Purpose ● Created by PVR INOX system ● Universally unique across all platforms ● Used to track the transaction attempt, even if payment fails or app is killed ● Used to map food + ticket purchases in one order ○ Track ID:
--	---

	■ Payment Initiation (UPI, Credit/Debit Card, Netbanking, Wallets) ■ When does Track ID generate? ● Track ID is generated immediately after payment is initiated (and before redirecting the customer to the respective payment app like PhonePe, Google Pay). ■ Track ID Purpose ● Received from Showbizz ● Used to track payment request status ● Helps check if payment succeeded / failed / pending ● Used for reconciliations ○ Booking ID: ■ Payment Success → Showbizz Confirms Booking ■ When does Booking ID generate? ● Booking ID is generated only after payment is successfully completed and Showbizz confirms the seat booking. ■ Booking ID Purpose ● Unique within the cinema system ● Represents the actual confirmed movie booking ● Used in e-ticket, QR code, booking history ● The Booking ID is fetched from Showbizz and is unique within the cinema system. The Order ID, however, is generated by our system and is universally unique across all cinemas and platforms. ○ Booking ID is created only for successful bookings, not for Cancelled, Bad Transactions, Initialized and Cancel Complete ones. ○ Existing Booking ID Logic: Theatre ID + YY + 0s + Unique Request ID ● The Request ID is generated by the system to initiate booking with Showbizz. ○ This ID is created at the very beginning of the transaction process and remains permanent, regardless of the final booking outcome. Whether the booking is completed, cancelled, initialized, marked as a bad transaction, or cancel complete, the Request ID will always exist and be displayed in the Booking Details. ○ Auto Generated. ● DTM source is captured only for Web, App, and M-site chatbot transactions. The WhatsApp chatbot functions as a separate platform. ● The surcharge amount must be applied only when the Passport benefit is used by the customer. ○ If Passport is not applied, the surcharge must not be included.
--	--

	● Invoice Numbers will be fetched from Showbizz. ○ Each seat or inventory item will have a separate Invoice ID. ○ In Booking Management, multiple invoice IDs for a single order must be displayed as comma-separated values. ● In case of user Cancelled/ CRM Cancelled bookings, a Credit Note will be fetched from Showbizz. ○ A Cancel Invoice Number must be displayed for all cancelled orders. ● Food Types: ○ Normal: ■ The customer books a movie ticket and adds food items within the same booking flow. ○ Add Food: ■ The customer first books a movie ticket and later orders food separately from the Booking History for the same order. ○ Only Food: ■ The customer places an order only for food items, without booking a movie ticket. ○ On-Seat: ■ The customer orders food by scanning the QR code available on the cinema seat.
Validations	● Invalid email format -> "Please enter a valid email address." ● Phone number must be 10 digits -> "Please enter a valid 10-digit phone number." ● Track ID must be number-> "Please enter a valid Track ID."
Frontend Links	 PVR INOX_Product Requirement Document  PVR INOX_Product Requirement Document

24. User Show Time - Reports

24.1. USE CASE

Use Case No.	UC 24
Use Case Name	User Show Time
Wireframes URL	https://www.figma.com/design/tlrDBUmV8nyYjK4EW6UmFe/PVR-INOX-Wireframes?node-id=12127-642&t=ZJsysukoSaJnZDtb-1
Use Case Description	The User Show Time Report module enables Admin to view all customer-selected showtimes captured from the consumer flow (apps/website/M-site).

	Whenever a customer selects a showtime during the 'No Suitable Showtime' journey, a report of the same is shown on the module.
Primary Actor	Admin
Secondary Actor	Backend System
Triggering Event	Admin navigates to User Show Time from the Admin Panel sidebar under the Reports Module.
Pre-Condition	Customer requested showtime data exists in the system.
Post Condition	- Admin is able to view filtered or searched booking records.. - Export functionality (CSV) exports the filtered dataset where applicable.
Basic Flow	- UC 24.1.1. Admin opens the User Show Time module. - UC 24.1.2. The User Show Time listing page consists of the following: - Select Search Type (dropdown) - Phone Number - Movie ID - Filter Icon - Movie name - Movie ID - Theatre name - Theatre ID - Brand (PVR/INOX) - Show time (Date+ Time) - City - Customer Name - Phone Number - Created On timestamp <u>Filter Icon Options:</u> - UC 24.2.1. The admin can filter the listing page by using the following filter options: - Created On Date (From-To) - City (Dropdown) - Dynamic list of cities. - Theatre (dropdown) - Dynamic list of theatres based on the city selection. - Brand (dropdown) - PVR - INOX <u>Export CSV:</u> - UC 24.3.1. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters.

	The CSV file will be directly downloaded to the admin's system instead of being sent via email. The following will be fetched in the CSV file: ○ Movie name ○ Movie ID ○ Theatre name ○ Theatre ID ○ Brand (PVR/INOX) ○ Show time (Date+ Time) ○ City ○ Customer Name ○ Phone Number ○ Created On (Date +Time)
Exception Flow	● When no records are found, the system displays: "No records found for the selected criteria." ● To Date is earlier than From Date → system shows: "End date cannot be earlier than start date." ● API/database error → system displays: "Unable to load data. Please try again later." ● If export fails: "Export failed. Please try again."
Business Rules	● Search Types are limited to Phone Number & Movie ID. ● Filter options: ○ City → Theatre Hierarchy: ■ Filtering in the City dynamically limits Theatre. ● Brand is independent of city hierarchy. ● By default, the system populates the listing page with user show time records corresponding to the current date. (default: 25 records per page) ● The Date Range filter must return user show time within the selected From –To period. By default, the system sets both dates to the current date.
Validations	● Phone number must be 10 digits -> "Please enter a valid 10-digit phone number." ● "To Date" < "From Date": "End Date must be greater than or equal to Start Date."
Frontend Links	 PVR INOX_Product Requirement Document

25. Food Category Management

25.1. USE CASE

Use Case No.	UC 25
Use Case Name	Food Category Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-80723&t=Z2zGieDbMYGwBTwp-1
Use Case Description	Allows the admin to view, edit, and sequence food categories used across the PVR INOX ecosystem (App, M-Site, Website, and Kiosk). Food categories determine the display order and grouping of F&B items and are synced from Showbizz. Admin can update category metadata such as images, and sequence while ensuring sequence integrity through conflict handling.
Primary Actor	Admin
Secondary Actor	System Backend Sync Service (Food Category API) Frontend (Admin Panel)
Triggering Event	Admin selects Food Category Management under the Food Management from the left navigation menu.
Pre-Condition	- Admin is authenticated and has an active session. - Backend food category service is available. - Food categories exist in the system (synced from Showbizz)
Post Condition	- Food category details are successfully updated and saved. - Sequence changes (if any) are resolved and reflected correctly. - Updated data is available for frontend consumption (App/Web/Kiosk)
Basic Flow	<u>Listing Page:</u> - UC 25.1.1. Admin navigates to the Food Category Management module. - UC 25.1.2. System displays a list with the following columns: - Search Bar - Filter Icon - Serial No. - Category ID (Showbizz ID) - Name - FNB Image - Kiosk Image - Sequence - Last Edited On (along with sort) - Actions - View - Edit - Upload Image - UC 25.1.3. The admin can perform the following: - Search by Food Category by Name

	○ Apply filter using 'Last Edited On Date' by selecting the From-To date range. ● UC 25.1.4. Admin may click Sync Food Categories button ○ The system fetches the latest categories (if any) from Showbizz for all the cinemas. ■ The system will check whether the food list is synced across all cinemas whenever food categories are synced and will add any categories that do not exist in the category list. ○ Updates the listing. ○ Displays last synced date & time. <u>Details Page:</u> ● UC 25.2.1. Admin clicks the View (eye icon) action. ● UC 25.2.2. System displays the Details screen showing the following: ○ Edit Button - redirects to the Edit food category page. ○ Category ID (Showbizz ID) ○ Name ○ Sequence ○ F&B Image (this image will be shown on the frontend on the app, website and M-site) ○ Kiosk Image (this image will be shown on the Kiosk across all applicable cinemas) ○ Last Edited On ● UC 25.2.3. No editable fields are available on this screen. <u>Edit Page:</u> ● UC 25.3.1. Admin clicks the Edit (pencil icon) action or the respective detail page. ● UC 25.3.2. System displays the Edit screen with: ○ Category ID (Showbizz ID) ○ Name (read-only) ○ Sequence (editable) ○ F&B Image (editable) ○ Kiosk Image (editable) ● Admin updates one or more fields ● Admin clicks Save ● System validates inputs ● If no sequence conflict exists: ● Changes are saved successfully. ● Admin is redirected to the listing screen.
--	--

	<u>Sequence Conflict:</u> ● UC 25.4.1. If the admin assigns a sequence number that's already linked to another food category, a pop-up appears notifying that the sequence is already in use. Upon confirmation, the entered sequence will be assigned to the new food category, and the previously assigned food category will automatically move down by one position in the order. ● UC 25.4.2. When a new food category is fetched from Showbizz, it does not have a predefined sequence. The admin is required to manually assign a sequence; if no sequence is defined, the category will automatically be placed at the end of the existing sequenced list in a random order. ● UC 25.4.3. Once a category is part of the synced list and assigned a sequence, it is included in sequence validation. If two synced categories are assigned the same sequence number, a sequence conflict will be triggered. <u>Upload Image:</u> ● UC 25.5.1. When the admin clicks on the Upload Image icon in the Action column, a pop-up is displayed allowing the admin to upload the F&B Image and Kiosk Image separately for the selected food category.
Alternate Flow	● UCA 25.1.1. Sequence Conflict Handling ○ Admin enters a sequence number already assigned to another category ○ System displays a Sequence Conflict modal: ■ Message → "The <sequence number> is already assigned to <Food Category Name>Are you sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new food category, and the previously assigned food category with the same sequence order will have its sequence shifted down by one." ○ Admin selects: ■ Cancel → returns to the Edit screen without changes. ■ Confirm → system auto-adjusts sequences and saves. ○ Cancel Edit: ■ Admin clicks Cancel ■ System discards unsaved changes ■ Admin is redirected back to the listing screen
Exception Flow	● UCE 25.1.1. Showbizz sync fails → System displays: "Unable to sync food categories. Please try again later."

	● UCE 25.1.2. Save Failure → Network or server error during save → System displays: “Unable to save changes. Please try again.”
Business Rules	● Food Category Name is non-editable. ● Sequences must be unique at any given time. ● Sequence conflicts must be resolved via: ○ Explicit admin confirmation ○ Automatic reordering by the system ● The sequence of the food categories remains the same across all cinemas when configured using this module. ● Changes impact: ○ App ○ Website ○ M-Site ○ Kiosk ● Sync action does not overwrite manual edits. ● Last Edited On must update on every successful save. ● Only FNB image, Kiosk image and sequence updates are allowed in Edit mode. ● Food category images for the App, Web, and M-site are uploaded using the F&B Image option. Images for Kiosk are uploaded separately using the Kiosk Image option. Each platform displays images only from its respective upload type. ○ If no image is uploaded for a category, a default placeholder image will be displayed on the respective platform until the admin uploads the image.
Validations	● Images (F&B & Kiosk): ○ Required: Optional ○ Supported formats: JPG / PNG / SVG ■ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 1 MB → “File size must not exceed 1 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.” ● Sequence: ○ Sequence: optional, numeric & greater than 0. ■ Allowed range: 1 – 1000 ○ Uniqueness: Each record must have a unique sequence value. ○ When a new food category is assigned a sequence value that is already allocated to an existing food category, the system automatically reassigns the requested sequence to the new food category on confirmation by the admin. The previously assigned

	food category (with the same sequence value) will have its sequence shifted down by one. ○ If food category A currently holds sequence 3 and the Admin assigns sequence 3 to food category B, then: ■ Food Category B → Sequence 3 (new) ■ Food Category A → Sequence 4 (automatically shifted)
Frontend Links	PVR INOX_Product Requirement Document

26. Food Items Management

26.1. USE CASE

Use Case No.	UC 26
Use Case Name	Food Items Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=891-32878&t=5fdy1AHGqyzTN55q-1
Use Case Description	This use case allows the admin to view a listing of food items and filter them using available filter options. The admin can view all the food items available for the selected cinema.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin selects Food Items Management under the Food Management from the left navigation menu.
Pre-Condition	● Admin is authenticated and has an active session. ● Food items exist in the system (synced from Showbizz).
Post Condition	● Food items are displayed based on the selected cinema, applied filters, or search criteria. ● Listing reflects the latest synced data if sync is performed.
Basic Flow	<u>Listing Page:</u> ● UC 26.1.1. When the admin is redirected to the Food Items Management Module, the listing page will remain blank until the admin selects a cinema for which the food items needs to be displayed. ● UC 26.1.2. System displays a list with the following columns: ○ Sync Food Items ○ Export CSV ○ Select Cinema (Dropdown - single select) ○ Search Bar ○ Serial No. ○ Image ○ Item ID

	○ Theatre ID ○ Item Master ID ○ Main Name ○ Name ○ Food Category (along with sort icon) ○ Best Seller (yes/no) ○ In-Cinema (yes/no) ○ Insignia (yes/no) ○ TLC (yes/no) ○ Type (Veg/Non- Veg/NA) ○ Add Ons (yes/no) ■ If the status is “Yes”, an info icon appears next to it. Clicking the icon opens a pop-up displaying the associated food items. ■ The pop up displays the following: ● Items Count ● Name of the food item ● Image of the food item ● Item ID ● Price ○ Kiosk CO (yes/no) ○ Combo (yes/no) ■ If the status is “Yes”, an info icon appears next to it. Clicking the icon opens a pop-up displaying the associated food items. ○ Upsell (yes/no) ■ If the status is “Yes”, an info icon appears next to it. Clicking the icon opens a pop-up displaying the associated food items. ○ Upgrade (yes/no) ■ If the status is “Yes”, an info icon appears next to it. Clicking the icon opens a pop-up displaying the associated food items. ○ Energy (kal) ○ Allergens ■ Displays the count and on click, displays all the allergen in a pop up. ○ Preparation Time (in mins) ○ Price Info ■ On click, a pop up appears displaying the different pricing selected food item prices for different dates. ● When a date range filter is applied on the listing page, all pricing details for the selected food item will be displayed based on the chosen date range. ■ The pop up consists of the following:
--	--

	● Date ● Experience ● Price ● Offer Price ○ Status (Active/Inactive) ● UC 26.1.3. The admin can perform the following: ○ Search by Food items by Name ○ Apply filter using the following: ■ Images (Yes/No) ■ Food Category (multi-select) ■ Best Seller (Yes/No) ■ Upgrade (Yes/No) ■ Upsell (Yes/No) ■ In-Cinema (Yes/No) ■ Insignia (Yes/No) ■ Type (Veg/Non- Veg/NA) ■ Add On (yes/No) ■ Combo (yes/no) ■ Status (Active/Inactive) ■ Date Range ● UC 26.1.4. Admin may click Sync Food Items button ○ The system fetches the latest food items from Showbizz for all the cinemas. ○ Displays last synced date & time.
Exception Flow	● UCE 26.1.1. Showbizz sync fails → System displays: “Unable to sync food items. Please try again later.” ● UCE 26.1.2. No Matching Records ○ If no food items match the selected filters or search criteria, the system displays an empty listing state.
Business Rules	● Admins do not have the ability to add, update, or delete food items for the selected cinema; they can only view the listed food items. ● Search Bar ○ The search bar supports suggestive search, allowing users to type a cinema name and dynamically filter the cinema selection list based on the entered keyword. ○ Single cinema selection allowed. ● On the listing page, when the admin clicks over the food item image thumbnail, the image is opened in a modal view. ○ As implemented across the previous modules, on clicking the image, it opens in a modal view.

	• The Date Range filter must return food items within the selected From–To period. By default, the system sets both dates to the current date. • Food item prices are synced from Showbiz on a day/showtime basis, depending on the available showtimes (sessions) for each cinema. • If the Veg / Non-Veg type is not available from Showbizz, the status will be shown as Blank (NA). • Food items can be synced at both city and cinema levels. Syncing for a specific city or a specific cinema can be triggered from the City Module under Locations Management and Cinema Management. • On clicking the ‘Export CSV’ button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin’s system instead of being sent via email.
Validations	• Select Cinema ◦ Displays the list of all cinemas and only single selection allowed. • Search food item without selecting the cinema ◦ Error message → ‘Cinema selection is required to search for food items.’
Frontend Links	PVR INOX_Product Requirement Document

27. Preferences Management

27.1. USE CASE

Use Case No.	UC 27
Use Case Name	Preferences Management (Languages Management & Genre Management)
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=31-92927&t=Z2zGieDbMYGwBTwp-1
Use Case Description	This use case enables Admin to view and manage languages and genres that are automatically synced from Showbizz during movies synchronization. Languages & Genres cannot be created, edited, or deleted manually. Admin users are allowed only to activate/inactivate the languages and genres across the App, M-Site & Website.
Primary Actor	Admin
Secondary Actor	System Backend Showbizz (Languages and genres source at the time of Movies Sync from Showbizz) Frontend (Admin Panel)

Triggering Event	● Admin selects Languages Management from the left navigation menu under Preferences Management. ● Admin selects Genres Management from the left navigation menu under Preferences Management.
Pre-Condition	● Admin is authenticated and has an active session. ● At least one movie sync schedule has occurred from Showbizz. ● Languages and genres exist in the system as part of movie metadata.
Post Condition	● Languages and genres are activated or inactivated as per admin's requirement. ● System records the update timestamp.
Basic Flow	<u>Languages Management:</u> <u>Listing Page:</u> ● UC 27.1.1. Admin navigates to Languages Management ● UC 27.1.2. System displays a list of all synced languages with the following columns: ○ Last Synced (date +time) ○ Serial No. ○ Name ○ Last Edited On (along with sort icon) ○ Status (Active/Inactive) ○ Action ■ Active/Inactive ● UC 27.1.3. Admin can: ○ Search languages by name ○ Apply filter using Last Edited On Date by selecting the From-To date range. ○ <u>Update Language Image:</u> ● UC 27.2.1. Admin clicks the Update (upload icon) action for a language ● UC 27.2.2. System opens the Update Language Image modal. ● UC 27.2.3. Modal displays: ○ Language Name (read-only) ○ Image upload field ○ Admin uploads a new image ○ Admin clicks Submit ■ System validates the image ● UC 27.2.4. On successful validation: ○ Image is saved

	○ Modal closes ○ Listing refreshes with updated image and timestamp. <u>Genres Management:</u> <u>Listing Page:</u> ● UC 27.3.1. Admin navigates to Genres Management. ● UC 27.3.2. System displays a list of all synced genres with the following columns: ○ Last Synced (date +time) ○ Serial No. ○ Name ○ Last Edited On ○ Action ■ Active/Inactive ● UC 27.3.3. Admin can: ○ Search genres by name ○ Apply filter using Last Edited On Date by selecting the From-To date range. <u>Active/Inactive Languages and Genres:</u> ● UC 27.5.3. When the admin clicks the Active/Inactive toggle in the Action column of Language or Genre Management, a confirmation pop-up is displayed to activate or deactivate the selected language or genre. ○ If activated, the language or genre will appear on the respective preference selection screens on the frontend. If deactivated, it will no longer be visible on the preference selection screens.
Business Rules	● Languages and genres are system-synced from Showbizz during movie synchronization. Any new language or genre identified in a sync is automatically added to the respective modules. ● Admin cannot add, edit, or delete the languages and genres from their respective modules. ● Language and Genre Names are read-only. ● Last Edited On updates only when based on active/inactive action by the admin. ● Once a new language or a new genre is added, it remains permanently available in the respective modules and cannot be removed.
Frontend Links	 PVR INOX_Product Requirement Document

28. Offers - Offers Management

28.1. USE CASE

Use Case No.	UC 28
Use Case Name	Offer Management – Offers
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-82424&t=Z2zGieDbMYGwBTwp-1
Use Case Description	This use case enables Admin to view offers synced from Showbizz and upload/update offer images. Offer creation, modification, validity, type, and terms & conditions are fully controlled by Showbizz and are non-editable in the Admin panel. Admin users are allowed to upload/update offer images based on offer type or override the priority.
Primary Actor	Admin
Secondary Actor	System Backend Showbizz (Offer source of truth)
Triggering Event	Admin navigates to Offers Management → Offers.
Pre-Condition	- Admin is authenticated and authorized. - Offer sync from Showbizz has been completed. - Offers exist in the system. - Offer metadata (ID, Name, Type, Validity, T&C) is available.
Post Condition	- Offer images are uploaded or updated successfully. - Updated images are reflected on App / Website / M-Site. - Last Edited On timestamp is updated.
Basic Flow	<u>Listing Page:</u> - UC 28.1.1. Admin opens Offers listing page - UC 28.1.2. System displays offers with the following: - Sync Offers Button (along with the Last Synced Date + Time) - Search Bar - Filter Icon - Serial No. - Image (V) - Image (H) - Image (B) (if applicable) - Offer ID - Partners - Offer Description - Fixed Code - Type (Bank/Others) - Payment Mode - Redemption Outlets

	○ Valid From (along with sort) ○ Valid To (along with sort) ○ TnC ○ Best Offer (Yes/No) ○ Last Edited On (along with sort) ○ Action ■ Upload Image ■ Flag/Unflag ● UC 28.1.3. Admin can: ○ Search by Offer ID & Offer Description ○ Apply filters ■ Type Dropdown (options - Bank and Others) ■ Best Offer (Yes/No) ■ Last Edited On (selects the From- To date range for filtering the data on the listing page) ■ Validity (selects the From-To range for filtering the data on the listing page) <u>Upload/Update Offer Images:</u> ● UC 28.2.1. Admin clicks Upload Image action ● UC 28.2.2. System opens Upload Offer Images modal ● UC 28.2.3. Image fields displayed based on offer type: ○ Auto / Normal Offer → Image (V), Image (H) ○ Bank Offer → Image (V), Image (H), Image (B) ● UC 28.2.4. Admin uploads required images ● UC 28.2.5. Admin clicks Upload ● UC 28.2.6. System validates and saves images <u>Flag/Unflag:</u> ● UC 28.3.1. Admin clicks Flag Icon action ● UC 28.3.2. The selected offer is given higher priority and is displayed above all offers ordered by the base logic. ● UC 28.3.3. The system follows a predefined base logic to order/sequence offers (maximum discount/benefit). However, when an admin explicitly selects an offer, that offer overrides the base logic and is surfaced at the top of the list. ● UC 28.3.4. Once the offer is unflagged, the priority override is removed and the offer is reordered according to the base logic.
Alternate Flow	● UCA 28.1.1. Replace Existing Images ○ Admin uploads new images for an offer with existing images

	■ Ensure the image cache is cleared whenever the admin uploads new images for an offer that already has existing images. ○ System replaces previous images ○ Updated images reflect immediately ● UCA 28.1.2. Cancel Upload ○ Admin clicks Cancel ○ Modal closes ○ No changes are saved
Exception Flow	● UCE 28.1.1. Invalid Image Upload ○ Unsupported file type or size ■ System displays error → “Invalid image format or file size exceeded.” ● UCE 28.1.2. Mandatory Image Missing ○ Required image(s) not uploaded ○ Upload button remains disabled or error shown ● UCE 28.1.3. Backend Failure ○ Upload fails due to server/network issue ○ System displays retry message
Business Rules	● Offers are synced only from Showbizz. ● Both online and offline redeemable offers will be listed on this module. ● Admin cannot create, edit, delete or deactivate offers. ● Offer metadata is read-only. ● Image upload permissions depend on offer type. ● Both vertical and horizontal images are non - mandatory for an offer. ● Last Edited On updates only on successful image upload and marking the offer as Best. ● Redemption Outlets indicate the channels where an offer can be redeemed. This defines where the customer can use the offer, such as Online (App/Website/M-site), In-Cinema, or other applicable redemption modes. ● On clicking the view CTA in the TnC field, a pop up appears displaying the terms and conditions of the selected offer. ● The bank offer images (bank image) will be displayed on the checkout page when the customer selects the Bank Offers option. ● On the listing page, offers are displayed based on their validity period, with the offers having the highest validity date (i.e., the latest “Valid To” date) appearing first. This means that offers that remain valid for a longer duration are prioritized and shown at the top of the list, while offers with earlier expiry dates appear lower in the listing. ● When the admin clicks the Upload Image icon for a Bank Offer, a popup is displayed that allows uploading horizontal, vertical, and bank images. ○ For other offer types, clicking the Upload Image icon opens a popup that allows uploading only horizontal and vertical images.

	- For each partner ID (which consists of platform and brand like Android-PVR), the platform (Android) and brand (PVR), should be shown separately. - If an offer is marked as Best, it is given higher priority and displayed above all offers ordered by the base logic. - If two or more offers are marked as Best, they are displayed in a random order among themselves, followed by the remaining offers as per the base logic.
Validations	- Images: - Required: Mandatory - Supported formats: JPG / PNG / SVG - File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” - File Size: Max 5 MB → “File size must not exceed 5 MB.” - Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.”
Frontend Links	PVR INOX_Product Requirement Document

29. Vouchers - Offers Management

29.1. USE CASE

Use Case No.	UC 29
Use Case Name	Offer Management – Vouchers
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-82424&t=5fdy1AHGqyzTN55q-1
Use Case Description	This use case enables Admin to view vouchers synced from Showbizz and upload/update offer images. Vouchers creation, modification, validity, type, and terms & conditions are fully controlled by Showbizz and are non-editable in the Admin panel. Admin is allowed only to upload or update voucher images based on voucher type.
Primary Actor	Admin
Secondary Actor	System Backend Showbizz (Offer source of truth)
Triggering Event	Admin navigates to Offers Management → Vouchers
Pre-Condition	- Admin is authenticated and authorized. - Vouchers sync from Showbizz has been completed. - Vouchers exist in the system.

	● Vouchers metadata (ID, Name, Type, Validity, T&C) is available.
Post Condition	● Vouchers images are uploaded or updated successfully. ● Updated images are reflected on App / Website / M-Site. ● Last Edited On timestamp is updated.
Basic Flow	<u>Listing Page:</u> ● UC 29.1.1. Admin opens Vouchers listing page ● UC 29.1.2. System displays offers with: ○ Search Bar ○ Filter Icon ○ Serial No. ○ Image (V) ○ Image (H) ○ Voucher ID ○ Partners ○ Voucher Description ○ Type (Auto/Bank/Normal/Passport) ○ Valid From ○ Valid To ○ TnC ○ Last Edited On (along with sort) ○ Action ■ View ■ Upload Image ● UC 29.1.3. Admin can: ○ Search by Voucher ID ○ Apply filters ■ Type Dropdown (options -Auto/Bank/Normal/Passport) ■ Validity (start and end date) ■ Last Edited On (selects the From- To date range for filtering the data on the listing page) <u>Details Page:</u> ● UC 29.2.1. Admin clicks View action ● UC 29.2.2. System displays Vouchers Details page with: ○ Voucher ID ○ Partners ○ Voucher Description ○ Valid From ○ Valid To ○ Type (Auto/Bank/Normal)

	○ Payment Mode (displays the payment modes using which the respective offers could be redeemed) ○ Redemption Outlets (displays where the voucher can be redeemed) ○ Last Edited On ○ Terms & Conditions (read-only, fetched from Showbizz) ○ Existing uploaded images (if any) are displayed <u>Details Page of Passport Voucher:</u> ● UC 29.2.1. Admin clicks View action for a passport type voucher. ● UC 29.2.2. System displays Vouchers Details page with: ○ Voucher ID ○ Partners ○ Voucher Description ○ Valid From ○ Valid To ○ Type (Passport) ○ Cities ■ Displays the list of cities where the passport voucher is eligible for redemption. ○ Subscription(Yes/No) ■ Indicates whether the voucher is linked to a passport subscription. (e.g. Yes or No) ○ Subscription Type ■ Defines the duration or billing cycle of the subscription for which the voucher is issued. (e.g. Monthly/Quarterly) ○ Subscription Frequency ■ Defines the numeric frequency of the subscription cycle (e.g., 1 for Monthly and 3 for Quarterly). ○ Applicable Days ■ Displays the specific days of the week on which the passport voucher can be redeemed. ○ Sold Out ■ Indicates whether all issued passport vouchers have been exhausted. ■ This field indicates whether all issued vouchers have been sold or not. ○ Last Edited On ○ FAQs (read-only, fetched from Showbizz) ○ Rules (read-only, fetched from Showbizz) ○ Terms & Conditions (read-only, fetched from Showbizz) ○ Existing uploaded images (if any) are displayed
--	---

	<u>Upload/Update Voucher Images:</u> ● UC 29.3.1. Admin clicks Upload Image action. ● UC 29.3.2. System opens Upload Voucher Images modal using which the admin can upload or update the voucher vertical and horizontal images. ● UC 29.3.4. Admin uploads required images ● UC 29.3.5. Admin clicks Upload ● UC 29.3.6. System validates and saves images
Alternate Flow	● UCA 29.1.1. Replace Existing Images ○ Admin uploads new images for a voucher with existing images ○ System replaces previous images ○ Updated images reflect immediately ● UCA 29.1.2. Cancel Upload ○ Admin clicks Cancel ○ Modal closes ○ No changes are saved
Exception Flow	● UCE 29.1.1. Invalid Image Upload ○ Unsupported file type or size ■ System displays error → “Invalid image format or file size exceeded.” ● UCE 29.1.2. Mandatory Image Missing ○ Required image(s) not uploaded ○ Upload button remains disabled or error shown ● UCE 29.1.3. Backend Failure ○ Upload fails due to server/network issue ○ System displays retry message
Business Rules	● Vouchers are synced only from Showbizz. ● This module displays vouchers associated with Passport and Google Wallet, categorized by their respective types. ● Admin cannot create, edit, delete or deactivate vouchers. ● Voucher metadata is read-only. ● Image upload permissions depend on offer type. ● Both vertical and horizontal images are non - mandatory for a voucher. ● Last Edited On updates only on successful image upload. ● On clicking the view CTA in the TnC field, a pop up appears displaying the terms and conditions of the selected voucher. ● The passport vouchers and the Google Wallet vouchers schemes are displayed in this respective module.
Validations	● Images: ○ Required: Mandatory

	○ Supported formats: JPG / PNG / SVG ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.”
Frontend Links	

30. Retail Vouchers - Offers Management

30.1. USE CASE

Use Case No.	UC 30
Use Case Name	Offer Management – Retail (On the Fly) Vouchers
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-82424&t=Z2zGieDbMYGwBTwp-1
Use Case Description	This use case enables Admin to manage images for Retail (On-the-Fly) vouchers. Admin can only upload images and best voucher images while all other voucher attributes remain read-only.
Primary Actor	Admin
Secondary Actor	System Backend Showbizz
Triggering Event	● Admin navigates to Offers Management → Retail Vouchers.
Pre-Condition	● Admin is authenticated and authorized. ● Vouchers sync from Showbizz has been completed. ● Vouchers exist in the system.
Post Condition	● Voucher images are uploaded or updated successfully. ● Updated images are reflected on App / Website / M-Site. ● Last Edited On timestamp is updated.
Basic Flow	<u>Listing Page:</u> ● UC 30.1.1. When the admin navigates to the Retail Vouchers module, the listing page initially displays a mixed list of retail vouchers from all cinemas. Once the admin selects a specific cinema, the listing updates to show only the retail vouchers applicable to that cinema. ● UC 30.1.2. Admin opens Retail Vouchers listing page. ● UC 30.1.3. System displays: ○ Select Cinema (Dropdown - single select) ○ Search Bar

	○ Filter Icon ○ Serial No. ○ Image (V) ○ Image (H) ○ Voucher ID ○ Voucher Description ○ Type ○ Valid From ○ Valid To ○ Cinema Names ○ Best Voucher ○ How to Avail ○ TnC ○ Last Edited On ○ Action ■ Upload Image ■ Best Voucher Toggle ■ Add Banner <u>Upload Images:</u> ● UC 30.2.1. Admin clicks Upload Image ● UC 30.2.2. Upload modal opens with: ○ Image (V) - vertical image ○ Image (H) - horizontal image ○ Image (B) - banner image ○ Admin uploads images ○ Admin clicks Upload button ● UC 30.2.3. System validates and saves images ● UC 30.2.4. Admin can: ○ Search by Voucher ID ○ Apply filters (Type, Date, Best Voucher) <u>Best Voucher:</u> ● UC 30.3.1. When the admin clicks the Best Voucher toggle: ○ If the voucher is not marked as Best, a confirmation pop-up appears asking the admin to confirm marking the selected voucher as Best. ○ If the voucher is already marked as Best, a confirmation pop-up appears asking the admin to confirm removing it as the Best voucher. ○ Multiple vouchers can be marked as Best Vouchers. <u>Add Banner:</u>
--	---

	● UC 30.4.1. When the admin clicks the Add Banner icon in the Action column, the selected retail voucher can be marked as a Banner. ○ If a banner image has already been uploaded by the admin, clicking the option will display a confirmation pop-up. Upon confirmation, the banner image for the selected retail voucher will be shown on the frontend. ○ For single retail voucher only a single banner image can be uploaded. ○ If no banner image has been uploaded for that voucher, an error message is displayed stating → “Banner image is not uploaded. A banner image is required to add the retail voucher as a Banner.”
Alternate Flow	● UCA 30.1.1. Replace Existing Images ○ Admin uploads new images for an offer with existing images ○ System replaces previous images ○ Updated images reflect immediately ● UCA 30.1.2. Cancel Upload ○ Admin clicks Cancel ○ Modal closes ○ No changes are saved
Exception Flow	● UCE 30.1.1. Invalid Image Upload ○ Unsupported file type or size ■ System displays error → “Invalid image format or file size exceeded.” ● UCE 30.1.2. Mandatory Image Missing ○ Required image(s) not uploaded ○ Upload button remains disabled or error shown ● UCE 30.1.3. Backend Failure ○ Upload fails due to server/network issue ○ System displays retry message
Business Rules	● The Module only displays the retail (On the Fly) vouchers in this module. ● Vouchers are synced only from Showbizz. ● Admin cannot create, edit, delete, or deactivate vouchers. ● Vouchers metadata is read-only. ● Images are mandatory. ● Last Edited On updates only on successful image upload. ● On clicking the view CTA in the TnC field and How to Avail field, a pop up appears displaying the terms and conditions and How to avail steps of the selected voucher respectively. ● For a single cinema, multiple vouchers can be marked as the Best Voucher at any time.
Validations	● Images: ○ Required: Mandatory

	○ Supported formats: JPG / PNG / SVG ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.”
Frontend Links	PVR INOX_Product Requirement Document

31. Email SMS Action

31.1. USE CASE

Use Case No.	UC 31
Use Case Name	Email SMS Action
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-83753&t=5fdy1AHGqyzTN55q-1
Use Case Description	This use case allows an Admin to search bookings using Track ID, Phone Number, or Email ID and view the status of Email, SMS, and WhatsApp notifications sent for each booking-related event. The Admin can also resend sent/failed or required notifications directly from the module.
Primary Actor	Admin
Secondary Actor	Notification Service (Email / SMS / WhatsApp) Booking System
Triggering Event	● Admin navigates to Email SMS Action module and performs a search using: ○ Track ID ○ Phone Number ○ Email ID
Pre-Condition	● Booking / notification data exists in the system. ● Track ID is generated for each booking. ● Notification statuses (Sent / Failed / NA) are stored.
Post Condition	● Matching booking notification records are displayed. ● Admin may resend applicable notifications. ● Notification status is updated post resend attempt.
Basic Flow	● UC 31.1.1. Admin navigates to the Email SMS Action module. ● UC 30.1.2. Admin selects the desired search type as mentioned below: ○ Track ID ○ Phone Number ○ Email ID

	■ Once the search type is selected, an input field appears where the admin is required to enter the selected search type keyword. ● UC 31.1.3. Admin optionally selects Notification Type (e.g., Ticket Confirmation, Cancellation, OTP, etc.) in case when Phone number or email search types are selected. For Track ID, it is mandatory to select the purpose type. These parameters will be progressive and will add more purpose types on the fly. ● UC 31.1.4. Admin clicks on Search. ● UC 31.1.5. System fetches matching booking notification records. ● UC 31.1.6. System displays results in a tabular format showing: ○ Phone Number ○ Email ○ Track ID ○ Booking ID ○ Notification Type ○ Date & Time ○ WhatsApp Notification Status ○ Email Notification Status ○ SMS Notification Status ○ Admin can click on the Action (⋮) icon against a row. ■ Admin selects Resend Email / SMS / WhatsApp Notification (based on eligibility). ■ The system triggers the selected notification and updates the status. ● UC 31.1.7. When the admin clicks the Resend Email / SMS / WhatsApp Notification CTA, a pop-up appears asking for confirmation to resend the notification. Upon confirming, the notification is resent to the customer through the selected channel. If the admin clicks Cancel, the pop-up closes and the admin remains on the same page.
Alternate Flow	● UCA 31.1.1. Search Using Track ID ○ Admin searches using a valid Track ID ○ Multiple records are displayed in chronological order. (if any) ● UCA 31.1.2. Search Using Phone Number or Email ○ Admin searches using a phone number or email ID. ○ The system fetches all bookings associated with the entered value. ○ Multiple records are displayed in chronological order. ● UCA 31.1.3. No Result Found ○ Admin performs a search with invalid or non-existing input. ○ The system displays a “No results found” state. ○ Admin can modify search criteria and retry.
Exception Flow	● UCE 31.1.1. Notification Resend Failure ○ If resend attempt fails due to service or system error:

	■ Status remains Failed (or previous status) ■ Error is logged ■ Admin may retry resend ● UCE 31.1.2. Notification Not Applicable ○ If a notification channel is not applicable for a record: ■ Status is shown as NA ■ Resend option is disabled for that channel
Business Rules	● Track ID is unique per booking. ● Searching by Track ID can return multiple records, depending on the number of communications sent to the customer for that specific Track ID. ● Searching via Phone Number or Email may return multiple records. ● Notification statuses can be: ○ Sent ○ Failed ○ NA ● Admin can only resend notifications for: ○ Sent Notifications ○ Failed Notifications ● The Purpose Type filters notification will be configured dynamically as additional milestones are rolled out. ● Date & Time displayed reflects the original notification trigger time. ● Resend action creates a new notification attempt entry. ● Resend action is disabled for → NA notification types ○ For the 'Registration OTP' purpose type, the resend notification option will not be available.
Validations	● At least one search parameter is mandatory. ● Track ID must match system-generated format. ● Phone number must be numeric and valid. ● Email ID must follow valid email format ● Search button remains disabled if input is empty. ● When Search Type = Track ID is selected and no purpose type is chosen, an error message is displayed → "Please select a purpose type to fetch the results."
Frontend Links	

32. Adhoc Vouchers

32.1. USE CASE

Use Case No.	UC 32
--------------	-------

Use Case Name	Adhoc Vouchers
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1-83753&t=5fdy1AHGqyzTN55q-1
Use Case Description	This use case enables the Admin to view, manage, and update adhoc vouchers across categories such as Family Bundles, CVP, and F&B Vouchers. Admins can view voucher details, update the terms & conditions, upload voucher-related images, and add the “Know More” image for a voucher.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin navigates to Adhoc Vouchers module from the side navigation.
Pre-Condition	- Adhoc vouchers exist in the system. - Admin is authenticated and authorized. - Vouchers sync from Showbizz has been completed.
Post Condition	- Vouchers images are uploaded or updated successfully. - Updated images are reflected on App / Website / M-Site. - Last Edited On timestamp is updated.
Basic Flow	<u>Listing Page:</u> - UC 32.1.1. When the admin is redirected to the Adhoc Vouchers Module, the system initially displays a mixed list of adhoc vouchers information as mentioned below: - UC 32.1.2. S - Sync Adhoc Vouchers Button (along with last synced Date + Time) - Select Cinema (dropdown - single select) - Search Bar - Filter Icon - Serial No. - App Image - Web Image - Name - Type (Family Bundle/CVP/F&B Voucher/Super Ticket) - Price - Strike Off Price - Valid From - Valid To - Last Edited On - Action icons - View - Edit - Upload Image - UC 32.1.3. Admin can:

	○ Search vouchers using Name ○ Filter vouchers using Type (Family Bundle/CVP/ F&B Vouchers/Super Ticket; mutli-selection allowed) & Last Edited On (Date Range - From & To) <u>Details Page:</u> ● UC 32.2.1. Admin clicks on the View (Eye) icon. ● UC 32.2.2. The system navigates to the Adhoc Voucher Details Page. ● UC 32.2.3. System displays the following: ○ Edit Button (Admin may click Edit to modify voucher details) ○ Name ○ Type ○ Price ○ Strike Off Price ○ Valid From ○ Valid To ○ Last Edited On ○ Terms & Conditions ○ Know More Image ○ App Image ○ Web Image <u>Edit Page:</u> ● UC 32.3.1. Admin clicks on Edit from the action column or details page. ● UC 32.3.2. System displays the following editable fields: ○ Name (read-only) ○ Type (read-only) ○ Price (read-only) ○ Strike Off Price (read-only) ○ Valid From (read-only) ○ Valid To (read-only) ○ Terms & Conditions (Text Editor - Editable) ○ Know More Image upload (Editable) ○ App Image (Editable) ○ Web Image (Editable) ○ Admin updates the required fields. ○ Admin clicks Save. ■ The system validates and saves the updated voucher details.
Exception Flow	● UCE 32.1.1. Invalid Date Range ○ If Valid To < Valid From: ■ System shows validation error

	■ Save action is blocked ● UCE 32.1.2. Image Upload Failure ○ If image upload fails due to size or format: ■ Error message is shown ■ Existing image remains unchanged
Business Rules	● Adhoc vouchers are fetched from Showbizz and managed via Admin Panel. ● Any edit updates the Last Edited On timestamp. ● Changes are reflected in real time across App/Web/M-Site. ● Multiple vouchers may have the same type but must be treated as independent entities. ● The admin is only responsible for uploading the image of the voucher, uploading the 'Know More' image and updating/altering the Terms and Conditions. ○ The common 'Terms & Conditions' and 'Know More Image' are configured at the Global Configuration level for each voucher type (Family Bundle, CVP, F&B Voucher, and Super Ticket). ○ The Know more image and TnC are common for multiple schemes of the same type. For the voucher image, a placeholder image is displayed until an image is uploaded from the admin panel.
Validations	● Images (Web & App Image & Know More Image): ○ Required: Optional ○ Supported formats: JPG / PNG / SVG ○ File Type: Only .jpg/.png → "Unsupported file type. Only JPG or PNG allowed." ○ File Size: Max 5 MB → "File size must not exceed 5 MB." ○ Hotlinking: External URLs not allowed → "Please upload the image instead of linking to an external URL." ● Terms & Conditions: ○ Required: Mandatory ○ Maximum length: 10,000 characters → "T&C cannot exceed 10,000 characters." ○ Minimum length: 10 characters recommended → "T&C should be at least 10 characters for clarity." ○ Allowed: Only letters, numbers, spaces allowed. All the special characters are also allowed.
Frontend Links	PVR INOX_Product Requirement Document

33. In-Cinema Food Section - Static Management

33.1. USE CASE

Use Case No.	UC 33
Use Case Name	In-Cinema Food Section
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1105-38365&t=rHIYd5QV45QOsKrf-1
Use Case Description	This use case allows an Admin to configure and manage the static content displayed under the In-Cinema (Food Section) on the customer-facing App/M-site. The admin can upload and update the Title, Sub-Title, Description, and Image.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin navigates to Static Management → In-Cinema Food Section from the Admin Panel.
Pre-Condition	Admin is authenticated and authorized.
Post Condition	- Static content for the In-Cinema Food Section is saved successfully. - Updated content is published and reflected on the frontend (App/M-site)
Basic Flow	<u>Listing Page:</u> - UC 33.1.1. Admin navigates to Admin Panel → Static Management → In-Cinema Food Section - UC 33.1.2. System displays the In-Cinema Food Section screen with the following editable fields: - Title* - Sub-Title* - Description* - Image* - Save button - UC 33.1.3. Admin enters or updates: - Title (e.g., Craving Popcorn) - Sub-Title (e.g., Order snacks from your seat) - Description using the rich text editor (bullet points allowed) - Image using the upload component - UC 33.1.4. Admin clicks Save - System validates all mandatory fields - On successful validation: - Content is saved - Success confirmation is shown - Updated content is published to frontend platforms

Alternate Flow	● UCA 33.1.1. Image Update Only ○ Admin edits only the image and keeps existing text content. ○ The system allows saving if all mandatory fields already have values. ● UCA 33.1.2. Content Update Without Image Change ○ Admin updates text fields without changing the image ○ System retains the existing image
Exception Flow	● UCE 33.1.1. Mandatory Field Missing ○ If Title, Sub-Title, Description, or Image is missing ○ System displays inline validation message and prevents save ● UCE 33.1.2. Unsupported Image Format / Upload Failure ○ If image upload fails or unsupported format is used ○ System displays error message and retains previous image ● UCE 33.1.3. System/API Failure ○ If save action fails due to backend issue ○ System displays error message → “Unable to save changes. Please try again.”
Business Rules	● All fields marked with (*) are mandatory. ● Rich text formatting (bullets, basic styling) is supported in Description. ● The image uploaded will be used across all supported platforms (App/M-site). ● The latest saved content always overrides previous configuration. ● The Redeem Vouchers section on the checkout screen on the frontend will follow the sequence defined in the Global Configuration.
Validations	● Title: ○ Required ○ Sub-Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 100 characters → “Title cannot exceed 100 characters.” ○ Minimum length: 10 characters → “Title should be at least 5 characters.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ○ ● Sub-Title ○ Required ○ Sub-Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 100 characters → “Sub Title cannot exceed 100 characters.”

	○ Minimum length: 10 characters → “Sub Title should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ○ ● Description: ○ Required. ○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Image : ○ Required: Optional ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.”
Frontend Links	 PVR INOX_Product Requirement Document

34. Pay Mode Management

34.1. USE CASE

Use Case No.	UC 34
Use Case Name	Pay Mode Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1320-121760&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The Pay Mode Management module enables the admin to configure, manage, and control payment methods available on the PVR INOX platforms. Admins can add, edit, activate, deactivate, and configure pay modes such as UPI, Credit Card, Debit Card, Net Banking, Wallets, Offers, and BNPL. The admin can also control payment availability based on platform, cinema chain, booking type, and app version compatibility.
Primary Actor	Admin
Secondary Actor	● System Backend ● Payment Gateway Integration - Razorpay
Triggering Event	● Admin navigates to Pay Mode Management from the Admin Panel sidebar.
Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have permission to manage payment modes. ● Payment gateway configurations must exist in the backend.

Post Condition	● Success: ○ Admin successfully configures payment modes. ○ Payment methods become available or unavailable on the frontend based on configuration. ○ Changes reflect in the frontend checkout payment options. ● Failure: ○ If configuration fails, the system displays an error message.
Basic Flow	● UC 34.1.1. Admin navigates to: Admin Panel → Pay Mode Management ● UC 34.1.2. The Pay Mode Management listing page consists of the following: ○ Tabs ■ Generic ■ Privilege Exclusives ■ Wallets / BNPL ■ Amazon ○ Search Bar - can search using Pay Mode ID and Name ○ Filter Icon ■ Type ■ Status ■ Last Edited On ○ Image ■ On clicking the image on the listing page, it will open in a modal view. ○ Pay Mode ID ○ Name ○ Type ○ Sequence ○ Last Edited On ○ Status (Active/Inactive) ○ Action ■ View - on click, redirects to the details page ■ Edit - on click, redirects to the edit page ■ Active/Inactive - When the admin clicks on the Active/Inactive toggle, a confirmation pop-up appears asking the admin to confirm whether they want to activate or inactivate the selected pay mode. ● The inactive pop-up also includes a checkbox option. If the admin selects this checkbox while inactivating the pay mode, the pay mode will remain inactive but will still be visible on the frontend in a non-functional (disabled) state, indicating its availability without allowing users to select or use it for payment.

- On the listing page of Pay Mode Management, the status will appear greyed out when the admin selects the option to mark the pay mode as greyed while inactivating the pay mode.

Details Page:

- UC 34.2.1. The Pay Mode details page consists of the following:
 - Pay Mode ID
 - Name
 - Refund
 - In-Cinema
 - Retry
 - Mandate
 - Retry Count
 - Mandate Count
 - Unpaid
 - Payment Type
 - Sub Payment Type
 - Default
 - Country
 - Chain
 - Cinema Names
 - Platform
 - Sequence
 - Booking Type
 - PVR Android Version
 - PVR iOS Version
 - PVR Android Version
 - INOX iOS Version
 - Image
 - Selected Banks (Displays the selected banks for the Net Banking Pay Mode)
 - Selected Banks Images
 - Terms & Conditions
 - Cancellation Message

Add Page:

- UC 34.3.1. The Add Pay Mode page consists of the following:
 - Pay Mode ID (Non- Editable)
 - Refund (toggle - Yes/No) (Non - Mandatory)
 - In Cinema (toggle - Yes/No) (Non - Mandatory)
 - Retry (toggle - Yes/No) (Non - Mandatory)
 - Mandate (toggle - Yes/No) (Non - Mandatory)
 - Unpaid (toggle - Yes/No) (Non - Mandatory)

	○ Default (toggle - Yes/No) (Non - Mandatory) ○ Payment Tab (Dropdown) ○ Name (Mandatory) ○ Retry Count (Mandatory) ○ Mandate Count (Mandatory) ○ Payment Type (Dropdown) (Mandatory) ■ Offer ■ Gateway ■ Wallet ■ Pay Later ■ UPI ○ Payment Sub- Type (dropdown) ■ Card ■ Net Banking ■ UPI ■ Wallet ■ Pay Later ○ Country (Dropdown) (Mandatory) ■ India ■ Sri Lanka ○ Chain (Dropdown) (Mandatory) ■ All ■ PVR ■ INOX ○ Cinema Name (Dropdown) (Non - Mandatory) ■ Displays a list of all PVR and INOX cinemas, along with a search field that allows the admin to quickly find a specific cinema by typing its name. An “All” option is also provided to enable selecting all cinemas at once. ○ Platforms (Dropdown) (Mandatory) ■ All ■ iOS ■ Android ■ M-site ■ Website ○ Sequence (Mandatory) ○ Booking Type (Dropdown) ■ All ■ Ticket ■ Food ■ Food after ticket ■ Ticket with Food ■ Gift Card ■ Passport ○ PVR Android Version
--	--

- PVR iOS Version
- PVR Android Version
- INOX iOS Version
- Image (of the pay mode)
- Select Banks (Dropdown) (Non - Mandatory)
 - Displays the list of banks as provided by Razorpay
- Selected banks images
 - The admin can upload one image for each selected bank.
- Terms and Conditions (Non - Mandatory)
- Cancellation Message (Non - Mandatory)
- Save Button
- Cancel Button

Edit Page:

- UC 34.2.1. The Pay Mode Edit Page consists of the following:
 - Refund (toggle - Yes/No)
 - In Cinema (toggle - Yes/No)
 - Retry (toggle - Yes/No)
 - Mandate (toggle - Yes/No)
 - Unpaid (toggle - Yes/No)
 - Default (toggle - Yes/No)
 - Name
 - Retry Count
 - Mandate Count
 - Payment Type
 - Payment Sub Type
 - Country
 - Chain
 - Cinema Names
 - Platform
 - Sequence
 - Booking Type
 - PVR Android Version
 - PVR iOS Version
 - PVR Android Version
 - INOX iOS Version
 - Image
 - Selected Banks (Displays the selected banks for the Net Banking Pay Mode)
 - Selected Banks Images
 - Terms & Conditions
 - Cancellation Message
 - Save Button
 - Cancel Button

Alternate Flow	● UCA 34.1.1. Admin clicks Cancel during add/edit. ○ System returns to listing page without saving.
Exception Flow	● UCE 34.1.1. Image Upload Failure → “Unable to upload image. Please try again.” ● UCE 34.1.2. Save Failure → “Unable to save payment configuration.” ● UCE 34.1.3. If the version format invalid → “Please enter a valid version number.”
Business Rules	● All pay modes will first be created and stored in the database. Once added to the DB, they will then be configured and managed through the Pay Mode Management module. ● If a default pay mode is set then whenever a new cinema is added or imported for live then all default pay modes should be pre-assigned to that cinema’s payment mode list. ● The ‘Selected Banks’ and ‘Selected Banks Images’ will only be shown on the details and edit page of Net Banking Pay Mode. ● The ‘Retry Count’ and ‘Mandate Count’ fields will only appear if the Retry and Mandate toggles are enabled. ● Pay modes appear in checkout based on defined sequence order. ● The platform list (e.g. Website, M-Site, iOS, Android) will be managed through Global Configuration rather than being hardcoded in the backend. ● Booking Type defines for which type of booking the payment mode will be available. ○ Booking Type - ■ Food ■ Gift Card ■ Booking ■ Passport ● If a new booking flow is introduced, it will be added to the Booking Type through the Global Configuration. The Booking type will be maintained in the global configurations. ● Payment Type defines the category of payment method used to complete a transaction during checkout. ○ Payment Type - ■ Offer ● All internal vouchers/offers will be part of this type. ■ Gateway ● All payment gateway (PG) related pay modes will be part of this type. ■ Wallet ● All wallet-related pay modes will be part of this type.

	■ Pay Later ● This should include BNPL, all such pay modes will be part of this type. ■ UPI ● All UPI-based pay modes will be part of this type. ○ The Payment Types will be maintained and managed via the global configurations. ● Greyed payment methods are visible but disabled on the frontend. ○ This option is available only when the payment mode is set to Inactive. ■ If checked → Payment mode appears greyed out on the frontend. ■ If unchecked → Payment mode is completely hidden from the frontend. ● If the admin does not select any banks under the Net Banking configuration, no banks will be marked as Popular. In such cases, the complete list of available banks will be displayed on the frontend in alphabetical order. ○ Banks that are selected by the admin will be treated as Popular Banks and will be displayed in the Popular Banks section on the frontend. ○ If a bank is marked as Popular, it is not mandatory for the admin to upload the corresponding bank image/logo. If the image/logo is uploaded, it will be displayed on the frontend along with the bank name. If no image/logo is uploaded, a default placeholder image will be displayed instead. ○ Popular banks must be selected only from the predefined bank list available in the system which is sourced from Razorpay. ○ The system should allow the admin to update or replace the bank image during edit. ○ If the admin assigns a sequence number that's already linked to another pay mode, a pop-up appears notifying that the sequence is already in use. Upon confirmation, the entered sequence will be assigned to the new pay mode, and the previously assigned pay mode will automatically move down by one position in the order. ○ When a pay mode is inactive, it is excluded from sequence validation. This allows the admin to reuse or assign its sequence number to another pay mode without any conflict. However, once the inactive experience is activated again, it becomes part of the active list, and if the same sequence number is already in use, a sequence conflict will be triggered. ● When the admin clicks on the Add Pay Mode button, the pay mode will be created under the currently selected tab. This means the admin can only create a pay mode for the tab that is active at the time of creation.
--	---

	● If a Pay Mode name has already been created by the admin, the system should not allow another Pay Mode to be created with the same name. ○ If a Pay Mode named “Credit Card” already exists and the admin attempts to create another Pay Mode with the name “Credit Card”, the system should prevent duplication. ○ Error Message: A Pay Mode with this name already exists. Please use a different name.” ● For each tab — Generic, Privilege Plus, and Wallets/BNPL — the sequencing of payment modes will be managed independently. ○ All payment modes configured under a particular tab (e.g Generic, Privilege Plus and Wallets / BNPL) will have their own separate sequence order, which will determine the order in which they are displayed on the frontend. ○ The sequence configured within one tab will not impact or override the sequencing of payment modes in the other tabs. ○ The tabs for payment modes—such as Generic, Privilege Exclusives, Wallets/BNPL—will be managed through global configurations. ● The platform options (e.g. M-Site, Website, Android, iOS) should be configured in the global configurations. ● The Cancellation Message will be displayed on the checkout screen on the frontend.
Validations	● Name ○ Required: Yes. ○ Allowed characters: Letters (A–Z, a–z), numbers (0–9), hyphen (-), underscore (_), space. ○ Length: 1 – 100 characters. ○ Unique: Yes (within the same Pay Mode Type). ■ Error Messages ● “Display name is required.” ● “Please enter a valid display name.” ● “Display name already exists.” ● Retry Count ○ Required: Yes ○ Type: Integer. ○ Allowed range: 1 – 20. ○ Default value: 1. ● Mandate Count ○ Required: Yes ○ Type: Integer. ○ Allowed range: 1 – 20. ○ Default value: 1. ● Payment Type

	○ Required: Yes. ○ Type: Dropdown. ○ Allowed values: ■ Gateway ■ Offer ■ Wallet ■ Pay Later ○ Error Message: ■ “Please select a payment type.” ● Country ○ Required: Yes. ○ Type: Dropdown; Multi Selection allowed ○ Allowed values: Configured countries in the system (e.g., India). ○ Error Message: ■ “Please select a country.” ● Chain ○ Required: Yes. ○ Type: Multi-select Dropdown. ○ Allowed values: ■ PVR ■ INOX ■ All ○ Error Message: ■ “Please select a chain.” ● Cinema Name ○ Required: Optional ○ Type: Multi-select Dropdown. ○ Allowed values: Cinema list configured in the system. ● Platform ○ Required: Yes. ○ Type: Multi-select Dropdown. ○ Allowed values: ■ All ■ iOS ■ Android ■ Website ■ M-Site ● Booking Type ○ Required: Yes. ○ Type: Multi-select Dropdown. ○ Allowed values: ■ Booking ■ Food ■ Gift Card ■ Passport
--	---

	● Sequence ○ Required: Yes. ○ Type: Integer. ○ Allowed range: 1 – 1000. ○ Unique Sequence per Pay Mode Type. ○ (Allows 1–4 digits, no leading zero.) ■ Error Message: ● The sequence 01 is already assigned to <Pay Mode Name>Are you sure you want to proceed? Upon confirmation, the requested sequence will be assigned to the new pay mode, and the previously assigned pay mode with the same sequence order will have its priority shifted down by one. ● PVR Android Version ○ Required: No (optional). ○ Type: String (version format). ○ Allowed format: Numeric version pattern (e.g., 18.6.7). ○ Maximum length: 10 characters. ● INOX Android Version ○ Required: No (optional). ○ Type: String (version format). ○ Allowed format: Numeric version pattern (e.g., 18.6.7). ○ Maximum length: 10 characters. ● PVR iOS Version ○ Required: No (optional). ○ Type: String (version format). ○ Allowed format: Numeric version pattern (e.g., 2.6.2). ○ Maximum length: 10 characters. ● INOX iOS Version ○ Required: No (optional). ○ Type: String (version format). ○ Allowed format: Numeric version pattern (e.g., 2.6.2). ○ Maximum length: 10 characters. ● Image ○ Required: Yes. ○ Allowed formats: JPG, PNG. ○ Maximum file size: 5 MB. ■ Error Message: ● ‘Unsupported file type. Only JPG,PNG or SVG are allowed.’ ● File size: Should not exceed 5 MB → “Image size must be less than 5 MB.”
--	--

	- Hotlinking: External URLs not allowed → “Please upload the image instead of linking an external URL.” - Terms & Conditions - Required: Yes (optional). - Type: Rich text. - Maximum length: 10000 words. - Cancellation Message - Required: Yes (optional). - Type: Rich text. - Maximum length: 10000 words. - Save Button - If a Pay Mode name has already been created by the admin, the system should not allow another Pay Mode to be created with the same name. - Error Message: A Pay Mode with this name already exists. Please use a different name.”
Frontend Links	

35. Passport Management

35.1. USE CASE

Use Case No.	UC 35
Use Case Name	Passport Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1607-186215&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The Passport Management module allows the admin to search and view the active Passport subscription details of a customer using their registered mobile number. Admins can view subscription details, visit usage, payment information, and redemption history. Admins are also provided with the capability to revoke/cancel an active passport subscription with OTP verification and reason capture.
Primary Actor	Admin
Secondary Actor	- System - Backend OTP Service
Triggering Event	The admin navigates to Passport Management from the Admin Panel sidebar and searches for a customer using their mobile number.

Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have access rights for Passport Management. ● Customers must have an active passport subscription for details to appear.
Post Condition	● Success: ○ The system displays the passport subscription details of the searched customer. ○ Admin can view the redemption history and subscription information. ○ Admin may revoke the passport subscription if required. ● Failure: ○ If no passport exists for the entered mobile number, the system displays No Passport Found message.
Basic Flow	● UC 35.1.1. Admin navigates to Passport Management from the left navigation panel. ● UC 35.1.2. Initially, the admin is displayed on the blank page where the admin is required to search the desired phone number. ○ Admin is displayed with the following attributes: ○ Search field – Search Passport via Phone Number ● UC 35.1.3. Admin enters the customer's registered mobile number. ● UC 35.1.4. Admin clicks on Search. ● UC 35.1.5. The system checks whether the entered mobile number has an active passport subscription. ○ The mobile number must consist of exactly 10 digits. Any input containing fewer or more than 10 digits will not be accepted, and the search will not be executed until a valid mobile number is entered. ● UC 35.1.6. If the admin searched the passport details for a customer who has an active passport. ○ The following details are shown if the customer has an active passport: ■ Name of the customer ■ Customer's Phone Number ■ Active Tag (indicates the passport is active) ■ Passport Scheme Name (e.g. PVR INOX Passport) ■ Passport Number (Unique passport ID) ● Only the last four characters of the Passport Number are displayed, while the remaining characters are masked. ■ Scheme Type (e.g. PVR INOX Passport) ■ Validity (Valid From and Valid To) ■ Renew Amount (displays the renewable amount) ■ Next Payment Date (Displays the next recurring payment date if applicable)

	■ Visits Used (Number of visits used vs allowed) ■ Subscription Type (e.g. Monthly / Quarterly) ■ Recurring Payment (e.g. Yes / No) ■ F&B Vouchers Used (displays the count of vouchers used) ■ Revoke Subscription (Displays a Cancel button) ● When the admin clicks on the Cancel button, a pop-up will appear prompting the admin to enter the reason for cancelling the active Passport subscription and provide the OTP for verification before proceeding with the cancellation. ■ Redemption History (Displays the count of transaction using the active passport) ● Track ID ● Transaction Date & Time ● Movie Name ● Cinema Name ● Date & Time (Displays the date and showtime of movie) ● Total Price ● Discount ● Surcharge Amount ● UC 35.1.7. The OTP will be sent to the customer's phone number and the customer is required to share the received OTP to the admin to cancel the active passport subscription. ○ The admin can resend the OTP after 60 seconds if necessary. ○ Maximum of 3 OTP requests per 10 minutes.
Alternate Flow	● UCA 35.1.1. If the admin enters a phone number to search the active passport subscription and the customer does not have any active passport subscription, then an error message is shown.
Business Rules	● When the admin searches using a customer's phone number, only the active Passport subscription associated with that customer will be displayed. ○ The admin can cancel the active subscription by clicking the Cancel button available under the Revoke Subscription field. Upon clicking the Cancel button, a pop-up will appear prompting the admin to enter the reason for cancellation and provide an OTP for verification. The OTP will be sent to the customer's registered mobile number. ■ Once the OTP is successfully verified and the reason is submitted, the system will revoke the customer's active Passport subscription. The subscription cancellation request will be routed through Showbizz to process the revocation.

	- When the admin enters a customer's phone number, only the active passport associated with that customer will be displayed. Passports purchased by the customer for someone else will not appear. - In cases where a customer has purchased a passport for another person, entering the purchaser's phone number will not show the passport. The admin must instead enter the phone number of the actual beneficiary (the person for whom the passport was purchased). - Surcharge refers to an additional amount that the customer must pay over and above the base ticket price, when certain conditions or experiences are not covered under the Passport subscription. - Surcharge applies when premium experiences/formats/movies are not covered under Passport. - Export CSV must export only filtered dataset. - The Export CSV action allows you to export passport purchase records for a date range spanning 32 days before and 32 days after the selected date.
Validations	- No active subscription plan is found when the admin enters the phone number → "No Passport Found! The entered customer's phone number does not have any Active Passport Subscription." - The mobile number must consist of exactly 10 digits. Any input containing fewer or more than 10 digits will not be accepted, and the search will not be executed until a valid mobile number is entered → "Please enter a valid 10-digit mobile number"
Frontend Links	

36. Passport Master

36.1. USE CASE

Use Case No.	UC 36
Use Case Name	Passport Master
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1668-212784&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The Passport Master module displays the list of passport schemes fetched from the Showbizz system. Admins cannot create or modify these schemes. The admin's role is limited to configuring supporting content for each scheme such as scheme images, frontend assets, and "How It Works" media that will be displayed on the customer-facing platforms.
Primary Actor	Admin
Secondary Actor	System (Admin Panel)

	● Showbizz System
Triggering Event	● Admin navigates to Passport Master from the Admin Panel sidebar.
Pre-Condition	● Admin must be logged into the Admin Panel. ● Passport schemes must already exist in Showbizz. ● Passport scheme data is synced from Showbizz to the Admin Panel.
Post Condition	● Success: ○ Admin can view all passport schemes. ○ Admin can upload scheme images. ○ Admin can configure assets and supporting content for frontend display. ● Failure: ○ If no schemes are received from Showbizz, the listing page will show an empty state.
Basic Flow	● UC 36.1.1. Admin navigates to Passport Master from the left navigation panel. ● UC 36.1.2. The system displays the Passport Master Listing Page containing all passport schemes fetched from Showbizz. ○ Manage How it Works Button ○ Sync Passport Button (along with last synced date and time) ○ Image of the Passport (Passport scheme image) ○ Scheme ID (Unique identifier from Showbizz) ○ Scheme Name (Name of passport scheme) ○ Subscription (e.g. Monthly / Quarterly) ○ Price (Passport price) ○ Valid From (along with Sort icon) ○ Valid To (along with Sort icon) ○ Sold Out (Yes/No) ○ Available Days ○ Last Edited On (Last modification date) ○ Status (Active / Inactive) ○ Action ■ View - on click, the admin is redirected to the details page of the selected passport scheme. ■ Edit - On click, the admin is redirected to the edit page of the selected passport scheme. ■ Upload Image - On click, a pop up appears using which the admin will be able to upload the image of the selected passport scheme for app/M-Site and website separately. ● UC 36.1.3. When the admin clicks on the 'Manage How it Works' button, a pop up appears. ○ When the admin clicks on the "Manage How It Works" button, a pop-up will appear. In this pop-up, the admin can upload up to 5

	images that explain the “How It Works” section displayed on the frontend. ○ The “How It Works” images will be common for all Passport schemes and will not vary scheme-wise. The display timer for the “How It Works” section will be configured through Global Configurations. ○ Once the images are uploaded, Edit and Delete icons will appear next to each uploaded image, allowing the admin to modify or remove them. The admin can also drag and rearrange the images to define their display sequence. The images will be shown on the frontend in the same order as defined by the admin. ● UC 36.1.4. The Upload Image pop up consists of the following: ○ Upload Image (text) ○ Scheme Type (non editable; displays the selected passport scheme image) ○ Upload Image ○ Cancel Button - closes the pop up. ○ Submit Button - On click, if the image validation matches then the image for the selected passport scheme will be uploaded. <u>Details Page:</u> ● UC 36.2.1. The Passport Details Page consists of the following: ○ Scheme ID ○ Scheme Name ○ Subscription ○ Price ○ Available Days ○ Recurring Payment ○ Valid From ○ Valid To ○ Sold Out (Yes/No) ○ Status (Active /Inactive) ○ Last Edited On ○ Key Highlights (Rules) ○ FAQs ○ How to Access ○ Terms & Conditions ○ List of Cities ○ List of Excluded Cinemas ○ Assets ■ Maximum 4 assets ● Assets View: ○ Image (Dark and Light)
--	---

	○ Title ○ Sub - Title ○ Image of the passport <u>Edit Page:</u> ● UC 36.3.1. The edit passport page consists of the following: ○ Scheme ID (Non-Editable) ○ Scheme Name (Non -Editable) ○ Subscription (Non -Editable) ○ Price (Non -Editable) ○ Available Days (Non -Editable) ○ Recurring Payment (Non -Editable) ○ Key Highlights (Rules) (Non -Editable) ○ FAQs (Non -Editable) ○ Important Information (Non -Editable) ○ Terms & Conditions (Non -Editable) ○ List of Cities (Non -Editable) ○ List of Excluded Cinemas (Non -Editable) ○ Assets (Editable) ■ On the edit page of a passport, the admin will be able to add the assets for the selected passport schemes using the Add Asset Button. ■ The admin can add upto 4 assets for a passport. ■ For each passport scheme, the admin can upload relevant assets. ● Within the Assets section, the admin will see the Showbizz value (fetched directly from Showbizz and non-editable). Adjacent to this, there will be an input field (pre-filled with the same Showbizz value). The admin can then append the required descriptive text to this value, which will be displayed on the frontend along with the Showbizz value. ○ For example → “1 x ticket per day” — where “1” is the Showbizz value and “x ticket per day” is the additional text entered by the admin.
Exception Flow	● UCE 36.1.1. If Showbizz sync fails: ○ Message: “Unable to sync passport schemes. Please try again.” ● UCE 36.1.2. Invalid Image Upload: ○ If the uploaded file is unsupported: “Invalid file format. Please upload a JPG or PNG.”
Business Rules	● Passport schemes are fully managed in Showbizz.

	● Admin cannot: ○ Create schemes ○ Edit scheme values ○ Modify pricing or subscription details. ● Admin can only configure: ○ Scheme images ○ Assets ○ How It Works images ● For Quarterly Passport schemes, the F&B Terms and Conditions will be fetched from Showbizz in run time on the frontend. ● The 'Join Now' information (Zone A and Zone B separately) and the Important Information will be configured in the global configurations. ● The following pre-defined keys will be used to fetch the corresponding values from the Showbizz system. Each key represents a specific passport attribute, and the value mapped to that key will be retrieved and displayed accordingly. ○ Pre-defined Keys: ■ Days Visit – Represents the number of tickets or visits allowed per day under the passport plan. ■ Validity – Indicates the total validity period of the passport. ■ Film Blackout – Specifies the blackout duration during which passport benefits cannot be used for newly released films. ■ Allowed Visits – Defines the total number of visits or bookings permitted within the passport's validity period. ■ These keys will dynamically fetch and display the relevant configuration values for each passport scheme from Showbizz. ● Maximum 5 How It Works images allowed.
Validations	● How it Works Images ○ Maximum 5 images can be uploaded. ○ Allowed formats: PNG, JPG, JPEG. ○ Error Messages ■ "You can upload a maximum of 5 images." ■ 'Unsupported file type. Only JPG,PNG or SVG are allowed.' ■ File size: Should not exceed 5 MB → "Image size must be less than 5 MB." ● Assets ○ Title ■ Required: Mandatory ■ No leading/trailing spaces.

	○ Sub -Title ■ Required: Mandatory ■ Minimum Length: 10 characters → “Title must be at least 10 characters long.” ■ Maximum Length: 60 characters → “Title cannot exceed 60 characters.” ■ No leading/trailing spaces. ○ Asset Image ■ Required: Mandatory ■ ‘Unsupported file type. Only JPG,PNG or SVG are allowed.” ■ File size: Should not exceed 5 MB → “Image size must be less than 5 MB.”
Frontend Links	

37. Gift Card Master

37.1. USE CASE

Use Case No.	UC 37
Use Case Name	Gift Card Master
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1236-80141&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The Gift Cards Master module displays all available gift card schemes fetched from Showbizz API. The admin can view gift card details, upload multiple images for each gift card scheme, select a main image, manage display sequence, and update the activation status of gift cards. These configurations determine how gift cards are displayed on the frontend.
Primary Actor	Admin
Secondary Actor	● System Backend ● Showbizz API
Triggering Event	● Admin navigates to Gift Cards Master from the Admin Panel sidebar.
Pre-Condition	● Admin must be logged into the Admin Panel. ● Gift card schemes must exist in the backend system. ● Admin must have permission to access Gift Cards Master.
Post Condition	● Success: ○ Admin can view gift card schemes. ○ Admin can upload images. ○ Admin can configure display sequence. ○ Admin can select the main display image. ○ Admin can update the gift card status.

	● Failure: ○ If no gift card schemes exist, an empty listing state is shown.
Basic Flow	● UC 37.1.1. Admin navigates to Gift Card Master from the left navigation panel. ● UC 37.1.2. The Gift Card Listing page consists of the following: ○ Manage Sub Type Sequence Button ○ Sync Gift Cards Button (along with last synced date and time) ○ Search Bar - can search using the Gift Card Name, Alias Name and Scheme ID ○ Filter Icon ■ Images (Yes/No) ■ Type (displays the name of the type of a gift card) ■ Status (Active/Inactive) ■ Validity (From - To range) ■ Last Edited On (From - To) ○ Image Displays the main image/skin of the Gift Card scheme, along with a preview icon that allows the admin to view the image in a modal.) ○ Scheme ID ○ Alias Name ○ Display Name ○ Denomination ○ Denomination Discounts (Offer Prices) ○ Type ○ Sub -types ○ Max Cards Allowed ○ Max Amount Allowed ○ Sequence ○ Valid From (sort icon) ○ Valid To (sort icon) ○ Last Edited On (sort icon) ○ Status (Active/Inactive) ○ Action ■ Upload Image Icon ■ Edit Icon ■ Active/Inactive toggle ● UC 37.1.3. When the admin clicks on the Upload Image icon, a pop up appears using which the admin can upload the skins/image for a scheme of a gift card. ○ The admin can upload a maximum of 5 skins/images for a scheme of a gift card. ○ The admin can upload multiple images for a specific gift card type (e.g., Anniversary).

	○ Once the images are uploaded, a “Select Main Image” dropdown will appear, listing all the uploaded images. The image selected from this dropdown will be displayed as the primary image (i.e., the first image) for that particular gift card. ● UC 37.1.4. The admin can mark a scheme of a gift card and active or inactive using the toggle and based on that, the gift cards schemes will be shown or hidden from the frontend. ● UC 37.1.5. When the admin clicks on the “Manage Sub Type Sequence” button, a popup modal appears . ○ The admin can reorder the sub-types using drag-and-drop to set their sequence. The sub-type placed at the top of the list will appear first on the frontend under the selected Gift Card Type, followed by the remaining sub-types according to the defined order. ○ After arranging the sequence, the admin can click “Save” to apply the changes or “Cancel” to discard them. <u>Edit Page:</u> ● UC 37.2.1. The Edit gift card page consists of the following: ○ Scheme ID (Non - Editable) ○ Alias Name (Non - Editable) ○ Display Name (Non - Editable) ○ Denomination (Non - Editable) ○ Denomination Discounts (Offer Prices) (Non - Editable) ○ Type (Non - Editable) ○ Sub -types (Non - Editable) ○ Max Cards Allowed (Non - Editable) ○ Max Amount Allowed (Non - Editable) ○ Sequence (Editable) ○ Valid From (Non - Editable) ○ Valid To (Non - Editable) ○ Chain (Non - Editable) ○ Status (Non - Editable) ○ Select Main Image (dropdown) ■ This dropdown will be editable only when the admin has uploaded at least one image/skin of the gift card. ○ Image ○ Cancel Button ○ Save Button
Alternate Flow	● UCA 37.1.1. Admin clicks Cancel → The system navigates back to the listing page without saving changes.
Exception Flow	● UCE 37.1.1. If image upload fails → Message displayed: “Unable to upload image. Please try again.”

	● UCE 37.1.2. Unsupported File Format → “Invalid file format. Please upload JPG or PNG files.” ● UCE 37.1.3. If the system fails to save configuration → “Unable to save gift card details. Please try again.”
Business Rules	● Gift card schemes are fetched from the Showbizz. ● Admin cannot create new gift card schemes. ● Admin can only configure: ○ Images ○ Main image ○ Display sequence of Gift Card type ○ Status of Gift Card (Active/Inactive) ● Multiple images can be uploaded for each gift card. ● Only one image can be set as the main image. ● Gift cards appear on the frontend according to defined sequence order based on the type of Gift Card. ● Sequence conflicts trigger a confirmation popup. ● Inactive gift cards will not appear on the frontend. ● If a Gift Card Type contains multiple Sub Types, each Sub Type will be displayed as a separate record on the listing page, even though they belong to the same main Type. ○ For example - The same Type (e.g., Occasional) may appear in multiple rows because each row represents a different Sub Type (e.g., Birthday, Anniversary, etc.) associated with that Type.
Frontend Links	

38. Gift Card Section - Static Management

38.1. USE CASE

Use Case No.	UC 38
Use Case Name	Gift Card Section – Static Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1656-204972&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The Gift Card Section under Static Management allows the admin to configure the static content displayed on the Gift Card page of the frontend. Admins can manage the section title, subtitle, descriptive content, “How It Works” instructions, and upload a representative image for the gift card section. This content will appear on the gift card landing page of the app and website.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Static Management → Gift Card Section from the Admin Panel sidebar.

Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have access rights for Static Management.
Post Condition	● Success: ○ Static content for the Gift Card section is updated successfully. ○ Updated content is reflected on the frontend Gift Card page. ● Failure: ○ If content fails to save, the system displays an error message.
Basic Flow	● UC 38.1.1. Admin navigates to Admin Panel → Static Management → Gift Card Section ● UC 38.1.2. System displays the Gift Card Section screen with the following editable fields: ○ Title* ○ Sub-Title* ○ Why buy Gift Card* ○ How it Works Description* ○ Important Information* ○ Image* ○ Save button ● UC 38.1.3. Admin enters or updates: ○ Title (e.g. No Gift Cards Yet) ○ Sub-Title (e.g. You haven't purchased any gift cards yet.) ○ Why buy Gift Card using the text editor (bullet points allowed) ○ How it Works Description using the text editor (bullet points allowed) ○ Image using the upload component ● UC 38.1.4. Admin clicks Save Button ○ System validates all mandatory fields ○ On successful validation: ■ Content is saved ■ Success confirmation is shown ■ Updated content is published to frontend platforms
Alternate Flow	● UCA 38.1.1. Image Update Only ○ Admin edits only the image and keeps existing text content. ○ The system allows saving if all mandatory fields already have values. ● UCA 38.1.2. Content Update Without Image Change ○ Admin updates text fields without changing the image ○ System retains the existing image
Exception Flow	● UCE 38.1.1. Mandatory Field Missing ○ If Title, Sub-Title, Description, or Image is missing ○ System displays inline validation message and prevents save ● UCE 38.1.2. Unsupported Image Format / Upload Failure ○ If image upload fails or unsupported format is used

	○ System displays error message and retains previous image ● UCE 38.1.3. System/API Failure ○ If save action fails due to backend issue ○ System displays error message → “Unable to save changes. Please try again.”
Business Rules	● All fields marked with (*) are mandatory. ● Rich text formatting (bullets, basic styling) is supported in Description. ● The “Important Information” displayed during Gift Card purchase (for self or others). ● The image uploaded will be used across all supported platforms (App/M-site). ● The latest saved content always overrides previous configuration.
Validations	● Title: ○ Required ○ Sub-Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 100 characters → “Title cannot exceed 100 characters.” ○ Minimum length: 10 characters → “Title should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Sub-Title ○ Required ○ Sub-Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 100 characters → “Sub Title cannot exceed 100 characters.” ○ Minimum length: 10 characters → “Sub Title should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Why Buy Gift Cards: ○ Required. ○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● How it Works: ○ Required.

	○ Maximum length: 1000 characters → “Description cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Important Information: ○ Required. ○ Maximum length: 1000 characters → “Important Information cannot exceed 1000 characters.” ○ Minimum length: 10 characters → “Important Information should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Image : ○ Required: Optional ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.”
Frontend Links	

39. App100 Cinema Performers - Reports

39.1. USE CASE

Use Case No.	UC 39
Use Case Name	App100 Cinema Performers
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1946-227031&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The APP100 Cinema Performer report displays the performance metrics of cinemas participating in the APP100 campaign. The report provides insights into app installs, user signups, redemptions, bookings, and revenue generated per cinema.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Reports → APP100 Cinema Performer
Pre-Condition	● Admin must be logged into the Admin Panel. ● APP100 campaign data must be available in the system.
Post Condition	● Success:

	○ The system displays the performance report based on the selected filters. ● Failure: ○ If no data is available, the system displays an empty state message.
Basic Flow	<u>Listing Page:</u> ● UC 39.1.1. Admin navigates to Reports → APP100 Cinema Performer ● UC 39.1.2. The App100 Cinema Performer Listing page consists of the following: ○ Export CSV ○ Select Cinema (Dropdown; multi-selection allowed along with search bar functionality) ○ Search Bar - admin can search using Cinema Name and Cinema ID ○ Filter Icon ■ Date Range (To - From) ○ Cinema ID (Unique cinema identifier) ○ Cinema Name (Name of the cinema) ○ App Install Count (Number of users who installed the app) ○ User Signup Count (Number of new user registrations) ○ User Redemption Count(Number of APP100 coupon redemptions) ○ Seat Booking Count (Total number of seat bookings) ○ Total Amount Paid (Total transaction value generated) ○ Total APP100 Discount (Total discount applied under APP100) ● UC 39.1.3. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email.
Exception Flow	● UCE 33.1.1. No Data Found ○ If no results match the filter criteria → "No records found."
Business Rules	● Data displayed is aggregated per cinema. ● The report reflects APP100 campaign performance. ● By default, the listing page will display current-day data.
Validations	● Date Range (From and To Date) ○ 'From' date must be greater than or equal to 'To' date. ○ Error Messages: ■ "The From date cannot be earlier than the To date."

Frontend Links	
----------------	--

40. APP100 Redemption - Reports

40.1. USE CASE

Use Case No.	UC 40
Use Case Name	APP100 Redemption
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1953-227973&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The APP100 Redemption report displays the redemption count of APP100 offers across cinemas and platforms. The report categorizes redemption counts based on QR usage and operating systems.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	Admin navigates to Reports → APP100 Redemption
Pre-Condition	- Admin must be logged into the Admin Panel. - APP100 campaign must be active or historical data must exist.
Post Condition	- Success: - The system displays redemption metrics. - Failure: - If no data exists, the report displays an empty table.
Basic Flow	<u>Listing Page:</u> - UC 40.1.1. Admin navigates to: Reports → APP100 Redemption - UC 40.1.2. The APP100 Redemption Page consists of the following: - Export CSV Button - Search Bar - the admin can search a record using cinema name - Filter Icon - Brand (single selection allowed) - Cinema (multiple selection allowed) - Date Range (To and From) - Cinema ID - Unique cinema identifier - Cinema Name - Name of the cinema - Brand - Cinema brand, i.e., PVR or INOX - With QR (Android) - Redemptions using QR on Android - With QR (iOS) - Redemptions using QR on iOS - Without QR (Android)

	■ Redemptions without QR on Android ○ Without QR (iOS) ■ Redemptions without QR on iOS ● UC 40.1.3. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email.
Exception Flow	● UCE 40.1.1. No Data Found ○ If no results match the filter criteria → "No records found."
Business Rules	● Redemption data is captured per cinema. ● QR and non-QR redemptions are tracked separately. ● Android and iOS redemptions are counted independently.
Validations	● Date Range (From and To Date) ○ 'From' date must be greater than or equal to 'To' date. ○ Error Messages: ■ "The From date cannot be earlier than the To date."
Frontend Links	

41. APP100 Error Reports - Reports

41.1. USE CASE

Use Case No.	UC 41
Use Case Name	APP100 Error Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=2649-291265&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The APP100 Error Report provides visibility into errors encountered by users while attempting to redeem the APP100 offer. The report aggregates error messages generated during the redemption process and displays their occurrence count across platforms.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Reports → APP100 Error Report
Pre-Condition	● Admin must be logged into the Admin Panel. ● APP100 campaign must be active or historical redemption attempts must exist. ● Error logs related to APP100 must be captured in the system.
Post Condition	● Success:

	○ The system displays aggregated error logs related to APP100 redemption. ● Failure: ○ If no error logs exist for the selected filters, the system displays an empty state.
Basic Flow	<u>Listing Page:</u> ● UC 41.1.1. Admin navigates to: Reports → APP100 Error Reports ● UC 41.1.2. The APP100 Error Reports consists of the following: ○ Search Bar (search using Str_Exception) ○ Filter Icon ■ Select Platform (Dropdown) ● All ● iOS ● Android ● M - Site ● Website ■ Date Range (To and From) ○ Tabular View: ■ Str_Exception ■ Platform ■ Count ■ Action ● UC 41.1.3. By default, the listing page displays data for the current day. ● UC 41.1.4. When the admin clicks on the View icon for a specific record, the admin is redirected to the details page. <u>Details Page:</u> ● UC 41.2.1. The APP100 Error Reports details page consists of the following: ○ Unique Request ID ○ User ID ○ Phone Number ○ Email ○ Theatre ID ○ Booking Type ○ Platform ○ Redeem Date ○ Device ID ○ IP Address ○ Pay Mode ○ Status (Redeemed/Failed)
Exception Flow	● UCE 33.1.1. No Data Found

	○ If no results match the filter criteria → “No records found.”
Business Rules	● The APP100 Error Report will display all transactions where the APP100 offer failed, was rejected, or encountered an error during processing. ○ By default, the listing page displays data for the current day. ● The report will capture errors occurring during any stage of the APP100 redemption flow, including: ○ Payment processing ○ Voucher application ○ Backend service failures ● If the user attempts multiple times to apply APP100 during the same booking, each failed attempt will be logged as a separate record.
Validations	● Date Range (From and To Date) ○ ‘From’ date must be greater than or equal to ‘To’ date. ○ Error Messages: ■ “The From date cannot be earlier than the To date.”
Frontend Links	

42. Customer Feedback (Movie Ratings) - Reports

42.1. USE CASE

Use Case No.	UC 42
Use Case Name	Customer Feedback (Movie Ratings)
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=2775-19513&t=xuv11R5lTsi5JzeJ-1
Use Case Description	The Customer Feedback Ratings module allows the admin to view ratings submitted by customers for movies they have watched. The report provides detailed feedback records including customer details, cinema location, showtime, and star ratings. It also displays the overall average rating for the selected movie.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Reports → Customer Feedback (Movie Ratings)
Pre-Condition	● Admin must be logged into the Admin Panel. ● Customer feedback data must exist in the system. ● Ratings must be captured from the frontend after movie viewing.
Post Condition	● Success: ○ The system displays the list of customer ratings for the selected movie. ● Failure:

	○ If no movie is selected or no ratings exist, the system displays an empty state.
Basic Flow	<u>Listing Page:</u> ● UC 42.1.1. Admin navigates to: Reports → Customer Feedback (Movie Ratings) ● UC 42.1.2. The system displays the Customer Feedback Ratings Listing Page. Initially, the listing page will appear blank, and the data will be displayed only after the admin selects a movie or review submission date range. ● UC 42.1.3. The listing page consists of the following: ○ Select Movie (Dropdown; single selection allowed) ○ Overall Ratings (aggregated sum of all the ratings for the selected movie) ○ Search Bar (Search by Customer Name, Email & Phone Number) ○ Filter Icon ■ Select Review Submission Date (From and To) ○ Track ID ○ Movie Name ○ Customer Name (Name of the customer who submitted the rating) ○ Customer Email ○ Customer Phone Number ○ Cinema Name (Cinema where the movie was watched) ○ Show Time (Date and time of the movie show) ○ Star Ratings (Rating provided by the customer) ○ Review Submission Date (Date and time of review submission by customer) ● UC 42.1.3. Admin selects a movie from the Select Movie dropdown. Dropdown contains the list of available movies (sourced from Movie Master) ● UC 42.1.4. Once a movie is selected, the system retrieves all feedback ratings associated with that movie based on the movie master code. ● UC 42.1.5. After selecting a movie, the system displays the average rating of all submitted ratings for the selected movie.
Exception Flow	● UCE 33.1.1. No Data Found ○ If no results match the filter criteria → “No records found.”
Business Rules	● Ratings are recorded after the customer watches a movie. ● Each customer can submit one rating per movie show. ● Overall rating is calculated as the average of all ratings for the selected movie. ● Ratings are displayed in descending order of submission time.

	Admin can view but cannot modify customer ratings.
Validations	Initially, if no movie is selected, the system displays the message → “No Movie Selected. Select a movie or a date range to view the corresponding customer ratings.”
Frontend Links	

43. Passport Purchase - Reports

43.1. USE CASE

Use Case No.	UC 43
Use Case Name	Passport Purchase
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1237-93517&t=xuv11R5ITsi5JzeJ-1
Use Case Description	This use case defines how an admin can view passport purchase and renewal transactions through the Passport Purchase report in the admin portal. The report provides a centralized history of all passport purchases, renewals, subscription details, payment transactions, and customer information.
Primary Actor	Admin
Secondary Actor	- System Backend - Showbizz
Triggering Event	Admin navigates to Reports → Passport Purchase
Pre-Condition	- Admin must be logged into the admin panel. - Passport purchases/renewal data must exist in the database.
Post Condition	- Success: - Admin is able to view passport purchase and renewal transactions - Admin can analyze subscription details and payment information - Admin may export the report. - Failure: - If no data exists, the report will show No records found
Basic Flow	<u>Listing Page:</u> - UC 43.1.1. Admin navigates to: Reports → Passport Purchase - UC 43.1.2. The system displays the Passport Purchase Listing Page which consists of the following: - Export CSV - Select Search Type (dropdown; single selection allowed) - Booking ID

	■ Phone Number ■ Email ○ Filter Icon ■ Payment Status ● INITIALIZE ● BOOKED ● CANCELLED ■ For Self ● Yes ● No ■ Subscription Type ● Monthly ● Quarterly ■ Transaction Type ● Purchase ● Renewal ■ Platform ● All ● iOS ● Android ● Website ● M-Site ■ Validity ● From - To (Date Range) ■ Purchased Date ● From - To (Date Range) ○ Unique Request ID ○ Track ID ○ Customer Name ○ Customer Phone Number ○ Customer Email ○ For Self (Yes / No) ○ Recipient Name ○ Recipient Phone Number ○ Recipient Email ○ Scheme Type ○ Scheme ID ○ Subscription Type (Monthly / Quarterly) ○ Transactional Type (Purchase/ Renewal) ○ Recurring Subscription ○ Subscription Status ○ Passport Number ○ Cancellation Date ○ Valid From ○ Valid To
--	---

	○ Food Vouchers ○ Voucher Applied ○ Chain (PVR / INOX) ○ Discount ○ Total Amount ○ Pay Mode ○ Payment Status ○ Purchase Date & Time ○ Action (View) ● UC 43.1.3. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email. <u>Details Page:</u> ● UC 43.2.1. When the admin clicks on the View icon under the Action column for a selected record, the system redirects the admin to the details page of that record. ● UC 43.2.2. The Passport Purchase details page consists of the following: ○ Order Summary ■ Unique Request ID ■ Track ID ■ Order Status ■ Purchase Date & Time ■ Plattform ■ Transactional type ○ Passport Details ■ For Self ■ Passport Number ■ Scheme ID ■ Scheme Type ■ Subscription Type ■ Subscription Status (Active/Inactive) ■ Recurring Subscription (Yes/No) ■ Food Vouchers (Yes/No) ■ Valid To ■ Valid From ■ Vouchers Applied ○ Pricing Details ■ Discount ■ Total Amount ■ Total Amount Paid ○ Customer Details ■ Customer Name
--	---

	■ Customer Phone Number ■ CustomerEmail ■ Recipient Name ■ Recipient Phone Number ■ Recipient Email ○ Payment Details ■ PG ID ■ Payment Gateway ■ Request (JSON Object) ■ Response (JSON Object) ■ Pay Mode ■ Amount ■ Status (Success/Failed) ○ Showbizz Status ■ PG Type ■ Card Type ■ Pay Mode
Exception Flow	● UCE 43.1.1. No Data Found ○ If no results match the filter criteria → “No records found.”
Business Rules	● Every passport purchase must have a unique Order ID and Track ID. ● Passport validity is determined by Valid From and Valid To dates. ● All passport purchase and passport renewal cases will be displayed in this module. ● If a customer has previously purchased a passport and later cancels it, and then purchases again, then separate records will be maintained for each transaction. ● Initially, the listing page will display all passport purchase records by default. The admin can then apply the required filter combinations to review specific records.
Validations	● Booking ID ○ Maximum length: 20 characters ○ Must match system generated format ● Phone Number ○ Numeric values only ○ Length: 10 digits ○ Error Message: ■ “Please enter a valid phone number.” ● Email ○ Must follow valid email format ○ Example: name@example.com ■ Error Message:

	● “Please enter a valid email.”
Frontend Links	

44. Gift Card Purchase - Reports

44.1. USE CASE

Use Case No.	UC 44
Use Case Name	Gift Card Purchase
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1237-92608&t=xuv11R5lTsi5JzeJ-1
Use Case Description	This use case defines how an admin can view and analyze gift card purchase transactions through the Gift Card Purchase report available in the Admin Portal. The module provides a comprehensive history of all gift card purchase transactions, including sender details, receiver details, gift card information, payment details, and platform information.
Primary Actor	Admin
Secondary Actor	● System Backend ● Showbizz
Triggering Event	● Admin navigates to: Admin Panel → Reports → Gift Card Purchase
Pre-Condition	● Admin must be logged into the admin portal ● Gift card purchases must exist in the system
Post Condition	● Success: ○ Admin successfully views gift card purchase records. ○ Admin can export purchase data. ● Failure: ○ If no records exist, system displays No records found
Basic Flow	● UC 44.1.1. Admin navigates to: Reports → Gift Card Purchase ● UC 44.1.2. The Gift Card Purchase listing page consists of the following: ○ Export CSV ○ Select Search Type ■ Track ID ■ Phone Number ■ Email ○ Search Bar ○ Filter Icon ■ Chain ■ Platform ■ Status ■ Payment Status ■ Purchased Date

	○ User Request ID ○ Track ID ○ Status (Purchased / Failed) ○ Purchase Date ○ Customer Name ○ Customer Phone Number ○ Customer Email ○ Recipient Name ○ Recipient Phone Number ○ Recipient Email ○ Name ○ Alias Name ○ For Self (Yes / No) ○ Personal Message ○ Quantity (i icon) ■ On click, a pop-up appears displaying the quantity of gift cards, along with the selected skin, price, and offer price. ○ Discount ○ Total Value ○ Total Amount Paid ○ Pay Mode ○ Platform (Android / iOS / Website / M-site) ○ Chain (PVR / INOX) ○ Action (View) ● UC 44.1.3. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email. <u>Details Page:</u> ● UC 44.2.1. When the admin clicks on the View icon under the Action column for a selected record, the system redirects the admin to the details page of that record. ● UC 44.2.2. The Gift Card purchase details page consists of the following: ○ Order Summary ■ User Request ID ■ Track ID ■ Order Status ■ Purchase Date & Time ■ Platform ■ Chain ○ Gift Card Details ■ For Self ■ Name
--	--

	■ Alias Name ■ Total Name ■ Discount ■ Total Amount Paid ○ Customer Details ■ Customer Name ■ Customer Phone Number ■ Customer Email ■ Personal Message ■ Recipient Name ■ Recipient Phone Number ■ Recipient Email ○ Payment Summary ■ Images/skins ■ Quantity ■ Price ■ Sub total ■ Discount ■ Paid Amount ■ Payment Method ○ Payment Details ■ PG ID ■ Payment Gateway ■ Request ■ Response ■ Pay Mode ■ Amount ■ Status ○ Showbizz Status ■ PG Type ■ Card Type ■ Pay Mode
Exception Flow	● UCE 44.1.1. No Data Found ○ If no results match the filter criteria → “No records found.”
Business Rules	● Every gift card purchase must have a unique request ID and Track ID. ● All gift card purchase cases will be displayed in this module. ● Initially, the listing page will display all gift card purchase records by default. The admin can then apply the required filter combinations to review specific records.
Validations	● Track ID ○ Maximum length: 50 characters ○ Must match system generated format

	● Phone Number ○ Numeric values only ○ Length: 10 digits ○ Error Message: ■ “Please enter a valid phone number.” ● Email ○ Must follow valid email format ○ Example: name@example.com ■ Error Message: ● “Please enter a valid email.”
Frontend Links	

45. Gift Card Redemption - Reports

45.1. USE CASE

Use Case No.	UC 45
Use Case Name	Gift Card Redemption
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1237-92609&t=xuv11R5lTsi5JzeJ-1
Use Case Description	This use case defines how an admin can view and analyze gift card redemption transactions through the Gift Card Redemption report available in the Admin Panel. The report provides a detailed record of gift card usage and redemption across bookings and food purchases, including transaction details, customer information, redemption amount, booking status, and platform information.
Primary Actor	Admin
Secondary Actor	● System Backend ● Showbizz
Triggering Event	● Admin navigates to: Admin Panel → Reports → Gift Card Redemption
Pre-Condition	● Admin must be logged into the admin panel. ● Gift card redemption transactions must exist in the system.
Post Condition	● Success: ○ Admin successfully views gift card redemption records. ○ Admin can analyze redemption transactions. ○ Admin may export the redemption report. ● Failure: ○ If no records exist, the system displays No records found
Basic Flow	● UC 45.1.1. Admin navigates to: Reports → Gift Card Purchase ● UC 44.1.2. The Gift Card Redemption listing page consists of the following: ○ Export CSV

	○ Select Search Type ■ Booking ID ■ Phone Number ■ Email ■ GC Number ○ Search Bar ○ Filter Icon ■ Chain ■ Platform ■ Redemption Status ■ Purchased Date ○ GC Number ○ Invoice Number ○ Amount ○ Redemption Status ■ Redeemed ■ Rolledback ○ Booking Status ■ Success ■ Failed ■ Payment Pending ■ Confirmed ○ Booking ID ○ Track ID ○ GC Transaction ID ○ Recipient Name ○ Phone Number ○ Email ○ Approval Code ○ Batch Number ○ Booking Type (Booking / Food) ○ Chain (PVR / INOX) ○ Redeem Date & Time ● UC 45.1.3. On clicking the 'Export CSV' button, the system will generate a CSV file containing all the relevant details based on the selected filters. The CSV file will be directly downloaded to the admin's system instead of being sent via email.
Exception Flow	● UCE 45.1.1. No Data Found ○ If no results match the filter criteria → "No records found."
Business Rules	● Every gift card purchase must have a unique Order ID and Track ID. ● Each redemption transaction must be associated with a valid gift card number. ● A single booking may redeem multiple gift cards.

	○ Each gift card redemption is recorded as a separate transaction entry. ● Redemption status include: ○ Redeemed ○ Rolledback
Validations	● Booking ID ○ Maximum length: 50 characters ○ Must match system generated format ● Phone Number ○ Numeric values only ○ Length: 10 digits ○ Error Message: ■ "Please enter a valid phone number." ● Email ○ Must follow valid email format ○ Example: name@example.com ■ Error Message: ● "Please enter a valid email." ● GC Number ○ Must be 16 digits ○ Numeric Value only ○ Error Message: ■ "Please enter a valid gift card number."
Frontend Links	

46. Offers & Vouchers - Reports

46.1. USE CASE

Use Case No.	UC 46
Use Case Name	Offers & Vouchers - Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=1274-109133&t=GKvVgbnpyOnV5pi3-1
Use Case Description	This module enables the admin to view and analyze redemption data related to Offers and Vouchers. The admin can search, filter, and export reports containing transaction details for vouchers redeemed through the platform. The report helps the admin track voucher usage, redemption amount, transaction details, booking information, and associated customer details.
Primary Actor	Admin
Secondary Actor	System Backend

Triggering Event	● The admin navigates to Reports → Offers & Voucher Reports from the Admin Panel.
Pre-Condition	● The admin must be logged into the Admin Panel. ● Offers and voucher redemption transactions must exist in the system.
Post Condition	● Success: ○ The system displays the report containing voucher redemption details based on applied filters. ● Failure: ○ If no data matches the filter criteria, the system displays an empty state message.
Basic Flow	● UC 46.1.1. Admin navigates to Reports → Offers & Voucher Reports. ● UC 46.1.2. The system displays the Offers & Voucher Reports listing page with the following: ○ Redemption Type dropdown ○ Search Type dropdown ○ Search Keyword field ○ Search button ○ Filter Icon ○ Tabular View: ■ Track ID ■ Booking ID ■ Booking Type ■ Voucher Code ■ Voucher Scheme Type ■ Voucher Type ■ Transaction Amount ■ Redemption Amount ■ Redeem Date ■ Status ■ Transaction No. ■ Voucher Amount ■ Voucher ID ■ Phone Number ■ Email ■ Booking Status ■ Cinema Name ■ Booking Type ■ Chain ■ IP Address ■ Device ID ■ Platform ■ Movie Name (along with i Icon)

	● On click, a pop up appears where the admin is able to view the details of the movie like Movie Name, Tickets Count, Showtime and price. ■ FnB Details (along with i Icon) ● On click, a pop up appears which displays the food details like item count, image and name of the food item along with the food item ID for each food item. ■ Str Error
Alternate Flow	● UCA 46.1.1. If the admin applies any filter combination and clicks Search, the system refreshes the listing and displays the report based on the selected filter criteria. ● UCA 46.1.2. If multiple records are available, the system displays the results in a paginated format, allowing the admin to navigate through the records using pagination controls.
Exception Flow	● UCE 46.1.1. If no records match the selected filter criteria, the system displays an error message. ● UCE 46.1.2. If the report fails to load due to a system or server error, the system displays an appropriate error message prompting the admin to try again later.
Business Rules	● The listing page will appear blank initially. The admin must apply filter combinations to view the results. It is not mandatory for the admin to select the 'Select Redemption Type' or 'Select Search Type' dropdowns together to view results. The admin may choose any combination of filters, and the results will be displayed accordingly. ● The Select Redemption Type dropdown options are as follows: ○ All ○ Gfytr ○ Super Ticket ○ Star Pass ○ Promocode ○ MCoupon ○ Kotak Plus ○ F&B Voucher ○ Family Bundle ○ Bank Offer ○ Auto Voucher ○ Retail Voucher ■ Note: Multi selection allowed. ● The Select Search Type dropdown options are as follows: ○ Phone Number ○ Track ID

	○ Coupon Code ■ Note: Single selection allowed. ● The admin can filter the listing using the following filters: Status, Booking Status, and Redeem Date (From–To). ● Upon clicking the Export CSV button, the report will be downloaded in CSV format to the admin’s system.
Validations	● If no records match the selected filter criteria, the system displays the following message: “No records found for the selected filter criteria.”
Frontend Links	

47. M - Coupon - Static Management

47.1. USE CASE

Use Case No.	UC 47
Use Case Name	M - Coupon - Static Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3364-24799&t=GKvVgbnpYOnV5pi3-1
Use Case Description	The M-Coupon Static Management module allows the admin to configure and manage the static content displayed on the M-Coupon section of the application and website. This module enables the admin to upload the banner image, define the key benefits of M-Coupon, and manage the instructions for claiming and linking M-Coupons. The configured content will be dynamically reflected on the M-Coupon page in the customer app, website, and m-site.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Static Management → M-Coupon from the Admin Panel sidebar.
Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have access rights for Static Management.
Post Condition	● Success: ○ Privilege Plus static content is updated successfully. ○ Updated content is reflected on the Privilege Plus page on frontend platforms. ● Failure: ○ Updated content is reflected dynamically on the M-Coupon page of the app/web/m-site. ○ If content fails to save, the system displays an error message.

Basic Flow	● UC 47.1.1. Admin navigates to Admin Panel → Static Management → M - Coupon ● UC 47.1.2. System displays the M-Coupon page with the following editable fields: ○ Web Image* ○ App Image* ○ Card Image* ○ Benefits of PVR INOX Kotak Gift Card (heading) ■ Add Button ● On click, the admin can add multiple new titles and assign an icon to each title. ■ Title (input field) ■ Sub - Title (Input field) ■ Delete Icon ● On click, the title and its uploaded icon will be deleted. ○ How to Claim & Link M-Coupon* ■ Input Field (Along with add and delete icon) ○ Save button ● UC 47.1.3. Admin enters or updates: ○ Title (e.g.20% Discount) ○ Sub - Title (e.g On Food & Beverages at all PVR Cinemas) ○ Upload icon to each title using the upload component ○ Points to Note section using the rich text editor (bullet points allowed) ● UC 47.1.4. Admin clicks Save ○ System validates all mandatory fields ○ On successful validation: ○ Content is saved ○ Success confirmation is shown ○ Updated content is published to frontend platforms
Alternate Flow	● UCA 47.1.1. Image Update Only ○ Admin edits only the image and keeps existing text content. ○ The system allows saving if all mandatory fields already have values. ● UCA 47.1.2. Content Update Without Image Change ○ Admin updates text fields without changing the image ○ System retains the existing image
Exception Flow	● UCE 47.1.1. Mandatory Field Missing ○ If Banner (web and app) & card Image, 'Benefits of PVR INOX Kotak Gift Card' & 'How to Claim & Link M-Coupon' is missing

	■ System displays inline validation message and prevents save ● UCE 47.1.2. Unsupported Image Format / Upload Failure ○ If image/icon upload fails or unsupported format is used ○ System displays error message and retains previous image ● UCE 47.1.3. System/API Failure ○ If save action fails due to backend issue ○ System displays error message → “Unable to save changes. Please try again.”
Business Rules	● All fields marked with (*) are mandatory. ● Rich text formatting (bullets, basic styling) is supported in Points to Note. ● The image uploaded will be used across all supported platforms (App/M-site/Website). ● The latest saved content always overrides previous configuration.
Validations	● Web, App & Card Image : ○ Required: Optional ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.” ● Title: ○ Required ○ Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 30 characters → “Title cannot exceed 30 characters.” ○ Minimum length: 3 characters → “Title should be at least 3 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Sub - Title: ○ Required ○ Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 100 characters → “Sub - Title cannot exceed 100 characters.” ○ Minimum length: 10 characters → “Sub - Title should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● How to Claim & Link M-Coupon (Single input field):

	○ Required. ○ Maximum length: 100 characters → “Description cannot exceed 100 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed.
Frontend Links	

48. Privilege Plus - Static Management

48.1. USE CASE

Use Case No.	UC 48
Use Case Name	Privilege Plus - Static Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3364-22878&t=xuv11R5lTsj5JzeJ-1
Use Case Description	The Privilege Plus Section under Static Management allows the admin to configure the static content displayed on the Privilege Plus landing page of the frontend application. Through this module, admins can upload a banner image, configure the Privilege Plus title, add entry titles, and manage the “Points to Note” section which explains key information related to Privilege Plus membership. The configured content will be reflected on the Privilege Plus page across the App and Website.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Static Management → Privilege Plus from the Admin Panel sidebar.
Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have access rights for Static Management.
Post Condition	● Success: ○ Privilege Plus static content is updated successfully. ○ Updated content is reflected on the Privilege Plus page on frontend platforms. ● Failure: ○ If content fails to save, the system displays an error message.
Basic Flow	● UC 48.1.1. Admin navigates to Admin Panel → Static Management → Privilege Plus ● UC 48.1.2. System displays the Privilege Plus page with the following editable fields:

	○ Web Image* ○ App Image* ○ Card Image* ○ Enter URL* ■ An input field for entering the URL ○ Privilege Plus (heading) ■ Add Button ● On click, the admin can add multiple new titles and assign an icon to each title. ■ Title (input field) ■ Sub Title (input field) ■ Upload Icon ■ Delete Icon ● On click, the title and its uploaded icon will be deleted. ○ Points to Note* ■ Input field (along with add and delete icon) ○ Save button ● UC 48.1.3. Admin enters or updates: ○ Title (e.g. Redeem your rewards) ○ Upload icon to each title using the upload component ○ Points to Note section using the rich text editor (bullet points allowed) ● UC 48.1.4. Admin clicks Save ○ System validates all mandatory fields ○ On successful validation: ○ Content is saved ○ Success confirmation is shown ○ Updated content is published to frontend platforms
Alternate Flow	● UCA 48.1.1. Image Update Only ○ Admin edits only the image and keeps existing text content. ○ The system allows saving if all mandatory fields already have values. ● UCA 48.1.2. Content Update Without Image Change ○ Admin updates text fields without changing the image ○ System retains the existing image
Exception Flow	● UCE 48.1.1. Mandatory Field Missing ○ If Banner (web and app) & card image, Privilege Plus Title, Entry Title & Points to Note is missing ■ System displays inline validation message and prevents save ● UCE 48.1.2. Unsupported Image Format / Upload Failure ○ If image/icon upload fails or unsupported format is used

	○ System displays error message and retains previous image ● UCE 48.1.3. System/API Failure ○ If save action fails due to backend issue ○ System displays error message → “Unable to save changes. Please try again.”
Business Rules	● All fields marked with (*) are mandatory. ● Rich text formatting (bullets, basic styling) is supported in Points to Note. ● The image uploaded will be used across all supported platforms (App/M-site/Website). ● The latest saved content always overrides previous configuration.
Validations	● Web, App & Card Image: ○ Required: Optional ○ File Type: Only .jpg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ File Size: Max 5 MB → “File size must not exceed 5 MB.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.” ● Icon: ○ Required: Optional ○ File Type: Only .svg/.png → “Unsupported file type. Only JPG or PNG allowed.” ○ Hotlinking: External URLs not allowed → “Please upload the image instead of linking to an external URL.” ● Title : ○ Required ○ Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: 30 characters → “Title cannot exceed 30 characters.” ○ Minimum length: 20 characters → “Title should be at least 20 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed. ● Sub Title: ○ Required ○ Title cannot be saved as blank or with only whitespace. ○ Required. ○ Maximum length: characters → “Sub - Title cannot exceed 100 characters.” ○ Minimum length: 80 characters → “Sub - Title should be at least 80 characters for clarity.” ○ Only letters, numbers, spaces allowed.

	○ All the Special characters are also allowed. ● Points to Note (Single input field): ○ Required. ○ Maximum length: 100 characters → “Description cannot exceed 100 characters.” ○ Minimum length: 10 characters → “Description should be at least 10 characters for clarity.” ○ Only letters, numbers, spaces allowed. ○ All the Special characters are also allowed.
Frontend Links	

49. Passport Notifications – Reports

49.1. USE CASE

Use Case No.	UC 49
Use Case Name	Passport Notifications – Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3924-32776&t=GKvVgbnpYOnV5pi3-1
Use Case Description	This module allows the admin to track customers whose Passport subscriptions are nearing expiry. The admin can view customer details, subscription type, notification status, and submission dates. This report helps the admin monitor upcoming passport expirations and ensure notifications are sent to customers.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● The admin navigates to Reports → Passport Notifications under the Reports from the Admin Panel.
Pre-Condition	● Admin must be logged in. ● Passport subscription records must exist in the system.
Post Condition	● Success: ○ The system displays the passport expiry report based on the applied filters. ● Failure: ○ If no records are found, an empty state message is displayed.
Basic Flow	● UC 46.1.1.Admin navigates to Reports → Passport Expiry. ● UC 46.1.2. The system displays the Passport Expiry listing page with the following: ○ Search Bar ■ The admin can search using the Track ID, Scheme ID, Customer Name,Email & Phone Number. ○ Filter Icon

	■ The admin can filter the listing page by Notify Submission Date by selecting the From and To date range. ○ Tabular View: ■ Track ID ■ Scheme ID ■ Passport Number ■ Customer Name ■ Customer Email ■ Customer Phone Number ■ Subscription ■ Expiry Date ■ Notify Submission Date ■ WhatsApp Notification ● Displays whether the notification was sent, along with the corresponding date and time. If the notification was not sent or is not applicable, NA will be displayed. ■ SMS Notification ● Displays whether the notification was sent, along with the corresponding date and time. If the notification was not sent or is not applicable, NA will be displayed. ■ Push Notification ● Displays whether the notification was sent, along with the corresponding date and time. If the notification was not sent or is not applicable, NA will be displayed.
Exception Flow	● UCE 49.1.1.If no passport expiry records exist, the system displays: “No records found.” ● UCE 49.1.2. If report loading fails due to a system error, an error message is displayed.
Business Rules	● Passport expiry data is fetched from the passport subscription database. ● Notification status reflects whether alerts were sent via: ○ WhatsApp ○ SMS ○ Push Notification ● Default records displayed per page: 25. ● The Track ID associated with a record will correspond to the Track ID of the last purchase or renewal.
Validations	● If no records match the selected filter criteria, the system displays the following message: “No records found for the selected filter criteria.”

Frontend Links	
----------------	--

50. Gift Card Retry - Gift Cards Management

Use Case No.	UC 50
Use Case Name	Gift Card Retry
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3938-35412&t=GKvVgbnpYOnV5pi3-1
Use Case Description	This module allows the admin to search for a gift card order using a Track ID and retry the generation of gift cards if any cards are in a Pending state. The module also provides visibility into the number of requested, generated, and pending gift cards associated with the Track ID.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	The admin navigates to Reports → Gift Card Retry under the Reports from the Admin Panel.
Pre-Condition	- Admin must be logged into the Admin Panel. - Gift card orders should already exist in the system and have a Track ID generated during the purchase process.
Post Condition	- Pending gift cards can be retried for generation. - Successfully retried gift cards will move from Pending to Generated status. - In case the generation cannot be completed, the admin may initiate a Refund.
Basic Flow	- UC 50.1.1. Admin navigates to Gift Cards Management → Gift Card Retry from the left navigation menu. - UC 50.1.2. The system displays the Gift Card Retry page with a Track ID search field. - UC 50.1.3. Admin enters the Track ID and clicks Search. - UC 50.1.4. System fetches and displays the gift card order details associated with the entered Track ID. - UC 50.1.5. The following information is displayed: - Track ID - Total Requested Cards - Total Generated Cards - Total Pending Cards - UC 50.1.6. A table listing all gift cards under the order is displayed with: - Denomination / Value - Generation Status - UC 50.1.7. If any gift cards are in Pending state:

	○ Admin can click Retry to regenerate pending cards. ● UC 50.1.8. If the issue persists or generation fails: ○ Admin may click Refund to initiate refund for the pending cards.
Alternate Flow	● UCA 50.1.1. No Record Found: ○ Admin enters an invalid or non-existing Track ID. ○ The system returns a No Gift Cards Found message. ○ No data is displayed. ● UCA 50.1.2. No Pending Cards ○ Admin searches using a valid Track ID. ○ All gift cards are already Generated. ○ Retry action will not be applicable.
Exception Flow	● UCE 50.1.1. System Error During Retry ○ Admin clicks Retry. ○ If the system fails to regenerate gift cards due to service/API failure: ■ An error message is displayed. ■ The status remains Pending.
Business Rules	● The admin must search using a valid Track ID to retrieve the gift card order details. ● The system will only fetch records associated with the entered Track ID. ● Each gift card order will have a unique Track ID generated during the gift card purchase process. ● A Track ID may contain multiple gift cards with different denominations. ● Gift Card Status Types ○ Each gift card under a Track ID will have one of the following statuses: ○ Generated – Gift card has been successfully created. ○ Pending – Gift card generation was unsuccessful or incomplete. ● Retry Eligibility ○ The Retry action will only be enabled if there is at least one gift card with Pending status. ○ If all gift cards are in Generated status, the Retry option will not perform any action. ● Retry Action Behavior ○ When the admin clicks Retry, the system will attempt to regenerate only the gift cards with Pending status. ○ Gift cards that are already Generated will not be affected. ● Status Update After Retry ○ If the retry process is successful, the gift card status will change from Pending → Generated. ○ If the retry fails, the gift card will remain in Pending status. ● Retry Scope

	○ Retry will be triggered for all pending gift cards under the selected Track ID. ○ The admin cannot retry individual cards separately. ● Refund Eligibility ○ Refund can only be initiated if one or more gift cards remain in Pending status after retry attempts. ○ Refund will apply only to the pending cards and not to already generated cards. ● Summary Metrics Calculation ○ Total Requested Cards = Total number of gift cards requested in the order. ○ Total Generated Cards = Count of gift cards successfully generated. ○ Total Pending Cards = Count of gift cards not yet generated. ● If the Gift Card is partially generated, the refund should be restricted.
Validations	● If the entered Track ID does not exist in the system, the system will display "No Gift Cards Found for the entered Track ID."

51. Terms of Use - Static Management

Use Case No.	UC 51
Use Case Name	Static Page Management – Terms of Use
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4715-35281&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case defines how the admin manages the Terms of Use static content across multiple predefined combinations of Brand (PVR/INOX) and Country (India/Sri Lanka). All combinations are pre-created in the system, and the admin is only allowed to view, filter, and update content, not create or delete entries. The admin can edit rich-text content for Terms of Use and apply updates to one or multiple brand-country combinations using selection checkboxes.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Static Management → Terms of Use from the Admin Panel sidebar.
Pre-Condition	● Admin is logged into the Admin Panel. ● Brand–Country combinations (PVR India, PVR Sri Lanka, INOX India, INOX Sri Lanka) are pre-configured in the system.

	Existing Terms of Use entries are already available in listing format.
Post Condition	- Updated Terms of Use content is saved successfully. - Changes reflect on frontend platforms (App/Web/M-site) based on selected combinations. - The last edited date is updated in the listing.
Basic Flow	<u>Listing Page Flow</u> - Admin lands on the Terms of Use listing page. - System displays table with: - Brand - Country - Last Edited On - Action (Edit icon) - Admin can: - View all predefined entries - Identify last updated timestamps - Click on Edit icon of a specific record on the listing page <u>Edit Terms of Use Flow</u> - Admin clicks on Edit icon for a specific Brand–Country on the listing page, the system opens Edit Terms of Use page: - Admin views: - Brand (non-editable) - Country (non-editable) - Rich Text Editor (Terms of Use content) - Admin updates content using text editor: - Text formatting. (character styling , font customization , paragraph alignment , list numbered or bulleted lists, special element i.e hyperlinks ,special characters) - Paragraphs and structured content. <u>Multi-Selection Apply Flow</u> - Below editor, admin is displayed the three checkbox options: - Apply to PVR – Sri Lanka - Apply to INOX – India - Apply to INOX – Sri Lanka (depending on current selection context) - Admin selects one or multiple checkboxes.

	● This allows the same content to be applied across multiple combinations. <u>Save Flow</u> ● Admin clicks Save. ● A confirmation pop-up will appear when the admin clicks on the Save button. If the admin confirms, the changes will be implemented successfully. ○ Pop-up Text: ■ “Are you sure you want to update the Terms of Use?” ● If the admin has selected additional Brand and Country combinations, and content already exists for those selected combinations, the pop-up message will be: ○ Pop up text: ■ “Are you sure you want to update the Terms of Use? Additionally, content already exists for the selected <Brand - Country> combination(s). Proceeding will overwrite the existing content. Do you want to continue?” ● System: ○ Validates content ○ Saves updated content ○ Applies changes to selected combinations ○ Updates last edited timestamp ○ Admin is redirected back to listing page <u>Cancel Flow</u> ● Admin clicks Cancel ● No changes are saved ● Admin is redirected to listing page
Alternate Flow	● Admin applies filter but no data matches → Empty state displayed ● Admin edits content but does not select additional combinations → Update applies only to current row ● Admin selects multiple combinations → Same content replicated across selected mappings ● Admin edits multiple times before saving → Only last saved version is persisted
Exception Flow	● If content fails to load → Show error and retry option ● If save fails due to server issue → Show error message and retain unsaved content ● If session expires during editing → Redirect to login ● If CMS API fails → Prevent save and notify admin

	● If no predefined combinations exist (edge case) → Show empty state
Business Rules	● All Brand–Country combinations are predefined and non-editable ● Admin cannot create or delete Terms of Use entries ● Only edit/update functionality is allowed ● Brand and Country fields are read-only ● One content can be applied to multiple combinations via checkbox selection ● Last Edited Date updates on every successful save ● Content changes should reflect across all platforms (App/Web/M-site) ● Rich text editor supports structured legal content formatting ● Changes are applied immediately (no approval workflow assumed unless specified) ● Each combination maintains its own content unless overwritten via multi-select ● If restricted content is entered and the admin attempts to save it, an error message will be displayed. The affected content will be highlighted in red, enabling the admin to easily identify and remove the restricted elements before proceeding.
Validations	● Terms of Use Content (Rich Text Editor) ○ Required: Mandatory ○ Format: Must contain valid text/HTML content → “Please enter valid Terms of Use content.” ○ Allowed Type: Alphanumeric + special characters (as per legal content) ○ Minimum Length: 10 characters → “Content must be at least 10 characters.” ○ Maximum Length: 10,000 characters → “Content cannot exceed 10,000 characters.” ○ Allowed Elements: Paragraphs, headings, lists, links, basic formatting (bold, italic, underline) ○ Restricted Elements: Scripts, iframes, unsupported embeds → “Unsupported content detected. Please remove restricted elements.” ○ HTML Validation: Must not contain broken/unclosed tags → “Invalid content structure. Please fix formatting errors.” ○ No Leading/Trailing Empty Content: Blank spaces or empty tags not allowed → “Content cannot be empty or contain only spaces.” ● Multi-Selection (Apply to Brand–Country Combinations) ○ Required: Optional ○ Minimum Selection: 0 (current selection is default) ○ Maximum Selection: All available combinations (4 max) ○ Validation Rule:

	○ If no checkbox selected → Content applies only to current combination ● Date Filter (Last Edited Date) ○ From Date ■ Required: Optional ■ Format: Valid date → “Please select a valid From date.” ○ To Date ■ Required: Optional ■ Format: Valid date → “Please select a valid To date.” ○ Validation Rules: ■ From Date ≤ To Date → “From date cannot be greater than To date.” ■ Date range must be logical → “Please select a valid date range.” ● Save Action ○ Condition: Content modified ○ Validation Rules: ○ If content invalid → “Please fix validation errors before saving.” ○ If save fails → “Unable to save changes. Please try again.”
--	---

52. Privacy Policy - Static Management

Use Case No.	UC 52
Use Case Name	Static Page Management – Privacy Policy
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4739-48479&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case defines how the admin manages the Privacy Policy static content across multiple predefined combinations of Brand (PVR/INOX) and Country (India/Sri Lanka). All combinations are pre-created in the system, and the admin is only allowed to view, filter, and update content, not create or delete entries. The admin can edit rich-text content for Privacy Policy and apply updates to one or multiple brand-country combinations using selection checkboxes.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Static Management → Privacy Policy from the Admin Panel sidebar.
Pre-Condition	● Admin is logged into the Admin Panel. ● Brand–Country combinations (PVR India, PVR Sri Lanka, INOX India, INOX Sri Lanka) are pre-configured in the system.

	Existing Terms of Use entries are already available in listing format.
Post Condition	- Updated Privacy Policy is saved successfully. - Changes reflect on frontend platforms (App/Web/M-site) based on selected combinations. - The last edited date is updated in the listing.
Basic Flow	<u>Listing Page Flow</u> - Admin lands on the Privacy Policy listing page. - System displays table with: - Brand - Country - Last Edited On - Action (Edit icon) - Admin can: - View all predefined entries - Identify last updated timestamps - Click on Edit icon of a specific record on the listing page <u>Edit Terms of Use Flow</u> - Admin clicks on Edit icon for a specific Brand–Country on the listing page, the system opens Edit Privacy Policy page: - Admin views: - Brand (non-editable) - Country (non-editable) - Rich Text Editor (Terms of Use content) - Admin updates content using text editor: - Text formatting (character styling , font customization , paragraph alignment , list numbered or bulleted lists, special element i.e hyperlinks , special characters) - Paragraphs and structured content <u>Multi-Selection Apply Flow</u> - Below editor, admin is displayed the three checkbox options: - Apply to PVR – Sri Lanka - Apply to INOX – India - Apply to INOX – Sri Lanka (depending on current selection context) - Admin selects one or multiple checkboxes. - This allows the same content to be applied across multiple combinations.

	<u>Save Flow</u> ● Admin clicks Save. ● A confirmation pop-up will appear when the admin clicks on the Save button. If the admin confirms, the changes will be implemented successfully. ○ Pop-up Text: ■ “Are you sure you want to update this Privacy Policy?” ● If the admin has selected additional Brand and Country combinations, and content already exists for those selected combinations, the pop-up message will be: ○ Pop up text: ■ “Are you sure you want to update this Privacy Policy? Additionally, content already exists for the selected <Brand - Country> combination(s). Proceeding will overwrite the existing content. Do you want to continue?” ● System: ○ Validates content ○ Saves updated content ○ Applies changes to selected combinations ○ Updates last edited timestamp ○ Admin is redirected back to listing page <u>Cancel Flow</u> ● Admin clicks Cancel ● No changes are saved ● Admin is redirected to listing page
Alternate Flow	● Admin applies filter but no data matches → Empty state displayed ● Admin edits content but does not select additional combinations → Update applies only to current row ● Admin selects multiple combinations → Same content replicated across selected mappings ● Admin edits multiple times before saving → Only last saved version is persisted
Exception Flow	● If content fails to load → Show error and retry option ● If save fails due to server issue → Show error message and retain unsaved content ● If session expires during editing → Redirect to login ● If CMS API fails → Prevent save and notify admin ● If no predefined combinations exist (edge case) → Show empty state
Business Rules	● All Brand–Country combinations are predefined and non-editable ● Admin cannot create or delete Terms of Use entries

	● Only edit/update functionality is allowed ● Brand and Country fields are read-only ● One content can be applied to multiple combinations via checkbox selection ● Last Edited Date updates on every successful save ● Content changes should reflect across all platforms (App/Web/M-site) ● Rich text editor supports structured legal content formatting ● Changes are applied immediately (no approval workflow assumed unless specified) ● Each combination maintains its own content unless overwritten via multi-select
Validations	● Privacy Policy (Rich Text Editor) ○ Required: Mandatory ○ Format: Must contain valid text/HTML content → “Please enter valid Terms of Use content.” ○ Allowed Type: Alphanumeric + special characters (as per legal content) ○ Maximum Length: 10,000 characters → “Content cannot exceed 10,000 characters.” ○ Allowed Elements: Paragraphs, headings, lists, links, basic formatting (bold, italic, underline) ○ Restricted Elements: Scripts, iframes, unsupported embeds → “Unsupported content detected. Please remove restricted elements.” ○ HTML Validation: Must not contain broken/unclosed tags → “Invalid content structure. Please fix formatting errors.” ○ No Leading/Trailing Empty Content: Blank spaces or empty tags not allowed → “Content cannot be empty or contain only spaces.” ● Multi-Selection (Apply to Brand–Country Combinations) ○ Required: Optional ○ Minimum Selection: 0 (current selection is default) ○ Maximum Selection: All available combinations (4 max) ○ Validation Rule: ○ If no checkbox selected → Content applies only to current combination ● Date Filter (Last Edited Date) ○ From Date ■ Required: Optional ■ Format: Valid date → “Please select a valid From date.” ○ To Date ■ Required: Optional ■ Format: Valid date → “Please select a valid To date.”

	○ Validation Rules: ■ From Date ≤ To Date → “From date cannot be greater than To date.” ■ Date range must be logical → “Please select a valid date range.” ● Save Action ○ Condition: Content modified ○ Validation Rules: ○ If content invalid → “Please fix validation errors before saving.” ○ If save fails → “Unable to save changes. Please try again.”
--	--

53. Frequently Asked Questions - Static Management

Use Case No.	UC 53
Use Case Name	Static Page Management – Frequently Asked Questions
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3289-2889&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables the admin to manage Frequently Asked Questions (FAQs) for different countries. The admin can: ● View FAQs in a listing format ● Search FAQs using keywords ● Add new FAQs ● Edit existing FAQs ● Activate / Deactivate FAQs ● Delete FAQs Each FAQ consists of: ● Country ● Question ● Answer FAQs are displayed to end users based on country and active status.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to Static Management → Frequently Asked Questions from the Admin Panel sidebar.
Pre-Condition	● Admin is logged into the system. ● FAQs (if any) are already stored in the database.
Post Condition	● FAQ is successfully created / updated / deleted / status changed. ● Changes reflect in listing immediately.

	● Active FAQs are available on frontend (App/Web). ● Last updated details are stored.
Basic Flow	<u>Listing Page Flow</u> ● Admin lands on FAQ listing page ● System displays: ○ Tabs (India / Sri Lanka) ○ Table with columns: ■ Question (truncated) ■ Answer (truncated) ■ Sequence ■ Last Edited On (date + time) ■ Status ■ Actions (Edit, Delete,Active/Inactive toggle) ● Admin can: ○ Switch between country tabs ○ View FAQs ○ Perform actions <u>Search FAQ</u> ● Admin enters the keyword in the search bar. ○ When an admin enters a keyword, the search results will be applied across both tabs (i.e. India and Sri Lanka) ● System filters FAQs based on: ○ Question ○ Answer ● Matching results displayed dynamically. <u>Add FAQ</u> ● Admin clicks “Add FAQ” ● Add FAQ page opens ● Admin enters: ○ Country (Dropdown) ○ Sequence ○ Question ○ Answer ○ Add Button ○ Cancel Button ● Admin clicks “Add FAQ” ● System: ○ Validates inputs ○ Saves FAQ

	○ Sets default status = Active ○ Updates FAQ listing page <u>Edit FAQ</u> ● Admin clicks Edit icon ● Edit FAQ page opens ● Admin modifies: ○ Country (dropdown) ○ Sequence ○ Question ○ Answer ○ Save Button ○ Cancel Button ● Admin clicks Save ● System: ○ Validates inputs ○ Updates FAQ ○ Reflects changes in listing <u>Activate / Inactivate FAQ</u> ● Admin clicks status toggle in the action column for a specific FAQ record. ● System shows confirmation popup: ○ “Are you sure you want to activate/inactivate this FAQ?” ● Admin confirms ● System updates status: ○ Active → Visible on frontend ○ Inactive → Hidden from frontend <u>Delete FAQ</u> ● Admin clicks Delete icon ● System shows confirmation popup: ○ “Are you sure you want to delete this FAQ?” ● Admin clicks Yes ● System deletes FAQ ● FAQ Listing page gets updated.
Alternate Flow	● No FAQs available → Empty state displayed. ● Search returns no results → “No FAQs found” ● Admin cancels Add/Edit → Modal closes without saving. ● Admin deletes but cancels → FAQ remains unchanged.

Exception Flow	● API failure during save/update/delete → Show error message ● Data load failure → Show retry option ● Session expiry → Redirect to login ● Network failure → Show connectivity error ● Partial failure (edge case) → Show partial success message
Business Rules	● FAQ is always mapped to a country. ● Country, Question and Answer are mandatory fields. ● Duplicate questions for same country are not allowed. ● Newly created FAQ is Active by default. ● Only Active FAQs are shown on frontend. ● Inactive FAQs are hidden but retained in system ● Deleted FAQs are permanently removed. ● FAQs are displayed in listing based on the latest added FAQ. ● All truncated fields will display the full text in a tooltip when hovered over with the cursor.
Validations	● Country ○ Required: Yes ○ If not selected, an error message appears → “Please select a country.” ● Question ○ Required: Yes ○ Format: Text ○ Min Length: 5 characters ■ Error Message → “Question must be at least 5 characters.” ○ Max Length: 200 ■ Error Message → “Question cannot exceed 200 characters.” ○ Duplicate Check: ■ Error Message → “This question already exists for the selected country.” ● Answer ○ Required: Yes ○ Format: Text ○ Min Length: 5 characters ■ Error Message → “Answer must be at least 5 characters.” ○ Max Length: 200 ■ Error Message → “Answer cannot exceed {MAX_LIMIT} characters.” ● Search ○ Min characters: 2 characters

	■ Error Message → “Please enter at least {MIN_CHAR} characters.”
--	--

54. Contact Information - Static Management

Use Case No.	UC 54
Use Case Name	Static Page Management – Contact Information
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3289-2580&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables the admin to view and update predefined contact information for different Brand–Country combinations. The admin cannot create or delete entries. Only view, filter, and edit functionality is allowed. Each Contact Information record includes: ● Contact Email ● Contact Phone Number ● WhatsApp Number ● Contact Centre Timings (Start–End time) ● Operating Days (Start–End day) ● Brand ● Country
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Static Management → Contact Information
Pre-Condition	● Admin is logged into the system. ● Brand–Country combinations are predefined (e.g., PVR India, INOX Sri Lanka, etc.) ● Contact Information records already exist in the system.
Post Condition	● Updated contact details are saved successfully. ● Changes reflect on frontend platforms (App/Web/M-site). ● Last Edited On field is updated.
Basic Flow	<u>Listing Page</u> ● Admin lands on Contact Information listing page. ● System displays table with: ○ Contact Email ○ Contact Phone Number ○ WhatsApp ○ Contact Centre Timings

	○ Operating Hours (Days) ○ Brand ○ Country ○ Last Edited On ○ Action (Edit) ● Admin can: ○ View all records ○ Click Edit for a specific record <u>Edit Contact Information</u> ● Admin clicks the Edit icon from the action column of a specific record. ● System opens Edit page ● Admin views: ○ Brand (non-editable) ○ Country (non-editable) ● Admin updates: ○ Contact Email ○ Contact Phone Number ○ WhatsApp Number ○ Contact Centre Timings: ■ Start Time (HH:MM AM/PM) ■ End Time (HH:MM AM/PM) ● Operating Days: ○ Start Day (Dropdown) ○ End Day (Dropdown) ● Admin clicks Save ● System: ○ Validates inputs ○ Saves updated data ○ Updates Last Edited On ○ Redirects to listing page
Alternate Flow	● No records available → Empty state shown. ● Filter applied but no results → “No data found”. ● Admin edits but makes no changes → No update performed. ● Admin partially updates fields → Only valid fields saved.
Exception Flow	● API failure during update → Show error message
Business Rules	● Contact Information entries are predefined and non-creatable. ● Admin can only edit existing records. ● Brand and Country fields are non-editable. ● Each record is uniquely mapped to a Brand–Country combination.

	● Contact Centre Timings must be a valid time range (start < end). ● Operating Days must be a valid range (start day to end day) ● Changes reflect across all platforms instantly. ● WhatsApp number should follow valid phone format. ● The time format follows the 12-hour format (AM/PM). ● If the selected country is Sri Lanka, the system shall allow only 9-digit phone numbers. ● Country code and phone number length should be based on the selected country.
Validations	● Contact Email ○ Required: Yes ○ Format: Valid email format ■ → “Please enter a valid email address.” ○ Min Length: 5 ○ Max Length: 100 ■ → “Email cannot exceed {MAX_LIMIT} characters.” ● Contact Phone Number ○ Required: Yes ○ Format: Numeric with country code ■ → “Please enter a valid phone number.” ○ Min Length: 10 digits ○ Max Length: 15 digits ○ Allowed Type: Digits only ■ → “Phone number must contain only numbers.” ● WhatsApp Number ○ Required: Optional ○ Format: Numeric with country code ■ → “Please enter a valid WhatsApp number.” ○ Min Length / Max Length: ■ Same as phone number ● Contact Centre Timings ○ Required: Yes ○ Format: Time (HH:MM AM/PM) ○ Validation Rules: ■ Start Time < End Time ● → “Start time must be earlier than end time.” ■ Invalid format ● → “Please select a valid time.” ● Operating Days ○ Required: Yes ○ Format: Day dropdown (Mon–Sun) ○ Validation Rules: ○ Start Day ≤ End Day (logical sequence)

	■ → “Please select a valid day range.” ● Date Filter ○ Validation Rules: ○ From Date ≤ To Date ■ → “From date cannot be greater than To date.” ● Save Action ○ Validation failure ■ → “Please fill up all the mandatory fields.” ○ Save failure ■ → “Unable to update contact information. Please try again.”
--	--

55. Social Media Handles - Static Management

Use Case No.	UC 55
Use Case Name	Static Page Management – Social Media Handles
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4299-77129&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables the admin to manage Social Media Handles that are displayed on the frontend (App/Web/M-Site). The admin can: ● View all social media handles ● Add new handles ● Edit existing handles ● Activate / Deactivate handles ● Delete handles Each record is mapped to a Brand–Country combination and consists of: ● Social Media Icon ● Social Media URL ● Status (Active/Inactive)
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Static Management → Social Media Handles
Pre-Condition	● Admin is logged into the system. ● Social media handles (if any) exist in the system.
Post Condition	● Social media handles are created / updated / deleted successfully. ● Status updates reflect immediately on the frontend. ● Active handles are visible on the frontend. ● Last Edited On is updated. ● Data is mapped correctly to Brand–Country.

Basic Flow	<u>Listing Page</u> ● Admin lands on the Social Media Handles listing page. ● Tabular View: ○ Add Social Media Button ○ Tabs (PVR India, PVR Sri Lanka, INOX India, INOX - Sri Lanka) ○ Table columns: ○ Icon (Image) ■ On click, the icon will be displayed in a modal. ○ URL ○ Last Edited On ○ Status (Active/Inactive) ○ Action (Edit, Delete, Active/Inactive toggle) ○ Admin can: ■ Switch tabs (Brand and Country combinations) ■ View all handles ● Toggle status from Active to Inactive and vice - versa. ● Click Edit / Delete <u>Add Social Media Handle</u> ○ Admin clicks “Add Social Media” ○ Add page opens. ○ Admin selects: ■ Brand (Dropdown - PVR, INOX) ■ Country (Dropdown- India/Sri Lanka) ○ Admin adds one or multiple entries: ■ Upload Icon (single upload allowed) ■ Enter URL (single URL allowed) ○ Admin can: ■ Add multiple rows (+ icon) ■ Delete a row ○ Admin clicks Save ○ System: ■ Validates inputs ■ Saves all entries ■ Sets default status = Active ■ Redirects to listing page <u>Edit Social Media Handle</u>
------------	---

	● Admin clicks the Edit icon. ● Edit page opens ● Admin can: ○ Brand & Country (Non - Editable) ○ Modify the icon using the edit icon. ○ Update URL ● Add new handles ● Delete existing ones ● Admin clicks Save ● System: ○ Validates inputs ○ Updates data ○ Reflects changes in the listing page. <u>Activate / Inactivate Handle</u> ● Admin toggles status from the action column for a specific record under a preferred tab (e.g. PVR-India). ● System shows confirmation: ○ “Are you sure you want to activate this Social Media handle?” ○ “Are you sure you want to inactivate this Social Media handle?” ● Admin confirms ○ System updates status: ■ Active → Visible on frontend ■ Inactive → Hidden <u>Delete Social Media Handle</u> ● Admin clicks the Delete icon from the action column for a specific record under a preferred tab (e.g. PVR-India). ● Confirmation popup shown: ○ “Are you sure you want to delete this Social Media handle?” ● Admin clicks Confirm ○ System deletes record ○ Listing updates
Alternate Flow	● No data available → Empty state shown. ● Admin cancels Add/Edit → No changes saved. ● Admin adds multiple rows but deletes some before saving. ● No search/filter applied → Default listing shown.
Exception Flow	● API failure → Show error message. ● Invalid URL entered → Prevent save.

Business Rules	● Each Social Media Handle is mapped to Brand–Country combination. ● Multiple social media handles can exist per combination. ● Icon upload is mandatory for each handle. ● Default status = Active on creation. ● Only Active handles are shown on the frontend. ● Inactive handles are hidden but retained. ● Deleted handles are permanently removed. ● Admin can add multiple handles in a single save.
Validations	● Brand ○ Required: Yes ○ Error Message → “Please select a brand.” ● Country ○ Required: Yes ○ Error Message → “Please select a country.” ● URL: ○ Required: Yes ○ Must be a valid URL (embedable). ○ Format: Must be a valid URL format (must start with http:// or https://) → “Please enter a valid URL.” ○ Allowed Characters: Only standard URL-safe characters allowed (letters, numbers, /, :, ., ?, =, -, _, &). ○ No leading/trailing spaces → “URL cannot contain leading or trailing spaces.” ○ Maximum Length: Up to 500 characters → “URL cannot exceed 500 characters.” ○ If the URL already exists, an error message should appear if the admin enters a new URL with an existing URL → “A URL already exists for this entry. Please remove the existing URL before adding a new one.” ● Icon: ○ Image: for experience listing and details page ■ Error: “Unsupported file type. Only JPG/PNG allowed.” ○ Image Icon ○ Error Message → “Unsupported file type. Only SVG/PNG allowed.” ● Database / network error while saving during edit → show “Unable to save. Please try again.”

56. About Us

Use Case No.	UC 56
--------------	-------

Use Case Name	About Us
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3293-6890&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables authorized admin users to manage the About Us section content across multiple tabs including Company, Journey, Team, Awards, Brands, and Brand Toolbox. Admin users can create, edit, delete, activate/inactivate, sequence, and upload media/content entries based on selected Country and Brand combinations. Content becomes visible on the frontend only when marked Active and mapped to the selected Country–Brand configuration.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Static Management → About Us
Pre-Condition	Admin must be logged into the Admin panel.
Post Condition	The About Us page on the frontend is successfully updated.
Basic Flow	<u>Company Tab Listing Page</u> - Initially, all tabs (i.e. Company, Journey, Team, Awards, Brands, Brand Toolbox) will appear blank, with no data displayed. Data will only be shown once the admin selects the desired country and brand filter combination. - The About Us Listing page (Company Tab Selected) consists of the following: - Select Country (dropdown) - Select Brand (dropdown) - Add Company Button - Tabs - Company (selected) - Journey - Team - Awards - Brands - Brand Toolbox - Filter Icon - Status (Active/Inactive) - Last Edited On (From and To Date Range) - Tabular View: - Title - Description - Sequence - Last Edited On (along with sort icon) - Status (Active/Inactive) - Action

	● Edit ○ On click, redirects to the edit company page. ● Active/Inactive Toggle ○ On click, a pop-up appears asking the admin to confirm whether to activate or deactivate. Once confirmed, it is either displayed or hidden on the frontend accordingly. ● Delete ○ On click, a pop-up appears allowing the admin to delete the selected record. Once confirmed, the record is deleted and no longer appears on the listing page. <u>Add Company</u> ● When the admin clicks the Add Company button from the Company's tab listing page, the admin gets redirected to the Add Company page. ● The Add Company page consists of the following: ○ Current Status (Toggle) ○ Country Dropdown ○ Brand Dropdown ○ Title ○ Sequence ○ Strength ■ Admin adds one or multiple entries: ● Enter Text ■ Admin can: ● Add multiple rows ● Delete a row. ○ Description ○ Image ○ Save Button ○ Cancel Button <u>Edit Company</u> ● When the admin clicks on the edit icon for a specific record under the Company's Tab listing page, they are redirected to the Edit page. ● The Edit Company page consists of the following: ○ Current Status (Toggle) ○ Country (Non - Editable) ○ Brand (Non - Editable) ○ Title ○ Sequence
--	--

	○ Strength ○ Description ○ Image ○ Strength ○ Save Button ○ Cancel Button <u>Journey Tab Listing Page</u> ● The About Us (Journey Tab Selected) listing page consist of the following: ○ Select Country (dropdown) ○ Select Brand (dropdown) ○ Add Journey Button ○ Tabs ■ Company ■ Journey (selected) ■ Team ■ Awards ■ Brands ■ Brand Toolbox ○ Filter Icon ■ Status (Active/Inactive) ■ Last Edited On (From and To Date Range) ○ Tabular View: ■ Current Status (Toggle) ■ Year ■ Title ■ Overview ■ Sequence ■ Last Edited On (along with sort icon) ■ Status (Active/Inactive) ■ Action ● Edit ● Active/Inactive Toggle ● Delete <u>Add Journey</u> ● When the admin clicks the Add Journey button from the Journey's tab listing page, the admin gets redirected to the Add Journey page. ● The Add Journey page consists of the following: ○ Country Dropdown ○ Brand Dropdown ○ Title ○ Sequence
--	---

	○ Description ○ Image ○ Save Button ○ Cancel Button <u>Edit Journey</u> ● When the admin clicks on the edit icon for a specific record under the Journey's Tab listing page, they are redirected to the Edit page. ● The Edit Journey page consists of the following: ○ Current Status (Toggle) ○ Country (Non - Editable) ○ Brand (Non - Editable) ○ Year ○ Title ○ Overview ○ Sequence ○ Save button ○ Cancel button <u>Teams Tab Listing Page</u> ● The About Us Listing page (Teams Tab Selected) consists of the following: ○ Select Country (dropdown) ○ Select Brand (dropdown) ○ Add Awards Button ○ Tabs ■ Company ■ Journey ■ Team (selected) ■ Awards ■ Brands ■ Brand Toolbox ○ Filter Icon ■ Status (Active/Inactive) ■ Type ■ Last Edited On (From and To Date Range) ○ Tabular View: ■ Image ■ Name ■ Designation ■ Type ■ Sequence ■ Last Edited On (along with sort icon)
--	--

	■ Status (Active/Inactive) ■ Action ● Edit ○ On click, it redirects to the edit team's page. ● Active/Inactive Toggle ○ On click, a pop-up appears asking the admin to confirm whether to activate or deactivate. Once confirmed, it is either displayed or hidden on the frontend accordingly. ● Delete ○ On click, a pop-up appears allowing the admin to delete the selected record. Once confirmed, the record is deleted and no longer appears on the listing page. <u>Add Team</u> ● When the admin clicks the Add Team button from the Team's tab listing page, the admin gets redirected to the Add Team page. ● The Add Team page consists of the following: ○ Current Status (Toggle) ○ Country Dropdown ○ Brand Dropdown ○ Name ○ Designation ○ Type (dropdown - Management/ Board of Directors) ○ Image ○ Overview (text editor) ○ Save Button ○ Cancel Button <u>Edit Team</u> ● When the admin clicks on the edit icon for a specific record under the Team's Tab listing page, they are redirected to the Edit page. ● The Edit Team page consists of the following: ○ Current Status (Toggle) ○ Country (Non - Editable) ○ Brand (Non - Editable) ○ Name ○ Designation ○ Type (dropdown) ○ Image ○ Overview
--	--

- Save Button
- Cancel Button

Awards Tab Listing Page

- The About Us Listing page (Awards Tab Selected) consists of the following:
 - Select Country (dropdown)
 - Select Brand (dropdown)
 - Add Awards Button
 - Tabs
 - Company
 - Journey
 - Team
 - Awards (selected)
 - Brands
 - Brand Toolbox
 - Filter Icon
 - Status (Active/Inactive)
 - Last Edited On (From and To Date Range)
 - Tabular View:
 - Image
 - Name
 - Sponsor
 - Year
 - Sequence
 - Last Edited On (along with sort icon)
 - Status (Active/Inactive)
 - Action
 - Edit
 - On click, it redirects to the edit team's page.
 - Active/Inactive Toggle
 - On click, a pop-up appears asking the admin to confirm whether to activate or deactivate. Once confirmed, it is either displayed or hidden on the frontend accordingly.
 - Delete
 - On click, a pop-up appears allowing the admin to delete the selected record. Once confirmed, the record is deleted and no longer appears on the listing page.

Add Awards

	● When the admin clicks the Add Team button from the Award's tab listing page, the admin gets redirected to the Add Awards page. ● The Add Team page consists of the following: ○ Current Status (Toggle) ○ Country Dropdown ○ Brand Dropdown ○ Name ○ Sponsor ○ Year ○ Sequence ○ Image ○ Save Button ○ Cancel Button <u>Edit Awards</u> ● When the admin clicks on the edit icon for a specific record under the Team's Tab listing page, they are redirected to the Edit page. ● The Edit Awards page consists of the following: ○ Current Status (Toggle) ○ Country (Non - Editable) ○ Brand (Non - Editable) ○ Name ○ Sponsor ○ Year ○ Sequence ○ Image (along with an edit icon) ○ Save Button ○ Cancel Button <u>Brand Tab Listing Page</u> ● The About Us Listing page (Awards Tab Selected) consists of the following: ○ Select Country (dropdown) ○ Select Brand (dropdown) ○ Add Awards Button ○ Tabs ■ Company ■ Journey ■ Team ■ Awards ■ Brands (selected) ■ Brand Toolbox ○ Filter Icon
--	---

	■ Status (Active/Inactive) ■ Last Edited On (From and To Date Range) ○ Tabular View: ■ Image ■ Name ■ Sequence ■ Last Edited On (along with sort icon) ■ Status (Active/Inactive) ■ Action ● Edit ○ On click, it redirects to the edit team's page. ● Active/Inactive Toggle ○ On click, a pop-up appears asking the admin to confirm whether to activate or deactivate. Once confirmed, it is either displayed or hidden on the frontend accordingly. ● Delete ○ On click, a pop-up appears allowing the admin to delete the selected record. Once confirmed, the record is deleted and no longer appears on the listing page. <u>Add Brands</u> ● When the admin clicks the Add Brands button from the Brand's tab listing page, the admin gets redirected to the Add Brands page. ● The Add Brands page consists of the following: ○ Current Status (Toggle) ○ Country Dropdown ○ Brand Dropdown ○ Name ○ Sequence ○ Image ○ Save Button ○ Cancel Button <u>Edit Awards</u> ● When the admin clicks on the edit icon for a specific record under the Team's Tab listing page, they are redirected to the Edit page. ● The Edit Awards page consists of the following: ○ Current Status (Toggle) ○ Country (Non - Editable) ○ Brand (Non - Editable)
--	---

	○ Name ○ Sequence ○ Image ○ Save Button ○ Cancel Button <u>Brand toolbox</u> ● On the Brand Toolbox page, the admin will be able to view the uploaded zip file along with an edit icon based on the selected country and brand combination. ○ Admin can replace previously uploaded files by clicking on the edit icon on the uploaded file. ○ On clicking the edit icon, the update pop up appears. The update pop up displays the following: ■ Country (Non editable) ■ Brand (Non - editable) ■ Upload File (displays the previously uploaded file name) ● If the admin clicks on the upload icon, and uploads a new zip file, and hits the update button on the pop up. ● The new file will replace the previously uploaded file and the same will be shown on the frontend for the selected brand and country combination. ● When the admin clicks on the Add Toolbox button, a pop up appears showcasing the following: ○ Country (dropdown) ○ Brand (dropdown) ○ Upload File ○ Upload button ○ Cancel Button
Alternate Flow	● Admin edits team entry → system loads saved values ● Admin deletes entry → confirmation popup appears ● Admin toggles activation status
Business Rules	● Country and Brand selection is mandatory before displaying records on the listing page. ● Sequence determines the display order of entries on the frontend across all About Us sections and it will be unique across all the tabs. ● Inactive entries remain hidden from the frontend until activated. ● Image upload is required for sections where visual assets are displayed (Company, Team, Awards, Brands).

	- Team Type (Management / Board of Directors) determines grouping on the frontend. This is pre defined and managed from global configurations. - Only ZIP format files are supported for Brand Toolbox uploads. - Only one toolbox file is allowed per Country–Brand combination at a time. - Uploading a new toolbox file replaces the previously uploaded file for that Country–Brand combination. - Uploaded toolbox files become available for frontend download after successful upload.
Validations	

57. Terms & Conditions - Static Management

Use Case No.	UC 57
Use Case Name	Static Page Management – Terms & Conditions
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4424-9518&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables the admin to manage Terms & Conditions sections for different Brand–Country combinations. This module supports multiple entries (sections) with: - Name (section title) - Sequence (ordering priority) - Description (rich text content) The admin can: - View all entries - Add new sections - Edit existing sections - Manage sequence/order - Activate/Deactivate sections - Delete sections
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Static Management → Terms and Conditions
Pre-Condition	- Admin is logged in. - Brand–Country combinations are configured. - Existing T&C entries (if any) are stored.
Post Condition	T&C entry is created/updated/deleted successfully.

	● Sequence/order is maintained correctly. ● Status updates reflect immediately. ● Active entries are visible on the frontend. ● Last Edited On is updated.
Basic Flow	<u>Listing Page</u> ● Admin lands on the Terms & Conditions listing page. ● System displays: ● Tabs (PVR India, PVR Sri Lanka, INOX India, INOX Sri Lanka) ● Filter Icon ● Table columns: ○ Name ○ Sequence ○ Last Edited On (along with sort icon) ○ Status (Active/Inactive) ○ Action (Edit, Delete, Active/Inactive toggle) ● Admin can: ○ Switch tabs ○ View entries ○ Sort by last edited date <u>Add Terms & Conditions</u> ● Admin clicks the “Add Terms & Conditions” button on the listing page. ● Add page opens. ● Admin enters: ● Country (Dropdown - India/ Sri Lanka) ● Brand (Dropdown - PVR, INOX) ● Name (e.g. Online Booking) ● Sequence (Numeric priority) ● TnC Type (dropdown) ○ Dropdown Options: ■ Online Booking ■ Privilege Plus ■ SDGs ■ M-Coupon ■ Gift Card ■ EAS ● Description (Rich text editor) ● Admin clicks Add ● System: ○ Validates inputs ○ Checks sequence conflict ○ Saves entry

	○ Updates listing and the same is reflected on the frontend. <u>Edit Terms & Conditions</u> ● Admin clicks the Edit icon. ● Edit page opens. ● Admin can modify the following: ● Country (Non - Editable) ● Brand (Non - Editable) ● Name ● Sequence ● TnC Type (Non - Editable) ● Description ● Admin clicks Save ● System: ○ Validates inputs ○ Handles sequence conflict (if any) ○ Updates entry <u>Sequence Conflict Flow</u> ● If the admin assigns a sequence number that is already linked to another Terms & Conditions entry within the same Brand–Country combination, a pop-up appears notifying that the sequence is already in use. ● Upon confirmation: ○ The entered sequence will be assigned to the new/updated Terms & Conditions entry ○ The previously assigned entry will automatically move down by one position (sequence +1) ○ All subsequent entries will shift accordingly to maintain order. ● If the admin updates an existing Terms & Conditions entry and assigns a sequence number that is already occupied, a pop-up appears notifying that the sequence is already in use. ● Upon confirmation: ○ The updated entry takes the new sequence position ○ The existing entry at that sequence and all following entries shift down by one position ○ The sequence order is rebalanced dynamically ● If multiple sequence conflicts occur due to cascading (i.e., shifting causes another conflict), the system will automatically resolve all
--	--

	conflicts by incrementing sequence values sequentially for impacted entries. ● No additional pop-ups are shown for cascading adjustments ● Final sequence order remains unique and continuous. ● When a Terms & Conditions entry is marked as Inactive, it is excluded from sequence validation. ● Admin can reuse its sequence number for another Active entry without conflict ● Inactive entries retain their stored sequence but do not participate in ordering. ● However, when the inactive entry is reactivated: ● It re-enters the active sequence list ● If its sequence number is already assigned to another active entry, a sequence conflict will be triggered ● System will prompt for resolution via confirmation popup.
Alternate Flow	● No entries → Empty state. ● Sequence conflict → Popup flow triggered. ● Admin cancels Add/Edit → No changes saved. ● Status toggle cancelled → No change. ● Delete cancelled → Entry retained.
Business Rules	● Each entry belongs to a Brand–Country combination. ● Multiple Terms & Conditions allowed per combination. ● Sequence defines display order on frontend. ● Sequence must be unique per Brand–Country ● Sequence conflict handled via auto shifting logic. ● Default status = Active ● Only Active entries shown on frontend. ● Deleted entries removed permanently. ● Rich text editor supports formatted legal content. ● The sequence must be a positive integer. ● Entries displayed in ascending sequence order.
Validations	● Brand ○ Required: Yes ■ “Please select a brand.” ● Country ○ Required: Yes ■ “Please select a country.” ● Name ○ Required: Yes ○ Format: Must contain only letters, numbers, spaces, and basic punctuation (.,-&).

	○ Allowed: Alphabets, numbers, spaces, and basic punctuation (, ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 10 characters ■ “The name must be at least 10 characters long.” ○ Maximum Length: 60 characters ■ “Name cannot exceed 60 characters.” ○ No leading/trailing space ● Sequence: ○ Empty → “Sequence is required.” ○ Non-numeric → “Sequence must be a number.” ○ Zero or Negative → “Sequence must be greater than 0.” ○ Only positive integers allowed (e.g., 1, 2, 3). No decimals, symbols, or letters. ○ Must be between 1 and 1000 → “Sequence must be between 1 and 1000.” ● TnC Type: ○ Required: Yes ■ “Please select a country.” ○ Single Selection allowed. ● Terms and Conditions: ○ Required: Yes ○ Minimum Length: 10 characters ■ “Terms & Conditions should be at least 10 characters long.” ○ Maximum Length: 32,000 characters ■ “Terms & Conditions cannot exceed 32,000 characters.” ○ No leading/trailing spaces.
--	---

58. Corporate Bookings – Static Management

Use Case No.	UC 58
Use Case Name	Static Page Management – Corporate Bookings
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5438-9291&t=RxS4PxAo71bGPZzu-1
Use Case Description	This use case defines how the admin manages the Corporate Bookings static banner across multiple predefined combinations of Brand (PVR/INOX) and Country (India/Sri Lanka). All combinations are pre-created in the system, and the admin is only allowed to view, filter, and update content, not create or delete entries.

Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Static Management → Corporate Bookings
Pre-Condition	- Admin must be logged in with valid credentials. - Internet connectivity must be available. - Brand–Country combinations (PVR India, PVR Sri Lanka, INOX India, INOX Sri Lanka) are pre-configured in the system. - Existing Corporate Booking banner entries are already available in listing format.
Post Condition	- Updated Corporate Bookings image banner is saved successfully. - Changes reflect on frontend platforms (App/Web/M-site) based on selected combinations. - The last edited date is updated in the listing.
Basic Flow	<u>Listing Page Flow</u> - Admin lands on the Corporate Bookings listing page. - System displays table with: - Brand - Country - Last Edited On - Action (Edit icon) - Admin can: - View all predefined entries - Identify last updated timestamps - Click on Edit icon of a specific record on the listing page. <u>Edit Corporate Bookings Flow</u> - Admin clicks on Edit icon for a specific Brand–Country on the listing page, the system opens Edit Terms of Use page: - Admin views: - Brand (non-editable) - Country (non-editable) - Image (along with an edit and preview option) - Save Button - Cancel Button <u>Save Flow</u> - Admin clicks Save.

	● A confirmation pop-up will appear when the admin clicks on the Save button. If the admin confirms, the changes will be implemented successfully. ○ Pop-up Text: ■ “Are you sure you want to update this banner?” ● System: ○ Validates content ○ Saves updated content ○ Applies changes to selected combinations ○ Updates last edited timestamp ○ Admin is redirected back to listing page <u>Cancel Flow</u> ● Admin clicks Cancel ● No changes are saved ● Admin is redirected to listing page
Alternate Flow	● If admin uploads a new image for an existing section: ○ The existing image is replaced after save. ● If admin navigates away without saving: ○ Changes are not persisted.
Business Rules	● Uploading a new image replaces the previous one. ● Images must be displayed in preview before saving. ● Changes will reflect across all platforms (App/Web/M-site). ● Admin must click Save to persist changes (no auto-save).
Validations	● Image Upload ○ Non - Mandatory field ○ Allowed formats: JPG, JPEG, PNG, ○ Error Messages ○ Invalid format → ■ “Unsupported file format. Please upload a JPG or PNG image.” ○ Upload failure → ■ “Image upload failed. Please try again.” ○ Save failure → ■ “Unable to save changes. Please try again.”

59. Bulk Gift Cards – Static Management

Use Case No.	UC 59
Use Case Name	Static Page Management – Bulk Gift Cards
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5438-10316&t=RxS4PxAo71bGPZzu-1
Use Case Description	This use case defines how the admin manages the Bulk Gift Cards static banner across multiple predefined combinations of Brand (PVR/INOX) and Country (India/Sri Lanka). All combinations are pre-created in the system, and the admin is only allowed to view, filter, and update content, not create or delete entries.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Static Management → Bulk Gift Cards
Pre-Condition	- Admin must be logged in with valid credentials. - Internet connectivity must be available. - Brand–Country combinations (PVR India, PVR Sri Lanka, INOX India, INOX Sri Lanka) are pre-configured in the system. - Existing Corporate Booking banner entries are already available in listing format.
Post Condition	- Updated Bulk Gift Cards image banner is saved successfully. - Changes reflect on frontend platforms (App/Web/M-site) based on selected combinations. - The last edited date is updated in the listing.
Basic Flow	<u>Listing Page Flow</u> - Admin lands on the Bulk Gift Cards listing page. - System displays table with: - Brand - Country - Last Edited On - Action (Edit icon) - Admin can: - View all predefined entries - Identify last updated timestamps - Click on Edit icon of a specific record on the listing page. <u>Edit Bulk Gift Cards Flow</u>

	● Admin clicks on Edit icon for a specific Brand–Country on the listing page, the system opens Edit Terms of Use page: ● Admin views: ○ Brand (non-editable) ○ Country (non-editable) ○ Image (along with an edit and preview option) ○ Save Button ○ Cancel Button <u>Save Flow</u> ● Admin clicks Save. ● A confirmation pop-up will appear when the admin clicks on the Save button. If the admin confirms, the changes will be implemented successfully. ○ Pop-up Text: ■ “Are you sure you want to update this banner?” ● System: ○ Validates content ○ Saves updated content ○ Applies changes to selected combinations ○ Updates last edited timestamp ○ Admin is redirected back to listing page <u>Cancel Flow</u> ● Admin clicks Cancel ● No changes are saved ● Admin is redirected to listing page
Alternate Flow	● If admin uploads a new image for an existing section: ○ The existing image is replaced after save. ● If admin navigates away without saving: ○ Changes are not persisted.
Business Rules	● Uploading a new image replaces the previous one. ● Images must be displayed in preview before saving. ● Changes will reflect across all platforms (App/Web/M-site). ● Admin must click Save to persist changes (no auto-save).
Validations	● Image Upload ○ Non - Mandatory field ○ Allowed formats: JPG, JPEG, PNG,

	○ Error Messages ○ Invalid format → ■ “Unsupported file format. Please upload a JPG or PNG image.” ○ Upload failure → ■ “Image upload failed. Please try again.” ○ Save failure → ■ “Unable to save changes. Please try again.”
--	---

60. Careers Page - Static Management

Use Case No.	UC 60
Use Case Name	Careers Page
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4867-81872&t=aUzGwxhL9qt5pdbB-1
Use Case Description	This use case enables the admin to manage Careers content displayed on the frontend (App/Web/ M-Site) for different brands and countries combinations.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Static Management → Careers
Pre-Condition	● Admin is logged in. ● Admin has access to Careers - Static Management. ● Brand and Country master data is configured. ● Existing news data (if any) is available.
Post Condition	● Careers content are created/updated/deleted successfully. ● Active career static content is displayed on frontend. ● Last Edited On is updated ● Filters reflect updated data
Basic Flow	<u>Listing Page</u> ● Admin lands on the Careers listing page ● System displays the following: ● Image ○ On click, the image will be displayed on a modal. ● Title ● Address ● Latitude ● Longitude ● Description ● Brand

	● Country ● Last Edited On (along with sort icon) ● Status (Active/Inactive) ● Action (Edit) ● Admin can: ○ View all entries ○ Edit all of the entries <u>Filter Flow</u> ● Admin clicks Filter icon ● Filter panel includes: ○ Last Edited On (From–To Date) ● Admin clicks Apply ● System filters listing accordingly. <u>Edit Flow</u> ● Admin clicks the Edit icon for a specific record on the listing page. ● Edit page opens. ● Admin can update the following: ○ Country (Non editable) ○ Brand (Non editable) ○ Image (Editable) ○ Title (Editable) ○ Address (Editable) ○ Latitude (Editable) ○ Longitude (Editable) ○ Description (Rich text editor) (Editable) ● Admin clicks Save ● System: ○ Validates inputs ○ Updates entry
Alternate Flow	● Filter returns no results → “No data found” ● Admin cancels Add/Edit → No changes saved ● Status toggle cancelled → No change ● Delete cancelled → Entry retained
Business Rules	● Each career content is mapped to a Brand–Country combination ● Image is non- mandatory while adding a news item. A placeholder image will be shown when no image is uploaded. ● Rich text description supports formatted content.

Validations	● Title ○ Required: Yes ○ Format: Must contain only letters, numbers, spaces, and basic punctuation (.,-&). ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (. , ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 5 characters ■ “The title must be at least 5 characters long.” ○ Maximum Length: 150 characters ■ “The title cannot exceed 150 characters.” ○ No leading/trailing space ■ “Title cannot start or end with spaces.” ● Latitude: ○ Required: Yes (Mandatory) ○ Cannot be empty ○ Must be a decimal number ○ Valid range: -90 to 90 ○ Leading/trailing spaces are not allowed. ● Longitude: ○ Required: Yes (Mandatory) ○ Cannot be empty ○ Must be a decimal number ○ Valid range: -180 to 180 ○ Leading/trailing spaces are not allowed ● Description ○ Required: Yes ○ Format: Rich text content ○ Allowed: ○ Text, paragraphs, lists, basic formatting (bold, italic, underline) ○ Not Allowed: ○ Scripts, iframes, unsupported HTML tags ○ Minimum Length: 20 characters ■ “Description must be at least 20 characters long.” ○ Maximum Length: 10,000 characters (Configurable) ■ “Description cannot exceed 10,000 characters.” ○ No empty/blank content ■ “Description cannot be empty.” ● Image Upload ○ Required: Yes ○ Maximum Images upload allowed: 1 ○ Allowed Formats: ■ JPG, PNG
-------------	---

	○ Maximum File Size: 5MB ■ “Image size cannot exceed 5MB.” ○ Error Messages: ■ “Please upload a valid image file.” ● Filter – Date Range ○ From Date > To Date ■ “From date cannot be greater than To date.” ○ Invalid Range ■ “Please select a valid date range.”
--	---

61. News Management

Use Case No.	UC 61
Use Case Name	News Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4424-9518&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables the admin to manage News content displayed on the frontend (App/Web/ M-Site). Each news item consists of: ● Title ● Type (e.g., New Initiatives, Cinema Openings) ● Source ● News Date ● Sequence (ordering priority) ● Description (rich text) ● Image The admin can: ● View and filter news on the listing page. ● Add new news records. ● Edit existing entries ● Manage sequencing/order ● Activate/Inactivate news ● Delete news
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → News Management
Pre-Condition	● Admin is logged in. ● Admin has access to News Management. ● Brand and Country master data is configured. ● News types are predefined.

	Existing news data (if any) is available.
Post Condition	- News content are created/updated/deleted successfully. - Sequence is maintained for the types. - Active news is displayed on frontend. - Last Edited On is updated - Filters reflect updated data
Basic Flow	<u>Listing Page</u> - Admin lands on the News listing page - System displays: - Tabs (PVR India, PVR Sri Lanka, INOX India, INOX Sri Lanka) - Table columns: - Image - On click, the image will be displayed on a modal. - Title - Source - Type (New Initiatives, Cinema Openings) - Sequence - News Date - Last Edited On (along with sort icon) - Status (Active/Inactive) - Action (Edit, Delete, Active/Inactive toggle) - Admin can: - Switch between tabs - View all entries - Edit, Delete and change status of the entries <u>Filter Flow</u> - Admin clicks Filter icon - Filter panel includes: - Type (Dropdown - New Initiatives, Cinema Openings) - Status (Dropdown - Active/Inactive) - Last Edited On (From–To Date) - Admin clicks Apply - System filters listing accordingly. <u>Add Terms & Conditions</u> - Admin clicks the “Add News” button on the listing page. - Add page opens. - Admin enters: - Country (Dropdown - India, Sri Lanka)

	● Brand (Dropdown -PVR, INOX) ● Title ● Type (Dropdown - New Initiatives, Cinema Openings) ● Source ● News Date (Date picker) ● Sequence (Numeric) ● Select Main Image (Dropdown) ○ Displays the names of all uploaded images. From these, the admin can select one image to be set as the primary image for the respective news item. ● Description (Rich text editor) ● Image upload ● Admin clicks Add ● System: ● Validates inputs ○ Checks sequence conflict ○ Saves entry ○ Sets default status = Active ○ Redirects to the listing page. <u>Edit Terms & Conditions</u> ● Admin clicks the Edit icon for a specific record under a specific tab (e.g. PVR India). ● Edit page opens. ● Admin updates: ○ Title ○ Type (Dropdown - New Initiatives, Cinema Openings) ○ Source ○ Date ○ Sequence ○ Image ○ Description ● Admin clicks Save ● System: ○ Validates inputs ○ Updates entry ○ Handles sequence conflicts <u>Activate / Inactivate</u> ● Admin toggles status from the action column for a specific record under a specific tab. ● Confirmation popup:
--	--

	○ “Are you sure you want to activate this news?” ○ “Are you sure you want to deactivate this news?” ● On confirm: ○ Status updated and the changes are reflected on the frontend. <u>Delete News</u> ● Admin clicks the Delete icon from the action column for a specific record under a specific tab. ● Confirmation popup shown ● On confirm: ○ Entry deleted ○ Sequence re-adjusted (if enabled)
Alternate Flow	● No news available → Empty state ● Filter returns no results → “No data found” ● Admin cancels Add/Edit → No changes saved ● Status toggle cancelled → No change ● Delete cancelled → Entry retained
Business Rules	● Each news item is mapped to a Brand–Country combination ● News must have a unique sequence per Brand–Country ● Sequence determines frontend display order ● Default status = Active ● Only Active news is shown on frontend ● Inactive news is hidden ● Deleted news is permanently removed (or soft delete) ● News type must be selected from a predefined list which will be managed via the Global configurations. ● Image is non- mandatory while adding a news item. ● Rich text description supports formatted content ● Sequence conflict handled via auto-adjustment logic.
Validations	● Title ○ Required: Yes ○ Format: Must contain only letters, numbers, spaces, and basic punctuation (.,-&). ○ Allowed: Alphabets, numbers, spaces, and basic punctuation (., ! ? - _ () &) ○ Not Allowed: HTML tags, URLs, or special characters like @ # \$ % ^ * < > ○ Minimum Length: 5 characters ■ “The title must be at least 5 characters long.” ○ Maximum Length: 150 characters ■ “The title cannot exceed 150 characters.”

	○ No leading/trailing space ■ “Title cannot start or end with spaces.” ● Type ○ Required: Yes ○ Format: Must be selected from predefined dropdown ○ Allowed: Configured News Types (e.g., New Initiatives, Cinema Openings) ○ Error Message: ■ “Please select a news type.” ● Source ○ Required: Yes ○ Format: Must contain only letters, numbers, and spaces ○ Allowed: Alphabets, numbers, spaces ○ Not Allowed: Special characters or HTML tags ○ Minimum Length: 2 characters ■ “Source must be at least 2 characters long.” ○ Maximum Length: 100 characters ■ “Source cannot exceed 100 characters.” ● News Date ● Required: Yes ● Format: Valid date (MM/DD/YYYY) ● Not Allowed: Invalid or empty date ○ Future Date Rule: ■ “Future dates are not allowed.” ○ Error Message: ■ “Please select a valid news date.” ● Sequence ○ Required: Yes ○ Empty ■ “Sequence is required.” ○ Format: Numeric only ○ Non-numeric ■ “Sequence must be a number.” ○ Allowed Type: ○ Only positive integers (e.g., 1, 2, 3) ○ No decimals, symbols, or letters ○ Zero or Negative ■ “Sequence must be greater than 0.” ○ Minimum Value: 1 ○ Maximum Value: 1000 (Configurable) ■ “Sequence must be between 1 and 1000.” ● Description (News Description) ○ Required: Yes ○ Format: Rich text content ○ Allowed:
--	--

	○ Text, paragraphs, lists, basic formatting (bold, italic, underline) ○ Not Allowed: ○ Scripts, iframes, unsupported HTML tags ○ Minimum Length: 20 characters ■ “Description must be at least 20 characters long.” ○ Maximum Length: 10,000 characters (Configurable) ■ “Description cannot exceed 10,000 characters.” ○ No empty/blank content ■ “Description cannot be empty.” ● Image Upload ○ Required: Yes ○ Maximum Images upload allowed: 5 ○ Allowed Formats: ■ JPG, PNG ○ Maximum File Size: 5MB ■ “Image size cannot exceed 5MB.” ○ Error Messages: ■ “Please upload a valid image file.” ● Select Main Image ○ Required: Yes (if multiple images exist) ○ Error Message: ■ “Please select the main image.” ● Country ○ Required: Yes ○ Error Message: ■ “Please select a country.” ● Brand ○ Required: Yes ○ Error Message: ■ “Please select a brand.” ● Filter – Date Range ○ From Date > To Date ■ “From date cannot be greater than To date.” ○ Invalid Range ■ “Please select a valid date range.”
--	---

62. Jobs - Jobs Management

Use Case No.	UC 62
Use Case Name	Jobs - Jobs Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4691-33307&t=wEgH69amIymU1eJ9-1

Use Case Description	This module allows the admin to manage job postings across various job departments that will be displayed on the frontend (Careers section). Admin can: ● Create and manage jobs ● Define job attributes and experience range ● Control job visibility across different country and brand combination (Active/Inactive)
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Jobs Management → Jobs
Pre-Condition	● Admin is logged in. ● At least one department exists (for job creation)
Post Condition	● The job is created/updated/deleted successfully. ● Status changes reflect immediately ● Job listings updated for frontend consumption
Basic Flow	Jobs Listing Page ● Admin lands on Jobs listing page. ● System displays the following: ○ Job ID ○ Job Title ○ Department ○ Description (truncated) ○ Min Experience ○ Max Experience ○ Attributes ○ Status ○ Last Edited On (sortable) ○ Actions ■ Edit ● On click, redirects to the edit page. ■ Status Toggle ● On click, a pop up appears which asks the admin to confirm the activation or deactivation of the job post. ● Upon confirming activation, the job is displayed on the frontend. Upon confirming deactivation, the job is no longer displayed on the frontend. ■ Delete ● On click, a pop-up appears asking the admin to confirm the deletion. Once confirmed, the news

	item is deleted and no longer appears on the listing page. <u>Add Job</u> ● Admin clicks Add Job button on the listing page. ● Form fields: ○ Name (Mandatory) ○ Department (Dropdown) (Mandatory) ○ No. of Vacancies ○ Attributes (dynamic input fields) ○ Start Date (Mandatory) ○ End Date (Mandatory) ○ Minimum Experience ○ Maximum Experience ○ Respective Department Emails ○ Description ● Admin clicks Save ● System: ○ Validates inputs ○ Creates a job post <u>Edit Job</u> ● Admin clicks Edit from the action column for a specific record. ● The Edit page opens: ○ Name (Editable) ○ Department (Non Editable) ○ No. of Vacancies (Editable) ○ Attributes (dynamic input fields) (Editable) ○ Start Date (Editable) ○ End Date (Editable) ○ Minimum Experience (Editable) ○ Maximum Experience (Editable) ○ Respective Department Emails (Editable) ○ Description (Editable) ○ Save button ○ Cancel button
Alternate Flow	● No departments → Cannot create job ● No jobs → Empty state ● Cancel Add/Edit → No changes saved ● Delete cancelled → No action

Business Rules	● Start Date must be $\leq$ End Date ● Job visible only if Active. ● Minimum Experience $\leq$ Maximum Experience. ● Vacancies must be positive integers. ● Jobs automatically expire after the End Date and are no longer displayed on the frontend. On the listing page, they appear with an inactive status. If the admin attempts to mark an expired job as active, an appropriate error message should be shown indicating that the job cannot be activated due to its expiration. ○ Error Message $\rightarrow$ “This job has expired and cannot be activated. Please update the End Date to reactivate the job “ ● All truncated fields will display the full text in a tooltip when hovered over with the cursor. ● The “Respective Department Emails” is an optional field allowing multiple comma-separated email IDs; if configured, all job application details (including resume) will be sent to these email IDs on every successful submission, else no email will be triggered.
Validations	● Job Title ○ Required: Yes ○ Format: Letters, numbers, spaces, basic punctuation ○ Minimum Length: 3 characters ■ “Job title must be at least 3 characters long.” ○ Maximum Length: 150 characters ■ “Job title cannot exceed 150 characters.” ○ No leading/trailing spaces ● Department ○ Required: Yes ○ Dropdown (configured from Departments > Jobs Management) ■ “Please select a department.” ● No. of Vacancies ○ Required: Yes ○ Only Positive Numeric Value ○ Numeric only ■ “Vacancies must be a number.” ○ Maximum Value: 999 ■ “Vacancies cannot exceed 999” ● Minimum Experience ○ Range: 0 - 100 ■ “Minimum experience cannot be less than 0” ■ “Maximum experience cannot be more than 100” ● Attributes ○ Required: Yes ○ Format: Letters, numbers, spaces, basic punctuation

	○ Minimum Length: 3 characters ■ “Attributes must be at least 3 characters long.” ○ Maximum Length: 500 characters ■ “Attributes cannot exceed 500 characters.” ○ No leading/trailing spaces ● Start Date ○ Required: Yes ■ “Please select the start date.” ● End Date ○ Required: Yes ○ Must be $\geq$ Start Date ■ “The end date cannot be before the start date.” ● Minimum Experience ○ Required: Yes ○ Numeric only ■ “Minimum experience must be a number.” ○ Minimum: 0 ■ “Minimum experience cannot be negative.” ○ Maximum: 50 years ● Maximum Experience ○ Required: Yes ○ Must be $\geq$ Minimum Experience ■ “Maximum experience must be greater than or equal to minimum experience.” ○ Max Limit: 50 years ● Description (News Description) ○ Required: Yes ○ Format: Rich text content ○ Allowed: ○ Text, paragraphs, lists, basic formatting (bold, italic, underline) ○ Not Allowed: ○ Scripts, iframes, unsupported HTML tags ○ Minimum Length: 20 characters ■ “Description must be at least 20 characters long.” ○ Maximum Length: 10,000 characters (Configurable) ■ “Description cannot exceed 10,000 characters.” ○ No empty/blank content ■ “Description cannot be empty.”
--	--

63. Departments - Jobs Management

Use Case No.	UC 63
Use Case Name	Departments - Jobs Management

Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4742-65078&t=wEgH69amlymU1eJ9-1
Use Case Description	This module allows the admin to manage Departments used for categorizing jobs. Admin can: ● View and search departments ● Create new departments ● Edit existing departments ● Manage sequence/order ● Activate/Deactivate departments
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Jobs Management → Departments
Pre-Condition	● Admin is logged in. ● At least one department exists (for job creation)
Post Condition	● The department is created/updated/deleted successfully. ● Status changes reflect immediately. ● Sequence is maintained ● Status reflects immediately ● Updated department is available for job mapping.
Basic Flow	<u>Listing Page</u> ● The Departments listing page consists of the following: ○ Select City (Dropdown - single selection allowed) ■ Initially, the listing page would be blank. Once the admin selects a city, only the departments associated with that city are shown, arranged according to their defined sequence. ○ Search Bar (admin can search using name) ○ Filter Icon ■ Status (Active/Inactive) ■ Last Edited On (To - From) ○ Tabular View: ■ Image ■ Name ■ Sequence (along with sort icon) ■ Status (Active/Inactive) ■ Last Edited On (along with sort icon) ■ Action ● Edit ○ On click, the admin is redirected to the edit page.

	● Active/Inactive Toggle ○ On click, a pop-up appears asking the admin to confirm whether to activate or deactivate the department. Once confirmed, active departments are displayed on the frontend, while inactive departments are hidden. <u>Add Department</u> ● On clicking the Add Department button from the listing page, the admin gets redirected to the Add Department Page. ● The Add Department Page consists of the following: ○ Name ○ City (multi selection allowed) ○ Sequence ○ Image ○ Add button ○ Cancel button <u>Edit Department Page</u> ● Same fields as Add Page ● Data is pre-filled ● Admin can update: ○ Name (Editable) ○ City (Non - Editable) ○ Sequence (Editable) ○ Image (Editable) ● Save Button ● Cancel Button
Alternate Flow	● No departments available → Empty state displayed ● Search returns no results → “No data found” ● Admin clicks Cancel → Redirect to listing without saving ● Status toggle cancelled → No change applied
Business Rules	● Departments are mapped to City. ● Department name must be unique within the same city. ● Sequence must be unique within the same city. ● Sequence determines display order. ● Active departments are shown on frontend ● Inactive departments are hidden from frontend. ● Image is non - mandatory for department display.

Validations	● Name ○ Required: Yes ○ Format: Must contain only letters, numbers, spaces, and basic punctuation (.,-&) ○ Minimum Length: 3 characters ■ → “Name must be at least 3 characters long.” ○ Maximum Length: 100 characters → “Name cannot exceed 100 characters.” ○ No leading/trailing spaces ■ → “Name cannot start or end with spaces.” ● City ○ Required: Yes ○ Multi - Selection Allowed ■ → “Please select a city.” ● Sequence ○ Required: Yes ○ Empty ■ → “Sequence is required.” ○ Non-numeric ■ → “The sequence must be a number.” ○ Only positive integers allowed ○ Zero or Negative ■ → “The sequence must be greater than 0.” ○ Range: 1 to 1000 (Configurable) ■ → “The sequence must be between 1 and 1000.” ● Image ○ Required: Yes (Configurable) ○ Allowed Formats: JPG, PNG ■ → “Please upload a valid image.”
-------------	--

64. Job Requests - Reports

Use Case No.	UC 64
Use Case Name	Departments - Jobs Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4639-28417&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case defines how Admin users can view, filter, search, export, and download candidate job request submissions received through the system. The screen displays a tabular listing of job applicants with metadata such as name, email, phone number, department, resume attachment, and submission date.

	Admins can apply filters (Country, Brand, Department, Submission Date), perform keyword searches, download resumes individually, and export filtered datasets as CSV files.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Reports → Job Requests
Pre-Condition	- Admin user must be logged into the Admin Portal. - Admin must have permission to access Reports module. - Job request records must exist in the system database. - Resume files must be stored in the repository (if uploaded).
Post Condition	- Success Scenario - Admin views job request listing - Filters/search applied successfully - Resume downloaded successfully - CSV exported successfully - Failure Scenario - No records found message displayed - Resume unavailable error shown - Export fails due to system/network issue
Basic Flow	<u>Listing Page</u> - The Job Requests Listing Page consists of the following: - Select Country (dropdown) - Search Bar - The admin can search for a job request submission using job ID, job title, ,name, email and phone number. - Filter Icon - Department (dropdown) - Submission Date (To and From) - Tabular View: - Job Request ID - Name - Email - Phone Number - Job Title - Department - Uploaded Resume - On click, the resume will be downloaded on the admin's system. - Submission Date (along with sort icon)
Alternate Flow	If admin applies no filters, system displays latest job request dataset.

	● If admin clicks Reset inside filter panel, system clears Department and Submission Date filters and reloads default dataset ● If admin changes record count selection (e.g., 25 to 50), system refreshes table with updated pagination.
Business Rules	● Job request records are sorted by Submission Date in descending order by default. ● Brand dropdown options does not depend on selected Country ● Search supports partial matching across Name, Email, and Phone Number ● Submission Date filter supports inclusive range filtering between From Date and To Date ● CSV export includes only filtered dataset currently visible to admin. ● Pagination supports configurable record counts (e.g., 10, 25, 50, 100) ● By default, the listing page will display current-day data.
Validations	●

65. Customer Experience - Reports

Use Case No.	UC 65
Use Case Name	Customer Experience - Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4326-84285&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables authorized admin users to view, search, filter, and export customer feedback submitted through the platform. Admin users can refine the data on the listing page using Feedback Type and Submission Date filters, perform keyword-based search, and export filtered results into CSV format for operational insights and reporting analysis.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Reports → Customer Experience
Pre-Condition	● Admin must be logged into the Admin Portal. ● Admin must have permission to access Reports module. ● Customer feedback records must exist in the database. ● Feedback categories must be configured in the system (e.g. Complaint, Suggestion, Enquiry, Others) ○ The feedback categories will be managed via the Global configurations.

	● Submission timestamps must be available for filtering.
Post Condition	● Admin successfully views customer feedback listing. ● Filters refresh the dataset correctly. ● Search returns matching feedback records. ● Filtered dataset exports successfully as CSV file. ● If no records match criteria, system displays “No customer experience records found”
Basic Flow	<u>Listing Page</u> ● The Customer Experience Listing Page consists of the following: ○ Export CSV ■ On click, the CSV report will be downloaded on the admin’s system based on the selected filters combinations. ○ Search Bar (the admin can search using the name, email and phone number of the customer) ○ Filter Icon ■ Feedback Type Dropdown ■ SubmissionDate ○ Customer Name ○ Customer Email ○ Customer Phone Number ○ Feedback Type ○ Message ○ Submission Date (along with sort icon)
Alternate Flow	● If the admin does not apply filters, the system displays the default latest feedback dataset. ● If the admin applies only the Feedback Type filter, the system filters records accordingly. ● If the admin applies only the Submission Date filter, the system filters records within the selected range. ● If the admin performs keyword search only, the system dynamically filters matching records. ● If admin clicks Reset inside filter panel, system clears applied filters and reloads default dataset
Business Rules	● Records are sorted by Submission Date in descending order by default. ● Search supports partial matching across Customer Name, Email, and Phone Number. ● Feedback Type dropdown values are configurable from global configuration. ● Submission Date filtering supports inclusive date range logic. ● CSV export includes only filtered dataset currently visible on screen. ● Export CSV option is visible only to users with export permissions.

	● Feedback message column displays truncated preview if content exceeds UI length, with full value included in CSV export. ● By default, the listing page will display current-day data.
Validations	●

66. Corporate Bookings - Reports

Use Case No.	UC 66
Use Case Name	Corporate Bookings - Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4639-31072&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables authorized admin users to view, search, filter, and export corporate booking requests submitted through the platform. Admin users can refine the dataset using Movie Type, City, Country, and Submission Date filters, perform keyword-based search, and export filtered results into CSV format for operational tracking and corporate booking management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Reports → Corporate Bookings
Pre-Condition	● Admin must be logged into the Admin Portal. ● Corporate booking request records must exist in the database.
Post Condition	● Admin successfully views corporate booking requests listing. ● Filters refresh the dataset correctly. ● Search returns matching booking records. ● Filtered dataset exports successfully as CSV file. ● If no records match criteria, system displays “No corporate booking records found”
Basic Flow	● Admin logs into Admin Portal and navigates to Reports → Corporate Bookings. ● System loads corporate booking listing screen sorted by latest Submission Date. ● System displays columns including ○ Select Country (dropdown) ○ Search Bar (the admin can search using name, email and phone number) ○ Filter Icon ■ Movie Type Dropdown (Options: Now Showing , Others)

	■ City Dropdown ■ Submission Date (From and To) ○ Request ID ○ City ○ Cinema Name ○ Requested Date ○ Movie Type ○ Movie Name ○ Preferred Show Time ○ Number of Seats ○ Name ○ Email ○ Phone Number ○ F&B Requirements ○ Other Requirements ○ Copy to Self ○ Submission Date (along with sort icon) ● Admin selects Country from dropdown to refine dataset. ● Admin selects Brand from dropdown to refine dataset. ● Admin enters keywords in the search bar to search using Name, Email, or Phone Number. ● Admin opens filter panel.
Alternate Flow	● If the admin does not apply filters, the system displays the default latest corporate booking dataset. ● If admin applies only Movie Type filter, system filters records accordingly ● If admin applies only City filter, system filters records accordingly ● If admin applies only Submission Date filter, system filters records within selected range ● If admin performs keyword search only, system dynamically filters matching records.
Business Rules	● Records are sorted by Submission Date in descending order by default. ● Search supports partial matching across Name, Email, and Phone Number. ● Movie Type dropdown values are pre-defined and are not configurable from admin/backend. ● Submission Date filtering supports inclusive date range logic ● CSV export includes only filtered dataset currently visible on screen ● Export CSV option is visible only to users with export permissions ● F&B Requirements field displays Yes/No based on submission selection ● Copy to Self field displays Yes/No depending on whether the requester opted to receive the request copy. ● Movie Name and Other Requirements fields may display truncated preview in UI but full content is included in CSV export.

	By default, the listing page will display current-day data.
Validations	

67. Bulk Gift Cards - Reports

Use Case No.	UC 67
Use Case Name	Bulk Gift Cards - Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=4721-47412&t=wEgH69amlymU1eJ9-1
Use Case Description	This use case enables authorized admin users to view, search, filter, and export bulk gift card purchase requests submitted through the platform. T Admin can refine the dataset using Location and Submission Date filters, perform keyword-based search, and export filtered results into CSV format for tracking corporate gift card enquiries and follow-ups.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Reports → Bulk Gift Cards
Pre-Condition	- Admin must be logged into the Admin panel. - Bulk gift card request records must exist in the database. - Location values must be available for filtering - Submission timestamps must be available for filtering
Post Condition	- Admin successfully views bulk gift card requests listing. - Filters refresh dataset correctly - Search returns matching request records. - If no records match criteria, system displays “No bulk gift card records found”
Basic Flow	- Admin logs into Admin Portal and navigates to Reports → Bulk Gift Cards - System loads bulk gift card request listing screen sorted by latest Submission Date. - System displays columns including - Request ID - Name - Email - Phone Number - Location (along with sort icon) - Company Name - Message

	○ Copy to Self ○ Submission Date (along with sort icon) ● Admin enters keywords in the search bar to search using Name, Email, or Phone Number. ● The admin can filter the records based on the submission date (To and From)
Alternate Flow	● If the admin does not apply filters, the system displays the default latest bulk gift card dataset. ● If admin applies only Location filter, system filters records accordingly ● If admin applies only Submission Date filter, system filters records within selected range ● If admin performs keyword search only, system dynamically filters matching records ● If admin clicks Reset inside filter panel, system clears applied filters and reloads default dataset ● If admin changes record count (e.g., 25 to 50), system refreshes table accordingly
Business Rules	● By default, the listing page will display current-day data. ● Records are sorted by Submission Date in descending order by default. ● Search supports partial matching across Name, Email, and Phone Number ● Brand dropdown options depend on the selected Country. ● Location dropdown values are configurable from location management configuration ● Submission Date filtering supports inclusive date range logic ● CSV export includes only filtered dataset currently visible on screen ● Pagination supports record limits such as 10, 25, 50, and 100 ● Export CSV option is visible only to users with export permissions ● Message field may display truncated preview in UI but full content is included in CSV export ● Copy to Self field displays Yes/No depending on whether requester opted to receive a copy of the request
Validations	●

68. Promotions Management

Use Case No.	UC 68
Use Case Name	Promotions Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=3447-46409&t=wEgH69amIymU1eJ9-1

Use Case Description	This use case enables authorized admin users to create, configure, edit, activate, deactivate, and manage promotional campaigns displayed across supported platforms (App, Web, M-site). Promotions can be activated or inactivated using status controls and are displayed to end users based on configured rules and timelines.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Promotions Management
Pre-Condition	- Admin must be logged into the Admin panel. - Platform and screen placement configuration must exist. - Promotion types must be configured in the system.
Post Condition	- Promotion successfully created or updated. - Promotion visible to users only if active and within the validity period. - Promotion available across selected platforms and screens.
Basic Flow	<u>Listing Page</u> - The promotions listing page consists of the following: - Add Promotions Button - Search Bar (the admin can search via name) - Filter Icon - Screen Dropdown - Home screen - Movie Details - Event Details - Event Confirmation - Gift Card Listing - My Gift Card - Gift Card Confirmation - Passport Listing - Passport Booking Confirmation - E-ticket - Booking Confirmation - Curated Shows - Brand - Country - Status (Active/Inactive) - Created On (Date Range- To & From) - Three Tabs: - Placeholder - Popup - Tabular View: - App Image

	■ Web Image ■ Promotion ID ■ Name ■ Screen (along with sort icon) ■ Valid From (along with sort icon) ■ Valid To (along with sort icon) ■ Brand ■ Country ■ Created On (along with sort icon) ■ Last Edited On (along with sort icon) ■ Status (Active/Inactive along with sort icon) ■ Action ● Edit ○ On click, redirects to the edit page. ● Active/Inactive Toggle ○ On click, a pop-up appears allowing the admin to mark the promotion as active or inactive. ● Delete ○ On click, a pop-up appears asking the admin to confirm the deletion of the promotion. Once confirmed, the promotion is deleted and no longer appears in the listing. <u>Add Promotion</u> ● The Add Promotion Page consists of the following: ○ Current Status (By default: Active) ○ Promotion Name ○ Country (Dropdown - India, Sri Lanka) ○ Brand (Dropdown- PVR, INOX) ○ Type (Dropdown- Placeholder/Pop up/ Banner) ○ Redirect View (dropdown - Non Clickable, Deeplink, Web, Inapp - Web, Dialog, Video Redirection) ○ Select Screen (dropdown) ■ Displays the screens where the promotions need to be set. ○ Select Platform (Dropdown -All, iOS, Android, Website, M- Site) ○ Select Cities (Dropdown along with a search bar) ○ Valid From - Date Picker with an integrated time selector (HH:mm format) ○ Valid To - Date Picker with an integrated time selector (HH:mm format) ○ Button Text (input field)
--	---

	○ Redirect URL ○ Video URL ○ Description (text editor) ○ Upload App Image ○ Upload Web Image ○ Add button ○ Cancel Button <u>Edit Promotion</u> ● The Edit Promotion Page consists of the following: ○ Current Status (Active/Inactive Toggle) ○ Promotion Name ○ Country (Dropdown- India, Sri Lanka) ○ Brand (Dropdown- PVR, INOX) ○ Type (Dropdown- Placeholder/Pop up) ○ Redirect View (dropdown - Deeplink, Web, Inapp - Web, Dialog) ○ Select Screen (dropdown) ■ Displays the screens where the promotions needs to be set. ○ Select Platform (Dropdown -All, iOS, Android, Website, M- Site) ○ Select Cities (Dropdown) ○ Valid From (Date Picker) (Non Editable) ○ Valid To (Date Picker) ○ Button Text (input field) ○ Redirect URL ○ Video URL ○ Description ○ Dialog Text ○ App Image (with edit icon) ○ Web Image (with edit icon) ○ Save button ○ Cancel Button
Alternate Flow	● If admin edits an existing promotion, the system loads previously saved values in editable format. ● If the admin cancels promotion creation, the system discards entered values and returns to the listing screen. ● If admin activates promotion, confirmation modal appears before status change. ● If admin inactivates promotion, confirmation modal appears before status change ● If admin updates only media assets, system replaces previously stored images

	● If admin changes validity dates, promotion visibility updates automatically based on timeline ● If admin changes platform visibility, promotion appears only on selected platforms.
Business Rules	● Promotion Types: ○ Popups are overlay promotions that appear above the screen and can be configured across multiple screens. ○ Placeholders are embedded promotional units that occupy designated spaces within screens and are configurable across multiple sections of the platform. ○ Banners function similarly to placeholders; however, they differ in their front-end dimensions, as the card size and display format are different. ● Promotion must be mapped to at least one platform. ● Promotion must be mapped to at least one screen placement. ● Promotion visibility depends on validity period (Valid From – Valid To) ○ If the admin does not select a time while setting Valid From, the system will automatically consider the time as 00:00 (start of the day). Similarly, if no time is selected for Valid To, the system will default the time to 23:59 (end of the day). ● Promotion appears to end users only when status = Active ○ If a promotion has expired based on its configured Valid To date, it will be automatically marked as Inactive. If the admin attempts to reactivate the promotion from the listing page, a pop-up will be displayed with the message - "Valid To date has passed. Please set a new expiry date before enabling this promotion." ● Redirect URL determines navigation destination after user interaction. ○ If a promotion is applicable to both brands (PVR and INOX), the URL should use a dynamic domain key instead of a fixed domain. The system will automatically replace this key with the correct web/app domain based on the user's brand (PVR or INOX) and platform. ■ For Example: ● Configured URL: ○ {domain}/offers/summer-sale ● For PVR customers ○ https://www.pvrcinemas.com/offers/summer-sale ● For INOX customers ○ https://www.inoxmovies.com/offers/summer-sale ● Redirect View Behaviour: ○ Deeplink: ■ Navigates the user to a specific screen within the app

	■ Used for internal journeys (movie detail, offers, booking flow, etc.) ■ Type-wise Handling ● Placeholder: ○ On click → user is redirected to the mapped in-app screen. ● Pop-up: ○ On CTA click → user is redirected to the mapped in-app screen. ○ Web: ■ Opens the configured URL in an external browser ■ Type-wise Handling ● Placeholder: ○ On click → opens external browser. ● Pop-up: ○ On CTA click → opens external browser. ○ In-App Web (Webview): ■ Opens the configured URL inside the app using an embedded webview ■ Type-wise Handling ● Placeholder: ○ On click → opens web content inside the app. ● Pop-up: ○ On CTA click → opens webview. ○ Dialog: ■ Displays content in a modal/popup on the same screen. ■ No navigation occurs. ■ Type-wise Handling ● Placeholder: ○ On click → opens dialog with configured content. ● Pop-up: ○ The promotion itself is already a popup. ○ This implies that it does not redirect anywhere. ○ It directly shows the message.
	● Button text defines a CTA label visible to users. ● Video URL is optional and displayed only if configured. ● Description supports formatted rich-text content. ● Vertical and Horizontal images are mandatory for supported placements. ○ When a Website is selected as the platform, the Web Image field is mandatory.

	○ When iOS, Android, or Msite is selected as the platform, the App Image field is mandatory. ○ When All is selected as the platform, both Web Image and App Image must be uploaded and are mandatory. ● Media uploaded must follow supported resolution and format guidelines. ● Promotions are displayed in the listing page sorted by Created Date (latest first by default). ● By default, a promotion will be set to Active upon creation. ○ A promotion will automatically become Inactive once its expiry date has passed. The admin can update or extend the expiry date to reactivate the promotion. ● Inactive promotions remain stored but are not visible to users. ● Promotion activation requires confirmation before status change. ● The Button text field defines the CTA button text, which redirects to a deep link, in-app webview, or any external URL. ● Promotions can have the same name. They should be uniquely managed using Promotion ID. ● If Redirect View = Dialog, a pop-up message with the configured content will be displayed on the same screen. This is done using the dialog text. ● The “Dialog” option in the Redirect View should be displayed only when the selected type is “Placeholder”. ● The Dialog Text (text editor) should be displayed only when the “Dialog” option is selected in the Redirect View. ● If the Redirect View is set to Non-Clickable, the Redirect URL, Button Text and the Video Redirection fields should not be displayed. ● If the Redirect View is set to Video Redirection, the Video URL field should be displayed. ● While creating the promotions, the following screens will be shown under the selected tab (i.e., Placeholder & Banner) ○ Place holder ■ Home page ■ Event confirmation ■ Movie confirmation ■ Gift card confirmation ■ E-ticket ■ Passport booking confirmation ○ Banner ■ Event Details ■ Movie Detail ■ Gift card listing ■ My gift card ■ Curated shows ■ Passport listing
--	---

	● For E-Tickets, no popup will be configured.
Validations	● Promotion Name ○ Mandatory: Yes ○ Type: Alphanumeric (allows spaces & basic special characters like - _ &) ○ Min Length: 3 characters ○ Max Length: 150 characters ○ Validation Rules: ○ Cannot be empty ○ Cannot contain only spaces ○ Error Messages: ■ "Promotion Name is required" ■ "Promotion name cannot exceed 150 characters." ■ "Promotion must be at least 03 characters." ● Country ○ Mandatory: Yes ○ Type: Dropdown (Single Select) ○ Options: India, Sri Lanka ○ Validation Rules: ○ One option must be selected ○ Error Message: ■ "Please select a country" ● Brand ○ Mandatory: Yes ○ Type: Dropdown (Multi Select) ○ Options: PVR, INOX ○ Validation Rules: ■ At least one brand must be selected. ○ Error Message: ■ "Please select at least one brand" ● Type ○ Mandatory: Yes ○ Type: Dropdown (Single Select) ○ Options: Placeholder, Pop-up ○ Validation Rules: ■ Only one selection allowed. ○ Error Message: ■ "Please select a type" ● Redirect View ○ Mandatory: Yes ○ Type: Dropdown ○ Single Selection Allowed ○ Options: Deeplink, Web, In-App Web, Dialog

	○ Validation Rules: ■ One option must be selected. ○ Error Message: ■ “Please select redirect view” ● Select Screen ○ Mandatory: Yes ○ Type: Dropdown ○ Single selection allowed. ○ Validation Rules: ■ One screen must be selected. ■ Single Selection allowed. ● Select Platform ○ Mandatory: Yes ○ Type: Dropdown (Multi Select) ○ Options: All, iOS, Android, Website, M-Site ○ Validation Rules: ■ At least one selection is required. ■ Multi selection allowed. ○ Error Message: ■ “Please select at least one platform” ● Select Cities ○ Mandatory: No ○ Type: Dropdown (Multi Select with Search) ○ Validation Rules: ○ Cities must belong to the selected country. ○ If none selected → default = all cities ○ Error Message: ■ “Invalid city selection” ● Valid From ○ Mandatory: Yes ○ Type: Date Picker with an integrated time selector (HH:mm format) ○ Validation Rules: ■ Cannot be empty ■ Cannot be a past date ○ Error Message: ■ “Please select Valid From date” ■ “Valid From cannot be in the past” ● Valid To ○ Mandatory: Yes ○ Type: Date Picker with an integrated time selector (HH:mm format) ○ Validation Rules: ■ Cannot be empty ■ Must be greater than Valid From
--	---

	○ Error Message: ■ “Please select Valid To date” ■ “Valid To must be later than Valid From” ● Button Text ○ Mandatory: No ○ Type: Input Field ○ Max Length: 30 characters ○ Validation Rules: ■ Cannot contain only spaces. ○ Error Message: ■ “Button text cannot exceed 30 characters.” ● Redirect URL ○ Mandatory: No ○ Type: URL Field ○ Validation Rules: ■ Mandatory if Redirect View = Deeplink / Web / In-App Web ■ Must be a valid URL format ○ Error Message: ■ “Redirect URL is required” ■ “Please enter a valid URL” ● Video URL ○ Mandatory: No ○ Type: URL Field ○ Validation Rules: ■ If provided, must be a valid video URL ○ Error Message: ■ “Please enter a valid video URL” ● Description ○ Mandatory: No ○ Type: Rich Text Editor ○ Min Length: 100 ○ Max Length: 150 characters ○ Error Message: ■ “Description must be at least 100 characters.” ■ “Description cannot exceed 150 characters.” ● Dialog Text ○ Mandatory: No ○ Type: Rich Text Editor ○ Max Length: 500 characters ○ Error Message: ■ “Dialog text must be at least 100 characters.” ■ “Dialog text cannot exceed 500 characters.” ● Upload Vertical Image ○ Mandatory: Yes
--	--

	○ File Type: JPG, JPEG, PNG, GIF ○ Max Size: 5 mb ○ Validation Rules: ○ Mandatory if Type = Pop-up (recommended) ○ Must meet dimension constraints (to be defined) ○ Error Message: ■ “Please upload a vertical image” ■ “Invalid file format/size” ● Upload Horizontal Image ○ Mandatory: Yes ○ File Type: JPG, JPEG, PNG, GIF ○ Max Size: 5 MB ○ Validation Rules: ○ Required for banner/placeholder placements (if applicable) ○ Error Message: ■ “Please upload a horizontal image” ■ “Invalid file format/size” ● If required fields are missing during save, the system prevents submission and highlights fields.
--	---

69. User Management - Role Based Access Control

Use Case No.	UC 68
Use Case Name	User Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5309-108857&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, manage, edit, activate, deactivate, and monitor user accounts within the Admin Panel. Users are assigned specific roles and permissions through the Role Management module and can access only the modules and functionalities permitted by their assigned role.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Role Based Access Control → User Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Role(s) must already be configured in the Role Management module. ● Admin must have permission to manage users.
Post Condition	● The user account is successfully created, updated, activated, deactivated, or managed. ● Login credentials are generated and shared with the user through email.

	Assigned role permissions are applied immediately upon successful creation or update.
Basic Flow	<u>Listing Page</u> - The User Listing Page consists of the following: - Add User Button - Allows admin to create a new user account. - Search Bar - Admin can search the user using: - User Name - Email ID - Filter Icon - The filter consists of the following: - Status (Active/Inactive) - Role (List of all the roles along with a search bar) - Cinema (list of all the cinemas along with a search bar) - Created On (Date Range - To & From) - Tabular View: - The listing page displays the following columns: - User Name - Email - Cinema - Assigned Role (along with a sort icon) - Status - Created On (along with sort icon) - Actions - Edit - On click, redirects the admin to the Edit user page. - Existing information is pre-populated. - Active / Inactive Toggle - On click, a confirmation popup appears. - Upon confirmation, the user status is updated. - Resend Credentials - On click, the system resends login credentials to the registered email address of the user. - Email contains: - Admin Panel URL - Registered Email ID - Current Password - Pagination - Records per page selector

- Previous / Next navigation

Add User Flow

- The Add User page consists of the following:
 - First Name
 - Last Name
 - Email
 - Assign Role (Dropdown)
 - Displays roles configured through the Role Management module.
 - Multi selection allowed.
 - Select Cinema (Dropdown)
 - Displays list of configured cinemas.
 - Multi Selection allowed
 - Grant Super Admin Permissions (Checkbox)
 - When enabled, the user receives unrestricted access across all modules irrespective of assigned role permissions.
 - Add Button
 - Creates the User account.
 - Cancel Button
 - Redirects admin back to the listing page without saving.
 - System Behaviour on Add
 - Upon successful creation:
 - A user account is created.
 - Status is set to Active by default.
 - The system generates a temporary password.
 - Login credentials are sent to the registered email address.
 - Email Template
 - The email includes:
 - Welcome message
 - Admin Panel URL
 - Registered Email Address
 - Temporary Password
 - Login instructions

Edit User

- The Edit User page consists of the following:
 - First Name
 - Last Name
 - Email
 - Assign Role (Dropdown)
 - Displays roles created through Role Management.

	■ Assigned roles are pre-selected. ○ Select Cinema (Dropdown) ■ Existing cinemas are pre-selected. ○ Grant Super Admin Permissions (Checkbox) ■ Displays current permission state. ○ Save Button ■ Updates the User information. ○ Cancel Button ■ Returns to the listing page without saving changes.
Alternate Flow	● If admin edits an existing user, previously saved values are loaded in editable format. ● If the admin cancels creation, entered values are discarded and the user is redirected to the listing page. ● If admin activates a user, confirmation modal appears before activation. ● If admin deactivates a user , confirmation modal appears before deactivation. ● If the admin changes the assigned role, updated permissions are applied immediately. ● If admin clicks Resend Credentials, the system generates and sends the latest login credentials to the registered email address. ● If a selected role is deleted from Role Management, it should not be available for future assignment.
Business Rules	● Every user must be assigned at least one role. ● Roles are configured and managed through the Role Management module. ● An user can only access modules permitted by the assigned role. ● The email address must be unique across all user accounts. ● User status is set to Active by default during creation. ● Inactive Users cannot log in to the Admin Panel. ● Deactivated Users remain stored in the system for audit purposes. ● Role updates take effect immediately upon saving. If the user is currently logged in, their active session will be terminated and they will be automatically logged out. ● Resend Credentials sends current login details to the registered email address only. ● The user will follow the same process as super admin, to update their password via their Admin Profile page. (similar to super admin flow) ○ The user would not be able to edit their email address. They can only update their password. ● The Super Admin will be responsible for updating user details, including First Name, Last Name, Email ID, Assigned Roles, and Assigned Cinemas.

	○ Users (Sub Admins) will only be permitted to update their First Name, Last Name, and Password from their profile. All other fields will remain read-only and cannot be modified by the user. ● Cinema assignment determines the scope of data accessible to the Sub Admin. ○ Cinema assignment will impact only those modules and reports where cinema-level restrictions are applicable, such as APP100 and any other reports that require cinema-level access control. ● Super Admin permission overrides role-based restrictions and grants complete system access. ● The listing page is sorted by Created Date (latest first) by default.
Validations	● First Name ○ Mandatory: Yes ○ Min Length: 2 Characters ○ Max Length: 50 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ○ Error Messages ■ "First Name is required" ■ "First Name cannot exceed 50 characters" ■ "First Name must be at least 2 characters" ● Last Name ○ Mandatory: Yes ○ Min Length: 2 Characters ○ Max Length: 50 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ○ Error Messages ■ "Last Name is required" ■ "Last Name cannot exceed 50 characters" ■ "Last Name must be at least 2 characters" ● Email ○ Mandatory: Yes ○ Validation Rules ■ Must be a valid email format ■ Must be unique within the system ○ Error Messages ■ "Email is required" ■ "Please enter a valid email address" ■ "Email address already exist." ■ "Email already exists"

	● Assign Role ○ Mandatory: Yes ○ Selection: Multi Select ○ Validation Rules ■ One role must be selected ○ Error Message ■ "Please assign a role" ● Select Cinema ○ Mandatory: No ○ Selection: Multi Select ● Grant Super Admin Permissions ○ Mandatory: No
--	---

70. Role Management - Role Based Access Control

Use Case No.	UC 70
Use Case Name	Role Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5309-108860&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, configure, edit, activate, deactivate, and manage roles within the Admin Panel. Roles define the permissions available to users. Each role can be assigned specific access rights across modules and functionalities such as View, Add, Edit, Status Change, Delete, and Export. .
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Role Based Access Control → Role Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have permission to manage roles. ● Modules and functionalities must be configured within the system.
Post Condition	● Role is successfully created or updated. ● Assigned permissions are saved and become available for user assignment. ● Updated permissions are applied to users assigned to the role.
Basic Flow	<u>Listing Page</u> ● The Role Management Listing Page consists of the following: ● Add Role Button ○ Allows admin to create a new role. ● Search Bar

- Admin can search roles using:
 - Role Name
- Filter Icon
 - The filter consists of the following:
 - Status
 - Role
 - Created On
- Tabular View
 - The listing page displays the following columns:
 - Role Name
 - Permissions Assigned (On cursor hover, all the permissions will be viewed in tooltip)
 - Status
 - Created On (along with sort icon)
 - Action
 - Edit
 - On click, redirects the admin to the Edit Role page.
 - Existing role details and permissions are pre-populated.
 - Active / Inactive Toggle
 - On click, a confirmation popup appears.
 - Upon confirmation, the role status is updated.
 - Pagination
 - Records Per Page selector
 - Previous / Next navigation

Add Role

- The Add Role page consists of the following:
 - Role Name
 - Permissions Section
 - The permissions section displays all developed modules available within the Admin Panel.
- Each module contains the following permission controls:
 - View (Checkbox)
 - Edit (Checkbox)
 - Add (Checkbox)
 - Status (Checkbox)
 - Delete (Checkbox)
 - Export (Checkbox)
 - Sync (Checkbox)
 - Select All (Checkbox)

	● Allows admin to grant all available permissions across all modules in a single action. ● Module Wise Permissions ○ The permission matrix is displayed module-wise. In the respective screen, all the developed modules will be shown for granting permissions. ● Add Button ○ Creates the role with selected permissions. ● Cancel Button ○ Returns to the listing page without saving. Edit Role ● The Edit Role page consists of the following: ● Role Name ● Permissions Section ○ Displays all previously configured permissions. ● Admin can: ○ Add new permissions ○ Remove existing permissions ○ Modify access levels ○ Select All (Checkbox) ■ Allows selecting or deselecting all permissions. ○ Save Button ■ Updates the role configuration. ○ Cancel Button ■ Returns to the listing page without saving changes.
Alternate Flow	● If admin edits an existing role, previously configured permissions are loaded in editable format. ● If admin cancels role creation, entered values are discarded and the user is redirected to the listing page. ● If admin activates a role, confirmation modal appears before activation. ● If admin deactivates a role, confirmation modal appears before deactivation. ● If the admin selects "Select All", all available permissions are automatically selected. ● If the admin deselects "Select All", all permissions are removed. ● If admin updates role permissions, the changes are applied immediately to all Sub Admins assigned to that role.
Business Rules	● Role Name must be unique within the system. ● Every role must have at least one permission assigned. ● Roles can be assigned to one or more Sub Admins. ● Multiple Sub Admins can share the same role.

- A role can contain a combination of View, Add, Edit, Status, Delete, and Export permissions.
- Users assigned to a role can only access modules and actions granted through that role.
- If a role is marked Inactive, it cannot be assigned to newly created Sub Admins.
- Existing users assigned to an inactive role will continue to retain access until role reassignment or administrative action.
- Permission changes take effect immediately after role update.
- Roles remain available in the system for audit purposes even when inactive.
- The listing page is sorted by Created Date (latest first) by default.
- Parent modules and child modules can have independent permissions.
- Selecting permissions for a parent module automatically grant permissions to child modules unless explicitly configured.
- "Select All" grants all permissions across all modules and sub-modules.
- Role Update Scenario:
 - If a role is updated (permissions added/removed) or deactivated by the Super Admin, and that role is already assigned to users, any active sessions of those users will be terminated automatically.
 - If the user attempts to log in again after the role update, a toast message will be displayed: "Your roles have been updated by the Super Admin."
 - If the user was assigned only one role and that role has been deactivated by the Super Admin, the user's active session will be terminated. Upon the next login attempt, an alert message will be displayed: "Your role has been deactivated. Please contact the Super Admin."
- Permission Definitions:
 - View
 - Allows users to access and view the module.
 - Examples
 - View listings
 - Open details pages
 - Add
 - Allows users to create new records.
 - Examples
 - Create Promotions
 - Add Amenities
 - Edit
 - Allows users to modify existing records.
 - Examples
 - Update Promotions
 - Modify Movies

	○ Edit Cities ○ Status ■ Allows users to activate or deactivate records. ■ Examples ● Activate Promotions ● Deactivate Users ● Change Record Status ○ Delete ○ Allows users to permanently remove records. ■ Examples ● Delete Promotions ● Delete Configurations. ○ Export ■ Allows users to export data. ■ Examples ● Export Reports ○ Sync ■ Allows the users to sync the information of certain modules. ■ For all sections where Sync functionality is available, a dedicated permission should be provided to control access. Users with the permission enabled will be able to view and perform the Sync action, while users without the permission will be restricted from accessing or using the feature. ● Examples ○ Sync Movies ○ Sync Cinemas ○ Sync Food Categories
Validations	● Role Name ○ Mandatory: Yes ○ Min Length: 3 Characters ○ Max Length: 100 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ■ Must be unique ■ Special characters allowed: Hyphen (-), Underscore (_), Ampersand (&) ■ Error Messages ● "Role Name is required" ● "Role Name must be at least 3 characters" ● "Role Name cannot exceed 100 characters"

	● "Role Name already exists" ● Permissions ○ Mandatory: Yes ○ Validation Rules ■ At least one permission must be selected. ○ Role cannot be created without permissions ○ Error Messages ■ "Please assign at least one permission" ● Select All (Checkbox) ○ Mandatory: No ○ Validation Rules ■ Optional field ■ Selecting this option grants all available permissions
--	---

71. Trailer Screening Show (TSS) Management- Screening Management

Use Case No.	UC 71
Use Case Name	Trailer Screening Show (TSS) Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5309-110282&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, configure, edit, activate, deactivate, and manage Trailer Screening Shows (TSS) conducted across cinemas. A Trailer Screening Show (TSS) is a special screening event where multiple movie trailers are showcased to audiences. Users attending the screening can scan a QR code displayed within the cinema, which redirects them to a web-based voting experience (M-site only). Users can then vote for their top preferred movies, and the collected responses are stored for reporting and analysis.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Screening Management → Trailer Screening Show (TSS) Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Movies must already exist in the Movies Management (Coming Soon) module. ● Cities and Cinemas must be configured in the system. ● Admin must have permission to manage TSS configurations.
Post Condition	● TSS is successfully created or updated. ● Voting configuration becomes available on the configured validity dates. ● Users can participate in voting only during the configured TSS period.

	● Voting responses are collected and stored for reporting purposes.
Basic Flow	<u>Listing Page</u> ● The TSS Listing Page consists of the following: ○ Add TSS Button ■ Allows admin to create a new Trailer Screening Show. ○ Search Bar ■ Admin can search TSS records using: ● TSS Name ○ Filter Icon ■ The filter consists of the following: ■ Cities ■ Cinemas ■ Validity ● Valid From ● Valid To ■ Created On Date ● From Date ● To Date ○ Tabular View: ■ The listing page displays the following columns: ● TSS ID ● TSS Campaign Name ● Movies (On hover, all the movies are shown in a tooltip) ● Cities (On hover, all the movies are shown in a tooltip) ● Cinemas (On hover, all the movies are shown in a tooltip) ● Valid From ● Valid To ● Created On (along with a sort icon) ● Status ● Action ● Edit ○ On click, redirects to the Edit TSS page. ● Active / Inactive Toggle ○ On click, a confirmation popup appears. ○ Upon confirmation, the TSS status is updated. ● Pagination ○ Records Per Page Selector ○ Previous / Next Navigation

	<u>Add TSS</u> ● The Add TSS Page consists of the following: ● TSS Campaign Name ● Select Movies (Dropdown - Multi Select) ○ Displays movies configured in Coming Soon > Movies Management . ○ Maximum 10 movies selection allowed. ● Valid From (Date Picker) ● Valid To (Date Picker) ● Select Cities (Dropdown - Multi Select) ○ Displays all configured cities (sourced from Cities Module > Locations Management) ● Select Cinemas (Dropdown - Multi Select) ○ Displays cinemas belonging to selected cities along with a search bar. ● Upload Image (displayed on the frontend) ● Message (Text Editor) ● Add Button ○ Creates the TSS configuration. ● Cancel Button ○ Returns to the listing page without saving. <u>Edit TSS</u> ● The Edit TSS Page consists of the following: ○ TSS Campaign Name ○ Select Movies (Non Editable) ○ Valid From ○ Valid To ○ Select Cities ○ Select Cinemas ○ Image ■ Displays uploaded image with edit option. ○ Message (Text Editor) ○ Save Button ■ Updates the TSS configuration. ○ Cancel Button ■ Returns to the listing page without saving changes.
Alternate Flow	● If admin edits an existing TSS, previously saved values are loaded in editable format. ● If the admin cancels TSS creation, entered values are discarded and the user is redirected to the listing page. ● If admin activates a TSS, confirmation modal appears before activation.

	● If admin deactivates a TSS, confirmation modal appears before deactivation. ● If the admin cannot update the movie list, the voting experience reflects the latest selected movies. ● If admin updates validity dates, voting availability is automatically adjusted. ● If the admin updates cinemas, only users attending those cinemas can participate in the voting experience. ● If the admin updates the banner image, the newly uploaded image replaces the previous image.
Business Rules	● TSS Configuration ○ Every TSS must have a unique TSS ID generated by the system. ○ A TSS must be mapped to at least three movies. ○ A TSS must be mapped to at least one city. ○ A TSS must be mapped to at least one cinema. ○ Multiple movies can be configured within a single TSS. ○ A movie can be associated with multiple TSS configurations. ○ TSS is Active by default upon creation. ○ The listing page is sorted by Created Date (latest first) by default. ○ Inactive TSS configurations remain available for reporting and audit purposes. ● TSS Expiry ○ A TSS automatically becomes inactive once the Valid To date expires. ○ Admin may extend the validity period to reactivate the TSS. ○ Expired TSS configurations are not displayed in the voting flow.
Validations	● TSS Campaign Name ○ Mandatory: Yes ○ Min Length: 3 Characters ○ Max Length: 150 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ○ Error Messages ■ "TSS Name is required" ■ "TSS Name must be at least 3 characters" ■ "TSS Name cannot exceed 150 characters" ● Select Movies ○ Mandatory: Yes ○ Validation Rules ■ At least three movie must be selected ● Error Messages ○ "Please select at least three movie"

- Valid From
 - Mandatory: Yes
 - Validation Rules
 - Cannot be empty
 - Cannot be a past date
 - Error Messages
 - "Please select Valid From date"
 - "Valid From cannot be in the past"
- Valid To
 - Mandatory: Yes
 - Validation Rules
 - Cannot be empty
 - Must be greater than Valid From
 - Error Messages
 - "Please select Valid To date"
 - "Valid To must be later than Valid From"
- Select Cities
 - Mandatory: Yes
 - Type: Multi Select Dropdown
 - Validation Rules
 - At least one city must be selected
 - Error Messages
 - "Please select at least one city"
- Select Cinemas
- Mandatory: Yes
- Type: Multi Select Dropdown
- Validation Rules
 - At least one cinema must be selected
 - Selected cinemas must belong to selected cities
 - Error Messages
 - "Please select at least one cinema"
 - "Invalid cinema selection"
- Upload Image
 - Mandatory: No
 - File Type: JPG, JPEG, PNG, WEBP
 - Max Size: 5 MB
 - Validation Rules
 - Only single image upload allowed
 - Error Messages
 - "Invalid file format"
 - "File size exceeds allowed limit"
- Message
 - Mandatory: No
 - Max Length: 1000 Characters
 - Validation Rules

	■ Cannot exceed maximum length ○ Error Messages ■ "Message cannot exceed 1000 characters"
--	---

72. EAS Management- Screening Management

Use Case No.	UC 72
Use Case Name	EAS Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5309-110285&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, configure, edit, activate, deactivate, and manage Early Access Show (EAS) campaigns. An Early Access Show campaign allows users to participate in a city-based voting poll hosted on an M-site. Users can vote for their city to unlock an exclusive pre-release screening of a movie. The city receiving the highest number of votes is declared the winning city. Once the campaign concludes, eligible users are notified and the show becomes available for booking under the Pre-Release section.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Screening Management → EAS Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Movies must exist in the Movies Management (Coming Soon) module. ● Cities and Cinemas must be configured in the system. ● Admin must have permission to manage EAS campaigns.
Post Condition	● EAS campaign is successfully created or updated. ● Campaign becomes available on the M-site during the configured validity period. ● Users can participate in city-based voting. ● Winning city is determined upon campaign completion. ● Campaign data becomes available for reporting.
Basic Flow	<u>Listing Page</u> ● The EAS Listing Page consists of the following: ○ Add EAS Button ■ Allows admin to create a new Early Access Show campaign. ○ Search Bar ■ Admin can search using: ● Movie Name

- Campaign Name
- Filter Icon
 - The filter consists of the following:
 - Status
 - Validity
 - Valid From
 - Valid To
 - Release Date
 - From Date
 - To Date
- Tabular View
 - The listing page displays the following columns:
 - EAS ID
 - Image
 - Movie
 - Movie Common Code
 - Campaign Name
 - Highlighted Text
 - Release Date
 - Valid From
 - Valid To
 - Status
 - Action
 - Edit
 - On click, redirects to the Edit EAS page.
 - Active / Inactive Toggle
 - On click, a confirmation popup appears.
 - Upon confirmation, the EAS campaign status is updated.
 - Pagination
 - Records Per Page Selector
 - Previous / Next Navigation

Add EAS

- The Add EAS Page consists of the following:
 - Campaign Heading
 - Input field
 - Select Movie (Dropdown)
 - Displays movies configured within Movies Management > Coming Soon.
 - Single selection allowed.
 - If multiple movies are associated with the same common code, only the primary movie should be displayed in the listing. All other movies linked to

	the same common code should be excluded from the list. ○ Movie Master Code (Non - Editable) ○ Release Date (Date Picker) ■ Displays the official movie release date. ● Admin can override the date whenever required (Editable) ■ Auto Populated - based on the selected movie ○ EAS Date (Date Picker) ■ Defines the Early Access Show screening date. ○ Valid From (Date Picker) ■ Defines campaign start date. ○ Valid To (Date Picker) ■ Defines campaign end date. ○ Pre-Highlighted Text ■ Displayed before campaign voting begins. ○ Post-Highlighted Text ■ Displayed after voting concludes. ○ Trailer URL ■ Used to display movie trailer within a campaign page. ■ Only one URL is allowed. ○ Upload Image (Single upload allowed) ○ EAS HTML Templatization (Text area) ■ Displays the HTML code of the EAS page, which can be modified by the admin as required. The updated HTML content will be used for the EAS campaign being created. ○ Add Button ■ Creates the EAS campaign. ○ Cancel Button ■ Returns to the listing page without saving <u>Edit Promotion</u> ● The Edit EAS Page consists of the following: ○ Campaign Heading ○ Select Movie (Dropdown) ○ Release Date (Date Picker) ○ EAS Date (Date Picker) ○ Valid From ○ Valid To ○ Pre-Highlighted Text ○ Post-Highlighted Text ○ Trailer URL ○ Image
--	---

	■ Displays uploaded image with edit option. ○ EAS HTML Templatization (Text area) ○ Save Button ■ Updates the campaign. ○ Cancel Button ■ Returns to the listing page without saving changes.
Alternate Flow	● If admin edits an existing EAS campaign, previously saved values are loaded in editable format. ● If admin cancels campaign creation, entered values are discarded and the admin is redirected to the listing page. ● If admin activates an EAS campaign, confirmation modal appears before activation. ● If admin deactivates an EAS campaign, confirmation modal appears before deactivation. ● If admin updates campaign dates, voting availability is automatically updated. ● If the admin changes the associated movie, the campaign reflects the updated movie details. ● If admin updates campaign artwork, the newly uploaded image replaces the previous image. ● If admin updates highlighted text, the updated messaging becomes immediately visible on the campaign page.
Business Rules	● Campaign Configuration ○ Every EAS campaign must have a unique EAS ID generated by the system. ○ One EAS campaign can be associated with only one movie. ○ Multiple EAS campaigns can exist for different movies at a single time. ■ Movie Common Code will serve as the unique identifier across all Early Access Screening (EAS) links associated with different movie campaigns. ■ When multiple campaigns are configured simultaneously for the same movie, the URL will be generated using the Movie Common Code in the following format: ■ Example - https://early-access.pvrinox.com/{Movie Common Code} ○ Campaign is Active by default upon creation. ○ Listing page is sorted by Created Date (latest first) by default. ○ Inactive campaigns remain available for reporting and audit purposes. ● Campaign Timeline ○ Valid From defines when voting becomes available. ○ Valid To defines when voting closes.

	○ EAS Date must occur before the movie's official Release Date. ○ Release Date should always be later than the configured EAS Date. ○ Users cannot vote before the campaign start date. ○ Users cannot vote after campaign expiry. ● Winning City Logic ○ Winning city is determined based on the highest number of valid votes received. ○ If two cities receive the same number of votes, the city that reached the vote count first will be declared the winner. ○ Once the winner is declared, voting is automatically closed. ○ Winning city information is displayed on the campaign page. ○ Users who participated may be notified regarding campaign results. ● Pre-Release Booking ○ After campaign completion, the winning city becomes eligible for Early Access Show booking. ○ Booking availability depends on configured cinema and show setup. ● Highlighted Text ○ Pre-Highlighted Text ■ Displayed: ● Before voting begins ● During active campaign ○ Post-Highlighted Text ■ Displayed: ● After campaign completion ● After winner announcement ● Trailer URL ○ Used to embed and display movie trailers on the campaign page. ○ Trailer URL must be publicly accessible. ● Campaign Expiry ○ Campaign automatically becomes inactive once Valid To has passed. ○ Admin may extend validity by updating campaign dates. ○ Expired campaigns are no longer visible for voting.
Validations	● Campaign Heading ○ Mandatory: Yes ○ Min Length: 3 Characters ○ Max Length: 150 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces

	○ Error Messages ■ "Campaign Heading is required" ■ "Campaign Heading must be at least 3 characters" ■ "Campaign Heading cannot exceed 150 characters" ● Select Movie ○ Mandatory: Yes ○ Validation Rules ■ One movie must be selected ○ Error Messages ■ "Please select a movie" ● Release Date ○ Mandatory: Yes ○ Validation Rules ■ Cannot be empty ○ Error Messages ■ "Please select Release Date" ● EAS Date ○ Mandatory: Yes ○ Validation Rules ■ Cannot be empty ■ Must be earlier than Release Date ○ Error Messages ■ "Please select EAS Date" ■ "EAS Date must be earlier than Release Date" ● Valid From ○ Mandatory: Yes ○ Validation Rules ■ Cannot be empty ■ Cannot be a past date ○ Error Messages ■ "Please select Valid From date" ■ "Valid From cannot be in the past" ● Valid To ○ Mandatory: Yes ○ Validation Rules ■ Cannot be empty ■ Must be later than Valid From ○ Error Messages ■ "Please select Valid To date" ■ "Valid To must be later than Valid From" ● Pre-Highlighted Text ○ Mandatory: Yes ○ Max Length: 200 Characters ○ Error Messages ■ "Pre-Highlighted Text is required"
--	---

	■ "Text cannot exceed 200 characters" ● Post-Highlighted Text ○ Mandatory: Yes ○ Max Length: 200 Characters ○ Error Messages ■ "Post-Highlighted Text is required" ■ "Text cannot exceed 200 characters" ● Trailer URL ○ Mandatory: No ○ Validation Rules ■ Must be a valid URL if provided ■ Error Messages ■ "Please enter a valid trailer URL" ● Upload Image ○ Mandatory: Yes ○ File Type: JPG, JPEG, PNG, WEBP ○ Max Size: 5 MB ○ Validation Rules ■ Must meet supported dimensions ■ Only supported formats are allowed ○ Error Messages ■ "Please upload an image" ■ "Invalid file format" ■ "File size exceeds allowed limit"
--	--

72.1.

73. Deeplinks Management

Use Case No.	UC 73
Use Case Name	Deeplinks Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5309-111350&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to view and manage all Deeplinks and App Links configured within the system. The module acts as a centralized repository for all navigational links used across App, Website & M-site.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Deeplinks Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Deeplinks and App Links must already be configured within the system. ● Admin must have permission to access Deeplinks Management.

Post Condition	● Admin can view available Deeplinks and App Links. ● Admin can search and filter configured navigational links.
Basic Flow	<u>Listing Page</u> ● The Deeplinks Management Listing Page consists of the following: ● Add Link (button) ○ On click, redirects to the add deeplink page. ● Tabs: ○ Universal ○ Deferred ● Search Bar ○ Admin can search using: ■ Screen Name ● Filter Icon ● The filter consists of the following: ○ Type (Dropdown) ■ Options: ● Dynamic ● Static ○ Created On ■ Date Range Filter ● From Date ● To Date ● Tabular View ○ The listing page displays the following columns: ■ Two Tabs: ● Universal ● Deferred ■ Tabular View: ● Screen Name ● Deeplink ● Applinks ● Type ● Created On (along with sort icon) ● Action (edit only) ● Pagination ○ Records Per Page Selector ○ Previous / Next Navigation <u>Add Page</u> ● The Deeplinks Management Add Page consists of the following: ○ Screen Name (Mandatory) ○ Type (Mandatory) ○ Deeplink (Non - Mandatory)

	○ App link (Non - Mandatory) ○ Add button ○ Cancel Button Edit Page ● The Deeplinks Management Add Page consists of the following: ○ Screen Name (Mandatory) ○ Type (Mandatory) ○ Deeplink (Non - Mandatory) ○ App link (Non - Mandatory) ○ Add button ○ Cancel Button
Alternate Flow	● If admin searches using Screen Name, matching records are displayed. ● If no matching records are found, an empty state should be displayed. ● If the admin applies filters, the listing updates accordingly. ● If filters are cleared, the system displays all available deeplink records. ● If date filters are applied, only records created within the selected range are displayed.
Business Rules	● Every screen configured in the application ecosystem should have a corresponding Deeplink and/or Applink configuration. ● Deeplinks are used for internal navigation within mobile applications. ● Applinks are used for platform-level navigation and redirection. ● Screen Names must be unique within the system. ● Deeplink values should be generated and managed through backend configurations. ● Admin users can only view Deeplink configurations but cannot directly modify them through this module. ● The module serves as a centralized reference repository for all navigation links. ○ The admin can add links through this module; however, once added, the links cannot be edited. These links are provided for reference/viewing purposes only and do not have any impact on the frontend experience. ● Static Links: ○ Static links are predefined URLs that do not require runtime parameters. ○ Example - ■ myapp://offers ● Dynamic Links: ○ Dynamic links require runtime parameters to complete navigation. ○ Example -

	■ <code>myapp://movie/{movie_id}</code>
Validations	● Created On (Date Range) ○ Mandatory: No ○ Validation Rules ■ From Date cannot be greater than To Date. ○ Error Messages ■ "From Date cannot be greater than To Date" ● If no records are available, the system should display: ○ "No deeplink configurations found."

74. Global Configurations

Use Case No.	UC 74
Use Case Name	Global Configurations
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5309-111803&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, configure, edit and manage global configuration parameters used across the platform. Global Configurations act as centralized system settings that control application behavior, feature toggles, business rules, API configurations, content settings, and operational parameters without requiring code changes.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Global Configurations
Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have permission to manage Global Configurations.
Post Condition	● Configuration is successfully created or updated. ● Updated configuration becomes available for system consumption. ● Active configurations are applied across dependent modules and services.
Basic Flow	<u>Listing Page</u> ● The Global Configurations Listing Page consists of the following: ● Two Tabs: ○ PVR ○ INOX ● Add Configuration Button

- Allows admin to create a new configuration and redirects to the add page.
- Search Bar
 - Admin can search configurations using:
 - Type or Sub Type
- Filter Icon
 - The filter consists of the following:
 - Last Edited On
 - Date Range Filter
 - From Date
 - To Date
- Tabular View
 - The listing page displays the following columns:
 - Type
 - Sub Type
 - Value (on hover, the complete value should be shown in the tooltip)
 - Last Edited On (Along with Sort Icon)
 - Action
 - Edit
 - On click, redirects to the Edit Configuration page.
 - Existing values are pre-populated.
 - Pagination
 - Records Per Page Selector
 - Previous / Next Navigation

Add Configuration

- The Add Configuration Page consists of the following:
 - Type (Mandatory)
 - Sub Type (Mandatory)
 - Brand (Mandatory)
 - Value Type (Mandatory)
 - Value (text area)
 - Description (text area)
 - Add Button
 - Creates the configuration.
 - Cancel Button
 - Returns to the listing page without saving.

Edit Configuration

- The Edit Configuration Page consists of the following:
 - Type (Editable)
 - Sub Type (Editable)

	○ Brand (Non Editable) ○ Value Type (Editable) ○ Value (Editable) ○ Description (Editable) ○ Save Button ■ Saves the configuration. ○ Cancel Button ■ Returns to the listing page without saving.
Alternate Flow	● If admin edits an existing configuration, previously saved values are loaded in editable format. ● If the admin cancels configuration creation, entered values are discarded and the user is redirected to the listing page. ● If the admin updates the configuration value, the latest value becomes available to all dependent services. ● If the admin searches for a configuration, matching records are displayed. ● If no matching records are found, an empty state is displayed.
Business Rules	● Every configuration must have a unique Name. ● Configuration Name acts as the unique identifier within the system. ○ If any configuration is added or modified then changes will be implemented immediately. ● Multiple configurations cannot have the same Name. ● Configuration Value stores the corresponding value associated with the configuration. ● Description provides additional information regarding the purpose of the configuration. ● For JSON or HTML content, all supported special characters should be accepted, stored, and rendered correctly without causing any formatting or validation issues. ● The listing page should be sorted by Last Edited On (latest first) by default. ● Changes made to configurations should be reflected immediately after successful save. ● The Global Configuration key is generated by combining the Type and Sub Type values. ● The "Same as Above" checkbox is displayed only when both brands are selected during Global Configuration. When enabled, it copies the configuration value and description from one brand to the other
Validations	● Type/Sub Type ○ Mandatory: Yes ○ Min Length: 2 Characters ○ Max Length: 100 Characters

	○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ■ Must be unique ■ Supports alphanumeric characters and basic special characters (-, _, .) ○ Error Messages ■ "Configuration Name is required" ■ "Configuration Name must be at least 2 characters" ■ "Configuration Name cannot exceed 100 characters" ■ "Configuration Name already exists" ● Value ○ Mandatory: Yes ○ Max Length: 5000 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ○ Error Messages ■ "Configuration Value is required" ■ "Configuration Value cannot exceed 500 characters" ● Description ○ Mandatory: No ○ Max Length: 500 Characters ○ Validation Rules ■ Cannot exceed maximum length ○ Error Messages ■ "Description cannot exceed 500 characters"
--	--

75. Affiliates Management

Use Case No.	UC 75
Use Case Name	Affiliates Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5601-10951&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, manage, and update Affiliate Partner accounts within the Admin Panel. Affiliate Partners are external partners integrated with the platform for ticket inventory sales and distribution. The module allows administrators to create affiliate accounts, configure login credentials, and optionally restrict inventory access based on selected classes.
Primary Actor	Admin
Secondary Actor	System Backend

Triggering Event	- Admin navigates to: - Affiliates Management
Pre-Condition	- Admin must be logged into the Admin Panel. - Admin must have permission to manage Affiliate accounts. - Classes must already be configured in the system.
Post Condition	- Affiliate accounts are successfully created or updated. - Affiliate user credentials are saved successfully. - Inventory visibility is restricted based on assigned classes (if configured).
Basic Flow	<u>Listing Page</u> - The Affiliates Management Listing Page consists of the following: - Add Affiliate Button - Allows admin to create a new Affiliate account. - Search Bar - Admin can search configurations using: - Name - Username - Filter Icon - The filter consists of the following: - Created On - Date Range Filter - From Date - To Date - Tabular View - The listing page displays the following columns: - Name - Username - Password - Created On (Along with Sort Icon) - Action - Edit - On click, redirects to the Edit Affiliate page. - Existing values are pre-populated. - Pagination - Records Per Page Selector - Previous / Next Navigation <u>Add Affiliate</u> - The Add Configuration Page consists of the following: - Name - Username - Password - Classes (dropdown)

	● Add Button ○ Creates the Affiliate account. ● Cancel Button ○ Returns to the listing page without saving. <u>Edit Configuration</u> ● The Edit Configuration Page consists of the following: ● Name (Editable) ● Username (Editable) ● Password (Editable) ● Classes (Dropdown- editable) ● Save Button ○ Updates the configuration. ● Cancel Button ○ Returns to the listing page without saving changes.
Alternate Flow	● If admin edits an existing Affiliate account, previously saved values are loaded in editable format. ● If admin cancels Affiliate creation, entered values are discarded and user is redirected to the listing page. ● If admin updates class assignments, inventory access is updated immediately. ● If admin removes all assigned classes, the affiliate regains access to all inventory classes. ● If no classes are selected during creation, the affiliate can access inventory across all classes.
Business Rules	● Affiliate Management ○ Every Affiliate account must have a unique Username. ○ Multiple Affiliate accounts cannot share the same Username. ○ Affiliate Name is used for identification within the Admin Panel. ○ Password is required for Affiliate login authentication. ○ Listing page is sorted by Created Date (latest first) by default. ○ Affiliate accounts remain active unless removed through backend administrative processes. ● Class Restriction Logic ○ Class assignment is optional. ○ Affiliate accounts can be created without selecting any class. ○ If no class is selected: ■ Affiliates can access inventory for all classes. ○ If one or more classes are selected: ■ Affiliate inventory visibility is restricted only to the selected classes.

	■ Inventory belonging to unassigned classes should not be visible to the Affiliate.
Validations	● First & Last Name ○ Mandatory: Yes ○ Min Length: 3 Characters ○ Max Length: 100 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ■ Must be unique ■ Supports alphanumeric characters and basic special characters (-, _, .) ○ Error Messages ■ "Name is required" ■ "Name must be at least 3 characters" ■ "Name cannot exceed 100 characters" ■ "Name already exists" ● Username ○ Mandatory: Yes ○ Min Length: 3 Characters ○ Max Length: 100 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ■ Must be unique ■ Supports alphanumeric characters and basic special characters (-, _, .) ○ Error Messages ■ "Name is required" ■ "Name must be at least 3 characters" ■ "Name cannot exceed 100 characters" ■ "Name already exists" ● Password ○ Mandatory: Yes ○ Min Length: 3 Characters ○ Max Length: 100 Characters ○ Validation Rules ■ Cannot be empty ■ Cannot contain only spaces ■ Must be unique ■ Supports alphanumeric characters and basic special characters (-, _, .) ○ Error Messages

	■ " Password is required" ■ " Password must be at least 3 characters" ■ " Password cannot exceed 100 characters" ■ "Password already exists"
--	---

76. Version Management

Use Case No.	UC 76
Use Case Name	Version Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5615-14322&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to manage application version configurations across different brands, countries, and platforms. The module allows administrators to configure version numbers and define update enforcement behavior (Force Update or Soft Update or No Action) for each predefined combination of Country, Brand, and Platform. These configurations are used by the application during launch to determine whether users should continue using their current version or update the application.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Version Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Country, Brand, and Platform combinations must already be configured within the system. ● Admin must have permission to manage application versions.
Post Condition	● Version configuration is successfully updated. ● Updated version rules become available to the application. ● Force Update or Soft Update behavior is applied based on configured settings.
Basic Flow	<u>Listing Page</u> ● The Version Management Listing Page consists of the following: ● Tabular View ○ The listing page displays the following columns: ■ Country ■ Brand ■ Platform ■ Update Type ■ Version

	■ Last Edited On (Along with Sort Icon) ■ Action ● Edit ○ On click, redirects to the Version page. ○ Existing values are pre-populated. ■ Pagination ● Records Per Page Selector ● Previous / Next Navigation <u>Edit Version</u> ● The Edit Version Page consists of the following: ○ Country (Non -Editable) ○ Brand (Non -Editable) ○ Platform (Non -Editable) ○ Version (Editable) ○ Update Type (Editable) ■ Options ● Normal ● Force ● No Action ○ Description (text area) ○ Save Button ■ Updates the configuration. ○ Cancel Button ■ Returns to the listing page without saving changes.
Alternate Flow	● If admin edits an existing version configuration, previously saved values are loaded in editable format. ● If admin cancels changes, entered values are discarded and user is redirected to the listing page. ● If the admin changes the version number, the updated version becomes effective immediately. ● If the admin changes the update type, application update behavior changes accordingly. ● If the admin updates the description, the updated message becomes available for display in update prompts.
Business Rules	● Version Configuration ○ Country, Brand, and Platform combinations are predefined and system-generated. ○ Admin cannot create new version records. ○ Admin can only edit existing version configurations. ○ Each Country + Brand + Platform combination must have only one active version configuration.

	○ Version Management serves as the source of truth for application update enforcement. ○ The admin should be able to configure the minimum supported app version. If a user is using an app version lower than the configured minimum version, the system should automatically trigger the appropriate action, such as prompting the user to update the app (in case of Update Type as “Normal” or enforcing a mandatory update (Force) based on the configured settings. ● Force Update ○ Users must update the application before proceeding. ○ Access to the application is blocked until the latest version is installed. ○ The user is redirected to the App Store or Play Store update page. ○ Skip option should not be available. ● Normal ○ Users are informed that a newer version is available. ○ Users can choose to update immediately or continue using the current version. ○ Skip option may be available depending on application implementation. ● No Action ○ No impact on the frontend, just for the record maintaining purposes. ○ No Action will be displayed on the frontend. Users will be able to update the application only through the Play Store or App Store at their discretion. The system will not enforce or recommend an update within the application.
Validations	● Update Type (Dropdown) ○ Mandatory: Yes ○ Options ■ Normal ■ Force ■ No Action ○ Validation Rules ■ One option must be selected. ○ Error Messages ■ "Please select update type" ● Description (Text Area) ○ Mandatory: No ○ Max Length: 500 Characters ○ Validation Rules ■ Cannot exceed maximum length.

	○ Error Messages ■ "Description cannot exceed 500 characters"
--	--

77. Templates Management

Use Case No.	UC 76
Use Case Name	Templates Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=6317-5087&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to create, configure, edit, and manage communication templates used across Email, SMS, and WhatsApp channels. The module serves as a centralized repository for all customer communication templates used for transactional, promotional, operational, and notification-based messaging. Admins can configure channel-specific templates and control whether a particular channel is active or inactive for a given communication.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Template Management
Pre-Condition	● Admin must be logged into the Admin Panel. ● Admin must have permission to manage templates. ● Communication channels must be integrated and configured. ● Messaging service providers must be available: ○ DoveSoft ○ GupShup
Post Condition	● Templates are successfully created or updated. ● Channel configurations are stored successfully. ● Active templates become available for communication delivery.
Basic Flow	<u>Listing Page</u> ● The Template Management Listing Page consists of the following: ● Add Template Button ○ Allows admin to create a new template. ● Two tabs: ○ India ○ Sri Lanka ■ Switching tabs displays templates configured for the selected country. ● Search Bar

- Admin can search configurations using:
 - Name
 - Subject
- Filter Icon
 - The filter consists of the following:
 - Last Edited On
 - Date Range Filter
 - From Date
 - To Date
 - Email/WhatsApp/SMS
 - Options
 - Yes
 - No
- Tabular View
 - The listing page displays the following columns:
 - Name
 - Subject
 - Email (Yes/No)
 - WhatsApp (Yes/No)
 - SMS (Yes/No)
 - Last Edited On (Along with Sort Icon)
 - Action
 - Edit
 - On click, redirects to the Edit template page.
 - Existing values are pre-populated.
 - Pagination
 - Records Per Page Selector
 - Previous / Next Navigation
 -

Add Template

- The Add Template page consists of the following:
 - Save Toggles
 - WhatsApp
 - SMS
 - Email
 - Country (Dropdown)
 - Options
 - India
 - Sri Lanka
 - Single selection allowed
 - Name
 - Subject

	○ Content ID (will be provided by DoveSoft & GupShup) ○ Email From (single email entry allowed) ○ Email CC ○ Email BCC ○ Email Template ■ Text Area along with Active/Inactive toggle ○ WhatsAppTemplate ■ Text Area along with Active/Inactive toggle ○ SMS Template ■ Text Area along with Active/Inactive toggle ○ Add Button ■ Creates the template. ○ Cancel Button ■ Returns to the listing page without saving. <u>Edit Template</u> ● The Add Template page consists of the following: ○ Save Toggles ■ WhatsApp ■ SMS ■ Email ○ Country (Non Editable) ○ Name (Non Editable) ○ Subject (Editable) ○ Content ID (Editable) ○ Email CC (Editable) ○ Email BCC (Editable) ○ Email Template ■ Text Area along with Active/Inactive toggle ● When the toggle is in Active state, only then the admin would be able to enter the associated message for the desired template. ○ WhatsAppTemplate ■ Text Area along with Active/Inactive toggle ○ SMS Template ■ Text Area along with Active/Inactive toggle ○ Save Button ■ Updates the template. ○ Cancel Button ■ Returns to the listing page without saving.
Alternate Flow	● If admin edits an existing template, previously saved values are loaded in editable format. ● If the admin disables the Email Template, Email communications are not sent for that template.

	● If admin disables SMS Template, SMS communications are not sent for that template. ● If the admin disables WhatsApp Template, WhatsApp communications are not sent for that template. ● If admin enables multiple channels, the system delivers communication through all enabled channels. ● If the admin cancels creation or editing, entered values are discarded. ● If no templates match search criteria, an empty state is displayed. ● When the Save toggle is enabled for WhatsApp, SMS, or Email for a specific template, the corresponding template configuration will be saved in the database.
Business Rules	● Template Name must be unique within a country. ○ Template Name cannot be modified once the template has been created. ● Templates can be configured for one country at a time. ● Each template contains: ○ Email Template ○ SMS Template ○ WhatsApp Template ● The listing page should be sorted by Last Edited On (latest first) by default. ● SMS and WhatsApp message content should be updated only after it has been verified and approved by the service providers. ● Notification Channel Logic: ○ The admin can configure notification delivery channels by enabling or disabling the respective channel toggles: ■ Email Template – Sends the notification via email when enabled. ■ SMS Template – Sends the notification via SMS when enabled. ■ WhatsApp Template – Sends the notification via WhatsApp when enabled. ○ Notifications will be delivered only through the channels that are enabled. If multiple channel toggles are active, the notification will be sent across all selected channels. ● Srilanka have a separate service provider (other than Dovesoft and GupShup) ○ The Service Provider option (single selection - DoveSoft & GupShup) is not available for Sri Lanka. ○ Additionally, the Content ID is not applicable for Sri Lanka.
Validations	● Country ○ Mandatory: Yes ○ Type: Single Select Dropdown

	● Name ○ Mandatory: Yes ○ Type: Input Field ○ Min Length: 3 Characters ○ Max Length: 150 Characters ○ Validation Rules ■ Cannot be empty. ■ Cannot contain only spaces. ■ Must be unique within the selected country. ○ Error Messages ■ "Template Name is required" ■ "Template Name cannot exceed 150 characters" ■ "Template Name already exists" ● Subject ○ Mandatory: Yes ○ Type: Input Field ○ Min Length: 10 Characters ○ Max Length: 150 Characters ○ Validation Rules ■ Cannot be empty. ■ Cannot contain only spaces. ■ Must be unique within the selected country. ○ Error Messages ■ "Subject is required" ■ "Subject cannot be less that 10 characters" ■ "Subject cannot exceed 150 characters" ● Content ID ○ Mandatory: Yes ○ Type: Input Field ○ Max Length: 100 Characters ○ Duplicate Content IDs should be allowed, as a single Content ID can be associated with multiple SMS templates. ● Email From ○ Mandatory: Yes ○ Type: Email Field ○ Single email allowed ○ Validation Rule ■ Must follow a valid email format. ○ Error Messages ■ "Please enter a valid email address" ● Email CC /Email BCC ○ Mandatory: No ○ Type: Email Field ○ Comma- Separated values allowed ○ Validation Rules
--	---

	■ Multiple email addresses allowed. ■ Must follow a valid email format. ○ Error Messages ■ "Please enter a valid email address"
--	--

78. Booking Experience - Reports

Use Case No.	UC 78
Use Case Name	Booking Experience
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5612-13286&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to view, analyze, filter, and export customer feedback submitted for the booking experience within the PVR INOX application. Customers can rate their booking experience using a 1–5 star rating and optionally provide comments. The collected feedback helps business and product teams understand customer satisfaction, identify friction points in the booking journey, and improve the overall user experience.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Reports → Booking Experience Ratings
Pre-Condition	● Admin must be logged into the Admin Panel. ● Customer feedback collection must be enabled in the application. ● Admin must have permission to access Reports.
Post Condition	● Admin can view booking experience feedback. ● Admin can filter feedback records. ● Admin can export feedback data for analysis and reporting.
Basic Flow	<u>Listing Page</u> ● The Booking Experience Ratings Listing Page consists of the following: ○ Export CSV Button ■ Allows admin to export report data in CSV format as per selected filters. ■ The exported file is downloaded directly onto the admin's system. ● Search Bar ○ Admin can search configurations using: ■ Customer Name ■ Customer ID ■ Email

	■ Phone Number ■ IP Address ■ Device ID ● Filter Icon ○ The filter consists of the following: ■ Star Ratings (Dropdown) ● Options: ○ 1 Star ○ 2 Stars ○ 3 Stars ○ 4 Stars ○ 5 Stars ■ Review SubmissionDate ● Date Range Filter ○ From Date ○ To Date ● Tabular View ○ The listing page displays the following columns: ■ Customer ID ■ Customer Name ■ Customer Email ■ Customer Phone Number ■ Star Ratings (Along with Sort Icon) ■ Message ■ Device ID ■ Review Submission Date (Along with Sort Icon) ■ Pagination ● Records Per Page Selector ● Previous / Next Navigation
Alternate Flow	● If the admin applies rating filters, only matching records are displayed. ● If admin applies date filters, only records within the selected date range are displayed. ● If the admin exports the report, only filtered records should be included in the exported CSV. ● If no records are available, the system displays an empty state.
Business Rules	● Ratings are collected from customers after completing the booking journey. ● Customers can provide ratings ranging from 1 to 5 stars. ● Customers may optionally provide textual feedback. ● Each feedback entry should be associated with a unique Customer ID. ● By default, today's (i.e. current date) data will be shown on the listing page.

Validations	● Star Ratings Filter (Multi Select Dropdown) ○ Mandatory: No ■ Options ● 1 ● 2 ● 3 ● 4 ● 5 ○ Validation Rules ■ Multiple selections allowed. ● Review Submission Date ○ Mandatory: No ○ Type: Date Range Filter ○ Validation Rules ■ From Date cannot be greater than To Date. ○ Error Messages ■ "From Date cannot be greater than To Date" ● Export CSV ○ Mandatory: No ○ Validation Rules ■ Export should include records based on currently applied filters. ■ Export should not exceed system-defined limits. ○ Error Messages ■ "No records available for export"
-------------	---

79. Audit Reports - Reports

Use Case No.	UC 79
Use Case Name	Audit Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5616-16143&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to view, track, analyze, and export audit logs generated across all modules of the Admin Panel. The Audit Reports module serves as a centralized activity tracking system that records every create, update, activate, deactivate, delete, and configuration change performed by Sub Admin users. The report provides complete visibility into who performed an action, what data was changed, and the before/after values associated with the modification.
Primary Actor	Admin
Secondary Actor	System Backend

Triggering Event	- Admin navigates to: - Reports → Audit Reports
Pre-Condition	- Admin must be logged into the Admin Panel. - Audit logging must be enabled within the system. - Admin must have permission to access Audit Reports. - Super Admin and sub admins activities must be recorded by the audit logging service.
Post Condition	- Admin can view audit records across all modules. - Admin can filter and search audit activities. - Admin can export audit records for compliance and reporting purposes.
Basic Flow	<u>Listing Page</u> - The Audit Reports Listing Page consists of the following: - Export CSV Button - Allows admin to export report data in CSV format as per selected filters. - The exported file is downloaded directly onto the admin's system. - Select Module (dropdown) - Displays all modules and sub-modules configured within the Admin Panel. The dropdown will list each sub-module as an independent selectable option. - Search Bar - Admin can search configurations using: - User Name - User Email - Filter Icon - The filter consists of the following: - User (Dropdown) - Options: - Displays all the active sub admins/users along with a search bar. - Created On Date - Date Range Filter - From Date - To Date - Tabular View - The listing page displays the following columns: - Customer ID - Module - User Name - User Email - Action - Pre Data Log

	■ Post Data Log ■ IP Address ■ Created On Date (along with a sort icon) ■ Pagination ○ Records Per Page Selector ● Previous / Next Navigation
Alternate Flow	● If the admin selects a module, only audit records related to that module are displayed. ● If admin searches using Sub Admin Name or Email, matching records are displayed. ● If admin applies date filters, only records within the selected date range are displayed. ● If the admin exports the report, filtered records should be included in the CSV. ● If no records match the search or filters, an empty state should be displayed.
Business Rules	● Data Log Behaviour ○ Pre Data Log ■ Displays the record values before the change. ■ Full details are displayed on cursor hover and on click, the information is displayed in a pop up. ● The pop up displays the pre-log view along with a copy option. ○ Post Data Log ■ Displays the record values after the change. ■ Full details are displayed on cursor hover and on click, the information is displayed in a pop up. ● The pop up displays the post - log view along with a copy option. ● Hover Behaviour ○ Pre Data Log ■ Full JSON data should be displayed on hover. ■ Supports scrolling for large datasets. ○ Post Data Log ■ Full JSON data should be displayed on hover. ■ Supports scrolling for large datasets.
Validations	● Created On Date ○ Mandatory: No ○ Type: Date Range Filter ○ Validation Rules ■ From Date cannot be greater than To Date. ○ Error Messages

	■ "From Date cannot be greater than To Date" ● Export CSV ○ Mandatory: No ○ Validation Rules ■ Export should include records based on currently applied filters. ■ Export should not exceed system-defined limits. ○ Error Messages ■ "No records available for export"
--	--

80. TSS - Reports

Use Case No.	UC 80
Use Case Name	TSS Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5616-16143&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to view, analyze, and export customer voting responses submitted through Trailer Screening Show (TSS) campaigns. The report provides detailed insights into customer movie preferences collected during TSS voting. Admins can view campaign-level participation and drill down into individual customer responses to understand voting trends across cinemas and cities.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Reports → TSS Reports
Pre-Condition	● Admin must be logged into the Admin Panel. ● TSS campaigns must exist within the system. ● Customer voting data must be available. ● Admin must have permission to access reports.
Post Condition	● Admin can view TSS campaign reports. ● Admin can access customer-level voting details. ● Admin can analyze movie preferences across cinemas and cities.
Basic Flow	<u>Listing Page</u> ● The TSS Reports Listing Page consists of the following: ○ Export CSV Button ■ Allows admin to export report data in CSV format as per selected filters.

	■ The exported file is downloaded directly onto the admin's system. ● Search Bar ○ Admin can search configurations using: ■ TSS ID ■ TSS Name ● Filter Icon ○ The filter consists of the following: ■ Created On Date ● Date Range Filter ○ From Date ○ To Date ● Tabular View ○ The listing page displays the following columns: ■ TSS ID ■ TSS Campaign Name ■ Movies ● Displays configured movies associated with the TSS campaign. ● If multiple movies exist, the complete list should be displayed on tooltip hover. ■ Valid From ■ Valid To ■ Created On (Along with Sort Icon) ■ Action ● View ○ On click, redirects to the TSS Voting Details page. ○ Displays all customer voting responses submitted for the selected TSS campaign. ■ Pagination ● Records Per Page Selector ● Previous / Next Navigation <u>TSS Voting Details Page</u> ● The TSS Voting Details Page displays all customer voting responses submitted for the selected TSS campaign. ● Search Bar ○ Admin can search using: ■ Customer Name ■ Customer Email ■ Customer Phone Number ■ Cinema Name ● Filter Icon
--	---

	○ The filter consists of the following: ○ City ○ Cinema Name ○ Voted On ■ From Date ■ To Date ● Tabular View ○ The details page displays the following columns: ■ Cinema Name ■ Cinema ID ■ City ■ Customer Name ■ Customer Email ■ Customer Phone Number ■ Movie 1 ■ Movie 2 ■ Movie 3 ■ Voted On (Along with Sort Icon) ● Movie Selection Behaviour ○ Movie 1 ■ Displays the customer's first preference. ○ Movie 2 ■ Displays the customer's second preference. ○ Movie 3 ■ Displays the customer's third preference. ○ The movies should be displayed in the exact order selected by the customer during voting. ● Pagination ○ Records Per Page Selector ○ Previous / Next Navigation
Alternate Flow	● If the admin clicks View, the system loads all voting responses associated with the selected TSS campaign. ● If no votes exist for the selected campaign, an empty state is displayed. ● If the admin applies filters, only matching records are displayed. ● If the admin exports the report, filtered records should be included in the CSV export. ● If admin searches for a customer, matching records should be displayed.
Business Rules	● TSS Report Management ○ Every TSS campaign should generate a report entry. ○ Reports should only display campaigns created through the TSS Management module. ○ Customer votes should be associated with the corresponding TSS campaign.

	○ Voting responses should remain available even after campaign expiry. ● Voting Data ○ Each customer can vote only once per TSS campaign. ○ Customers can rank up to three movies. ○ The ranking order selected by the customer should be preserved. ○ Votes cannot be modified after submission. ○ Historical voting data should remain available for reporting purposes.
Validations	● Created On Date ○ Mandatory: No ○ Type: Date Range Filter ○ Validation Rules ■ From Date cannot be greater than To Date. ○ Error Messages ■ "From Date cannot be greater than To Date" ● Export CSV ○ Mandatory: No ○ Validation Rules ■ Export should include records based on currently applied filters. ■ Export should not exceed system-defined limits. ○ Error Messages ■ "No records available for export"

80.1.1.

81. EAS - Reports

Use Case No.	UC 81
Use Case Name	TSS Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=6381-20396&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to view, analyze, and export voting results submitted through Early Access Show (EAS) campaigns. The report provides campaign-level insights, including the winning city, campaign duration, and customer participation details.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Reports → EAS Reports
Pre-Condition	● Admin must be logged into the Admin Panel.

	● EAS campaigns must exist within the system. ● Customer voting data must be available. ● Admin must have permission to access reports.
Post Condition	● Admin can view EAS campaign reports. ● Admin can access customer-level voting details. ● Admin can analyze city-wise voting participation. ● Admin can identify the winning city for each campaign.
Basic Flow	<u>Listing Page</u> ● The EAS Reports Listing Page consists of the following: ○ Export CSV Button ■ Allows admin to export report data in CSV format as per selected filters. ■ The exported file is downloaded directly onto the admin's system. ● Search Bar ○ Admin can search using: ■ EAS ID ■ Campaign Name ■ Movie Name ■ Winner City ● Filter Icon ○ The filter consists of the following: ■ Created On Date ● Date Range Filter ○ From Date ○ To Date ● Tabular View ○ The listing page displays the following columns: ■ EAS ID ■ Campaign Name ■ Movie ■ Winner City ■ EAS Date ■ Valid From ■ Valid To ■ Created On ■ Action ● View ○ On click, redirects to the Campaign Results Page. ○ Displays all customer voting responses submitted for the selected EAS campaign. ■ Pagination

	● Records Per Page Selector ● Previous / Next Navigation <u>EAS Results Page</u> ● The EAS Voting Details Page displays all customer voting responses submitted for the selected EAS campaign. ● Search Bar ○ Admin can search using: ■ Customer Name ■ Customer Email ■ Customer Phone Number ■ Voted City ● Filter Icon ○ The filter consists of the following: ○ Voted City ○ Voted On ■ From Date ■ To Date ● Tabular View ○ The details page displays the following columns: ■ Customer Name ■ Email ■ Phone Number ■ Voted City ■ Voted On (Along with Sort Icon) ● Pagination ○ Records Per Page Selector ○ Previous / Next Navigation
Alternate Flow	● If the admin clicks View, the system loads all voting responses associated with the selected EAS campaign. ● If no votes exist for the selected campaign, an empty state is displayed. ● If the admin applies filters, only matching records are displayed. ● If the admin exports the report, filtered records should be included in the CSV export. ● If the admin searches for a customer, matching records should be displayed. ● If a campaign has not yet concluded, Winner City may display as "Pending". ● If admin clicks Manage Votes, the system displays the top three cities with the highest vote counts. ● If admin edits one or more vote counts and clicks Save, the updated vote counts are immediately applied to the campaign. ● If the admin clicks Cancel, no changes are saved.

	● If admin modifies the ranking order through vote count changes, the winning city and leaderboard rankings are recalculated automatically. ● If multiple cities have identical vote counts after modification, the system should display an error message - "Count exists. Try a different count." ● If the admin is going to modify the vote count after the campaign end and winner city has been declared, he should see an error that - "You cannot modify the vote count because the campaign has ended and the winning city has already been declared."
Business Rules	● EAS Report Management ○ Every EAS campaign should generate a report entry. ○ Reports should only display campaigns created through the EAS Management module. ○ Customer votes should be associated with the corresponding EAS campaign. ○ Voting responses should remain available even after campaign completion. ○ Historical campaign reports should remain accessible for analysis purposes. ● Voting Data ○ Each customer can vote only once per EAS campaign. ○ Customers can vote for only one city per campaign. ○ Votes cannot be modified after submission. ○ Historical voting data should remain available for reporting purposes. ● Vote Management ○ Admin users can manually override vote counts for the top three cities of an EAS campaign. ○ Vote modifications should only impact the selected EAS campaign. ○ Vote modifications should not affect historical voting records submitted by customers. ○ Customer voting data should remain unchanged. ○ Only the aggregated city vote count is updated. ● Real-Time Result Update ○ Any vote count modification should immediately update campaign results. ○ The frontend campaign page should reflect the updated rankings without requiring campaign recreation. ○ The winning city should be recalculated based on the latest vote counts. ● Winning City Logic ○ Winner City is determined based on the highest number of valid votes received during the campaign period.

	○ The winning city should be displayed once the campaign has concluded. ○ If the campaign is still active, Winner City may remain blank or display "Pending". ○ In case of a tie, the city that reached the vote count first should be declared the winner. ○
Validations	● Created On Date ○ Mandatory: No ○ Type: Date Range Filter ○ Validation Rules ■ From Date cannot be greater than To Date. ○ Error Messages ■ "From Date cannot be greater than To Date" ● Export CSV ○ Mandatory: No ○ Validation Rules ■ Export should include records based on currently applied filters. ■ Export should not exceed system-defined limits. ○ Error Messages ■ "No records available for export"

81.1.1.

82. Investor Presentation - Financials

Use Case No.	UC 82
Use Case Name	Investor Presentation
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Financials → Investor Presentation
Pre-Condition	● Admin must be logged into the Admin Panel. ● Financial document files must be available for upload. ● Appropriate permissions must be assigned to the admin.

Post Condition	- Financial document successfully created or updated. - Document becomes visible on the website when status is Active. - Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> - The Investor PResentation listing page consists of the following: - Upload 10 years highlight button - On clicking the Upload CSV option, a popup will appear allowing the admin to upload a CSV file. Once uploaded successfully, the data will be reflected on the frontend. - The popup will contain the following elements: - Download Sample CSV File - Upload CSV - Upload Button - Cancel Button - If the admin opens the popup after a CSV file has already been uploaded, the previously uploaded file will be displayed along with a Remove icon. The admin can remove the existing file and upload a new CSV file if required. - Add Investor Presentation Button - On click, redirects to the Add page. - Search Bar (can search using name and year) - Filter Icon - Status (Active/Inactive) - Tabular View - Image - Name - Year (along with sort icon) - Document (View - CTA) - On click, the document is downloaded in the system. - Status (Active/Inactive) - Action - Edit - Active/Inactive <u>Add Page</u> - The Investor Presentation add page consists of the following: - Current Status (Toggle - by default active) - Name - Year (dropdown) - Upload Image - Upload PDF

	○ Add Button ○ Cancel Button Edit Page ● The Investor Presentation edit page consists of the following: ○ Current Status Toggle ○ Name (Editable) ○ Year (dropdown) (Editable) ○ Upload Image (Editable) ■ It should display the previously uploaded image or file. ○ Upload PDF (Editable) ○ Save Button ○ Cancel Button
Alternate Flow	● Admin updates existing presentations. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to the listing page.
Business Rules	● Name is mandatory. ● Year selection is mandatory. ● PDF upload is not mandatory. ● Image upload is not mandatory. ● Only Active presentations are displayed on the frontend. ● Multiple presentations can exist for the same year. ● Documents are displayed in descending order of creation date. ● Status changes require confirmation.
Validations	● Name ○ Mandatory: Yes ○ Type: Text Field ○ Max Length: 150 Characters ○ Error Messages: ■ "Name is required" ■ "Name cannot exceed 150 characters"

82.1.

83. Annual Reports - Financials

Use Case No.	UC 82
Use Case Name	Annual Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1

Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Financials → Annual Reports
Pre-Condition	- Admin must be logged into the Admin Panel. - Financial document files must be available for upload. - Appropriate permissions must be assigned to the admin.
Post Condition	- Financial document successfully created or updated. - Document becomes visible on the website when status is Active. - Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> - The Annual Reports listing page consists of the following: - Add Button - On click, redirects to the Add page. - Search Bar (can search using name and year) - Filter Icon - Status (Active/Inactive) - Tabular View - Image - Start Year (along with sort icon) - End Year (along with sort icon) - Document (View - CTA) - On click, the document is downloaded in the system. - Status (Active/Inactive) - Action - Edit - Active/Inactive <u>Add Page</u> - The Annual Reports add page consists of the following: - Current Status (Toggle - by default active) - Start Year (dropdown) - End Year (dropdown) - Upload Image - Upload PDF

	○ Add Button ○ Cancel Button Edit Page ● The Investor Presentation edit page consists of the following: ○ Current Status Toggle ○ Start Year (dropdown) (Editable) ○ End Year (dropdown) (Editable) ○ Upload Image (Editable) ○ Upload PDF (Editable) ○ Save Button ○ Cancel Button
Alternate Flow	● Admin updates existing modules. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to listing page.
Business Rules	● Start and end Year selection is mandatory. ● PDF upload is not mandatory. ● Image upload is not mandatory. ● Only Active presentations are displayed on the frontend. ● Multiple presentations can exist for the same year. ● Status changes require confirmation. ● Documents are displayed in descending order of creation date. ● End Year: The End Year field will be auto-populated with a value one year greater than the selected Start Year. ○ For example, if the Start Year is selected as 2026, the End Year will automatically be set to 2027. The End Year field will be non-editable and can only be updated by changing the Start Year.
Validations	● Start Year ○ Mandatory: Yes ○ Error Message: ■ "Please select Start Year" ● End Year ○ Mandatory: Yes ■ The End Year field will be auto-populated with a value one year greater than the selected Start Year.

83.1.

84. Quarterly Reports - Financials

Use Case No.	UC 82
--------------	-------

Use Case Name	Quarterly Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	- Admin navigates to: - Admin Panel → Financials → Quarterly Reports
Pre-Condition	- Admin must be logged into the Admin Panel. - Financial document files must be available for upload. - Appropriate permissions must be assigned to the admin.
Post Condition	- Financial document successfully created or updated. - Document becomes visible on the website when status is Active. - Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> - The Quarterly Reports listing page consists of the following: - Add Button - On click, redirects to the Add page. - Search Bar (can search using name and year) - Filter Icon - Status (Active/Inactive) - Type - Tabular View - Image - Year - Quarter (along with sort icon) - Type (along with sort icon) - Document (View - CTA) - On click, the document is downloaded in the system. - Status (Active/Inactive) - Action - Edit - Active/Inactive <u>Add Page</u> - The Quarterly Reports add page consists of the following:

	○ Current Status (Toggle - by default active) ○ Start Year (dropdown) ○ End Year (dropdown) ○ Quarter (dropdown) ○ Type (dropdown) ■ Board Meeting Notice ■ SEBI Financials ■ Investor Presentation ■ Earnings Call Transcripts ■ Shareholding Pattern ■ Integrated Filing (Governance) ○ Upload Image ○ Upload PDF ○ Add Button ○ Cancel Button <u>Edit Page</u> ● The Quarterly Reports edit page consists of the following: ○ Current Status (Toggle - by default active) ○ Start Year (dropdown) ○ End Year (dropdown) ○ Quarter (dropdown) ○ Type (dropdown) ○ Upload Image ○ Upload PDF ○ Save Button ○ Cancel Button ○
Alternate Flow	● Admin updates existing modules. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to the listing page.
Business Rules	● Start and end Year selection is mandatory. ● PDF upload is not mandatory. ● Image upload is not mandatory. ● Only Active presentations are displayed on the frontend. ● Multiple presentations can exist for the same year. ● Documents are displayed in descending order of creation date. ● Status changes require confirmation. ● Type is managed via the Global Configurations.
Validations	● Start/End Year

	○ Mandatory: Yes ○ Error Message: ■ "Please select Start/End Year" ● Quarter ○ Mandatory: Yes ○ Error Message: ■ "Please select Quarter" ● Type ○ Mandatory: Yes ○ Error Message: ■ "Please select Type"
--	--

84.1.

85. Subsidiary Report - Financials

Use Case No.	UC 82
Use Case Name	Subsidiary Report
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Financials → Subsidiary Report
Pre-Condition	● Admin must be logged into the Admin Panel. ● Financial document files must be available for upload. ● Appropriate permissions must be assigned to the admin.
Post Condition	● Financial document successfully created or updated. ● Document becomes visible on the website when status is Active. ● Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> ● The Subsidiary Report listing page consists of the following: ○ Add Button ■ On click, redirects to the Add page. ○ Search Bar (can search using title) ○ Filter Icon ■ Status (Active/Inactive) ○ Tabular View

	■ Title ■ Document (View - CTA) ● On click, the document is downloaded in the system. ■ Status (Active/Inactive) ■ Action ● Edit ● Active/Inactive <u>Add Page</u> ● The Subsidiary Report add page consists of the following: ○ Current Status (Toggle - by default active) ○ Title ○ Upload PDF ○ Add Button ○ Cancel Button <u>Edit Page</u> ● The Subsidiary Report edit page consists of the following: ○ Current Status (Toggle - by default active) ○ Title ○ Upload PDF ○ Save Button ○ Cancel Button
Alternate Flow	● Admin updates existing modules. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to the listing page.
Business Rules	● Title is mandatory. ● PDF upload is mandatory. ● Image upload is not mandatory. ● Only Active presentations are displayed on the frontend. ● Multiple presentations can exist for the same year. ● Documents are displayed in descending order of creation date. ● Status changes require confirmation. ● Newly added reports should be displayed at the top of the list.
Validations	● Title ○ Mandatory: Yes ○ Type: Text Field ○ Max Length: 150 Characters

	○ Error Messages: ■ "Title is required" ■ "Title cannot exceed 150 characters"
--	--

85.1.

86. Other Reports - Financials

Use Case No.	UC 86
Use Case Name	Other Reports
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Financials → Other Reports
Pre-Condition	● Admin must be logged into the Admin Panel. ● Financial document files must be available for upload. ● Appropriate permissions must be assigned to the admin.
Post Condition	● Financial document successfully created or updated. ● Document becomes visible on the website when status is Active. ● Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> ● The Other Reports listing page consists of the following: ○ Add Button ■ On click, redirects to the Add page. ○ Search Bar (can search using title and year) ○ Filter Icon ■ Status (Active/Inactive) ■ Type ○ Tabular View ■ Image ■ Title ■ Year (along with sort icon) ■ Type (along with sort icon) ■ Document (View - CTA) ● On click, the document is downloaded in the system.

	■ Audio ● On click, the document is downloaded in the system. ■ Status (Active/Inactive) ■ Action ● Edit ● Active/Inactive <u>Add Page</u> ● The Other Reports add page consists of the following: ○ Current Status (Toggle - by default active) ○ Title ○ Type (dropdown) ○ Year (dropdown) ○ Key Note URL ○ Upload Image ○ Upload PDF ○ Upload Audio ○ Add Button ○ Cancel Button <u>Edit Page</u> ● The Investor Presentation edit page consists of the following: ○ Current Status (Toggle - by default active) ○ Title ○ Type (dropdown) ○ Year (dropdown) ○ Key Note URL ○ Upload Image ○ Upload PDF ○ Upload Audio ○ Save Button ○ Cancel Button
Alternate Flow	● Admin updates existing modules. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to the listing page.
Business Rules	● Year selection is mandatory. ● PDF upload is not mandatory. ● Image upload is not mandatory. ● Audio is non mandatory ● Only Active presentations are displayed on the frontend.

	- Documents are displayed in descending order of creation date. - Status changes require confirmation. - The Key Note URL field is used to enter the link of the desired page to which the user should be redirected. - When the selected Type is Analyst/Investor Meet, the Year dropdown and the Text Editor field will be displayed. - When the Type is selected as QIP, an additional dropdown field, QIP Type, will be displayed along with the text editor. - The values available in the Type and QIP Type dropdown will be managed through Global Configurations. - When the Type is selected as Schemes of Restructuring, an additional dropdown field, Restructuring Type, will be displayed. - For the Disclosure under Regulation 46 & 62 of LODR section, the admin can configure the desired item within the left navigation of the Statutory Disclosures tab or upload the required content in the form of an image, audio file, or PDF, depending on the specific requirement.
Validations	- Title - Mandatory: Yes - Type: Text Field - Max Length: 150 Characters - Error Messages: "Title is required" "Title cannot exceed 150 characters" - Year - Mandatory: Yes - Error Message: "Please select Year"

86.1.

87. Investor Support - Financials

Use Case No.	UC 86
Use Case Name	Investor Support
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend

Triggering Event	- Admin navigates to: - Admin Panel → Financials → Investor Support
Pre-Condition	- Admin must be logged into the Admin Panel. - Financial document files must be available for upload. - Appropriate permissions must be assigned to the admin.
Post Condition	- Financial document successfully created or updated. - Document becomes visible on the website when status is Active. - Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> - The Investor Support listing page consists of the following: - Add Button - On click, redirects to the Add page. - Two Tabs: - Analyst Coverage (selected) - Investor Support - Search Bar (can search using Research House, Analyst Name, Email) - Filter Icon - Status (Active/Inactive) - Tabular View - Research House - Analyst Name - Email - Status (Active/Inactive) - Action - Edit - Active/Inactive <u>Add Page</u> - The Investor Support add page (Analyst Coverage) consists of the following: - Current Status (Toggle - by default active) - Type (Non editable) - Research House - Analyst Name - Email - Add Button - Cancel Button <u>Edit Page</u> - The Investor Support edit page consists of the following: - Current Status (Toggle - by default active)

- Type (Non editable)
- Research House
- Analyst Name
- Email
- Save Button
- Cancel Button

Listing Page

- The Investor Support listing page consists of the following:
 - Add Button
 - On click, redirects to the Add page.
 - Two Tabs:
 - Analyst Coverage
 - Investor Support (selected)
 - Search Bar (can search using Category)
 - Filter Icon
 - Status (Active/Inactive)
 - Tabular View
 - Category
 - Description
 - Status (Active/Inactive)
 - Action
 - Edit
 - Active/Inactive

Add Page

- The Investor Support add page (Selected tab - Investor Support) consists of the following:
 - Current Status (Toggle - by default active)
 - Type (Non editable)
 - Category Dropdown
 - Company Secretary and Nodal Officer for the IEPF Authority
 - Investor Relations
 - Registrar and share Transfer Agent
 - Add Button
 - Cancel Button

Edit Page

- The Investor Support edit page consists of the following:
 - Current Status (Toggle - by default active)

	○ Type (Non editable) ○ Category Dropdown ■ Company Secretary and Nodal Officer for the IEPF Authority ■ Investor Relations ■ Registrar and share Transfer Agent ○ Add Button ○ Cancel Button
Alternate Flow	● Admin updates existing modules. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to listing page.
Business Rules	● Year selection is mandatory. ● PDF upload is not mandatory. ● Image upload is not mandatory. ● Audio is not mandatory. ● Only Active presentations are displayed on the frontend. ● Documents are displayed in descending order of creation date. ● Status changes require confirmation. ● Category and Type are managed via the global configurations.
Validations	● Category ○ Mandatory: Yes ○ Error Message: ■ "Please select Category"

87.1.

88. Scheme of Merger PVR & INOX - Financials

Use Case No.	UC 82
Use Case Name	Scheme of Merger PVR & INOX
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=5481-18528&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend

Triggering Event	- Admin navigates to: - Admin Panel → Financials → Scheme of Merger PVR & INOX
Pre-Condition	- Admin must be logged into the Admin Panel. - Financial document files must be available for upload. - Appropriate permissions must be assigned to the admin.
Post Condition	- Financial document successfully created or updated. - Document becomes visible on the website when status is Active. - Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u> - The Scheme of Merger PVR & INOX listing page consists of the following: - Add Button - On click, redirects to the Add page. - Search Bar (can search using name) - Filter Icon - Status (Active/Inactive) - Tabular View - Name - Document (View - CTA) - On click, the document is downloaded in the system. - Status (Active/Inactive) - Action - Edit - Active/Inactive <u>Add Page</u> - The Scheme of Merger PVR & INOX add page consists of the following: - Current Status (Toggle - by default active) - Name - Upload PDF - Add Button - Cancel Button <u>Edit Page</u> - The Scheme of Merger PVR & INOX edit page consists of the following: - Current Status (Toggle - by default active) - Name - Upload PDF - Add Button - Cancel Button
Alternate Flow	Admin updates existing presentations.

	● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to listing page.
Business Rules	● Name is mandatory. ● PDF upload is not mandatory. ● Only Active presentations are displayed on the frontend. ● Documents are displayed in descending order of creation date. ● Status changes require confirmation.
Validations	● Name ○ Mandatory: Yes ○ Type: Text Field ○ Max Length: 150 Characters ○ Error Messages: ■ "Name is required" ■ "Name cannot exceed 150 characters"

88.1.

89. Statement of Deviation (s) or variation(s) - Financials

Use Case No.	UC 89
Use Case Name	Statement of Deviation (s) or variation(s)
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=6365-16235&t=62NA4iHau4y5P7qU-1
Use Case Description	This use case enables authorized admin users to upload, manage, edit, activate, deactivate, and publish financial documents under the Financials section of the website. Admins can upload PDFs along with associated metadata and control visibility through Active/Inactive status management.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Financials → Statement of Deviation (s) or variation(s)
Pre-Condition	● Admin must be logged into the Admin Panel. ● Financial document files must be available for upload. ● Appropriate permissions must be assigned to the admin.
Post Condition	● Financial document successfully created or updated. ● Document becomes visible on the website when status is Active. ● Uploaded PDF is available for download/viewing on the frontend.
Basic Flow	<u>Listing Page</u>

	● The Statement of Deviation (s) or variation(s) listing page consists of the following: ○ Add Button ■ On click, redirects to the Add page. ○ Search Bar (can search using name) ○ Filter Icon ■ Status (Active/Inactive) ○ Tabular View ■ Name ■ Document (View - CTA) ● On click, the document is downloaded in the system. ■ Status (Active/Inactive) ■ Action ● Edit ● Active/Inactive <u>Add Page</u> ● The Statement of Deviation (s) or variation(s) add page consists of the following: ○ Current Status (Toggle - by default active) ○ Name ○ Upload PDF ○ Add Button ○ Cancel Button <u>Edit Page</u> ● The Statement of Deviation (s) or variation(s) edit page consists of the following: ○ Current Status (Toggle - by default active) ○ Name ○ Upload PDF ○ Add Button ○ Cancel Button
Alternate Flow	● Admin updates existing presentations. ● Admin replaces uploaded PDF. ● Admin activates/inactivates presentation through confirmation popup. ● Admin cancels operation and returns to the listing page.
Business Rules	● Name is mandatory. ● PDF upload is not mandatory. ● Only Active presentations are displayed on the frontend. ● Documents are displayed in descending order of creation date.

	● Status changes require confirmation.
Validations	● Name ○ Mandatory: Yes ○ Type: Text Field ○ Max Length: 150 Characters ○ Error Messages: ■ "Name is required" ■ "Name cannot exceed 150 characters"

89.1.1.

90. Badges Management

Use Case No.	UC 89
Use Case Name	Badges Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=7531-40423&t=ROetfed5WtEsnyZk-1
Use Case Description	The Badges Management module enables the Admin to manage the badges displayed within the Fandom section of the PVR INOX application. The Admin can view all available badges, update the badge name, sequence, and badge image. The achievement logic and conditions are managed by the backend and are not configurable through the Admin Panel.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Badges Management
Pre-Condition	● Admin is logged into the Admin Panel. ● Admin has permission to access Badges Management. ● Badge master records already exist in the system.
Post Condition	● Updated badge information is saved successfully. ● Updated badge details are reflected across the user application.
Basic Flow	<u>Listing Page</u> ● The Badges Management. listing page consists of the following: ○ The system displays the list of all configured badges. ○ The listing displays the following details: ■ Badge Image ■ Badge ID ■ Badge Name ■ Badge Definition ■ Last Edited On (along with sort icon) ■ Action (Edit)

	○ Admin can search badges using the Search Bar via Badges name or definition. ○ Admin can apply filters using the Filter icon, i.e., Date Range. ○ Admin can edit an existing badge by clicking the Edit icon. ○ Pagination is available when records exceed the configured page size. Edit Pop Up ● The Badges Edit Page consists of the following: ○ System pre-populates: ○ Badge Name (editable) ○ Badge Image (editable) ○ Admin updates the required fields. ○ Admin clicks Submit. ■ The system validates all entered details. ■ The system updates the badge successfully. ■ Success toast message is displayed.
Alternate Flow	● If no badge matches the search criteria, the system displays → "No Records Found." ● If Admin clicks Cancel, the system closes the popup without saving changes. ● If no badges exist, the system displays an empty state. ● If Admin clicks Cancel, the system closes the popup without saving changes. ● If image upload fails, the system displays → "Unable to upload image. Please try again."
Business Rules	● Badge ID is system generated and cannot be modified. ● Badge Definition is read-only and cannot be edited from the Admin Panel. ● Badge achievement conditions are maintained in the backend and are not configurable through the Admin Panel. ● Only one image can be associated with each badge. ● The uploaded image replaces the existing badge image immediately after successful submission. ● No two badges can have the same sequence number. ● Changes made by the Admin are reflected across all platforms (Android, iOS, M-site, and Website). ● The Last Edited On field is automatically updated after every successful modification.
Validations	● Name

	○ Mandatory: Yes ○ Type: Text Field ○ Max Length: 150 Characters ○ Error Messages: ■ "Name is required" ■ "Name cannot exceed 150 characters"
--	--

91. Photo Memories Management

Use Case No.	UC 89
Use Case Name	Photo Memories Management
Wireframes URL	https://www.figma.com/design/mQVC1sAhr3XszTA9YEV44T/PVR-INOX-Wireframes---Admin-Panel?node-id=7531-40423&t=ROetfed5WtEsnyZk-1
Use Case Description	The Photo Memories Management module enables admin to search and manage customers' Photo Memories (Fandoms). The admin can search for a customer's photo memories using their registered mobile number, view all associated photo memory cards, and permanently delete a selected photo memory after confirmation.
Primary Actor	Admin
Secondary Actor	System Backend
Triggering Event	● Admin navigates to: ○ Admin Panel → Photo Memories Management
Pre-Condition	● Admin is logged into the Admin Panel. ● Admin has permission to access Photo Memories Management. ● Photo Memories have been generated for the customer.
Post Condition	● The searched customer's photo memories are displayed. ● Selected photo memory is permanently deleted upon confirmation. ● The updated list of photo memories is displayed. ● The delete action is recorded in the audit logs.
Basic Flow	<u>Basic Flow</u> ● The admin navigates to Photo Memories Management. ● The system displays a search field for entering the customer's registered mobile number. ● The admin enters the mobile number. ● The admin clicks the Search button. ● The system validates the entered mobile number. ● If valid, the system fetches all photo memories associated with the customer. ● The system displays each photo memory as an individual card containing:

	○ Theme Name ○ Photo Memory Thumbnail ○ Movie Name ○ Watch Date ○ Delete Icon ● The admin may click Clear to reset the search field and remove the displayed records. <u>Delete Photo Memory</u> ● The admin clicks the Delete icon on a photo memory card. ● The system displays a confirmation popup with the message: ○ Are you sure you want to delete the photo memory? ● The admin clicks Confirm. ● The system permanently deletes the selected photo memory. ● The deleted photo memory is removed from the displayed list. ● The system displays a success message confirming the deletion.
Alternate Flow	<u>Invalid Mobile Number</u> ● The admin enters an invalid mobile number. ● The system displays an appropriate validation message. ● No search is performed. <u>No Records Found</u> ● The admin searches using a valid mobile number. ● No photo memories exist for the customer. ● The system displays: ○ No Photo Memories Found <u>Search Field Empty</u> ● The admin clicks Search without entering a mobile number. ● The system prompts the admin to enter a valid mobile number. <u>Delete Cancelled</u> ● The admin clicks the Delete icon. ● The confirmation popup appears. ● The admin clicks Cancel. ● The popup closes. ● No changes are made. <u>Delete Failure</u>

	• The admin confirms deletion. • The delete request fails due to a system or server error. • The system displays an appropriate error message. • The photo memory remains unchanged.
Business Rules	• Only authorized Super Admins and Sub Admins can access the Photo Memories Management module. • The customer's photo memories can be searched only using their registered mobile number. • The system shall display all photo memories associated with the entered mobile number. • Each photo memory shall be displayed as an individual card. • Each card shall display the Theme Name, Photo Memory Thumbnail, Movie Name, Watch Date, and Delete icon. • The delete action will require confirmation before permanently deleting a photo memory. • Deleted photo memories cannot be restored through the Admin Panel. • Clicking Clear shall reset the search field and remove the displayed search results. • Search results shall only display records associated with the entered mobile number. • All delete actions shall be captured in the audit logs with the admin details, customer details, and timestamp.
Validations	• Phone Number ○ Mandatory: Yes ○ Type: Numeric Text Field ○ Length: Exactly 10 Digits ○ Error Messages: ■ "Phone Number is required." ■ "Only numeric values are allowed." ■ "Please enter a valid 10-digit Phone Number."

92. Configuration Management - Global Configurations

92.1. USE CASE

Use Case No.	UC 16
Use Case Name	
Wireframes URL	
Use Case Description	
Primary Actor	

Secondary Actor	
Triggering Event	
Pre-Condition	●
Post Condition	●
Basic Flow	●
Alternate Flow	●
Exception Flow	●
Business Rules	● Homepage Banner Timer: Defines the auto-rotation interval (in seconds) for homepage carousel banners. ● OTP Validity Duration: Determines how long a one-time password (OTP) remains valid before expiry. ● Resend OTP Option: Specifies the cooldown duration (in seconds or minutes) before users can request a new OTP. ● Maximum OTP Requests and Time Window: Defines the maximum number of OTP requests a user can make within a specified time window to prevent misuse or spamming. ● Movie Booking Confirmation Timer: Sets the countdown time (in minutes) for users to complete the ticket booking process before their session expires. ● Pickup Time for Counter: Defines the maximum time window (in minutes) within which users must collect their F&B orders from the counter after booking. ● Advance Booking Flash Message Duration: Controls how long the “Advance Booking” flash message is displayed on the app. ● Configuration of Days: Determines the logic for classifying movies into Now Showing, Coming Soon, or Re-release categories based on the number of days before or after release. ● PVR Jockey: Configures whether the “PVR Jockey” feature launches within the app or redirects to WhatsApp. ● Booking Percentage Color: Defines the seat layout color codes (e.g., green, yellow, red) based on seat booking percentage thresholds. ● Dynamic Logo: Allows configuration of brand-specific logos (PVR/INOX) for each platform — Website, Android, iOS, and M-site. ● Advance Booking Flash Message: Configures the text content displayed as a flash message to promote advance bookings (e.g., “Book tickets up to 30 days in advance!”). ● Donations – 17 SDGs: Enables or disables the donation feature for UN’s Sustainable Development Goals and defines the default donation amount or options. ● Cart Item Limit: Sets the maximum number of tickets or food items a user can add to their cart per session.

	● Maximum Number of Logged-in Devices: Limits the number of devices that a single user account can stay logged into simultaneously. ● Allows the admin to set the number of trending movies to be shown on the frontend. ● Allows the admin to set the default and maximum distance (in kilometers) for the map screen's filter option. The admin can also configure which view—Map View or List View—should open first when users search for cinemas. ● Selected Format Popup: The popup text message will be fetched from the backend, and the cinema experience name (e.g., IMAX, ICE, etc.) will be admin-managed via global configuration. ○ Example - You've selected an IMAX cinema, but the movie format for this showtime is not IMAX. You'll still enjoy a premium viewing experience, but it won't include the IMAX format features. ● The email will be configured from the admin panel (Global Configurations) where the emails related to the sync will be received. ● Allows the admin to configure the threshold value (e.g., 10 or more cinemas) in Global Configuration that determines when the Map View is enabled or disabled to the customer. If the selected city meets or exceeds this threshold, the Map View is enabled; otherwise, it remains disabled. ● The rotation interval of trending movies can be configured via Admin Panel (default: 5 seconds per poster). ● The admin can enable or disable the New Tag for the More section (e.g. Experiences, Offers, etc.), and can also manage its display sequence. Also, the admin can add/remove new modules as well. ● The donation amount and donation text will be managed through Global Configuration. ○ However, the T&Cs will be configured separately in the upcoming static content module. ● When the cancellation policy is not available for a movie (i.e., not received from Showbizz), the fallback text shown to users will be configurable via Global Configuration. ● The Late Booking Alert message will be managed from Global Configuration.
Validations	
Frontend Links	

92.2. USER INTERFACE