

Front End Engineering-II

Project Report

Semester-IV Batch(2022)

FMBLOG



Supervised By:

RAVEESH SAMKARIA

Submitted By:

Ujjwal Sharma
2210990924 (G-14)

**Department of Computer Science and Engineering
Chitkara University Institute of Engineering & Technology,
Chitkara University, Punjab**

ABSTRACT

In an era where digital transformation is paramount, FMBLOG stands at the forefront of financial management discourse, offering a comprehensive platform for insightful analysis, practical advice, and industry updates. This blog aims to cater to financial professionals, business leaders, and enthusiasts by delivering meticulously researched content that spans a wide range of topics, including financial planning, investment strategies, market trends, and regulatory changes. By leveraging expertise from seasoned financial analysts and leveraging cutting-edge data analytics,

FMBLOG ensures its readers stay informed and ahead of the curve. This abstract encapsulates our mission to not only inform but also to empower our audience with the knowledge and tools necessary to navigate the complex financial landscape of today and tomorrow.

INTRODUCTION

Welcome to FMBLOG, your go-to destination for all things financial management. In a world where financial literacy and strategic planning are crucial for both personal and professional success, FMBLOG serves as a beacon of knowledge and insight. Whether you're a seasoned financial professional, a business leader, or someone keen to enhance their understanding of the financial world, our blog is designed to meet your needs.

At FMBLOG, we cover a broad spectrum of topics, from the intricacies of financial planning and investment strategies to the latest market trends and regulatory updates. Our content is crafted by a team of expert financial analysts and writers who are dedicated to providing accurate, timely, and actionable information. We leverage the latest data analytics and industry research to ensure that our readers are equipped with the most relevant and up-to-date insights.

By delivering practical advice and deep analysis, we help you make informed decisions that can positively impact your financial health and business growth. Whether you're looking to optimize your investment portfolio, stay ahead of economic shifts, or understand the implications of new financial regulations, FMBLOG is here to guide you every step.

OBJECTIVE

The primary objective of FMBLOG is to serve as a comprehensive resource for individuals and professionals seeking to enhance their financial acumen and stay informed about the latest developments in the financial world. To achieve this, FMBLOG focuses on the following key goals:

1. **Educate and Inform:** Provide readers with in-depth, accurate, and timely information on a wide range of financial topics, including financial planning, investment strategies, market trends, and regulatory changes.
2. **Empower Decision-Making:** Equip readers with the knowledge and tools necessary to make informed financial decisions, whether for personal finance management, business operations, or investment purposes.
3. **Foster Financial Literacy:** Promote financial literacy by breaking down complex financial concepts into accessible and understandable content, helping readers at all levels improve their financial understanding.
4. **Stay Ahead of Trends:** Keep readers updated on the latest market trends, economic shifts, and technological advancements in the financial sector, ensuring they are well-prepared to navigate the evolving financially.

SIGNIFICANCE

Frequency modulation (FM) has profound significance in the realm of communication, particularly in broadcasting and signal processing. Here's a comprehensive look at why FM is important:

1. Improved Signal Quality

FM is renowned for its superior signal quality compared to amplitude modulation (AM). FM signals are less susceptible to noise and interference. This is because noise generally affects amplitude rather than frequency. As a result, FM can deliver clearer and more consistent audio, which is why it's the preferred choice for music and high-fidelity broadcasting.

2. Better Sound Quality for Music

FM's wider bandwidth allows it to transmit a higher fidelity sound, making it ideal for music broadcasting. This is crucial for FM radio stations that prioritize high-quality audio transmission, ensuring a better listening experience for audiences.

3. Resistance to Signal Amplitude Variations

FM is less affected by amplitude variations caused by atmospheric conditions or electronic interference. Since the information in FM is encoded in variations of frequency rather than amplitude, it remains largely unaffected by noise, which predominantly impacts amplitude.

4. Efficient Use of Spectrum

FM can be more spectrally efficient in certain applications. For instance, FM is used in many two-way radio communications (like walkie-talkies and radio broadcasts) due to its efficient use of the available frequency spectrum.

5. Widespread Adoption in Broadcasting

FM is the standard for many types of radio broadcasting around the world. Its ability to provide high-quality audio makes it the dominant choice for music and public radio.

6. Applications in Various Technologies

FM is used beyond radio broadcasting. It's employed in television sound, radar, telemetry, and many other communication systems. In these contexts, FM's ability to reduce noise and maintain signal integrity is critical.

7. Less Power Consumption for Receivers

FM receivers often consume less power compared to AM receivers, particularly when the signal strength is high. This efficiency is beneficial for portable and battery-operated devices like handheld radios and certain communication devices.

8. Enhanced Data Transmission

FM is not limited to audio transmission. It's also used in data transmission systems where noise resistance is crucial. For example, FM is used in some forms of digital data transmission, including in modems and other communication devices.

9. Development of Subcarrier Systems

FM allows for the development of subcarrier systems, where additional information can be transmitted alongside the main signal. This is used in various applications, such as Radio Data System (RDS) in FM broadcasting, which transmits additional data like station identification and song information.

Conclusion

FM's significance lies in its robustness against noise, superior audio quality, and efficiency in various communication applications. Its ability to deliver clear and high-fidelity audio has made it the standard for radio broadcasting, while its resistance to interference has broadened its use to include various communication technologies beyond just radio.

PROBLEM STATEMENT

To design same website design as template using REACT+VITE , html , CSS and other frame work libraries . Timeless Moments is a unique website Capturing the moments of everyone



REQUIREMENTS

Software Requirements :

HTML: HTML provides the fundamental structure for web pages, consisting of elements enclosed in tags, which define the content and layout.

HTML documents should adhere to standards and undergo validation to ensure proper syntax, structure, and compatibility across different web browsers and devices

CSS : Cascading Style Sheets (CSS) is an essential tool for designing and styling web pages, ensuring that a website looks visually appealing and functions seamlessly across various devices. For a photoshoot website, CSS plays a critical role in creating a professional and engaging user experience. By controlling the layout, typography, colors, and responsive design, CSS allows the website to showcase high-quality images and content effectively. The use of CSS ensures that elements such as headers, navigation menus, and galleries are not only aesthetically pleasing but also intuitive and easy to navigate.

JAVASCRIPT:

JavaScript is primarily used for client-side scripting in web development, allowing developers to create dynamic and interactive web pages by manipulating the Document Object Model (DOM) based on user interactions.

JavaScript enables developers to access and modify HTML elements and attributes dynamically, facilitating tasks such as content updates, element creation, removal, and styling based on user actions or events.

REACT :

React is a powerful JavaScript library for building user interfaces, particularly well-suited for creating dynamic and responsive web applications. For a photoshoot website, React offers several advantages that enhance both the user and developer experience. By utilizing React's component-based architecture, developers can create reusable UI components such as galleries, sliders, and contact forms, ensuring consistent design and functionality throughout the site. React's virtual DOM improves performance by efficiently updating and rendering only the necessary parts of the page, providing a smooth and fast user experience. Additionally, React's robust ecosystem, including tools like React Router for seamless navigation and state management libraries like Redux, enables the development of complex, interactive features.

PROJECT DESIGN


- **Project Overview**

This project aims to develop a responsive website Timeless Moments to make a using React . The website will utilize HTML for content structure and React + Vite for visual presentation, ensuring a user-friendly and engaging experience across various devices (desktop , mobile).

- **File Structure**

- The project will utilize a well-organized folder structure for efficient management and future updates.
1. **App.css** : It contains css file structure which enables us to design the website .
 2. **App.jsx** : serves as the root component, functioning as the central hub for managing and rendering the overall structure and content of the website .
 3. **Main.jsx** : Typically serves as the entry point for rendering the root component (app.jsx) to the DOM .

PROJECT DESIGN



4. index.html : serves as the primary HTML file that is loaded by the browser. It acts as the container for the React application and provides the initial structure and metadata for the website.

5. vite.config.js:

vite.config.js is the configuration file for Vite, a build tool that provides a fast and efficient development environment for modern web applications

6. package.json : It is a crucial file in any Node.js project, including React applications. It serves as the manifest file that defines the project's metadata, dependencies, scripts, and other configurations.

7. .gitignore :

A .gitignore file specifies which files and directories should be ignored by Git. This is important to prevent sensitive information, build artifacts, and other unnecessary files from being committed to the repository

METHODOLOGY

First Page Code :

```
src > components > First.jsx > [x] Firstpage
  1 import React from "react";
  2
  3 const Firstpage = () =>{
  4   return(
  5
  6     <div className="bg">
  7       <div className="navigation">
  8         <div className="row-7 match-height group">
  9           
 16           <div className="advertisment-top">
 17             <p className="advertisment">advertisment</p>
 18             <div className="row-2 group">
 19               
 27               
 35             </div>
 36           </div>
 37         </div>
 38         <div className="row-19 group">
 39           <div className="shape-21-holder">
 40             
 48           </div>
```

```
index.html # index.css First.jsx X Fifth.jsx

src > components > First.jsx > [F] Firstpage
  3  const Firstpage = () =>{
  4    // ...
  5
  6    // ...
  7    // ...
  8    // ...
  9    // ...
 10
 11    // ...
 12    // ...
 13    // ...
 14    // ...
 15    // ...
 16    // ...
 17    // ...
 18    // ...
 19    // ...
 20    // ...
 21    // ...
 22    // ...
 23    // ...
 24    // ...
 25    // ...
 26    // ...
 27    // ...
 28    // ...
 29    // ...
 30    // ...
 31    // ...
 32    // ...
 33    // ...
 34    // ...
 35    // ...
 36    // ...
 37    // ...
 38    // ...
 39    // ...
 40    // ...
 41    // ...
 42    // ...
 43    // ...
 44    // ...
 45    // ...
 46    // ...
 47    // ...
 48    // ...
 49    // ...
 50    // ...
 51    // ...
 52    // ...
 53    // ...
 54    // ...
 55    // ...
 56    // ...
 57    // ...
 58    // ...
 59    // ...
 60    // ...
 61    // ...
 62    // ...
 63
 64    /*  */
 73    
 80  </div>
 81</div>
 82</div>
 83<div className="shape-23-holder">
 84  
 91  <div className="player">
 92    <div className="row-14 group">
```

```
index.html # index.css First.jsx X Fifth.jsx
```

```
src > components > First.jsx > Firstpage
  3  const Firstpage = () =>{
  4    </>
  5    <div className="player">
  6      <div className="row-14 group">
  7        
 14      </div>
 15      <div className="wrapper-13">
 16        <div className="group-12 group">
 17          <div className="shape-15-copy-4" />
 18          <div className="shape-15" />
 19          <div className="shape-15-copy" />
 20          <div className="shape-15-copy-2" />
 21          <div className="shape-15-copy-3" />
 22        </div>
 23        
 31      </div>
 32    </div>
 33  </div>
 34  <div className="col group">
 35    <div className="col-2">
 36      <div className="group-6 group">
 37        
 42        <div className="col-21">
 43          <p className="text-5">Artist Name heading</p>
 44          <p className="text-6">Music album subheading title</p>
 45        </div>
 46      </div>
 47      <div className="group-7 group">
 48        <div className="row-15 group">
 49          <p className="text-7">
 50            <span className="color00577d">Playing:</span> Song name
 51          </p>
 52        <div className="volume match-height group">
```

```
◊ index.html      # index.css      ⚭ First.jsx  X  ⚭ Fifth.jsx
src > components > ⚭ First.jsx > [o] Firstpage
  3  const Firstpage = () =>{
135  4    </p>
136  5    <div className="volume match-height group">
137  6      <img
138  7        className="icon"
139  8        " "
140  9        (property) React.ImgHTMLAttributes<HTMLImageElement>.width?: string | number | undefined
141 10        width={10}
142 11        height={11}
143 12    />
144 13    <div className="group-5 group">
145 14      
151 20      
157 26      
163 32      
169 38      
175 44      
181 50      <img
```

```
index.html # index.css First.jsx X Fifth.jsx

src > components > First.jsx > [F] Firstpage
  3 const Firstpage = () =>{
135   </p>
136   <div className="volume match-height group">
137     <img
138       className="icon"
139       width={10}
140       height={11}
141     />
142     <div className="group-5 group">
143       
149       
155       
161       
167       
173       
179        components > First.jsx > Firstpage
  3  const Firstpage = () =>{
  4    </>
  5    <div className="row-26 no-space-between-inline-blocks">
  6      
 13      
 20      
 27      
 34      
 41      
 48      <div className="stop" />
 49      
 56      <!-- -->
```

```
index.html # index.css First.jsx X Fifth.jsx

src > components > First.jsx > [o] Firstpage
  3  const Firstpage = () =>{
  4
  5      </>
  6      
 13     </div>
 14   </div>
 15   </div>
 16 </div>
 17 <div className="header">
 18   <div className="bottom group">
 19     <div className="shape-52-copy-holder">
 20       
 27     </div>
 28   <div className="shows2 group">
 29     
 30     <div className="col-19">
 31       <p className="text-11">
 32         The early breakfast with
 33         <br />
 34         Gladys Gachanja
 35       </p>
 36       <p className="text-12">5 am - 6 am</p>
 37       <p className="text-13">
 38         Wake up early with Gladys every morning and you're guaranteed
 39         inspiration..
 40       </p>
 41     </div>
 42   </div>
 43 <div className="shows1 group">
 44   
 49   <div className="col-20">
 50     <p className="text-14">
 51       Listen, laugh & learn with
 52       <br />
 53       &nbsp;Marcus & Munene
 54     </p>
 55     <p className="text-15">6 am - 10 am</p>
 56     <p className="text-16">
```


```

index.html # index.css First.jsx X Fifth.jsx

src > components > First.jsx > Firstpage
  323
  324
  325
  326
  327
  328
  329
  330
  331
  332
  333
  334
  335
  336
  337
  338
  339
  340
  341
  342
  343
  344
  345
  346
  347
  348
  349
  350
  351
  352
  353
  354
  355
  356
  357
  358
  359
  360
  361
  362
  363
  364
  365
  366
  367
const Firstpage = () => {
  323   'Listen, laugh & learn with
  324     <br />
  325       &nbsp;Marcus & Munene
  326     </p>
  327     <p className="text-15">6 am - 10 am</p>
  328     <p className="text-16">
  329       It's fun, inspirational & motivational. With relationship
  330         advice from a qualified..
  331       </p>
  332     </div>
  333   </div>
  334   <div className="shape-52-holder">
  335     
  342     </div>
  343   </div>
  344   <div className="top group">
  345     
  353     <p className="text-18">
  354       But there's one radio station that does promise you easy listening.
  355       But there's one radio station that does promise you easy listening.
  356       But there's one radio station that does promise you easy listening.
  357     </p>
  358     <p className="text-19">View all</p>
  359   </div>
  360   </div>
  361 </div>
  362 </div>
  363 )
  364 }
  365
  366 export default Firstpage

```

Outcome Of First Page :



Second Page :

```
① index.html    # index.css    ⚡ First.jsx    ⚡ Fourth.jsx X    ⚡ App.jsx    ⚡ Seventh.jsx    ⚡ main.jsx    ⚡ Second.jsx
src > components > ⚡ Fourth.jsx > [o] Fourthpage
1 import React from "react";
2
3 const Fourthpage = () =>{
4   return(
5     <div className="content">
6       <div className="latest-news">
7         <div className="heading group">
8           
15           
23         </div>
24       <div className="tab">
25         
33       </div>
34     <div className="row-10 match-height group">
35       <div className="col-16">
36         <div className="news1">
37           
44           <p className="text-24">
45             <strong className="fw700">Three strikes net rule</strong> has been
46             proposed in a front against illegal music file sharing.
47           </p>
48         <div className="group-13 group">
49            components > Fourth.jsx > [o] Fourthpage
```

```
const Fourthpage = () =>{
  return (
    <div>
      <div className="shape-37-holder"><a href="">read more</a></div>
    </div>
    <div className="news4 group">
      
      <p className="text-26">
        <strong className="fw700">
          Jenson Button triumphant in Formula 1{" "}
        </strong>
        after what can only be described as a shaky start.
      </p>
      <div className="group-13-copy-3 group">
        
        <div className="shape-37-copy-3-holder"><a href="">read more</a></div>
      </div>
    </div>
    <div className="col-17">
      <div className="news2">
        
        <p className="text-28">
          <strong className="fw700">The Catholic Church opens</strong> its
          door in the Vatican, to a flood of discontented Anglicans.
        </p>
      <div className="group-13-copy group">
        
```

```

index.html      # index.css      First.jsx      Fourth.jsx X    App.jsx      Seventh.jsx     main.jsx      Second.jsx
src > components > Fourth.jsx > [e] Fourthpage
  3  const Fourthpage = () =>{
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
  const Fourthpage = () =>{
    </>
    <div className="shape-37-copy-holder"><a href="">read more</a></div>
  </div>
</div>
<div className="news5 group">
  
  <p className="text-30">
    <strong className="fw700">iTunes for theatre service</strong>{" "}
    marks a pivotal switch for an otherwise, traditional profession.
  </p>
  <div className="group-13-copy-4 group">
    
    <div className="shape-37-copy-4-holder"><a href="">read more</a></div>
  </div>
</div>
<div className="col-18">
  <div className="news3">
    
    <p className="text-32">
      <strong className="fw700">An increase in game</strong> addiction
      is attributed to a wide spread break down in social interaction.
    </p>
    <div className="group-13-copy-2 group">
      
      <div className="shape-37-copy-2-holder"><a href="">read more</a></div>
    </div>
  </div>
</div>

```

```

index.html      # index.css      First.jsx      Fourth.jsx X    App.jsx      Seventh.jsx     main.jsx      Second.jsx
src > components > Fourth.jsx > [o] Fourthpage
  3  const Fourthpage = () =>{
  4      </div>
  5      </div>
  6      <div className="news6 group">
  7          
 14          <p className="text-34">
 15              <strong className="fw700">Professor jailed for stealing</strong>[" "]
 16              and selling skulls from a series of burial grounds in China.
 17          </p>
 18          <div className="group-13-copy-5 group">
 19              
 26              <div className="shape-37-copy-5-holder"><a href="">read more</a></div>
 27          </div>
 28      </div>
 29      </div>
 30  </div>
 31  <div className="advertisment-250 match-height group">
 32      <div className="col-5">
 33          
 41          
 49          
 56  </div>

```

index.html # index.css First.jsx Fourth.jsx App.jsx Seventh.jsx main.jsx Second.jsx

```

src > components > Fourth.jsx > [e] Fourthpage
  3  const Fourthpage = () =>{
  4    title="250X250"
  5    />
  6    </div>
  7    <div className="col-6">
  8      
 16      
 24      
 32    </div>
 33  </div>
 34  <div className="presenter-of-the-month group">
 35    <div className="row-16 group">
 36      
 43      
 51    </div>
 52    <div className="row-9 group">
 53      <div className="wrapper-9">
 54        <div className="col-4">
 55          <p>Preasenter of the month heading text</p>

```

File 10 - Col 101 - Session 2 - UTF-8 - Code - 0% - JavaScrip

```
index.html # index.css First.jsx Fourth.jsx X App.jsx Seventh.jsx main.jsx Second.jsx

src > components > Fourth.jsx > Fourthpage
  3 const Fourthpage = () =>{
  4   <div className="col-4">
  5     <p className="text-39">Presenter of the month heading text</p>
  6     <p className="text-40">
  7       iTunes for theatre service marks a pivotal switch for an
  8       otherwise, traditional profession. iTunes for theatre service
  9       marks a pivotal switch for an otherwise, traditional profession.
 10     </p>
 11   </div>
 12   
 17   </div>
 18   
 25   </div>
 26   </div>
 27   <div className="row-6 match-height group">
 28     <div className="ringtones">
 29       <div className="row-17 group">
 30         
 37         
 45       </div>
 46     </div>
 47     <div className="col-14 group">
 48       <div className="group-15">
 49         <div className="row-21 group">
 50           <div className="col-24">
 51             <p className="text-42">Ringtone name</p>
 52             
 58           </div>
 59         </div>
 60       </div>
 61     </div>
 62   </div>
 63 
```

```

index.html      # index.css      First.jsx      Fourth.jsx X    App.jsx      Seventh.jsx      main.jsx      Second.jsx
src > components > Fourth.jsx > [Fourthpage]
  const Fourthpage = () =>{
    height={15}
    />
  </div>
  <p className="text-43">
    | <span className="color000000">In</span> Hiphop
  </p>
  </div>
  <div className="row-11 group">
    <p className="text-44">
      | <strong className="text-style">15,472</strong> downloads
    </p>
    <div className="shape-42-copy-holder"><a href="">Download</a></div>
    <div className="shape-42-copy-2-holder">
      
    </div>
  </div>
  <div className="group-15-copy group">
    <div className="row-22 group">
      <div className="col-25">
        <p className="text-45">Ringtone name</p>
        
      </div>
      <p className="text-46">
        | <span className="color000000">In</span> Hiphop
      </p>
    </div>
    <div className="row-12 group">
      <p className="text-47">
        | <strong className="text-style">15,472</strong> downloads
      </p>
      <div className="shape-42-copy-4-holder"><a href="">Download</a></div>
      <div className="shape-42-copy-3-holder">
        
      </div>
    </div>
  </div>

```

index.html # index.css First.jsx **Fourth.jsx** App.jsx Seventh.jsx main.jsx Second.jsx

src > components > Fourth.jsx > [o] Fourthpage

```

3  const Fourthpage = () =>{
359    height={10}
360      />
361    </div>
362    </div>
363  </div>
364  <div className="group-15-copy-2 group">
365    <div className="row-23 group">
366      <div className="col-26">
367        <p className="text-49">Ringtone name</p>
368        
375      </div>
376      <p className="text-50">
377        <span className="color000000">In</span> Hiphop
378      </p>
379    </div>
380    <div className="row-13 group">
381      <p className="text-51">
382        <strong className="text-style">15,472</strong> downloads
383      </p>
384      <div className="shape-42-copy-6-holder"><a href="">Download</a></div>
385      <div className="shape-42-copy-5-holder">
386        
393      </div>
394    </div>
395  </div>
396  <div className="row-24 group">
397    
404    <p className="text-53"><a href="">View All</a></p>
405  </div>
406  </div>
407  <div className="poll">
408    <div className="row-18 group">
409      <img

```

index.html # index.css First.jsx **Fourth.jsx** App.jsx Seventh.jsx main.jsx Second.jsx

```

src > components > Fourth.jsx > Fourthpage
  3  const Fourthpage = () =>{
  4    </div>
  5  </div>
  6  <div className="poll">
  7    <div className="row-18 group">
  8      
 15     
 23   </div>
 24   <div className="col-15 group">
 25     <div className="shape-45-holder">What Your Favourite Gadget?</div>
 26     <div className="row-20 group">
 27       <div className="col-23">
 28         <div className="shape-41" />
 29         <div className="shape-41-copy-holder">
 30           <div className="shape-41-copy-4" />
 31         </div>
 32         <div className="shape-41-copy-2" />
 33         <div className="shape-41-copy-3" />
 34       </div>
 35       <p className="text-56">
 36         Camera
 37         <br />
 38         Laptop
 39         <br />
 40         MP3 player
 41         <br />
 42         Mobile/Cell
 43       </p>
 44     </div>
 45     <div className="row-8 group">
 46       
 53       <div className="shape-42-holder"><a href="">Submit</a></div>
 54       <p className="text-57">
 55         <a href="#">Previous Polls</a>
 56       </p>
 57     </div>

```

```
index.html      # index.css      First.jsx      Fourth.jsx X  App.jsx      Seventh.jsx      main.jsx      Second.jsx

src > components > Fourth.jsx > [0] default
  3  const Fourthpage = () =>{
450    |   src="images/layer_49_copy.png"
451    |   alt=""
452    |   width={20}
453    |   height={32}
454    | />
455    | <div className="shape-42-holder"><a href="">Submit</a></div>
456    | <p className="text-57">
457    |   | <a href="#">Previous Polls</a>
458    |   | </p>
459    | </div>
460    | </div>
461    | </div>
462    | </div>
463  </div>
464  |
465 }
466 export default Fourthpage
```

SECOND PAGE VIEW

> Latest

Showbiz

Music

Funny



Three strikes net rule has been proposed in a front against illegal music file sharing.



read more



The Catholic Church opens its door in the Vatican, to a flood of discontented Anglicans.



read more



An increase in game addiction is attributed to a wide spread break down in social interaction.



read more



Jenson Button triumphant in Formula 1 after what can only be described as a shaky start.



read more



iTunes for theatre service marks a pivotal switch for an otherwise, traditional profession.



read more



Professor jailed for stealing and selling skulls from a series of burial grounds in China.



read more

Advertisement
Space
250X250

Advertisement
Space
250X250

> **Presenter of the Month**

> Presenter of the Month



Presenter of the month heading text

iTunes for theatre service marks a pivotal switch for an otherwise, traditional profession. iTunes for theatre service marks a pivotal switch for an otherwise, traditional profession.

> Get Ringtones

Ringtone name In Hip hop

★★★★★

15,472 downloads



Download

Ringtone name In Hip hop

★★★★★

15,472 downloads



Download

Ringtone name In Hip hop

★★★★★

15,472 downloads



Download

> View All

> Poll Question

What Your Favourite Gadget?

Camera

Laptop

MP3 player

Mobile/Cell



Submit

Previous Polls

Third Page :

```
index.html index.css First.jsx App.jsx Seventh.jsx main.jsx Third.jsx X Second.jsx

src > components > Third.jsx > ...
  1  const Thirddpage = () =>{
  2    <div className="facebook group">
  3      <div className="col-8">
  4        
 12        
 19      </div>
 20      <div className="twitter">
 21        
 28      </div>
 29      <div className="col-7">
 30        <div className="shape-47-holder">
 31          Mobile Boilerplate: a best practice baseline for your mobile Web app -
 32          <span className="color0094ce"> http://bit.ly/dRJ09f</span>
 33        </div>
 34        <div className="shape-47-copy-holder">
 35          Dummy text dropdo: a quick and simple file viewer online -(" ")
 36          <span className="color008ec7">http://dropdo.com</span>
 37        </div>
 38      </div>
 39      <div className="layer-53-holder">
 40        
 48      </div>
 49    </div>
 50    
 57  </div>
 58  )
 59 }
60
61
62 }
63 export default Thirddpage
```

Output :

Join FMBLOG On Facebook

easy fm on Facebook
You like this. Unlike

easy fm A study is the Saturday Magazine of the Daily Nation states that the senior bachelor is more unlikely to get a promotion in the work place because he is single passed the required marriageable age. Over 45 and still single. Who says that getting married makes you a better person???
Marcus&Munene on the Easy Breakfast.....
9 hours ago

196,478 people like easy fm.

Omar Peter Sam Lisa
Touqeer Michael Caroline Sunado

twitter

Mobile Boilerplate: a best practice baseline for your mobile Web app - <http://bit.ly/dRJO9f>

Dummy text dropdo: a quick and simple file viewer online - <http://dropdo.com>

34

Fourth Page :

```
index.html index.css First.jsx App.jsx Seventh.jsx main.js X Third.jsx Second.jsx
src > main.js
1 import React from 'react'
2 import ReactDOM from 'react-dom/client'
3 import App from './App.jsx'
4 import './index.css'
5 import Fourthpage from './components/Fourth.jsx'
6 import Thirdpage from './components/Third.jsx'
7 import Fifthpage from './components/Fifth.jsx'

8

9 ReactDOM.createRoot(document.getElementById('root')).render(
10   <React.StrictMode>
11     <Fifthpage/>
12   </React.StrictMode>,
13 )
14
```

Output :




Fifth Page :

```
index.html      # index.css      First.jsx      App.jsx      main.jsx      Seventh.jsx      Sixth.jsx      Second.jsx


src > components > Seventh.jsx > [o] Seventhpage
  const Seventhpage = () => {
    return (
      <div className="listen-to-easyfm group">
        
        
        <div className="row-25 group">
          
          <p className="text-66">
            "Easy fm is giving you the chance to become a radio presenter for a day!
            Listen to [real radio] between 2 & 4pm on easy fm to find out how
            other people are their impressing the nation with their talents! To
            participate, text the words [Real Radio] and your name to 5474 on
            Safaricom or Zain."
          </p>
        </div>
        
        
        
      </div>
    )
  }
  export default Seventhpage
```

Fifth Page :

OUTPUT



SIXTH PAGE :




A screenshot of a code editor showing the `main.jsx` file. The file contains React code for rendering components from other files. The code includes imports for `React`, `ReactDOM`, `App`, and various page components like `Fourthpage`, `Thirdpage`, etc. It uses `StrictMode` and `createRoot` to render the components.

```
... <> index.html      # index.css      First.jsx      App.jsx      Seventh.jsx      main.jsx      Sixth.jsx      Second.jsx


src > main.jsx
1 import React from 'react'
2 import ReactDOM from 'react-dom/client'
3 import App from './App.jsx'
4 import './index.css'
5 import Fourthpage from './components/Fourth.jsx'
6 import Thirdpage from './components/Third.jsx'
7 import Fifthpage from './components/Fifth.jsx'
8 import Sixthpage from './components/Sixth.jsx'
9 import Seventhpage from './components/Seventh.jsx'
10 import Secondpage from './components/Second.jsx'
11
12 ReactDOM.createRoot(document.getElementById('root')).render(
13   <React.StrictMode>
14     <Secondpage/>
15   </React.StrictMode>
16 )
17
```

SIXTH PAGE :

Output :



Seventh Page :




```
index.html # index.css First.jsx App.jsx main.jsx X Seventh.jsx Sixth.jsx Second.jsx

src > main.jsx
1 import React from 'react'
2 import ReactDOM from 'react-dom/client'
3 import App from './App.jsx'
4 import './index.css'
5 import Fourthpage from './components/Fourth.jsx'
6 import Thirdpage from './components/Third.jsx'
7 import Fifthpage from './components/Fifth.jsx'
8 import Sixthpage from './components/Sixth.jsx'
9 import Seventhpage from './components/Seventh.jsx'
10 import Secondpage from './components/Second.jsx'
11 import Firstpage from './components/First.jsx'
12
13 ReactDOM.createRoot(document.getElementById('root')).render(
14   <React.StrictMode>
15     <Sixthpage/>
16   </React.StrictMode>,
17 )
18
```

Seventh Output :



Rendering The Root Component to DOM :




The screenshot shows a code editor interface with several tabs at the top: index.html, index.css, First.jsx, App.jsx, main.jsx (which is the active tab), and a file ending in .X. The main.jsx file contains the following code:

```
1 import React from 'react'
2 import ReactDOM from 'react-dom/client'
3 import App from './App.jsx'
4 import './index.css'
5 import Fourthpage from './components/Fourth.jsx'
6 import Thirdpage from './components/Third.jsx'
7 import Fifthpage from './components/Fifth.jsx'
8 import Sixthpage from './components/Sixth.jsx'
9 import Seventhpage from './components/Seventh.jsx'
10 import Secondpage from './components/Second.jsx'
11 import Firstpage from './components/First.jsx'
12
13 ReactDOM.createRoot(document.getElementById('root')).render(
14   <React.StrictMode>
15     | <Sixthpage/>
16   </React.StrictMode>,
17 )
18
```

Index File For connecting the script file and providing the Title to the document :

```
index.html X index.css First.jsx App.jsx main.jsx Seventh.jsx Sixth.jsx Second.jsx
index.html > ...
1  <!doctype html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <link rel="icon" type="image/svg+xml" href="/vite.svg" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>Vite + React</title>
8    </head>
9    <body>
10      <div id="root"></div>
11      <script type="module" src="/src/main.jsx"></script>
12    </body>
13  </html>
14
```

Importing Vite :



A screenshot of a code editor showing the `vite.config.js` file. The file contains the following code:

```
1 import { defineConfig } from 'vite'
2 import react from '@vitejs/plugin-react'
3
4 // https://vitejs.dev/config/
5 export default defineConfig({
6   plugins: [react()],
7 })
```

CSS Structure:

```
↳ index.html      JS vite.config.js      # index.css      ⚡ First.jsx
src > # App.css > ...
14  time, mark, audio, video, input, textarea
15  {
16    margin: 0;
17    padding: 0;
18    border: 0;
19    font: inherit;
20    font-size: 100%;
21    vertical-align: baseline;
22  }
23
24 article, aside, details, figcaption, figure,
25 footer, header, menu, nav, section, time {
26   display: block;
27 }
28
29 body {
30   line-height: 1;
31   color: black;
32   background: white;
33 }
34
35 a {
36   color: inherit;
37   text-decoration: none;
38 }
39
40 ol, ul {
41   list-style: none;
42 }
43
44 blockquote, q {
45   quotes: none;
46 }
47
48 blockquote:before, blockquote:after,
49 q:before, q:after {
50   content: '';
51   content: none;
52 }
53
54 table {
55   border-collapse: collapse;
56   border-spacing: 0;
57 }
58
59 /* meyerweb.css reset end */
60
61 textarea:focus, input:focus {
62   outline: 0;
63 }
```

```
↳ index.html      JS vite.config.js      # index.css      ⚡ First.jsx
src > # App.css > ...
60
61 textarea:focus, input:focus {
62   outline: 0;
63 }
64
65 input {
66   border-width: 0;
67 }
68
69 em {
70   font-style: italic;
71 }
72
73 h1, h2, h3, h4, h5, h6 {
74   font-weight: bold;
75   margin-top: 0;
76   margin-bottom: 0;
77 }
78
79 .group:before,
80 .group:after {
81   content: " ";
82   display: table;
83 }
84
85 .group:after {
86   clear: both;
87 }
88
89 .group {
90   zoom: 1; /* ie 6/7 */
91 }
92
93 embed,
94 img,
95 object,
96 video {
97   max-width: 100%;
98 }
99
100 sup {
101   font-size: 58.3%;
102   vertical-align: text-top;
103 }
104
105 sub {
106   font-size: 58.3%;
107   vertical-align: text-bottom;
108 }
109
110 .no-space-between-inline-blocks {
111   letter-spacing: normal; /*reset IE < 8*/
112   letter-spacing: -0.31em; /*webkit*/
113   word-spacing: -0.42em; /*IE > 9, FF, opera*/
114 }
```

```

↳ index.html      JS vite.config.js      # index.css      ⚡ First.jsx
src > # App.css > .global_container_
107   .no-space-between-inline-blocks {
108     word-spacing: -0.43em; /*IE < 8 && gecko*/
109   }
110   /*restore spacing on inner elements*/
111   .no-space-between-inline-blocks > * {
112     letter-spacing: normal;
113     word-spacing: normal;
114   }
115   .displace {
116     left: -500px;
117     position: absolute;
118   }
119   html {
120     -webkit-box-sizing: border-box;
121     -moz-box-sizing: border-box;
122     box-sizing: border-box;
123   }
124   *,
125   *:after,
126   *:before {
127     -webkit-box-sizing: inherit;
128     -moz-box-sizing: inherit;
129     box-sizing: inherit;
130   }
131   html {
132     font-size: 16px;
133   }
134   body {
135     color: #ffffff;
136     font-family: Tahoma, Verdana, Segoe, sans-serif;
137     font-size: 0.6875rem; /* 11px / 16px = 0.6875rem */
138     font-style: normal;
139     font-weight: normal;
140     letter-spacing: 0;
141     text-decoration: none;
142   }
143   .global_container_ {
144     float: none;
145     height: 2300px;
146     margin: 0 auto;
147     min-height: 2300px;
148     position: relative;
149     width: 1500px;
150     background: #ffffff;
151   }
152   .bg {
153     left: 50%;
154     min-height: 664px;
155     position: absolute;
156     top: 0;
157     ... ...

```

```

↳ index.html      JS vite.config.js      # index.css      ⚡ First.jsx
src > # App.css > .global_container_
154   .bg {
155     position: absolute;
156     top: 0;
157     width: 1500px;
158     z-index: 0;
159     background: url(images/layer_7.jpg) no-repeat;
160     margin-left: -750px;
161   }
162   .navigation {
163     margin: 0 auto;
164     min-height: 167px;
165     overflow: hidden;
166     padding: 0 7px;
167     position: relative;
168     width: 1003px;
169     z-index: 19;
170     background: url(images/shape_28.png) no-repeat;
171   }
172   .row-7 {
173     margin: 0 0 0 17px;
174     position: relative;
175   }
176   .shape-20 {
177     float: left;
178     margin: 0 25px 0 0;
179   }
180   .advertisement-top {
181     float: left;
182     margin: 1px 0 0;
183     position: relative;
184     width: 737px;
185   }
186   .advertisement {
187     opacity: 0.55;
188     font-family: Arial, 'Helvetica Neue', Helvetica;
189     text-align: right;
190   }
191   .row-2 {
192     margin: 1px auto 0;
193     min-height: 90px;
194     padding: 18px 19px 15px 159px;
195     position: relative;
196     width: 728px;
197     background: #e4e4e4;
198     -webkit-box-shadow: inset 1px 1.732051px 4px 0;
199     -moz-box-shadow: inset 1px 1.732051px 4px 0;
200     box-shadow: inset 1px 1.732051px 4px 0 rgba(0, 0, 0, 0.1);
201   }
202   .text {
203     float: left;
204     margin: 8px 0 0;
205   }
206 
```

```
index.html      JS vite.config.js      # index.css      # First.jsx      # App.jsx      # App.css      X      ⚙
src > # App.css > .global_container_
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
  .text {
    float: left;
    margin: 8px 0 0;
  }
  .text-2 {
    float: right;
  }
  .row-19 {
    margin: 18px 17px 0;
    position: relative;
  }
  .shape-21-holder {
    float: left;
    margin: 0 30px 0 0;
    padding: 16px 0 15px;
    position: relative;
    width: 58px;
    border: 1px solid #006fa0; /*stroke*/
    -webkit-border-radius: 5px;
    -moz-border-radius: 5px;
    border-radius: 5px;
    background: #0087c2;
    -moz-background-clip: padding;
    -webkit-background-clip: padding-box;
    background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
    -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
    -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
    box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
  }
  .home {
    display: block;
    margin: 0 auto;
  }
  .wrapper-19 {
    float: left;
    height: 24px;
    margin: 9px 0 0;
    position: relative;
    width: 818px;
  }
  .text-3 {
    left: 50%;
    position: absolute;
    top: 6px;
    color: #000000;
    margin-left: -409px;
  }
  .layer-48-copy-7 {
    left: 50%;
```

```
index.html      JS vite.config.js      # index.css      First.jsx      App.jsx      # App.css      X      ⚙
src > # App.css > .shape-23-holder
250 }
251 .layer-48-copy-7 {
252   left: 50%;
253   position: absolute;
254   top: 0;
255   display: none;
256   margin-left: -327px;
257 }
258 .shape-23-holder {
259   height: 525px;
260   margin: -28px auto 0;
261   position: relative;
262   width: 1500px;
263   z-index: 4;
264   background: url(images/shape_23.png) no-repeat;
265   -webkit-box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58);
266   -moz-box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58);
267   box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
268 }
269 .layer-29-copy {
270   left: 50%;
271   position: absolute;
272   top: 1px;
273   margin-left: -750px;
274 }
275 .player {
276   left: 50%;
277   position: absolute;
278   top: 42px;
279   width: 341px;
280   margin-left: 163px;
281 }
282 .row-14 {
283   min-height: 111px;
284   overflow: hidden;
285   padding: 8px 7px 28px;
286   position: relative;
287   border: 1px solid #006fa0; /*stroke*/
288   -webkit-border-radius: 15px;
289   -moz-border-radius: 15px;
290   border-radius: 15px;
291   background: #0087c2;
292   -moz-background-clip: padding;
293   -webkit-background-clip: padding-box;
294   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
295   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
296   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
297   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
298 }
299 .layer-10 {
```

```
< index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css  X      ⚡ main.jsx      ⚡ S

src > # App.css > .col
  299   .layer-10 {
  300     float: left;
  301     margin: 0 6px 0 0;
  302   }
  303   .wrapper-13 {
  304     float: left;
  305     height: 63px;
  306     margin: 10px 0 0;
  307     position: relative;
  308     width: 165px;
  309   }
  310   .group-12 {
  311     left: 50%;
  312     position: absolute;
  313     top: 0;
  314     width: 75px;
  315     margin-left: 7.5px;
  316   }
  317   .group-12 > * {
  318     float: left;
  319     margin: 0 1.05px 0 0;
  320   }
  321   .group-12 > *:last-child {
  322     margin-right: 0 !important;
  323   }
  324   .shape-15-copy-4 {
  325     height: 41px;
  326     width: 14px;
  327     -webkit-border-radius: 1.98px;
  328     -moz-border-radius: 1.98px;
  329     border-radius: 1.98px;
  330     background: #00abd6;
  331     margin-top: 22px !important;
  332   }
  333   .shape-15 {
  334     height: 41px;
  335     width: 14px;
  336     -webkit-border-radius: 1.98px;
  337     -moz-border-radius: 1.98px;
  338     border-radius: 1.98px;
  339     background: #2397ca;
  340     margin-top: 8px !important;
  341   }
  342   .shape-15-copy {
  343     height: 41px;
  344     width: 14px;
  345     -webkit-border-radius: 1.98px;
  346     -moz-border-radius: 1.98px;
  347     border-radius: 1.98px;
  348     background: #009fd0;
```

```
index.html      JS vite.config.js      # index.css      First.jsx      App.jsx      # App.css      X      main.jsx      S
src > # App.css > col
342 .shape-15-copy {
343   height: 41px;
344   width: 14px;
345   border-radius: 1.98px;
346   background: #009fd0;
347   margin-top: 14px !important;
348 }
349 .shape-15-copy-2 {
350   height: 41px;
351   width: 14px;
352   border-radius: 1.98px;
353   -webkit-border-radius: 1.98px;
354   -moz-border-radius: 1.98px;
355   background: rgba(0, 177, 218, 0.8);
356 }
357 .shape-15-copy-3 {
358   height: 41px;
359   width: 14px;
360   border-radius: 1.98px;
361   -webkit-border-radius: 1.98px;
362   -moz-border-radius: 1.98px;
363   background: #2397ca;
364   margin-top: 17px !important;
365 }
366 .text-4 {
367   left: 50%;
368   position: absolute;
369   top: 2px;
370   margin-left: -82.5px;
371 }
372 .col {
373   margin: -61px 0 0;
374   min-height: 253px;
375   padding: 10px 0 1px;
376   position: relative;
377   border: 1px solid #c1c1c1; /*stroke*/
378   -webkit-border-radius: 15px;
379   -moz-border-radius: 15px;
380   border-radius: 15px;
381   background: url(data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmciIHdpZHRo
382   min-height: 253px;
383   background-color: #fff;
384   background: -moz-linear-gradient(90deg, #d5d5d5 0, #ffff 100%);
385   background: -o-linear-gradient(90deg, #d5d5d5 0, #ffff 100%);
386   background: -webkit-linear-gradient(90deg, #d5d5d5 0, #ffff 100%);
387   background: linear-gradient(to bottom, #d5d5d5 0, #ffff 100%);
388   background: -webkit-gradient(linear, left bottom, left top, color-stop(0, #d5d5d5), to(#ffff));
389   background: -webkit-linear-gradient(bottom, #d5d5d5 0, #ffff 100%);
390   background: -moz-linear-gradient(bottom, #d5d5d5 0, #ffff 100%);
391   background: -o-linear-gradient(bottom, #d5d5d5 0, #ffff 100%);
392   background: linear-gradient(0deg, #d5d5d5 0, #ffff 100%);
393   -moz-background-clip: padding;
394   -webkit-background-clip: padding-box;
395   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
396   -webkit-box-shadow: inset -0.258819px -0.965926px 0 0 #roba(255, 255, 255, 0.75);
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X ⚡ main.jsx      ⚡ Seventh.jsx      ⚡ Sixth.jsx
src > # App.css > .col
374  .col {
375    background-clip: padding-box, /*will not allow bg-color to leak outside border-box*/
376    -webkit-box-shadow: inset -0.258819px -0.965926px 0 0 ■rgba(255, 255, 255, 0.75);
377    -moz-box-shadow: inset -0.258819px -0.965926px 0 0 ■rgba(255, 255, 255, 0.75);
378    box-shadow: inset -0.258819px -0.965926px 0 0 ■rgba(255, 255, 255, 0.75); /*inner shadow*/
379  }
380  .col-2 {
381    margin: 0 auto;
382    min-height: 228px;
383    overflow: hidden;
384    padding: 10px 0 28px;
385    position: relative;
386    width: 322px;
387    -webkit-border-radius: 10px;
388    -moz-border-radius: 10px;
389    border-radius: 10px;
390    background: ■#e4e4e4;
391    -webkit-box-shadow: inset 1px 1.732051px 0 0 ■rgba(255, 255, 255, 0.58);
392    -moz-box-shadow: inset 1px 1.732051px 0 0 ■rgba(255, 255, 255, 0.58);
393    box-shadow: inset 1px 1.732051px 0 0 ■rgba(255, 255, 255, 0.58); /*inner shadow*/
394  }
395  .group-6 {
396    margin: 0 auto;
397    min-height: 75px;
398    padding: 13px 9px 6px;
399    position: relative;
400    width: 304px;
401    -webkit-border-radius: 5px;
402    -moz-border-radius: 5px;
403    border-radius: 5px;
404    background: ■rgba(255, 255, 255, 0.8);
405    -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.6);
406    -moz-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.6);
407    box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.6); /*inner shadow, drop shadow*/
408  }
409  .shape-4-copy-2 {
410    float: left;
411    margin: 0 31px 0 0;
412    width: 56px;
413    border: 2px solid ■#ffffff; /*stroke*/
414    -webkit-border-radius: 7px;
415    -moz-border-radius: 7px;
416    border-radius: 7px;
417    -webkit-box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76);
418    -moz-box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76);
419    box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76); /*inner shadow*/
420  }
421  .col-21 {
422    float: left;
423    margin: 4px 0 0;
424    position: relative;
```

```
src > # App.css > col
440 .col-21 {
441   float: left;
442   margin: 4px 0 0;
443   position: relative;
444   width: 173px;
445 }
446 .text-5 {
447   color: ##00587e;
448   font-weight: bold;
449 }
450 .text-6 {
451   margin: 3px 0 0;
452   color: ##000000;
453   font-weight: bold;
454 }
455 .group-7 {
456   height: 71px;
457   margin: 12px auto 0;
458   padding: 10px 5px 5px;
459   position: relative;
460   width: 303px;
461   -webkit-border-radius: 5px;
462   -moz-border-radius: 5px;
463   border-radius: 5px;
464   background: url(images/shape_12.png) no-repeat;
465   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.6);
466   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.6);
467   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.6); /*inner shadow, drop shadow*/
468 }
469 .row-15 {
470   -webkit-box-align: center;
471   -webkit-align-items: center;
472   -moz-box-align: center;
473   align-items: center;
474   display: table;
475   -webkit-box-pack: center;
476   -webkit-justify-content: center;
477   -moz-box-pack: center;
478   justify-content: center;
479   margin: 0 auto;
480   position: relative;
481 }
482 .text-7 {
483   display: inline-block;
484   margin: 2px 0 0;
485   color: ##000000;
486   font-weight: bold;
487 }
488 .volume {
489   display: inline-block;
```

```
◊ index.html    JS vite.config.js    # index.css    ⚡ First.jsx    ⚡ App.jsx    # App.css    X    ⚡ main.jsx    ⚡ Seventh.jsx    ⚡ Sixth.jsx
src > # App.css > ↗ .col
488 .volume {
489   margin: 0 0 0 43px;
490   min-height: 13px;
491   padding: 2px 0 0;
492   background: url(images/bg.png) no-repeat 15px 0;
493 }
494 }
495 .icon {
496   float: left;
497   margin: 0 10px 0 0;
498 }
499 .group-5 {
500   float: left;
501   margin: 1px 0 0;
502   position: relative;
503   width: 97px;
504 }
505 .group-5 > * {
506   float: left;
507   margin: 0 3.46px 0 0;
508 }
509 .group-5 > *:last-child {
510   margin-right: 0 !important;
511 }
512 .text-8 {
513   margin: 14px 0 0;
514   color: □#000000;
515   font-weight: bold;
516   text-align: right;
517 }
518 .wrapper-20 {
519   height: 12px;
520   margin: 7px 0 0;
521   position: relative;
522   width: 293px;
523 }
524 .shape-10 {
525   height: 8px;
526   left: 50%;
527   position: absolute;
528   top: 2px;
529   width: 293px;
530   -webkit-border-radius: 4px;
531   -moz-border-radius: 4px;
532   border-radius: 4px;
533   background: □#d0cccc;
534   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.75);
535   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.75);
536   box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.75); /*inner shadow, drop shadow*/
537   margin-left: -146.5px;
538 }
```

```
index.html    JS vite.config.js    # index.css    # First.jsx    # App.jsx    # App.css    X    # main.jsx    # Seventh.jsx    # Sixth.jsx
src > # App.css > .shape-8
524 .shape-10 {
525   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow, drop shadow*/
526   margin-left: -146.5px;
527 }
528 }
529 .shape-8 {
530   height: 12px;
531   left: 50%;
532   position: absolute;
533   top: 0;
534   width: 57px;
535   border: 1px solid #00c3e4; /*stroke*/
536   -webkit-border-radius: 5px;
537   -moz-border-radius: 5px;
538   border-radius: 5px;
539   background: url(data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy5vcmcvMjAwMC9zdmciIHdpZHRoPSIxMDALIiBoZWlnaHQ9IjEwMCUiIHZpZXdcB3g9Ij);
540   background: -moz-linear-gradient(90deg, #00c3e4 -25%, #0087c2 125%);
541   background: -o-linear-gradient(90deg, #00c3e4 -25%, #0087c2 125%);
542   background: -webkit-linear-gradient(90deg, #00c3e4 -25%, #0087c2 125%);
543   background: -webkit-gradient(linear, left bottom, left top, color-stop(-25%, #00c3e4), color-stop(125%, #0087c2));
544   background: -webkit-linear-gradient(bottom, #00c3e4 -25%, #0087c2 125%);
545   background: -moz-linear-gradient(bottom, #00c3e4 -25%, #0087c2 125%);
546   background: -o-linear-gradient(bottom, #00c3e4 -25%, #0087c2 125%);
547   background: linear-gradient(0deg, #00c3e4 -25%, #0087c2 125%);
548   -moz-background-clip: padding;
549   -webkit-background-clip: padding-box;
550   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
551   -webkit-box-shadow: inset -0.587785px -0.809017px 0 0 rgba(255, 255, 255, 0.54);
552   -moz-box-shadow: inset -0.587785px -0.809017px 0 0 rgba(255, 255, 255, 0.54);
553   box-shadow: inset -0.587785px -0.809017px 0 0 rgba(255, 255, 255, 0.54); /*inner shadow*/
554   margin-left: -110.5px;
555 }
556 }
557 .row {
558   margin: 9px auto 0;
559   min-height: 23px;
560   padding: 6px 2px 4px;
561   position: relative;
562   width: 185px;
563   -webkit-border-radius: 5px;
564   -moz-border-radius: 5px;
565   border-radius: 5px;
566   background: #00c3e4;
567   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.41);
568   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.41);
569   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.41); /*inner shadow, drop shadow*/
570 }
571 }
572 .text-9 {
573   float: left;
574   margin: 0 1px 0 11px;
575   width: 106px;
576   color: #00587e;
```

```
<> index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X      ⚡ main.jsx

src > # App.css > .shape-8
580   .text-9 {
581     width: 106px;
582     color: #00587e;
583     font-weight: bold;
584   }
585   .text-10 {
586     float: left;
587     margin: 2px 0 0;
588     width: 63px;
589     color: #000000;
590     font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
591   }
592   .buttons {
593     margin: -21px auto 0;
594     min-height: 33px;
595     padding: 2px 37px;
596     position: relative;
597     width: 306px;
598     background: url(images/button_base.png) no-repeat;
599   }
600   .layer-16 {
601     display: block;
602     left: 12.5px;
603     margin: 0 auto;
604     position: relative;
605   }
606   .row-26 {
607     margin: 5px auto 0;
608     position: relative;
609     text-align: center;
610   }
611   .back {
612     margin: 4px 0 0;
613   }
614   .layer-22 {
615     margin: 0 0 0 17px;
616   }
617   .pause {
618     margin: 4px 0 0 16px;
619   }
620   .layer-22-copy {
621     margin: 0 0 0 25px;
622   }
623   .play {
624     margin: 1px 0 0 22px;
625   }
626   .layer-22-copy-2 {
627     margin: 0 0 0 20px;
628   }
629   .stop {
630     height: 0px;
631   }
```

```
index.html      JS vite.config.js    # index.css    ⚡ First.jsx    ⚡ App.jsx    # App.css    X ⚡ main.jsx    ⚡ Seventh.jsx    ⚡ Six...
```

```
src > # App.css > .shape-8
630 }
631 .stop {
632   height: 9px;
633   margin: 4px 0 0 20px;
634   width: 9px;
635   border: 1px solid #rgba(0, 135, 194, 0.91); /*stroke*/
636   background: url(data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmciIHdpZHRoPSIxMDALIiBoZWlnah
637   background: -moz-linear-gradient(90deg, ##00c3e4 -25%, ##0087c2 125%);
638   background: -o-linear-gradient(90deg, ##00c3e4 -25%, ##0087c2 125%);
639   background: -webkit-linear-gradient(90deg, ##00c3e4 -25%, ##0087c2 125%);
640   background: -webkit-gradient(linear, left bottom, left top, color-stop(-25%, ##00c3e4), color-stop(125%, ##0087c2));
641   background: -webkit-linear-gradient(bottom, ##00c3e4 -25%, ##0087c2 125%);
642   background: -moz-linear-gradient(bottom, ##00c3e4 -25%, ##0087c2 125%);
643   background: -o-linear-gradient(bottom, ##00c3e4 -25%, ##0087c2 125%);
644   background: linear-gradient(0deg, ##00c3e4 -25%, ##0087c2 125%);
645   -moz-background-clip: padding;
646   -webkit-background-clip: padding-box;
647   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
648   -webkit-box-shadow: inset -0.587785px -0.809017px 0 0 #rgba(255, 255, 255, 0.54);
649   -moz-box-shadow: inset -0.587785px -0.809017px 0 0 #rgba(255, 255, 255, 0.54);
650   box-shadow: inset -0.587785px -0.809017px 0 0 #rgba(255, 255, 255, 0.54); /*inner shadow*/
651 }
652 .layer-22-copy-3 {
653   margin: 0 0 0 20px;
654 }
655 .fwd {
656   margin: 4px 0 0 14px;
657 }
658 .row-26 > * {
659   display: inline-block;
660   vertical-align: top;
661 }
662 .header {
663   height: 356px;
664   left: 50%;
665   position: absolute;
666   top: 43px;
667   width: 651px;
668   margin-left: -499px;
669 }
670 .bottom {
671   left: 50%;
672   min-height: 295px;
673   padding: 206px 6px 12px;
674   position: absolute;
675   top: 61px;
676   width: 651px;
677   -webkit-border-radius: 10px;
678   -moz-border-radius: 10px;
679   border-radius: 10px;
```

```
src > # App.css > .shows2
670 .bottom {
671   left: 50%;
672   min-height: 295px;
673   padding: 206px 6px 12px;
674   position: absolute;
675   top: 61px;
676   width: 651px;
677   -webkit-border-radius: 10px;
678   -moz-border-radius: 10px;
679   border-radius: 10px;
680   background: ##0087c2;
681   margin-left: -325.5px;
682 }
683 .shape-52-copy-holder {
684   float: left;
685   margin: 22px 0 0;
686   padding: 5px 0 6px;
687   position: relative;
688   width: 27px;
689   border: 1px solid ##006fa0; /*stroke*/
690   -webkit-border-radius: 50%;
691   -moz-border-radius: 50%;
692   border-radius: 50%;
693   background: ##074a75;
694   -moz-background-clip: padding;
695   -webkit-background-clip: padding-box;
696   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
697   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
698   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
699   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
700 }
701 .shape-51-copy {
702   display: block;
703   margin: 0 auto;
704 }
705 .shows2 {
706   float: left;
707   margin: 1px 0 0 15px;
708   position: relative;
709   width: 267px;
710 }
711 .shape-4 {
712   float: left;
713   margin: 0 5px 0 0;
714   width: 56px;
715   border: 2px solid ##0074af; /*stroke*/
716   -webkit-border-radius: 7px;
717   -moz-border-radius: 7px;
718   border-radius: 7px;
719   -webkit-box-shadow: inset 0.5px 0.866025px 3px 0 rgba(0, 0, 0, 0.76);
```

```
index.html      vite.config.js      index.css      First.jsx      App.jsx      App.css      main.jsx      Seventh

src > # App.css > .shows2
  .shape-4 {
    -moz-box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76);
    box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76); /*inner shadow*/
  }
  .col-19 {
    float: left;
    margin: 1px 0 0;
    position: relative;
    width: 206px;
  }
  .text-11 {
    color: □#16ebfe;
    font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
    font-size: 0.75rem; /* 12px / 16px = 0.75rem */
    font-weight: bold;
    line-height: 1.2;
  }
  .text-12 {
    margin: 3px 0 0;
    font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
    font-size: 0.75rem; /* 12px / 16px = 0.75rem */
    font-weight: bold;
  }
  .text-13 {
    margin: 5px 0 0;
    width: 206px;
    opacity: 0.8;
    line-height: 1.2;
  }
  .shows1 {
    float: left;
    margin: 0 0 0 23px;
    position: relative;
    width: 272px;
  }
  .shape-4-copy {
    float: left;
    margin: 0 6px 0 0;
    width: 56px;
    border: 2px solid □#0074af; /*stroke*/
    -webkit-border-radius: 7px;
    -moz-border-radius: 7px;
    border-radius: 7px;
    -webkit-box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76);
    -moz-box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76);
    box-shadow: inset 0.5px 0.866025px 3px 0 □rgba(0, 0, 0, 0.76); /*inner shadow*/
  }
  .col-20 {
    float: left;
    margin: 2px 0 0;
```

```
① index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      ✎ main.jsx      ⚡ Seventh.jsx
src > # App.css > .shows2
766  .col-20 {
767    position: relative;
768    width: 210px;
769  }
770  .text-14 {
771    margin: 0 0 0 1px;
772    color: #16ebfe;
773    font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
774    font-size: 0.75rem; /* 12px / 16px = 0.75rem */
775    font-weight: bold;
776    line-height: 1.2;
777  }
778  .text-15 {
779    margin: 5px 0 0 1px;
780    font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
781    font-size: 0.75rem; /* 12px / 16px = 0.75rem */
782    font-weight: bold;
783  }
784  .text-16 {
785    margin: 4px 0 0;
786    width: 210px;
787    opacity: 0.8;
788    line-height: 1.2;
789  }
790  .shape-52-holder {
791    float: left;
792    margin: 22px 0 0 4px;
793    padding: 5px 0 6px;
794    position: relative;
795    width: 27px;
796    border: 1px solid #006fa0; /*stroke*/
797    -webkit-border-radius: 50%;
798    -moz-border-radius: 50%;
799    border-radius: 50%;
800    background: #074a75;
801    -moz-background-clip: padding;
802    -webkit-background-clip: padding-box;
803    background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
804    -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
805    -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
806    box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
807  }
808  .shape-51 {
809    display: block;
810    margin: 0 auto;
811  }
812  .top {
813    height: 256px;
814    left: 50%;
815    padding: 172px 8px 11px;
```

```
src > # App.css > .shows2
814 .top {
815   position: absolute;
816   top: 0;
817   width: 651px;
818   -webkit-border-radius: 15px;
819   -moz-border-radius: 15px;
820   border-radius: 15px;
821   background: url(images/shape_30.png) no-repeat;
822   margin-left: -325.5px;
823 }
824 .text-17 {
825   display: block;
826   margin: 0 0 0 16px;
827   position: relative;
828 }
829 .text-18 {
830   margin: 6px auto 0;
831   position: relative;
832   right: 11.5px;
833   width: 580px;
834   line-height: 1.2;
835 }
836 .text-19 {
837   margin: 8px 0 0;
838   color: #00c3e4;
839   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
840   font-weight: bold;
841   text-align: right;
842 }
843 .footer {
844   left: 50%;
845   padding: 194px 0 0;
846   position: absolute;
847   top: 1974px;
848   width: 1500px;
849   background: url(images/shape_23_copy.png) no-repeat;
850   margin-left: -750px;
851 }
852 .col-3 {
853   min-height: 132px;
854   padding: 22px 0 0;
855   position: relative;
856   width: 1500px;
857   background: url(images/shape_23_copy_2.png) no-repeat;
858 }
859 .text-20 {
860   display: block;
861   margin: 0 auto;
862 }
863 .row-3 {
```

```
src > # App.css > .text-58
864 .row-3 {
865   margin: 16px 0 0;
866   min-height: 83px;
867   padding: 19px 279px 53px;
868   position: relative;
869   width: 1500px;
870   background: url(images/shape_23_copy_3.png) no-repeat;
871 }
872 .text-21 {
873   float: left;
874   width: 248px;
875   opacity: 0.5;
876   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
877 }
878 .text-22 {
879   float: right;
880   margin: 0 15px 0 0;
881   width: 143px;
882   opacity: 0.5;
883   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
884   text-align: center;
885 }
886 .facebook {
887   left: 50%;
888   position: absolute;
889   top: 996px;
890   width: 341px;
891   margin-left: 163px;
892 }
893 .col-8 {
894   min-height: 452px;
895   padding: 17px 12px 14px;
896   position: relative;
897   -webkit-border-radius: 15px;
898   -moz-border-radius: 15px;
899   border-radius: 15px;
900   background: rgba(0, 135, 194, 0.8);
901   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.35);
902   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.35);
903   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.35);
904 }
905 .text-58 {
906   display: block;
907   margin: 0 0 0 6px;
908   position: relative;
909 }
910 .layer-39 {
911   display: block;
912   margin: 12px 0 0;
```

```
src > # App.css > .shape-47-copy-holder
916 .twitter {
917   margin: 17px 0 0;
918   position: relative;
919   z-index: 0;
920 }
921 .layer-56 {
922   display: block;
923   margin: 0 0 0 17px;
924   position: relative;
925   z-index: 36;
926 }
927 .col-7 {
928   margin: -24px 0 0;
929   min-height: 182px;
930   overflow: hidden;
931   padding: 37px 0;
932   position: relative;
933   z-index: 35;
934   -webkit-border-radius: 15px;
935   -moz-border-radius: 15px;
936   border-radius: 15px;
937   background: #rgba(0, 135, 194, 0.8);
938   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.6);
939   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.6);
940   box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.6); /*inner shadow, drop shadow*/
941 }
942 .shape-47-holder {
943   margin: 0 auto;
944   min-height: 50px;
945   padding: 10px 7px 12px;
946   width: 307px;
947   -webkit-border-radius: 5px;
948   -moz-border-radius: 5px;
949   border-radius: 5px;
950   background: ##ffffff;
951   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.75);
952   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.75);
953   box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.75); /*inner shadow, drop shadow*/
954   color: ##000000;
955   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
956   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
957   line-height: 1.2;
958 }
959 .shape-47-copy-holder {
960   margin: 8px auto 0;
961   min-height: 50px;
962   padding: 12px 7px 10px;
963   width: 307px;
964   -webkit-border-radius: 5px;
965   -moz-border-radius: 5px;
```

```
src > # App.css > .shape-47-copy-holder
959 .shape-47-copy-holder {
960   width: 307px;
961   -webkit-border-radius: 5px;
962   -moz-border-radius: 5px;
963   border-radius: 5px;
964   background: #ffffff;
965   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
966   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
967   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow, drop shadow*/
968   color: #000000;
969   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
970   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
971   line-height: 1.2;
972 }
973 .layer-53-holder {
974   left: 98.5px;
975   margin: -16px auto 0;
976   padding: 7px 24px 26px;
977   position: relative;
978   width: 128px;
979   z-index: 41;
980   background: url(images/layer_53.png) no-repeat;
981 }
982 .us {
983   display: block;
984   left: 30px;
985   margin: 0 auto;
986   position: relative;
987 }
988 .layer-61 {
989   display: block;
990   margin: 533px auto 0;
991   position: relative;
992   right: 26.5px;
993 }
994 .content {
995   left: 50%;
996   min-height: 1454px;
997   padding: 10px 13px 22px;
998   position: absolute;
999   top: 554px;
1000   width: 651px;
1001   -webkit-border-radius: 15px;
1002   -moz-border-radius: 15px;
1003   border-radius: 15px;
1004   background: #ffffff;
1005   -webkit-box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58);
1006   -moz-box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58);
1007   box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1008   margin-left: -499px;
```

```
index.html      JS vite.config.js      # index.css      First.jsx      App.jsx      # App.css      X      main.jsx      Seventh.jsx      Sixth.jsx
src > # App.css > .shape-47-copy-holder
  997 .content {
 1011   margin-left: -499px;
 1012 }
 1013 .latest-news {
 1014   margin: 0 auto;
 1015   position: relative;
 1016   width: 621px;
 1017 }
 1018 .heading {
 1019   position: relative;
 1020 }
 1021 .layer-46 {
 1022   float: left;
 1023   margin: 0 7px 0 0;
 1024 }
 1025 .latest {
 1026   float: left;
 1027   margin: 13px 0 0;
 1028 }
 1029 .tab {
 1030   height: 59px;
 1031   margin: 3px auto 0;
 1032   padding: 28px 31px 15px;
 1033   position: relative;
 1034   width: 618px;
 1035   -webkit-border-radius: 15px;
 1036   -moz-border-radius: 15px;
 1037   border-radius: 15px;
 1038   background: url(images/shape_24.png) no-repeat;
 1039   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
 1040   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
 1041   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow, drop shadow*/
 1042 }
 1043 .text-23 {
 1044   display: block;
 1045   margin: 0 auto;
 1046   position: relative;
 1047   right: 161px;
 1048 }
 1049 .row-10 {
 1050   margin: 25px auto 0;
 1051   position: relative;
 1052   right: 11.5px;
 1053   width: 574px;
 1054 }
 1055 .col-16 {
 1056   float: left;
 1057   position: relative;
 1058   width: 166px;
 1059 }
```

```
index.html      vite.config.js    # index.css    # First.jsx    # App.jsx    # App.css    X main.jsx    # Seventh.jsx    # Sixth.jsx
src > # App.css > .shape-47-copy-holder
1055 .col-16 {
1056   width: 166px;
1057 }
1058 .news1 {
1059   position: relative;
1060 }
1061 .layer-31 {
1062   display: block;
1063   margin: 0 auto;
1064   position: relative;
1065   right: 3px;
1066 }
1067 .text-24 {
1068   margin: 9px auto 0;
1069   width: 164px;
1070   color: #000000;
1071   line-height: 1.2;
1072 }
1073 .group-13 {
1074   left: 31.5px;
1075   margin: 8px auto 0;
1076   position: relative;
1077   width: 93px;
1078 }
1079 .layer-37 {
1080   float: left;
1081   margin: 0 3px 0 0;
1082 }
1083 .shape-37-holder {
1084   float: left;
1085   margin: 3px 0 0;
1086   min-height: 25px;
1087   width: 70px;
1088   border: 1px solid #006fa0; /*stroke*/
1089   -webkit-border-radius: 5px;
1090   -moz-border-radius: 5px;
1091   border-radius: 5px;
1092   background: #0087c2;
1093   -moz-background-clip: padding;
1094   -webkit-background-clip: padding-box;
1095   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1096   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1097   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1098   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1099   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1100   font-weight: bold;
1101   line-height: 25px;
1102   text-align: center;
1103 }
1104 .news4 {
1105 }
```

```
index.html      JS vite.config.js      # index.css      # First.jsx      # App.jsx      # App.css      X      # main.jsx      # Seventh.jsx      # Sixth.jsx
src > # App.css > .shape-47-copy-holder
1055 .col-16 {
1056   width: 166px;
1057 }
1058 }
1059 .news1 {
1060   position: relative;
1061 }
1062 .layer-31 {
1063   display: block;
1064   margin: 0 auto;
1065   position: relative;
1066   right: 3px;
1067 }
1068 }
1069 .text-24 {
1070   margin: 9px auto 0;
1071   width: 164px;
1072   color: #000000;
1073   line-height: 1.2;
1074 }
1075 .group-13 {
1076   left: 31.5px;
1077   margin: 8px auto 0;
1078   position: relative;
1079   width: 93px;
1080 }
1081 .layer-37 {
1082   float: left;
1083   margin: 0 3px 0 0;
1084 }
1085 .shape-37-holder {
1086   float: left;
1087   margin: 3px 0 0;
1088   min-height: 25px;
1089   width: 70px;
1090   border: 1px solid #006fa0; /*stroke*/
1091   -webkit-border-radius: 5px;
1092   -moz-border-radius: 5px;
1093   border-radius: 5px;
1094   background: #0087c2;
1095   -moz-background-clip: padding;
1096   -webkit-background-clip: padding-box;
1097   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1098   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1099   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1100   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1101   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1102   font-weight: bold;
1103   line-height: 25px;
1104   text-align: center;
1105 }
1106 .news4 {
1107 }
```

```
src > # App.css > .shape-47-copy-holder
1153 .col-17 {
1154   margin: 0 0 0 37px;
1155   position: relative;
1156   width: 164px;
1157 }
1158 }
1159 .news2 {
1160   position: relative;
1161 }
1162 .layer-32 {
1163   display: block;
1164   margin: 0 auto;
1165 }
1166 .text-28 {
1167   margin: 9px 0 0;
1168   color: □#000000;
1169   line-height: 1.2;
1170 }
1171 .group-13-copy {
1172   left: 33.5px;
1173   margin: 8px auto 0;
1174   position: relative;
1175   width: 93px;
1176 }
1177 .layer-37-copy {
1178   float: left;
1179   margin: 0 3px 0 0;
1180 }
1181 .shape-37-copy-holder {
1182   float: left;
1183   margin: 3px 0 0;
1184   min-height: 25px;
1185   width: 70px;
1186   border: 1px solid □#006fa0; /*stroke*/
1187   -webkit-border-radius: 5px;
1188   -moz-border-radius: 5px;
1189   border-radius: 5px;
1190   background: □#0087c2;
1191   -moz-background-clip: padding;
1192   -webkit-background-clip: padding-box;
1193   background-clip: padding-box; /*Will not allow bg color to leak outside border*/
1194   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.58);
1195   -moz-box-shadow: inset 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.58);
1196   box-shadow: inset 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.58); /*inner shadow*/
1197   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1198   font-weight: bold;
1199   line-height: 25px;
1200   text-align: center;
1201 }
1202 .news5 {
1203   margin: 28px 0 0;
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.cs
src > # App.css > .shape-47-copy-holder
1181 .shape-37-copy-holder {
1184   min-height: 25px;
1185   width: 70px;
1186   border: 1px solid #006fa0; /*stroke*/
1187   -webkit-border-radius: 5px;
1188   -moz-border-radius: 5px;
1189   border-radius: 5px;
1190   background: #0087c2;
1191   -moz-background-clip: padding;
1192   -webkit-background-clip: padding-box;
1193   background-clip: padding-box; /*Will not allow bg color to leak outside border*/
1194   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1195   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1196   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1197   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1198   font-weight: bold;
1199   line-height: 25px;
1200   text-align: center;
1201 }
1202 .news5 {
1203   margin: 28px 0 0;
1204   position: relative;
1205 }
1206 .layer-35 {
1207   display: block;
1208   margin: 0 auto;
1209 }
1210 .text-30 {
1211   margin: 15px 0 0;
1212   color: #000000;
1213   line-height: 1.2;
1214 }
1215 .group-13-copy-4 {
1216   left: 33.5px;
1217   margin: 14px auto 0;
1218   position: relative;
1219   width: 93px;
1220 }
1221 .layer-37-copy-4 {
1222   float: left;
1223   margin: 0 3px 0 0;
1224 }
1225 .shape-37-copy-4-holder {
1226   float: left;
1227   margin: 3px 0 0;
1228   min-height: 25px;
1229   width: 70px;
1230   border: 1px solid #006fa0; /*stroke*/
1231   -webkit-border-radius: 5px;
1232   -moz-border-radius: 5px;
```

```
src > # App.css > .shape-47-copy-holder
1225 .shape-37-copy-4-holder {
1226   -moz-border-radius: 5px;
1227   border-radius: 5px;
1228   background: ##0087c2;
1229   -moz-background-clip: padding;
1230   -webkit-background-clip: padding-box;
1231   background-clip: padding-box; /*Will not allow bg color to leak outside border*/
1232   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1233   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1234   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1235   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1236   font-weight: bold;
1237   line-height: 25px;
1238   text-align: center;
1239 }
1240 .col-18 {
1241   float: left;
1242   margin: 0 0 0 43px;
1243   position: relative;
1244   width: 164px;
1245 }
1246 .news3 {
1247   position: relative;
1248 }
1249 .layer-33 {
1250   display: block;
1251   margin: 0 auto;
1252 }
1253 .text-32 {
1254   margin: 8px 0 0;
1255   color: ##000000;
1256   line-height: 1.2;
1257 }
1258 .group-13-copy-2 {
1259   left: 35.5px;
1260   margin: 10px auto 0;
1261   position: relative;
1262   width: 93px;
1263 }
1264 .layer-37-copy-2 {
1265   float: left;
1266   margin: 0 3px 0 0;
1267 }
1268 .shape-37-copy-2-holder {
1269   float: left;
1270   margin: 3px 0 0;
1271   min-height: 25px;
1272   width: 70px;
1273   border: 1px solid ##006fa0; /*stroke*/
1274   -webkit-border-radius: 5px;
1275   -moz-border-radius: 5px;
```

```
<> index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css
src > # App.css > .shape-47-copy-holder
1225   .shape-37-copy-4-holder {
1226     -moz-border-radius: 5px,
1227     border-radius: 5px;
1228     background: ##0087c2;
1229     -moz-background-clip: padding;
1230     -webkit-background-clip: padding-box;
1231     background-clip: padding-box; /*Will not allow bg color to leak outside border*/
1232     -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1233     -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1234     box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1235     font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1236     font-weight: bold;
1237     line-height: 25px;
1238     text-align: center;
1239   }
1240   .col-18 {
1241     float: left;
1242     margin: 0 0 0 43px;
1243     position: relative;
1244     width: 164px;
1245   }
1246   .news3 {
1247     position: relative;
1248   }
1249   .layer-33 {
1250     display: block;
1251     margin: 0 auto;
1252   }
1253   .text-32 {
1254     margin: 8px 0 0;
1255     color: #000000;
1256     line-height: 1.2;
1257   }
1258   .group-13-copy-2 {
1259     left: 35.5px;
1260     margin: 10px auto 0;
1261     position: relative;
1262     width: 93px;
1263   }
1264   .layer-37-copy-2 {
1265     float: left;
1266     margin: 0 3px 0 0;
1267   }
1268   .shape-37-copy-2-holder {
1269     float: left;
1270     margin: 3px 0 0;
1271     min-height: 25px;
1272     width: 70px;
1273     border: 1px solid ##006fa0; /*stroke*/
1274     -webkit-border-radius: 5px;
1275     -moz-border-radius: 5px;
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X ⚡ main.jsx      ⚡ Seventh.jsx      ⚡ 

src > # App.css > .col-5
1319 .shape-37-copy-5-holder {
1320   -moz-background-clip: padding;
1321   -webkit-background-clip: padding-box;
1322   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1323   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58);
1324   -moz-box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58);
1325   box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58); /*inner shadow*/
1326   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1327   font-weight: bold;
1328   line-height: 25px;
1329   text-align: center;
1330 }
1340 .advertisement-250 {
1341   margin: 36px auto 0;
1342   position: relative;
1343   right: 16.5px;
1344   width: 546px;
1345 }
1346 .col-5 {
1347   float: left;
1348   min-height: 250px;
1349   padding: 67px 23px 37px;
1350   position: relative;
1351   width: 251px;
1352   background: ■#e4e4e4;
1353   -webkit-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 ■#ffffff;
1354   -moz-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 ■#ffffff;
1355   box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 ■#ffffff; /*inner shadow, drop sha
1356 }
1357 .advertisement-2 {
1358   display: block;
1359   margin: 0 auto;
1360 }
1361 .space {
1362   display: block;
1363   margin: 7px auto 0;
1364 }
1365 .text-36 {
1366   display: block;
1367   margin: 16px auto 0;
1368 }
1369 .col-6 {
1370   float: right;
1371   min-height: 250px;
1372   padding: 67px 24px 37px;
1373   position: relative;
1374   width: 251px;
1375   background: ■#e4e4e4;
1376   -webkit-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 ■#ffffff;
1377   -moz-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 ■#ffffff;
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      ✎ main.jsx      ⚡ Seventh.jsx      ⚡ 

src > # App.css > .col-5
1369 .col-6 {
1370   box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 ■#ffffff; /*inner shadow, drop sha
1371 }
1380 .advertisement-3 {
1381   display: block;
1382   margin: 0 auto;
1383 }
1384 .space-2 {
1385   display: block;
1386   margin: 7px auto 0;
1387 }
1388 .text-37 {
1389   display: block;
1390   margin: 16px auto 0;
1391 }
1392 .presenter-of-the-month {
1393   margin: 32px 0 0;
1394   position: relative;
1395 }
1396 .row-16 {
1397   position: relative;
1398 }
1399 .layer-47 {
1400   float: left;
1401   margin: 0 9px 0 0;
1402 }
1403 .text-38 {
1404   float: left;
1405   margin: 11px 0 0;
1406 }
1407 .row-9 {
1408   margin: 13px 0 0 1px;
1409   min-height: 124px;
1410   position: relative;
1411   border: 1px solid □#006fa0; /*stroke*/
1412   -webkit-border-radius: 15px;
1413   -moz-border-radius: 15px;
1414   border-radius: 15px;
1415   background: □#0483bb;
1416   -moz-background-clip: padding;
1417   -webkit-background-clip: padding-box;
1418   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1419   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58);
1420   -moz-box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58);
1421   box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58); /*inner shadow*/
1422 }
1423 .wrapper-9 {
1424   float: left;
1425   height: 124px;
1426   margin: -1px 6px 0 0;
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X ⚡ main.jsx      ⚡ Seventh.jsx      ⚡ 

src > # App.css > .col-5
1423 .wrapper-9 {
1424   position: relative;
1425   width: 594px;
1426 }
1427 .col-4 {
1428   left: 50%;
1429   min-height: 124px;
1430   padding: 24px 31px 26px;
1431   position: absolute;
1432   top: 0;
1433   width: 590px;
1434   -webkit-border-radius: 15px;
1435   -moz-border-radius: 15px;
1436   border-radius: 15px;
1437   background: #329ecd;
1438   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43);
1439   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43);
1440   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43); /*inner shadow*/
1441   margin-left: -293px;
1442 }
1443 .text-39 {
1444   margin: 0 0 0 247px;
1445   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
1446   font-weight: bold;
1447 }
1448 .text-40 {
1449   margin: 7px 0 0 247px;
1450   width: 281px;
1451   line-height: 1.2;
1452 }
1453 .shape-38-copy {
1454   left: 50%;
1455   position: absolute;
1456   top: 0;
1457   width: 263px;
1458   -webkit-border-radius: 15px;
1459   -moz-border-radius: 15px;
1460   border-radius: 15px;
1461   -webkit-box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58);
1462   -moz-box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58);
1463   box-shadow: inset 1px 1.732051px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1464   margin-left: -297px;
1465 }
1466 .shape-39 {
1467   float: left;
1468   margin: 56px 0 0;
1469 }
1470 .row-6 {
1471   margin: 42px 0 0 1px;
1472   position: relative;
```

```
index.html      vite.config.js    # index.css    First.jsx    App.jsx    # App.css    X main.jsx    Seventh.jsx    ?  
src > # App.css > .col-5  
1478 .ringtones {  
1479   position: relative;  
1480   width: 294px;  
1481 }  
1482 .row-17 {  
1483   position: relative;  
1484 }  
1485 .layer-47-copy {  
1486   float: left;  
1487   margin: 0 8px 0 0;  
1488 }  
1489 .text-41 {  
1490   float: left;  
1491   margin: 12px 0 0;  
1492 }  
1493 .col-14 {  
1494   height: 337px;  
1495   margin: 12px 0 0 4px;  
1496   padding: 16px 15px 9px;  
1497   position: relative;  
1498   width: 290px;  
1499   -webkit-border-radius: 15px;  
1500   -moz-border-radius: 15px;  
1501   border-radius: 15px;  
1502   background: url(images/shape_40.png) no-repeat;  
1503   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.19);  
1504   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.19);  
1505   box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.19); /*inner shadow*/  
1506 }  
1507 .group-15 {  
1508   min-height: 81px;  
1509   padding: 13px 0 11px;  
1510   position: relative;  
1511   -webkit-border-radius: 5px;  
1512   -moz-border-radius: 5px;  
1513   border-radius: 5px;  
1514   background: ■#f7f7f7;  
1515   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.75);  
1516   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.75);  
1517   box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.75); /*inner shadow*/  
1518 }  
1519 .row-21 {  
1520   margin: 0 6px;  
1521   position: relative;  
1522 }  
1523 .col-24 {  
1524   float: left;  
1525   margin: 0 3px 0 0;  
1526   position: relative;  
1527   width: 104px;
```

```
index.html      JS vite.config.js      # index.css      # First.jsx      # App.jsx      # App.css      X      # main.jsx      # Seventh.jsx      # :  
src > # App.css > .col-5  
1524  
1525   ;  
1526   }px 0 0;  
1527   relative;  
1528   ix;  
1529  
1530  
1531   !483bb;  
1532   0.75rem; /* 12px / 16px = 0.75rem */  
1533   :: bold;  
1534   : right;  
1535  
1536  
1537   lock;  
1538   t 0 0;  
1539   relative;  
1540  
1541  
1542   ;  
1543   ;  
1544   !087c2;  
1545   /: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1546  
1547  
1548   auto;  
1549   relative;  
1550   ix;  
1551  
1552  
1553   ;  
1554   ix 0 0;  
1555   !00000;  
1556   /: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1557  
1558   my-holder {  
1559     it;  
1560     28px;  
1561     0 0 3px;  
1562     ;  
1563     t solid #006fa0; /*stroke*/  
1564     border-radius: 5px;  
1565     -radius: 5px;  
1566     tus: 5px;  
1567     #0087c2;  
1568     round-clip: padding;  
1569     background-clip: padding-box;  
1570     clip: padding-box; /*Will not allow bg color to leak outside borders*/  
1571     -shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);  
1572     shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);  
1573     : inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X ⚡ main.jsx      ⚡ Seventh.jsx      ⚡ .col-5
src > # App.css > .col-5
1558 pe-42-copy-holder {
1559   text-align: center;
1560
1561   pe-42-copy-2-holder {
1562     position: absolute;
1563     right: 0;
1564     margin: 0 2px 0 0;
1565     padding: 9px 0 7px;
1566     border: 1px solid ##006fa0; /*stroke*/
1567     border-radius: 5px;
1568     border-radius: 5px;
1569     border-radius: 5px;
1570     background-color: ##0087c2;
1571     border: 1px solid ##0087c2;
1572     border-radius: 5px;
1573     border-radius: 5px;
1574     border-radius: 5px;
1575     border-radius: 5px;
1576     border-radius: 5px;
1577     border-radius: 5px;
1578     border-radius: 5px;
1579     border-radius: 5px;
1580     border-radius: 5px;
1581     border-radius: 5px;
1582     border-radius: 5px;
1583     border-radius: 5px;
1584     border-radius: 5px;
1585     border-radius: 5px;
1586     border-radius: 5px;
1587     border-radius: 5px;
1588     border-radius: 5px;
1589     border-radius: 5px;
1590     border-radius: 5px;
1591     border-radius: 5px;
1592     border-radius: 5px;
1593     border-radius: 5px;
1594     border-radius: 5px;
1595     border-radius: 5px;
1596     border-radius: 5px;
1597     border-radius: 5px;
1598     border-radius: 5px;
1599     border-radius: 5px;
1600     border-radius: 5px;
1601     border-radius: 5px;
1602     border-radius: 5px;
1603     border-radius: 5px;
1604     border-radius: 5px;
1605     border-radius: 5px;
1606     border-radius: 5px;
1607     border-radius: 5px;
1608     border-radius: 5px;
1609     border-radius: 5px;
1610     border-radius: 5px;
1611     border-radius: 5px;
1612     border-radius: 5px;
1613     border-radius: 5px;
1614     border-radius: 5px;
1615     border-radius: 5px;
1616     border-radius: 5px;
1617     border-radius: 5px;
1618     border-radius: 5px;
1619     border-radius: 5px;
1620     border-radius: 5px;
1621     border-radius: 5px;
1622     border-radius: 5px;
1623     border-radius: 5px;
1624     border-radius: 5px;
1625     border-radius: 5px;
1626     border-radius: 5px;
```

```
index.html      JS vite.config.js      # index.css      First.jsx      App.jsx      # App.css      X      main.jsx      Seventh.jsx      ?  
src > # App.css > .col-5  
1625 :t-45 {  
1627   int-size: 0.75rem; /* 12px / 16px = 0.75rem */  
1628   int-weight: bold;  
1629   ext-align: right;  
1630  
1631   er-50-copy {  
1632     lspan: block;  
1633     rgin: 2px 0 0;  
1634     isition: relative;  
1635  
1636     :t-46 {  
1637       oat: left;  
1638       dth: 52px;  
1639       olor: #0087c2;  
1640       nt-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1641  
1642     :t-12 {  
1643       rgin: 0 auto;  
1644       isition: relative;  
1645       dth: 239px;  
1646  
1647     :t-47 {  
1648       oat: left;  
1649       rgin: 11px 0 0;  
1650       olor: #000000;  
1651       nt-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1652  
1653     ipe-42-copy-4-holder {  
1654       oat: right;  
1655       n-height: 28px;  
1656       dding: 0 0 0 3px;  
1657       dth: 74px;  
1658       order: 1px solid #006fa0; /*stroke*/  
1659       webkit-border-radius: 5px;  
1660       ooz-border-radius: 5px;  
1661       order-radius: 5px;  
1662       ckground: #0087c2;  
1663       ooz-background-clip: padding;  
1664       webkit-background-clip: padding-box;  
1665       ckground-clip: padding-box; /*Will not allow bg color to leak outside borders*/  
1666       webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);  
1667       ooz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);  
1668       ix-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/  
1669       nt-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1670       int-size: 0.75rem; /* 12px / 16px = 0.75rem */  
1671       int-weight: bold;  
1672       ne-height: 28px;  
1673       xt-align: center;  
1674  
1675     ipe-42-copy-3-holder {
```

```
< index.html      JS vite.config.js      # index.css      ⚑ First.jsx      ⚑ App.jsx      # App.css      ⚑ main.jsx      ⚑ Seventh.jsx      ⚑ . . .

src > # App.css > ↗ .col-5

1675  shape-42-copy-3-holder {
1676    float: right;
1677    margin: 0 2px 0 0;
1678    padding: 9px 0 7px;
1679    position: relative;
1680    width: 27px;
1681    border: 1px solid #006fa0; /*stroke*/
1682    webkit-border-radius: 5px;
1683    moz-border-radius: 5px;
1684    border-radius: 5px;
1685    background: #0087c2;
1686    moz-background-clip: padding;
1687    webkit-background-clip: padding-box;
1688    background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1689    webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1690    moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1691    box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1692
1693  />v-51-copy {
1694    display: block;
1695    margin: 0 auto;
1696
1697  />up-15-copy-2 {
1698    margin: 15px 0 0;
1699    height: 81px;
1700    padding: 13px 0 11px;
1701    position: relative;
1702    webkit-border-radius: 5px;
1703    moz-border-radius: 5px;
1704    border-radius: 5px;
1705    background: #f7f7f7;
1706    webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1707    moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1708    box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner
1709
1710  />v-23 {
1711    margin: 0 6px;
1712    position: relative;
1713
1714  />l-26 {
1715    float: left;
1716    margin: 0 3px 0 0;
1717    position: relative;
1718    width: 104px;
1719
1720  />ct-49 {
1721    color: #0483bb;
1722    font-size: 0.75rem; /* 12px / 16px = 0.75rem */
1723    font-weight: bold;
1724    text-align: right;
```

```
index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X ⚡ main.jsx      ⚡ Seventh.jsx      ⚡ . . .  
src > # App.css > ↗ .col-5  
1725 }  
1726 .layer-50-copy-2 {  
1727   display: block;  
1728   margin: 2px 0 0;  
1729   position: relative;  
1730 }  
1731 .text-50 {  
1732   float: left;  
1733   width: 52px;  
1734   color: □#0087c2;  
1735   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1736 }  
1737 .row-13 {  
1738   margin: 0 auto;  
1739   position: relative;  
1740   width: 239px;  
1741 }  
1742 .text-51 {  
1743   float: left;  
1744   margin: 11px 0 0;  
1745   color: □#000000;  
1746   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1747 }  
1748 .shape-42-copy-6-holder {  
1749   float: right;  
1750   min-height: 28px;  
1751   padding: 0 0 0 3px;  
1752   width: 74px;  
1753   border: 1px solid □#006fa0; /*stroke*/  
1754   -webkit-border-radius: 5px;  
1755   -moz-border-radius: 5px;  
1756   border-radius: 5px;  
1757   background: □#0087c2;  
1758   -moz-background-clip: padding;  
1759   -webkit-background-clip: padding-box;  
1760   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/  
1761   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.58);  
1762   -moz-box-shadow: inset 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.58);  
1763   box-shadow: inset 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.58); /*inner shadow*/  
1764   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;  
1765   font-size: 0.75rem; /* 12px / 16px = 0.75rem */  
1766   font-weight: bold;  
1767   line-height: 28px;  
1768   text-align: center;  
1769 }  
1770 .shape-42-copy-5-holder {  
1771   float: right;  
1772   margin: 0 2px 0 0;  
1773   padding: 9px 0 7px;  
1774   position: relative;  
1775   width: 27px;
```

```
src > # App.css > .col-5
1770 .shape-42-copy-5-holder {
1771   border: 1px solid #006fa0; /*stroke*/
1772   -webkit-border-radius: 5px;
1773   -moz-border-radius: 5px;
1774   border-radius: 5px;
1775   background: #0087c2;
1776   -moz-background-clip: padding;
1777   -webkit-background-clip: padding-box;
1778   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1779   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1780   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1781   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1782 }
1783 .layer-51-copy-2 {
1784   display: block;
1785   margin: 0 auto;
1786 }
1787 .row-24 {
1788   margin: 9px 8px 0 176px;
1789   position: relative;
1790 }
1791 .layer-49-copy {
1792   float: left;
1793   margin: 0 3px 0 0;
1794 }
1795 .text-53 {
1796   margin: 10px 0 0;
1797   color: #0483bb;
1798   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1799   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
1800   font-weight: bold;
1801 }
1802 .poll {
1803   float: right;
1804   position: relative;
1805   width: 290px;
1806 }
1807 .row-18 {
1808   position: relative;
1809 }
1810 .layer-47-copy-2 {
1811   float: left;
1812   margin: 0 9px 0 0;
1813 }
1814 .text-54 {
1815   float: left;
1816   margin: 12px 0 0;
1817 }
1818 .col-15 {
1819   height: 337px;
```

```

index.html      JS vite.config.js      # index.css      # First.jsx      # App.jsx      # App.css      X      # main.jsx      # Seventh.jsx      # Sixth.jsx
src > # App.css > .col-5
1823 .col-15 {
1824   height: 337px;
1825   margin: 12px 0 0;
1826   padding: 20px;
1827   position: relative;
1828   width: 290px;
1829   -webkit-border-radius: 15px;
1830   -moz-border-radius: 15px;
1831   border-radius: 15px;
1832   background: url(images/shape_40_copy.png) no-repeat;
1833   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.19);
1834   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.19);
1835   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.19); /*inner shadow*/
1836 }
1837 .shape-45-holder {
1838   min-height: 41px;
1839   padding: 18px 10px 11px;
1840   -webkit-border-radius: 5px;
1841   -moz-border-radius: 5px;
1842   border-radius: 5px;
1843   background: #f7f7f7;
1844   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1845   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1846   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow*/
1847   color: #0483bb;
1848   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
1849   font-weight: bold;
1850 }
1851 .row-20 {
1852   margin: 13px 0 0 11px;
1853   position: relative;
1854 }
1855 .col-23 {
1856   float: left;
1857   margin: 10px 9px 0 0;
1858   position: relative;
1859   width: 16px;
1860 }
1861 .shape-41 {
1862   height: 16px;
1863   width: 16px;
1864   -webkit-border-radius: 7.75px;
1865   -moz-border-radius: 7.75px;
1866   border-radius: 7.75px;
1867   background: #cdc6c6;
1868   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1869   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1870   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow*/
1871 }
1872 .shape-41-copy-holder {

```

```
< index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx      # App.css      X ⚡ main.jsx      ⚡ Seventh.jsx      ⚡ Sixth.jsx
src > # App.css > .col-5
1872 .shape-41-copy-holder {
1873   margin: 20px 0 0;
1874   padding: 3px 0 2px;
1875   position: relative;
1876   -webkit-border-radius: 7.75px;
1877   -moz-border-radius: 7.75px;
1878   border-radius: 7.75px;
1879   background: #cdc6c6;
1880   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1881   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1882   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow*/
1883 }
1884 .shape-41-copy-4 {
1885   height: 11px;
1886   margin: 0 auto;
1887   width: 11px;
1888   border: 1px solid #006fa0; /*stroke*/
1889   -webkit-border-radius: 5.25px;
1890   -moz-border-radius: 5.25px;
1891   border-radius: 5.25px;
1892   background: #0483bb;
1893   -moz-background-clip: padding;
1894   -webkit-background-clip: padding-box;
1895   background-clip: padding-box; /*Will not allow bg color to leak outside borders*/
1896   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1897   -moz-box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58);
1898   box-shadow: inset 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.58); /*inner shadow*/
1899 }
1900 .shape-41-copy-2 {
1901   height: 16px;
1902   margin: 20px 0 0;
1903   width: 16px;
1904   -webkit-border-radius: 7.75px;
1905   -moz-border-radius: 7.75px;
1906   border-radius: 7.75px;
1907   background: #cdc6c6;
1908   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1909   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1910   box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75); /*inner shadow*/
1911 }
1912 .shape-41-copy-3 {
1913   height: 16px;
1914   margin: 21px 0 0;
1915   width: 16px;
1916   -webkit-border-radius: 7.75px;
1917   -moz-border-radius: 7.75px;
1918   border-radius: 7.75px;
1919   background: #cdc6c6;
1920   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
1921   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 rgba(255, 255, 255, 0.75);
```

```

src > # App.css > .col-5
1912 .shape-41-copy-3 {
1913   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.75);
1914   box-shadow: inset 0.5px 0.866025px 2px 0 □rgba(0, 0, 0, 0.43), 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.75); /*inner s
1915 }
1916 .text-56 {
1917   float: left;
1918   width: 62px;
1919   color: □#000000;
1920   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1921   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
1922   line-height: 36px;
1923 }
1924 .row-8 {
1925   margin: 25px 0 0 6px;
1926   position: relative;
1927 }
1928 .layer-49 {
1929   float: left;
1930 }
1931 .shape-42-holder {
1932   float: left;
1933   margin: 3px 0 0 6px;
1934   min-height: 28px;
1935   width: 64px;
1936   border: 1px solid □#006fa0; /*stroke*/
1937   -webkit-border-radius: 5px;
1938   -moz-border-radius: 5px;
1939   border-radius: 5px;
1940   background: □#0087c2;
1941   -moz-background-clip: padding;
1942   -webkit-background-clip: padding-box;
1943   background-clip: padding-box; /*will not allow bg color to leak outside borders*/
1944   -webkit-box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58);
1945   -moz-box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58);
1946   box-shadow: inset 0.5px 0.866025px 0 0 ■rgba(255, 255, 255, 0.58); /*inner shadow*/
1947   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1948   font-size: 0.75rem; /* 12px / 16px = 0.75rem */
1949   font-weight: bold;
1950   line-height: 28px;
1951   text-align: center;
1952 }
1953 .text-57 {
1954   float: left;
1955   margin: 12px 0 0 14px;
1956   <element class="advertisment-4">
1957   Selector Specificity: (0, 1, 0)
1958   .advertisment-4 {
1959     left: 50%;
1960     min-height: 292px;

```

```
index.html      JS vite.config.js      # index.css      First.jsx      App.jsx      # App.css      X      main.jsx      # Seventh.jsx      Sixth.jsx

src > # App.css > .col-5
1967 .advertisement-4 {
1968   min-height: 292px;
1969   padding: 6px 20px 19px;
1970   position: absolute;
1971   top: 684px;
1972   width: 341px;
1973   -webkit-border-radius: 15px;
1974   -moz-border-radius: 15px;
1975   border-radius: 15px;
1976   background: #rgba(0, 135, 194, 0.8);
1977   -webkit-box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.6);
1978   -moz-box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.6);
1979   box-shadow: inset 0.5px 0.866025px 2px 0 #rgba(0, 0, 0, 0.35), 0.5px 0.866025px 0 0 #rgba(255, 255, 255, 0.6); /*inner shadow*/
1980   margin-left: 163px;
1981 }
1982 .advertisement-5 {
1983   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
1984   text-align: right;
1985 }
1986 .col-9 {
1987   height: 250px;
1988   margin: 6px 0 0;
1989   padding: 154px 0 18px;
1990   position: relative;
1991   background: url(images/shape_11.jpg) no-repeat;
1992 }
1993 .shape-49-holder {
1994   margin: 0 auto;
1995   overflow: hidden;
1996   padding: 10px 23px 12px;
1997   position: relative;
1998   right: 11px;
1999   width: 210px;
2000   background: #rgba(4, 131, 187, 0.9);
2001 }
2002 .advertisement-6 {
2003   display: block;
2004   margin: 0 auto;
2005   position: relative;
2006   right: 6.5px;
2007 }
2008 .row-4 {
2009   left: 52px;
2010   margin: -4px auto 0;
2011   min-height: 41px;
2012   padding: 13px 18px 4px;
2013   position: relative;
2014   width: 196px;
2015   background: #rgba(64, 179, 225, 0.9);
2016 }
2017 }
```

```
↳ index.html      JS vite.config.js      # index.css      ⚑ First.jsx      ⚑ App.jsx      # App.css      X ⚑ main.jsx      ⚑ Seventh.jsx      ⚑ Sixth.jsx

src > # App.css > .col-5
2017 }
2018 .space-3 {
2019   float: left;
2020   margin: 0 12px 0 0;
2021 }
2022 .text-61 {
2023   float: left;
2024   margin: 3px 0 0;
2025 }
2026 .advertisement-bottom {
2027   left: 50%;
2028   min-height: 115px;
2029   padding: 1px 11px 12px;
2030   position: absolute;
2031   top: 2027px;
2032   width: 751px;
2033   -webkit-border-radius: 15px;
2034   -moz-border-radius: 15px;
2035   border-radius: 15px;
2036   background: □rgba(0, 104, 150, 0.5);
2037   -webkit-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.12), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.12);
2038   -moz-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.12), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.12);
2039   box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.12), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.12); /*inner shadow*/
2040   margin-left: -372px;
2041 }
2042 .text-62 {
2043   opacity: 0.2;
2044   font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
2045   text-align: right;
2046 }
2047 .row-5 {
2048   margin: 1px 0 0;
2049   min-height: 90px;
2050   padding: 18px 19px 15px 129px;
2051   position: relative;
2052   background: □#0273a5;
2053   -webkit-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.24);
2054   -moz-box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.24);
2055   box-shadow: inset 1px 1.732051px 4px 0 □rgba(0, 0, 0, 0.24), 0.5px 0.866025px 0 0 □rgba(255, 255, 255, 0.24); /*inner shadow*/
2056 }
2057 .text-63 {
2058   float: left;
2059   margin: 11px 0 0;
2060 }
2061 .text-64 {
2062   float: right;
2063 }
2064 .listen-to-easyfm {
2065   left: 73%;
2066   position: absolute;
2067   font-size: 10px;
2068 }
```

```
index.html      JS vite.config.js      # index.css      @
src > # App.css > .col-5
2064   .listen-to-easyfm {
2065     position: absolute;
2066     top: 508px;
2067     width: 83px;
2068     margin-left: -489px;
2069   }
2070 }
2071   .text-65 {
2072     display: block;
2073     left: 247px;
2074     margin: 0 auto;
2075     position: relative;
2076   }
2077   .layer-27 {
2078     display: block;
2079     left: 333px;
2080     margin: 10px auto 0;
2081     position: relative;
2082   }
2083   .row-25 {
2084     left: 333.5px;
2085     margin: 0 auto;
2086     position: relative;
2087     width: 316px;
2088   }
2089   .layer-26 {
2090     float: left;
2091     margin: 4px 13px 0 0;
2092   }
2093   .text-66 {
2094     float: left;
2095     width: 253px;
2096     opacity: 0.8;
2097     line-height: 1.2;
2098   }
2099   .layer-27-copy {
2100     display: block;
2101     left: 333.5px;
2102     margin: 24px auto 0;
2103     position: relative;
2104   }
2105   .layer-38 {
2106     display: none;
2107     margin: 417px 0 0 182px;
2108     position: relative;
2109   }
2110   .layer-38-copy {
2111     display: block;
2112     margin: 285px 0 0;
2113     position: relative;
2114 }
```

```
index.html      JS vite.config.js      # index.css      @
src > # App.css > .col-5
2110   .layer-27-copy {
2111     display: none;
2112     margin: 417px 0 0 182px;
2113     position: relative;
2114   }
2115   .color0094ce {
2116     color: #0094ce;
2117   }
2118   .fw700 {
2119     font-weight: bold;
2120   }
2121   .color000000 {
2122     color: #000000;
2123   }
2124   .color00577d {
2125     color: #00577d;
2126   }
2127   .color008ec7 {
2128     color: #008ec7;
2129   }
2130   .text-style {
2131     font-family: Arial, 'Helvetica Neue', Helvetica, sans-serif;
2132     font-weight: bold;
2133   }
2134
2135
2136 @media screen and (max-width: 320px) {
2137   body {
2138     -moz-transform: scale(0.3);
2139     -webkit-transform: scale(0.3);
2140     -o-transform: scale(0.3);
2141     transform: scale(0.3);
2142     transform-origin: 0 0;
2143     overflow-x: hidden;
2144   }
2145   html {
2146     height: 100%;
2147   }
2148 }
2149 @media screen and (min-width: 1460px) {
2150   body {
2151     zoom: 115%;
2152     -moz-transform: scale(1.0);
2153     -webkit-transform: scale(1.0);
2154     -o-transform: scale(1.0);
2155     transform: scale(1.0);
2156     transform-origin: 0 0;
2157     overflow-x: hidden;
2158   }
2159   html {
2160     height: 100%;
2161   }
2162 }
2163 }
```

```
<> index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx

src > # App.css > .col-5
2149 @media screen and (min-width: 1460px) {
2150   ,
2162 }
2163
2164 @media screen and (min-width: 1360px) and (max-width: 1460px) {
2165   body {
2166     zoom: 100%;
2167     -moz-transform: scale(1.0);
2168     -webkit-transform: scale(1.0);
2169     -o-transform: scale(1.0);
2170     transform: scale(1.0);
2171     transform-origin: 0 0;
2172     overflow-x: hidden;
2173   }
2174   html {
2175     height: 100%;
2176   }
2177 }
2178 @media screen and (min-width: 1260px) and (max-width: 1360px) {
2179   body {
2180     zoom: 95%;
2181     -moz-transform: scale(1.0);
2182     -webkit-transform: scale(1.0);
2183     -o-transform: scale(1.0);
2184     transform: scale(1.0);
2185     transform-origin: 0 0;
2186     overflow-x: hidden;
2187   }
2188   html {
2189     height: 100%;
2190   }
2191 }
2192 @media screen and (min-width: 1160px) and (max-width: 1260px) {
2193   body {
2194     zoom: 90%;
2195     -moz-transform: scale(1.0);
2196     -webkit-transform: scale(1.0);
2197     -o-transform: scale(1.0);
2198     transform: scale(1.0);
2199     transform-origin: 0 0;
2200     overflow-x: hidden;
2201   }
2202   html {
2203     height: 100%;
2204   }
2205 }
2206
2207 @media screen and (min-width: 1060px) and (max-width: 1160px) {
2208   body {
2209     zoom: 85%;
2210     -moz-transform: scale(1.0);
```

```
<> index.html      JS vite.config.js      # index.css      ⚡ First.jsx      ⚡ App.jsx
src > # App.css > .col-5
2207 @media screen and (min-width: 1060px) and (max-width: 1160px) {
2208   body {
2209     zoom: 85%;
2210     -moz-transform: scale(1.0);
2211     -webkit-transform: scale(1.0);
2212     -o-transform: scale(1.0);
2213     transform: scale(1.0);
2214     transform-origin: 0 0;
2215     overflow-x: hidden;
2216   }
2217   html {
2218     height: 100%;
2219   }
2220 }
2221 @media screen and (min-width: 960px) and (max-width: 1060px) {
2222   body {
2223     zoom: 73%;
2224     -moz-transform: scale(1.0);
2225     -webkit-transform: scale(1.0);
2226     -o-transform: scale(1.0);
2227     transform: scale(1.0);
2228     transform-origin: 0 0;
2229     overflow-x: hidden;
2230   }
2231   html {
2232     height: 100%;
2233   }
2234 }
2235 @media screen and (min-width: 860px) and (max-width: 960px) {
2236   body {
2237     zoom: 66%;
2238     -moz-transform: scale(1.0);
2239     -webkit-transform: scale(1.0);
2240     -o-transform: scale(1.0);
2241     transform: scale(1.0);
2242     transform-origin: 0 0;
2243     overflow-x: hidden;
2244   }
2245   html {
2246     height: 100%;
2247   }
2248 }
2249 @media screen and (min-width: 760px) and (max-width: 860px) {
2250   body {
2251     zoom: 59%;
2252     -moz-transform: scale(1.0);
2253     -webkit-transform: scale(1.0);
2254     -o-transform: scale(1.0);
2255     transform: scale(1.0);
2256     transform-origin: 0 0;
```

```
src > # App.css > .col-5
2249 @media screen and (min-width: 760px) and (max-width: 860px) {
2250   body {
2251     width: 100%; height: 100%; margin: 0 auto;
2252   }
2253   html {
2254     height: 100%; width: 100%; margin: 0 auto;
2255   }
2256 }
2257
2258 @media screen and (min-width: 660px) and (max-width: 760px) {
2259   body {
2260     zoom: 52%; -moz-transform: scale(1.0); -webkit-transform: scale(1.0); -o-transform: scale(1.0); transform: scale(1.0); transform-origin: 0 0; overflow-x: hidden;
2261   }
2262   html {
2263     height: 100%; width: 100%; margin: 0 auto;
2264   }
2265 }
2266
2267 @media screen and (min-width: 500px) and (max-width: 660px) {
2268   body {
2269     zoom: 45%; -moz-transform: scale(1.0); -webkit-transform: scale(1.0); -o-transform: scale(1.0); transform: scale(1.0); transform-origin: 0 0; overflow-x: hidden;
2270   }
2271   html {
2272     height: 100%; width: 100%; margin: 0 auto;
2273   }
2274 }
2275
2276
2277 @media screen and (min-width: 320px) and (max-width: 500px) {
2278   body {
2279     zoom: 37%; -moz-transform: scale(1.0); -webkit-transform: scale(1.0); -o-transform: scale(1.0); transform: scale(1.0); transform-origin: 0 0; overflow-x: hidden;
2280   }
2281   html {
2282     height: 100%; width: 100%; margin: 0 auto;
2283   }
2284 }
```

Responsive Website :

The screenshot displays a responsive website layout for FMBLOG, an online radio station. The top navigation bar includes links for Home, Presenters, Artists, Blogs, Relationships, Events, Contests, Schedule, Downloads, and Photos. A large advertisement space is prominently featured in the center.

Home Section: Features a main image of a man and a woman standing next to a classic car. Below the image is the tagline "No one ever promised you an easy life." followed by a descriptive paragraph: "But there's one radio station that does promise you easy listening. But there's one radio station that does promise you easy listening. But there's one radio station that does promise you easy listening." A "View all" link is present at the bottom right of this section.

Shows Section: Displays two show listings: "The early breakfast with Gladys Gachanja" from 5 am - 6 am and "Listen, laugh & learn with Marcus & Munene" from 6 am - 10 am. Each listing includes a small thumbnail image of the hosts and a brief description.

Now Playing: A blue box shows the currently playing song: "Song name" by "Artist Name heading". It also displays a progress bar showing "04:37" and a "Previously Played: Song name" section.

Latest Section: A tabbed section showing "Latest" news. The "Music" tab is selected, showing three items: "Three strikes net rule has been proposed in front against illegal music file sharing.", "The Catholic Church opens its door in the Vatican to a flood of discontented Anglicans.", and "An increase in game addiction is attributed to a wide spread break down in social interaction." Each item has a "read more" button.

Advertisement: A large advertisement space on the right side features a person playing a guitar and the word "Advertisement" repeated twice.



Jenson Button triumphant in Formula 1 after what can only be described as a shaky start.

[read more](#)

iTunes for theatre service marks a pivotal switch for an otherwise, traditional profession.

[read more](#)

Professor jailed for stealing and selling skulls from a series of burial grounds in China.

[read more](#)

Join BLOG On Facebook

 easy fm on Facebook

You like this. Unlike

easy fm A study is the Saturday Magazine of the Daily Nation states that the senior bachelor is more unlikely to get a promotion in the work place because he is single passed the required marriageable age. Over 45 and still single. Who says that getting married makes you a better person???

Marcus&Munene on the Easy Breakfast.....

9 hours ago

196,478 people like easy fm.



Omar Peter Sam Lisa



Touqeer Michael Caroline Sunado

Advertisement
Space
250X250

Advertisement
Space
250X250

> Presenter of the Month



Presenter of the month heading text

iTunes for theatre service marks a pivotal switch for an otherwise, traditional profession. iTunes for theatre service marks a pivotal switch for an otherwise, traditional profession.

> Get Ringtones



> Poll Question



twitter

Mobile Boilerplate: a best practice baseline for your mobile Web app - <http://bit.ly/dRJO9f>

Dummy text dropdo: a quick and simple file viewer online - <http://dropdo.com>

Follow US

> Get Ringtones

> Poll Question

Ringtone name In Hiphop
★★★★★

15,472 downloads Download

Ringtone name In Hiphop
★★★★★

15,472 downloads Download

Ringtone name In Hiphop
★★★★★

15,472 downloads Download

View All

What Your Favourite Gadget?

Camera

Laptop

MP3 player

Mobile/Cell

Submit [Previous Polls](#)

Dummy text dropdo: a quick and simple file viewer online - <http://dropdo.com>

Follow US

Advertisement Space

728x90

goentertainment

HOME PRESENTERS ARTISTS BLOGS RELATIONSHIPS EVENTS CONTESTS SHOW LISTINGS DOWNLOADS PHOTOS

Copyrights © FMBLOG 2013, All rights Reserved

PSD created by psdfreebies.com

References :

WEBSITES :

1. W3S SCHOOLS :

<https://www.w3schools.com/html/>

<https://www.w3schools.com/js/>

2. CSS :

<https://www.w3schools.com/w3css/default.asp>

3. React :

<https://react.dev/>