935) WAP to print character from A to z.

→

```
class AtoZ
{
    public static void main (String [] args)
    {
        for (char ch='A'; ch <= 'z'; ch++)
        {
            System.out.print (ch+ " ");
        }
    }
}
```

936) WAP to print characters from 'a' to 'z'.

→

```
class aToz
{
    public static void main (String [] args)
    {
        for (char ch= 'A'; ch <= 'z'; ch++)
        {
            System.out.print (ch+ " ");
        }
    }
}
```

937) WAP to print digits from 0 to 9.

→
```
class 936 ZeroTONine
{
    public static void main(String args[])
    {
        for( ch= '0'; ch <= '9'; ch++)
        {
```

```
                System.out.print(char " ");
            }
        }
    }
```

Q38) WAP to print All ASCII Numbers.

→
```
class Q38ASCii
{
    public static void main(String args[])
    {
        for(int i=1; i<=127; i++)
        {
            System.out.println(i+" : "+(char)i);
        }
    }
}
```

Q39) WAP to print table upto range from user input.

→
```
import java.util.Scanner;
class Q39Table
{
    public static void main(String args[])
    {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter Number:");
        int num = sc.next();
        System.out.println("Enter Range:");
        int range = sc.nextInt();
```

```
for ( int i= 1 ; i<= range ; i++)
{
    System.out.println (num + " X " +i+ " = "+
                        (num*i));
}
}
}
```

Q40) WAP to print [A, C, F, J, O, U] from A toz
characters.

→
```
class Q40 characters
{
    public static void main (String args [])
    {
        int a=0;
        for (char i='A' ; i<='Z'; i++)
        {
            System.out.println ((char) (i+a)+ " ");
            a++;
        }
    }
}
```

Q41) WAP to accept String as input & print each
character of String in new line.

→
```
class Q41 User Name
{
    public static void main (String args [])
    {
        Scanner sc = new Scanner (System.in);
        System.out.println ("Enter name: ");
```

```
String name = sc.next().toUpperCase();

for (int i = 0; i < name.length(); i++)
{
    System.out.print (name.charAt(i));
    Thread.sleep(1000);
}
}
}
```

Q42) WAP to print even no from 2 to 200

→
```
class Q42 EvenFrom2to200
{
    public static void main (String args[])
    {
        System.out.println ("Even from 2 to 200");
        for (int i = 1; i <= 100; i++)
        {
            if (i%2 == 0)
            {
                System.out.print (i + " ");
            }
        }
    }
}
```

Q43) WRP to print odd no's from 100 to 1.

→ class Q43 Odd 100To1
{
    public static void main (String args [])
    {
        System.out.println ("odd from 100to1");
        for (int i= 100 ; i>=1; i++)
        {
            ~~Syst~~
            if (i-/.2 != 0)
            {
                System.out.print (o i + " ");
            }
        }
    }
}

Q44) WPPo Accept Sting & print each charalter if it is vowel.

→ class Q44Vowel)
{
    public static void main (String args [])
    {
        Scanner sc = new Scanner (System.in);
        System.out.println ("Enter Name :");
        String name = sc.nextInt();
        System.out.print (" Vowel :");
        for (int i=0 ; i< name.length(); i++)
        {   char ch = name.charAt(i);
            if (ch == 'O' ||ch == 'A'|| ch == 'e' ||
            ch == 'E' || ch == 'i) || ch == 'I' || ch == 'o' ||
            ch == 'O' ||ch == 'u' || ch == 'U')
        }
    }
}

{

System.out.print (name. charAt(i));

}

}

}

}