

TwinMarket Stage 2 Execution Report

Generated at: 2026-05-15 14:35:23 KST

Summary

- Target branch: `codex/implement-stage-2-2-1-to-2-6`
- Commit at execution start: `cb642868c634624cc64383b5a6e8fe5bd72fdc38`
- Stage 2 smoke test status: Success
- Execution mode: community off, 10 users, no external LLM calls (`--activate\_prob 0`)
- GitHub push: not performed

Commands Executed

```
pwd
git status --short --branch
rg --files
rg -n "stage ?2|stage2|Stage 2|STAGE2|stage_2|prepare|pipeline|if __name__|argparse|click"
sed -n '430,720p' Code_Plan.md
sed -n '700,860p' simulation.py
sed -n '1,220p' requirements.txt
sed -n '1,220p' script/run.sh
python3 -m venv .venv
.venv/bin/python --version
.venv/bin/python -m pip install -r requirements.txt
MPLCONFIGDIR=.mplconfig .venv/bin/python -m py_compile simulation.py trader/trading_agent.py trader/matching_engine.py util/UserDB.py util/ForumDB.py trader/utility.py
MPLCONFIGDIR=.mplconfig .venv/bin/python -c "import simulation; print('import ok')"
mkdir -p logs_kr_smoke
cp data/sys_100_kr.db logs_kr_smoke/user_100_kr_stage2.db
MPLCONFIGDIR=.mplconfig .venv/bin/python simulation.py --start_date 2026-02-02 --end_date 2026-02-06 --stock_code 005930 --use_community False --node 10 -
find logs_kr_smoke -maxdepth 4 -type f | sort
.venv/bin/python -c "import sqlite3, pandas as pd; ..."
date '+%Y-%m-%d %H:%M:%S %Z'
uname -a
git rev-parse --abbrev-ref HEAD
git rev-parse HEAD
```

Dependency Analysis

- Project dependency file found: `requirements.txt`
- No `pyproject.toml` or `setup.py` found.
- Imports inspected across Python files with `rg -n "^import |^from " -g "\*.py"`.
 - Installed/confirmed packages from `requirements.txt`: `aiosfiles`, `aiosqlite`, `matplotlib`, `networkx`, `numpy`, `openai`, `pandas`, `pyyaml`, `requests`, `tenacity`, `tqdm`, `faiss-cpu`.
 - Already present packages needed by Stage 1/2 support scripts and PDF generation included `sentence-transformers`, `scikit-learn`, `pykrx`, `Markdown`, and `reportlab`.

Automatic Fixes Applied

- Added missing Stage 2 CLI arguments to `simulation.py`: `--use\_community`, `--stock\_code`, `--stock\_data\_path`, `--trading\_days\_path`, `--news\_path`.
- Passed Stage 2 paths into `init\_simulation()` and matching engine.
- Added `use\_community` to `PersonalizedStockTrader.\_\_init\_\_`.
- Prevented forum reads, forum writes, forum scoring, and graph construction when `--use\_community False`.
- Added `clean\_forum=False` support to `init\_system()` for community-off runs.
- Pointed runtime information DB to existing `data/InformationDB\_samsung`.
- Added placeholder `config/api.yaml` and `config/embedding.yaml` from examples so imports can complete without real API keys.

- Seeded the runtime `StockData` table from `data/stock\_data\_kr.csv` before the simulation loop.
- Normalized KR stock IDs to six digits.
- Made matching engine support KR CSV columns (`stock\_id`, `close\_price`) as well as legacy columns (`ts\_code`, `close`).
- Enforced `--node 10` as the actual user limit for the smoke test.

Execution Results

Final Stage 2 Smoke Test

- Command: `MPLCONFIGDIR=.mplconfig .venv/bin/python simulation.py --start_date 2026-02-02 --end_date 2026-02-06 --stock_code 005930 --use_community False --node 10 --user_db logs_kr_smoke/user_100_kr_stage2.db --forum_db logs_kr_smoke/forum_kr_stage2.db --belief_init_path util/belief/belief_100_kr.csv --stock_data_path data/stock_data_kr.csv --trading_days_path data/trading_days_kr.csv --news_path data/samsung_news.pkl --log_dir logs_kr_smoke --max_workers 8 --activate_prob 0``
- Exit code: 0
- Date range completed: 2026-02-02 through 2026-02-06
- Trading days processed: 5
- Users processed per day: 10
- Effective decisions: 0 per day, expected because `--activate\_prob 0`
- Matching engine completed each day and updated holiday/no-order stock data path.
- DB verification: `StockData` contains `005930` rows from 2025-12-01 through 2026-02-06, 47 rows total.

Latest DB rows:

date	stock_id	close_price	pre_close	pct_chg
2026-02-06	005930	158600	159300.0	-0.439400
2026-02-05	005930	159300	169100.0	-5.795400
2026-02-04	005930	169100	167500.0	0.955200
2026-02-03	005930	167500	150400.0	11.369700
2026-02-02	005930	150400	160500.0	-6.292800

Generated Files

```

config/api.yaml
config/embedding.yaml
logs_kr_smoke/forum_kr_stage2.db
logs_kr_smoke/user_100_kr_stage2.db
logs_kr_smoke/trading_records/2026-02-02.json
logs_kr_smoke/trading_records/2026-02-03.json
logs_kr_smoke/trading_records/2026-02-04.json
logs_kr_smoke/trading_records/2026-02-05.json
logs_kr_smoke/trading_records/2026-02-06.json
logs_kr_smoke/reaction_records/2026-02-02.json
logs_kr_smoke/reaction_records/2026-02-03.json
logs_kr_smoke/reaction_records/2026-02-04.json
logs_kr_smoke/reaction_records/2026-02-05.json
logs_kr_smoke/reaction_records/2026-02-06.json
logs_kr_smoke/post_records/2026-02-02.json
logs_kr_smoke/post_records/2026-02-03.json
logs_kr_smoke/post_records/2026-02-04.json
logs_kr_smoke/post_records/2026-02-05.json
logs_kr_smoke/post_records/2026-02-06.json
stage1_execution_report.md
stage1_execution_report.pdf
~/Downloads/stage1_execution_report.pdf

```

Errors and Tracebacks

Initial import failure

```
FileNotFoundError: [Errno 2] No such file or directory: 'config/embedding.yaml'
```

Resolution: created placeholder config files and pointed the information DB to `data/InformationDB\_samsung`.

First simulation failure

ValueError: 初始化系生: 表 post_references 不存在, 据初始化

Resolution: added `clean\_forum=False` path and skipped forum cleanup when `--use\_community False`.

Second simulation internal errors

理用 ... 出: 'user_id'
KeyError: 'ts_code'

Resolution: skipped agent construction for inactive users, seeded KR `StockData`, and made the matching engine accept KR column names.

Environment

Working directory: /Users/leeyujeong/Desktop/TwinMarket
OS: Darwin LeeYuJeongui-iMac.local 24.2.0 Darwin Kernel Version 24.2.0 arm64
Python: 3.10.20
Platform: macOS- 15.2-arm64-arm-64bit
Virtualenv: .venv
Matplotlib config: MPLCONFIGDIR=.mplconfig
Network: not required for final smoke test

Recommended Next Steps

1. Run the same Stage 2 command with real `config/api.yaml` and `config/embedding.yaml` credentials and `--activate\_prob 1` to validate live LLM decision paths.
2. Update `script/kr/init\_kr\_profiles.py` so `data/sys\_100\_kr.db` is created with KR `StockData` rows, not only KR profile fields.
3. Add a pytest smoke test for `--use\_community False` to prevent forum/table regressions.
4. Decide whether community-off runs should generate empty post/reaction JSON files or skip those files entirely.
5. Commit only after reviewing generated config placeholders, since they are not real secrets and should not be pushed as production credentials.