

SevaSetu — Complete App Flow Specification

Product: SevaSetu

Product Type: Intelligent Community Volunteer Operations Platform

Tagline: Right Volunteer. Right Place. Right Impact.

Frontend: React.js, Vite, Tailwind CSS

Backend: Node.js, Express.js, REST API

Primary Database: Supabase

Agent State: Firebase

Authentication: Clerk

AI: Python + ChatGPT / Gemini / Hugging Face

Deployment: Vercel

NGO Subscription: ₹250/month

1. Product Flow Overview

SevaSetu's complete product journey is:

DISCOVER

↓

MATCH

↓

SCHEDULE

↓

DEPLOY

↓

TRACK

↓

EVALUATE

↓

LEARN

↓

RETAIN

This extends the earlier operational flow of:


Need → Match → Schedule → Deploy → Track → Learn

with the broader product lifecycle:

Discover → Match → Schedule → Deploy → Track

→ Evaluate → Learn → Retain

The platform should support two primary operational sides:



↓

SEVASETU PLATFORM

↓

Matching + Scheduling + Agent

Reliability + Karma + Analytics

The latest feature list defines volunteer profiles, matching, reliability, rostering, emergency mobilization, dashboards, engagement analytics, independent volunteers, Karma, NGO transparency and the Event Intelligence Agent as the major product areas.

2. User Types

2.1 Public Visitor

Can:

- View landing page
- Browse public events
- Browse NGO profiles
- View NGO transparency information
- Learn about SevaSetu
- Start registration
- Login

Cannot:

- Register for events
 - Access dashboards
 - Create NGO events
 - View private volunteer information
 - Access private analytics
-

2.2 Independent Volunteer

An individual who is not affiliated with an NGO.

Can:

- Create volunteer profile
- Add skills
- Add certifications
- Set availability
- Set preferred causes
- Discover public NGO events
- Register for events
- Build verified contribution history
- View Karma
- View Reliability
- View achievements
- Receive recommendations
- Use Event Intelligence Agent guidance
- View NGO transparency profiles

The PRD specifically establishes "Independent Volunteer" as the preferred terminology instead of "Freelance Worker."

2.3 Affiliated Volunteer

A volunteer associated with an NGO.

Can:

- Maintain volunteer profile
- View assigned events

- Accept assignments
 - View shifts
 - Confirm availability
 - Check in
 - Complete assigned tasks
 - View service history
 - View Karma
 - View Reliability
 - View achievements
-

2.4 NGO Administrator

Can:

- Create and manage NGO profile
 - Manage NGO membership
 - Create events
 - Define volunteer requirements
 - View matching recommendations
 - Generate rosters
 - Manage assignments
 - Manage emergency operations
 - Track attendance
 - View analytics
 - Manage transparency information
 - Manage subscription
-

2.5 NGO Coordinator

Can:

- Create/manage assigned events
- Review volunteers
- Manage rosters
- Track attendance

- Coordinate deployments
- Use Agent guidance
- Manage emergency operations if authorized

Cannot:

- Manage organization ownership
 - Change billing ownership unless explicitly authorized
-

2.6 Donor / Public Observer

Can:

- Discover NGOs
- View NGO transparency profiles
- View activity indicators
- Review available public information

The platform should not present a single NGO score as an absolute judgment of social impact.

2.7 Platform Administrator

Can:

- Manage platform users
 - Review reported content
 - Manage platform configuration
 - Review system analytics
 - Handle exceptional operational issues
 - Manage platform-level settings
-

3. Global Navigation

Public Navigation

SevaSetu Logo

Home

For Volunteers

For NGOs

For Donors

About

Login

Get Started

Volunteer Navigation

Dashboard

Discover Events

My Events

My Impact

Karma & Achievements

Profile

Agent

Settings

NGO Navigation

Dashboard

Events

Volunteers

Rosters

Emergency

Analytics

Transparency

Agent

Settings

Billing

4. Landing Page

Purpose

Introduce SevaSetu and direct users into the correct journey.

Sections

1. Hero
 2. How SevaSetu Works
 3. Key Features
 4. Volunteer Benefits
 5. NGO Benefits
 6. Event Intelligence Agent
 7. NGO Transparency
 8. Impact
 9. CTA
 10. Footer
-

Primary Buttons

"Join as a Volunteer"

Action:

Landing Page



Signup



Select Volunteer



Volunteer Onboarding

"Partner as an NGO"

Action:

Landing Page



Signup



Select NGO



NGO Onboarding



Subscription



NGO Dashboard

"Explore Events"

Action:

Landing Page



Public Event Discovery

5. Public Event Discovery

URL

/events

Purpose

Allow visitors and Independent Volunteers to discover public NGO events.

Screen Elements

Search:

Search events, NGOs, causes...

Filters:

- Cause
- Location
- Date
- Distance
- Skills
- Event type

Event card:

Event Image

Event Name

NGO

Cause

Date

Time

Location

Distance

Volunteer Slots

[View Details]

Empty State

If no events exist:

No public events available right now.

Secondary message:

Check again later or explore NGOs aligned with your interests.

Buttons:

Explore NGOs

Clear Filters

Error State

If event retrieval fails:

Unable to load events.

Button:

Try Again

6. NGO Discovery

URL

/ngos

Users can search NGOs by:

- Name
- Cause
- Location
- Activity

Each NGO card shows:

- NGO name
- Cause
- Location
- Activity indicators
- Events conducted
- Transparency indicators

Button:

View NGO

7. NGO Transparency Profile

URL

/ngos/:ngold

Purpose:

Help volunteers and donors make informed decisions using available evidence.

Sections:

Overview

- NGO description
- Causes
- Location
- Established information where available

Activity

- Events conducted
- Volunteer participation
- Service activity
- Active initiatives

Transparency

- Financial reporting availability
- Fund utilization information where available
- Event documentation
- Organization verification information

Community Experience

- Volunteer feedback
- Event experience information

The platform should use evidence-based indicators rather than declaring an NGO "good" or "bad."

8. Signup Flow

Step 1 — Signup

Fields:

- Name
- Email
- Password / authentication method

Clerk handles authentication.

Button:

Create Account

Step 2 — Select User Type

Display:

How would you like to use SevaSetu?

[Volunteer]

[NGO]

Optional public/donor experience can remain accessible without requiring a specialized dashboard.

9. Volunteer Onboarding

After selecting Volunteer:

Account

↓

Basic Information

↓

Skills

↓

Certifications

↓

Experience

↓

Location

↓

Availability

↓

Preferred Causes

↓

Emergency Availability

↓

Complete Profile

↓

Volunteer Dashboard

The volunteer profile includes skills, certifications, experience, location, availability, preferred categories, emergency availability and past participation.

Completion Rule

The system should show:

Profile Completion: 80%

Missing information should be clearly identified.

Example:

Add your availability to improve event matching.

Button:

Complete Profile

10. NGO Onboarding

Flow:

Account

↓

NGO Details

↓

Organization Information

↓

Cause / Categories

↓

Location

↓

Verification Information

↓

Transparency Information

↓

Subscription

↓

NGO Dashboard

11. NGO Subscription Flow

Price

₹250 / month

The feature list specifies the proposed NGO subscription as ₹250 per month.

Subscription Screen

Display:

SevaSetu NGO Plan

₹250/month

Includes:

- Event management
- Intelligent volunteer matching
- Automated roster generation
- Emergency mobilization
- Volunteer recruitment

- Analytics
- NGO transparency profile
- Communication and coordination

Button

Subscribe for ₹250/month

Flow:

Subscription Page

↓

Payment Provider

↓

Payment Processing

↓

Payment Verification

↓

Subscription Activated

↓

NGO Dashboard

Payment Success

Show:

Subscription activated successfully.

Then:

Go to Dashboard

Payment Failure

Show:

Payment could not be completed.

Buttons:

Try Again

Change Payment Method

Do not activate the subscription until payment confirmation is received.

Payment Cancelled

Show:

Payment cancelled.

Button:

Return to Subscription

The user should remain able to retry.

Subscription Expired / Failed Renewal

Restrict creation of new paid operations while preserving access to historical data.

Display:

Your NGO subscription needs attention.

Buttons:

Renew Subscription

View Billing

12. Volunteer Dashboard

URL

/volunteer/dashboard

Purpose

Answer:

"What should I do next?"

Top KPI Cards

- Service Hours
 - Events Participated
 - Karma Points
 - Reliability
 - Achievements
-

Recommended Events

Cards are generated using:

- Skills
- Certifications
- Experience
- Availability
- Location
- Preferences
- Reliability

These criteria are defined in the platform feature list.

Button

View Details

→ Event Details

Empty State

If no recommendations:

No matching opportunities right now.

Suggestions:

- Update skills
- Update availability
- Add preferred causes
- Explore public events

Buttons:

Update Profile

Explore Events

13. Volunteer Profile

URL

/volunteer/profile

Sections:

Personal Information

Skills

Certifications

Experience

Location

Availability

Preferred Causes

Emergency Availability

Participation History

Button:

Edit Profile

After saving:

Profile updated successfully.

14. Event Details

URL

/events/:eventId

Header

Show:

- Event image
- Event name
- NGO
- Cause
- Date
- Time
- Location
- Distance
- Capacity

Requirements

Show:

- Skills
- Certifications
- Experience
- Volunteer count
- Shift requirements

Registration

Button:

Register for Event

Registration Flow

Event Details



Register



Validate:

Availability

Capacity

Conflicts

Requirements



Registration Successful

Success State

You're registered for this event.

Show:

- Date
- Time
- Location
- Assignment status

Button:

View My Events

Full Event

If capacity is reached:

This event is currently full.

Button:

Join Waitlist

If waitlist is not enabled for that event, hide the registration button and show the event status.

Conflict State

If the volunteer already has a conflicting assignment:

You have another commitment during this time.

Buttons:

View My Schedule

Cancel

Do not automatically remove the existing assignment.

15. Registration Status

Possible states:

Interested

Accepted

Waitlisted

Rejected

Cancelled

These statuses are part of the frontend/API model and should be reflected consistently throughout the application.

16. NGO Dashboard

URL

/ngo/dashboard

Purpose:

Answer:

"What needs my attention?"

KPI Cards

- Active Events
 - Total Volunteers
 - Roster Completion
 - Attendance
 - Emergency Status
-

Upcoming Events

Each event shows:

Event

Date

Volunteer Requirement

Assigned

Unfilled

Status

Button:

Manage Event

17. Create Event

URL

/ngo/events/create

Flow:

Basic Event Details

↓

Location

↓

Date & Time

↓

Capacity



Volunteer Requirements



Shifts



Review



Publish

Required Event Fields

- Event name
 - Description
 - Cause/category
 - Location
 - Date
 - Time
 - Capacity
 - Volunteer requirements
-

Requirement Builder

Example:

Role: Medical Volunteer

Required:

First Aid

Medical Assistance

Experience:

1+ year

Required Count:

5

Button:

Add Requirement

18. Event Intelligence Agent During Event Creation

The Agent can analyze:

- Event type
- Location
- Expected crowd
- Similar previous events
- Volunteer requirements
- Historical incidents

It can recommend:

- Staffing needs
- Risks
- Preparations
- Emergency scenarios
- Operational requirements

The Agent's defined role is Event Intelligence and Operations Guidance, not generic chat.

Agent Recommendation UI

Example:

Agent Recommendation

"Consider adding two first-aid trained volunteers based on similar previous events."

Show:

Why?

Historical event context / requirement mismatch.

Buttons:

Apply Recommendation

Dismiss

Applying a recommendation changes a draft field but must not silently publish or deploy anything.

19. Event Publishing

Before publishing:

Show review screen:

Event Details

Requirements

Shifts

Capacity

Location

Buttons:

Back

Save Draft

Publish Event

Publish Success

Event published successfully.

Next actions:

View Event

Find Volunteers

Generate Roster

20. Matching Engine

URL

/ngo/events/:id/matching

When opened:

Event

↓

Analyze Requirements

↓

Find Eligible Volunteers



Rank Candidates



Explain Recommendations

Match Card

Example:

Volunteer A

94% Match

Reasons:

- Required skill matched
 - Certification matched
 - Available
 - Nearby
 - Relevant experience
 - Reliable participation history
-

Match Score

The original concept demonstrates criteria such as skill, availability, distance, experience and certification, while the final feature list expands matching to preferences, reliability and emergency readiness.

The final UI should not hard-code one universal weighting model.

Actions

Assign

View Profile

Compare

Skip

Empty State

No suitable volunteers found.

Suggestions:

- Expand geographic range
- Review requirements
- Review shift time
- Check skill requirements
- Open event to more volunteers

Do not automatically weaken requirements.

21. Volunteer Assignment

When NGO selects:

Assign

System checks:

- Availability
- Existing assignments
- Event capacity
- Role compatibility
- Conflicts

If valid:

Volunteer assigned successfully.

If conflict:

This volunteer has a scheduling conflict.

Actions:

Choose Another Volunteer

View Conflict

Cancel

22. Automated Roster Generation

URL

/ngo/events/:id/roster

Button:

Generate Roster

System considers:

- Event date
- Shifts
- Required count
- Skills
- Availability
- Existing assignments
- Event capacity
- Shift conflicts
- Volunteer workload

These are the explicit roster constraints in the final feature list.

Generated Roster

Example:

08:00–12:00

Required: 10

Assigned: 10

Status: Filled

12:00–16:00

Required: 10

Assigned: 8

Status: Needs 2

16:00–20:00

Required: 8

Assigned: 8

Status: Filled

Roster Actions

Regenerate

Edit Assignment

Add Volunteer

Add Backup

Finalize Roster

Finalize Confirmation

Modal:

Finalize this roster?

Message:

After finalization, assignment changes may require explicit updates.

Buttons:

Cancel

Finalize Roster

Success:

Roster finalized successfully.

23. Volunteer Assignment Confirmation

Volunteer receives:

You've been assigned to [Event Name].

Show:

- Date
- Time
- Location
- Role
- Shift
- NGO

Buttons:

View Event

Confirm Assignment

If confirmation is required:

Confirm

Decline

24. My Events

Volunteer navigation:

My Events

Tabs:

- Upcoming
- Past
- Cancelled

Each event displays:

- Status
 - Shift
 - Location
 - Assignment
 - Check-in status
-

25. Attendance Flow

At event:

My Event

↓

Check In

↓

Attendance Recorded

↓

Task Participation

↓

Check Out / Event Completion

Successful Check-In

Attendance recorded successfully.

Show timestamp.

Duplicate Check-In

You are already checked in for this event.

Button:

View Event

Invalid Check-In

You cannot check in for this event right now.

Possible reason:

- Outside check-in window
 - Not assigned
 - Event cancelled
-

26. Task Completion

Volunteer views assigned tasks.

Example:

Task:

Distribute medical supplies

Status:

Pending

[Mark Complete]

After completion:

Task marked complete.

This contributes to the participation record.

27. Post-Event Evaluation

After event completion:

System updates:

- Attendance

- Task completion
- Service hours
- Participation history
- Reliability
- Karma

The feature list explicitly separates Reliability from Karma: Reliability asks whether the volunteer can be depended upon, while Karma represents contribution.

28. Reliability Profile

Screen

Reliability: 91/100

Breakdown:

- Attendance
- On-time arrival
- Task completion
- Previous commitments
- Participation history

Confirmed absence should be treated differently from an unexcused no-show.

Empty State

For a new volunteer:

Not enough participation history yet.

Instead of showing an arbitrary score, display:

Build your participation history to generate a meaningful reliability profile.

29. Karma / Impact Profile

Screen

Show:

- Karma Points
- Service Hours
- Completed Events
- Critical Assignments

- Skills Contributed
- Achievements
- Long-term participation

Karma represents verified community contribution rather than reliability.

30. Karma Empty State

For a new volunteer:

Your impact journey starts here.

Message:

Participate in verified community events to build your contribution history.

Button:

Discover Events

31. Achievements

Display milestone cards.

Example:

5 Events Completed

10 Hours Served

Emergency Volunteer

Community Helper

If no achievements:

No achievements yet.

Button:

Explore Opportunities

32. Independent Volunteer Journey

Complete flow:

Landing

↓

Join as Volunteer

↓

Select Independent Volunteer



Profile



Discover Events



View NGO



View Event



Register



Participate



Verified Contribution



Karma + Reliability



Discover More NGOs



Potential Long-Term Affiliation

The feature list specifically defines this ecosystem as a way for unaffiliated people to participate in public NGO events, build verified contribution history, discover aligned organizations and potentially become recurring volunteers or join organizations.

33. Emergency Mobilization

NGO Emergency Screen

Button:

Create Emergency

Emergency Creation

Fields:

- Emergency title
 - Location
 - Required volunteers
 - Required skills
 - Certifications
 - Experience
 - Emergency availability
 - Time requirement
-

Emergency Flow

Create Emergency



Identify Suitable Volunteers



Broadcast



Accept / Decline



Confirmation



Backup Volunteers



Deployment



Check-In



Task Completion



Close Emergency

This is the defined emergency workflow in the final feature list.

34. Emergency Broadcast Confirmation

Before broadcast:

Modal:

Send emergency alert to eligible volunteers?

Show:

Target Volunteers: 42

Required: 20

Location: ...

Skills: ...

Buttons:

Cancel

Broadcast Alert

Broadcast Success

Emergency alert sent successfully.

Live state:

Responses: 8

Confirmed: 5

Required: 20

35. Emergency Volunteer Response

Volunteer receives:

Emergency Volunteer Request

Show:

- Emergency type
- Location
- Required skill
- Expected time
- Safety/preparation guidance

Buttons:

Accept

Decline

Accept

Show:

Your response has been recorded.

Status:

Confirmed

Decline

Show:

Response recorded.

No negative reliability event should be automatically created merely because someone declines an emergency request.

36. Emergency Backup Allocation

If primary volunteer count is insufficient:

Confirmed: 14 / 20



Find Backup Candidates



Notify Backup Volunteers

Display:

6 more volunteers required.

Button:

Notify Backup Volunteers

37. Emergency Deployment

Only authorized NGO users can initiate deployment.

Confirmation:

Deploy confirmed volunteers?

Buttons:

Cancel

Deploy

After deployment:

Deployed: 20/20

The frontend must distinguish:

Confirmed $\neq$ Deployed

38. Emergency Failure States

Broadcast Failure

Emergency alert could not be sent.

Buttons:

Retry

Cancel

Insufficient Volunteers

Not enough qualified volunteers are available.

Show:

- Required
- Confirmed
- Gap

Button:

Notify Backup Group

Real-Time Connection Failure

Live emergency updates are temporarily unavailable.

System should continue retrieving status through normal API requests.

39. Event Intelligence Agent

URL

/agent

The Agent is not a generic chatbot.

It is an:

Event Intelligence & Operations Guide

It uses event and operational context.

40. Agent Modes

Event Guidance

Questions:

- What should we prepare?
- What staffing is needed?
- What risks should we consider?

Historical Analysis

Questions:

- What happened during similar events?
- What issues occurred previously?

Preparation

Recommendations:

- Equipment
- Staffing
- Volunteer roles
- Preparation steps

Risk & Emergency

Recommendations:

- Possible operational risks
- Preparedness measures
- Staffing gaps

Volunteer Assistant

Guides Independent Volunteers about:

- Role
- Responsibilities
- Preparation
- Safety considerations

NGO Assistant

Helps NGO users understand:

- Event requirements
 - Staffing
 - Matching
 - Operational gaps
-

41. Agent Interaction

Flow:

Open Agent

↓

Select Context

↓

Ask Question

↓

Agent Retrieves Context

↓

Analyze

↓

Generate Recommendation

↓

Show Recommendation + Reasoning/Basis

42. Agent Recommendation State

Every recommendation should show:

AI Recommendation

Recommendation:

Add 2 first-aid volunteers.

Why:

Similar event context indicates additional medical coverage may be useful.

[Apply]

[Dismiss]

The Agent recommends; the human decides.

It must not silently:

- Publish an event
- Assign volunteers
- Broadcast an emergency
- Deploy volunteers
- Award Karma
- Change attendance

43. Agent Error State

If Agent service fails:

The Event Intelligence Agent is temporarily unavailable.

Buttons:

Try Again

Continue Without Agent

The core platform must remain usable without the Agent.

44. Agent Empty State

Before context is selected:

Tell me what you're working on.

Suggestions:

Analyze this event

Review staffing needs

Prepare for risks

Explain volunteer recommendations

45. NGO Analytics

URL

/ngo/analytics

Display:

Participation

- Volunteer participation
- Service hours
- Attendance

Engagement

- Participation frequency
- Returning volunteers
- Inactivity

Retention

- Retention trends

Skill Gaps

- Required skills
- Available skills

Event Performance

- Completed events
- Roster completion
- Attendance

The platform's engagement analytics specifically include service hours, participation frequency, milestones, recognition, engagement trends, inactivity, burnout indicators and retention trends.

46. Analytics Empty State

For a new NGO:

Not enough activity data yet.

Message:

Create and complete events to start generating meaningful analytics.

Button:

Create Event

Do not show misleading zero-value charts if there is not enough data.

47. NGO Transparency Management

NGO administrators can edit:

- Organization details
- Financial reporting availability
- Fund utilization information
- Event documentation
- Active initiatives
- Public activity information

Button:

Update Transparency Profile

After save:

Transparency profile updated successfully.

48. Settings

Volunteer Settings

- Account
- Notifications
- Privacy
- Availability
- Emergency preferences

NGO Settings

- Organization
 - Team members
 - Notifications
 - Privacy
 - Transparency
 - Billing
 - Subscription
-

49. Notification Center

Notifications include:

Volunteer

- Event recommendation
- Registration confirmation
- Assignment
- Shift reminder
- Emergency request
- Task reminder
- Achievement
- Karma update

NGO

- Volunteer registration
- Matching completed
- Roster issue
- Volunteer cancellation
- Emergency response
- Attendance update
- Analytics update
- Subscription notification

50. Notification States

Unread:

Bold

Read:

Normal

No notifications:

You're all caught up.

51. Search and Filtering

Search should be available for:

- Events
- NGOs
- Volunteers where authorized

- Skills

Every filter screen must support:

Apply Filters

Clear Filters

52. Universal Loading States

Every asynchronous page should use skeleton loading rather than a blank screen.

Examples:

Event card skeleton

Volunteer card skeleton

Dashboard KPI skeleton

Chart skeleton

Agent response skeleton

53. Universal Error States

401

Session expired.

Message:

Your session has expired. Please log in again.

Button:

Login

403

You don't have permission to perform this action.

Button:

Go Back

404

This page or resource could not be found.

Button:

Go Home

409

Used for:

- Scheduling conflict
- Duplicate registration
- Capacity conflict

Show the specific conflict rather than a generic error.

500

Something went wrong on our side.

Buttons:

Try Again

Go Home

54. Unsaved Changes

If a user attempts to leave a form with unsaved changes:

Modal:

You have unsaved changes.

Buttons:

Stay

Discard Changes

55. Delete / Destructive Actions

For:

- Delete event
- Remove volunteer
- Cancel event
- Cancel assignment

Use confirmation modal.

Example:

Cancel this event?

Message:

Volunteers assigned to this event may be affected.

Buttons:

Keep Event

56. Event Cancellation

If NGO cancels an event:

Draft

Published

↓

Cancelled

All affected volunteers receive notifications.

The event remains visible in historical records as cancelled.

57. Volunteer Cancellation

Volunteer selects:

Cancel Assignment

Show:

Are you sure you want to cancel this assignment?

After confirmation:

- Assignment becomes cancelled
- NGO is notified
- Roster is marked for review if required

Do not automatically penalize a volunteer without the appropriate participation rules.

58. NGO Billing Flow

NGO Dashboard

↓

Settings

↓

Billing

↓

Current Plan

↓

₹250/month



Payment History



Manage Subscription

Billing screen should show:

- Current subscription status
- Price
- Renewal information
- Payment history
- Subscription state

59. Access After Subscription Failure

If NGO subscription becomes inactive:

Still allow:

- Login
- View profile
- View historical events
- View historical analytics
- View historical volunteer records

Restrict appropriate new paid functionality according to the product's subscription rules.

Show persistent notice:

Your SevaSetu subscription is inactive. Renew to continue using NGO operations features.

60. Mobile Navigation

On mobile use bottom navigation.

Volunteer:

Home

Events

Impact

Agent

Profile

NGO:

Home

Events

Emergency

Analytics

Profile

Critical emergency controls should remain easily accessible.

61. Deep-Link Rules

Examples:

/events/:id

/ngos/:id

/volunteer/events/:id

/ngo/events/:id

/ngo/events/:id/matching

/ngo/events/:id/roster

/emergency/:id

/agent

If an unauthenticated user opens a protected route:

Protected Route

↓

Login

↓

Return to Original Route

62. Authentication Flow

Open Protected Page

↓

Is Authenticated?

/ \

NO YES

↓ ↓

Login Check Role

↓ ↓

Clerk Authorized?

/ \

NO YES

↓ ↓

Access Page

Denied

Clerk is responsible for authentication while backend authorization determines whether the authenticated user can perform a specific operation.

63. Session Expiration

If the session expires during an operation:

1. Preserve unsaved local form data where safe.
2. Redirect to login.
3. After successful login, return to the previous route.
4. Never duplicate a sensitive operation automatically.

64. API Failure Behavior

Frontend request:

React

↓

Express API

↓

Service / Database

If request fails:

Loading

↓

Error

↓

Retry

For idempotent GET requests, retry can be automatic where appropriate.

For operations such as:

- Emergency broadcast
- Payment
- Assignment
- Attendance

never blindly retry a potentially duplicated action.

65. Data Refresh Rules

After successful mutation:

Create Event

↓

API Success

↓

Invalidate Event Cache

↓

Refresh Event List

Similarly:

Assignment

↓

Refresh Roster

↓

Refresh Volunteer Assignment

66. Core Page Inventory

Public

/

/events

/events/:id

/ngos

/ngos/:id

/about

/login

/signup

Volunteer

/volunteer/dashboard

/volunteer/discover

/volunteer/events

/volunteer/events/:id

/volunteer/impact

/volunteer/karma

/volunteer/profile

/volunteer/agent

/volunteer/settings

NGO

/ngo/dashboard

/ngo/events

/ngo/events/create

/ngo/events/:id

/ngo/events/:id/matching

/ngo/events/:id/roster

/ngo/volunteers

/ngo/emergency

/ngo/emergency/:id

/ngo/analytics

/ngo/transparency

/ngo/agent

/ngo/settings

/ngo/billing

Platform Admin

/admin/dashboard

/admin/users

/admin/ngos

/admin/events

/admin/reports

/admin/analytics

/admin/settings

67. Complete Volunteer Journey

LANDING PAGE

↓

Join as Volunteer

↓

SIGN UP

↓

Volunteer Onboarding

↓

PROFILE COMPLETE

↓

VOLUNTEER DASHBOARD

↓

Recommended Events

↓

EVENT DETAILS

↓

Register

↓

Registration Validation

↓

Accepted / Waitlisted

↓

Assignment



Schedule



Event Reminder



CHECK-IN



TASK COMPLETION



EVENT COMPLETED



Attendance + Service Hours



Reliability Updated



Karma Updated



Achievement / Recognition



New Recommendations



RETAIN

68. Complete NGO Journey

LANDING



Partner as NGO



SIGN UP



NGO ONBOARDING



SUBSCRIPTION



₹250 PAYMENT



NGO DASHBOARD



CREATE EVENT



EVENT REQUIREMENTS



AGENT GUIDANCE



PUBLISH



MATCHING



REVIEW RECOMMENDATIONS



ROSTER GENERATION



FINALIZE



VOLUNTEER CONFIRMATION



EVENT



ATTENDANCE



TASK COMPLETION

↓

ANALYTICS

↓

LEARN

69. Complete Emergency Journey

NGO

↓

Create Emergency

↓

Define Requirements

↓

Find Qualified Volunteers

↓

Broadcast

↓

Volunteer Responses

↓

Confirm Volunteers

↓

Check Coverage

↓

If Gap Exists

↓

Backup Allocation

↓

Deploy

↓

Check-In

↓

Task Completion

↓

Close Emergency

↓

Update Participation

↓

Update Reliability

↓

Update Karma

70. Complete Agent Journey

User

↓

Open Agent

↓

Select Context

↓

Ask Question

↓

Retrieve Relevant SevaSetu Data

↓

Analyze

↓

Generate Recommendation

↓

Explain Basis

↓

Human Reviews

↓

Apply / Dismiss

71. Product-Level Empty State Principles

Empty states should always explain:

1. Why the section is empty.
2. What the user can do next.

Bad:

No data.

Good:

No upcoming events yet. Discover an opportunity that matches your skills and causes.

Button:

Discover Events

72. Product-Level Success State Principles

Every successful operation should:

1. Confirm what happened.
2. Show the resulting state.
3. Provide the next useful action.

Example:

Event published successfully.

12 volunteers are currently eligible for matching.

Buttons:

Find Volunteers

View Event

73. Product-Level Error State Principles

Every error should:

1. Explain what failed.
2. Avoid technical jargon.
3. Tell the user whether their data was saved.
4. Provide a recovery action.

Example:

We couldn't generate the roster.

Your event requirements were saved. No assignments were changed.

Button:

Try Again

74. AI Coding Agent Implementation Rules

The AI coding agent must follow these rules:

Rule 1

Never create an undefined screen when an existing route can handle the state.

Rule 2

Every API request needs:

Loading

Success

Error

Empty

states where applicable.

Rule 3

Every protected route must enforce authentication and authorization.

Rule 4

Every destructive action requires confirmation.

Rule 5

Emergency operations require explicit confirmation.

Rule 6

AI recommendations must never silently execute irreversible operations.

Rule 7

Reliability and Karma must always remain separate.

Rule 8

NGO transparency must be evidence-based rather than an absolute NGO quality rating.

Rule 9

Supabase remains the source of truth for core business data.

Rule 10

Firebase should be used for Agent state/context rather than duplicating core business records.

Rule 11


Sensitive third-party credentials must never be exposed in frontend code.


Rule 12

The ₹250/month subscription applies to NGOs according to the current business model.

75. Final Product State Model

The complete SevaSetu ecosystem can be represented as:





↓

ANALYTICS

↓

EVENT INTELLIGENCE

↓

FUTURE MATCHING

↓

RETENTION

76. Final Navigation Philosophy

The entire application should follow one principle:

Every user should always know what to do next.

For volunteers:

Discover → Register → Participate → Build Impact → Discover Again

For NGOs:

Create → Match → Schedule → Deploy → Track → Learn

For emergencies:

Alert → Confirm → Backup → Deploy → Check-in → Complete

For the Agent:

Understand → Recommend → Explain → Human Decides

For the platform:

Track → Evaluate → Learn → Improve

This keeps the interface aligned with SevaSetu's central promise:

Right Volunteer. Right Place. Right Impact.