

(globals)
asses Debug
program4.cpp
1 #include<iostream>
2 using namespace std;
3 int main()
4 {
5 int x = 10;
6 int *p;
7 p = &x;
8 cout << "x = " << x << endl;
9 cout << "&x = " << &x << endl;
10 cout << "p = " << p << endl;
11 return 0;
12 }
C:\D local\BSAI\3rd Semester
x = 10
&x = 0x6ffe34
p = 0x6ffe34
Process exited after 1.768 seconds with return value 0
Press any key to continue . . .

```cpp
#include<iostream>
using namespace std;
int main()
{
    int max,min;
    int arr[7]={23,34,43,23,44,53,45};
    int *p=arr;
    max=*p;
    for(int i=1;i<7;i++)
    {
        if(*(p+i)>max)
        max=*(p+i);
    }
        cout<<"Maximum value is :"<<max;
    min=*p;
    cout<<endl;
        for(int i=1;i<7;i++)
    {
        if(*(p+i)<min)
        min=*(p+i);
    }
    cout<<"Minimum value is :"<<min;
```

```
C:\D local\BSAI\3rd Semester'


Maximum value is :53
Minimum value is :23
--------------------------------
Process exited after 1.455 seconds with return v
Press any key to continue . . .
```

program6.cpp

```cpp
#include<iostream>
using namespace std;
int main()
{
    int n;
    int mark[7]={45,34,53,896,435,664,865};
    int *p=mark;
    cout<<"Enter number you want to find:";
    cin>>n;
    for(int i=0;i<7;i++)
    {
        if(n==*(p+i))
        cout<<"Index of that number is: "<<i<<"\nand Addr
    }
    return 0;
}
```

C:\D local\BSAI\3rd Semester

```
Enter number you want to find:45
Index of that number is: 0
and Address of that operator is :0x6ffe10
--------------------------------
Process exited after 5.937 seconds with return value 0
Press any key to continue . . .
```



```cpp
#include <iostream>
using namespace std;
int main()
{
    int swap;
    int arr[25];
    int array[25];
    for (int i = 0; i < 25; i++) {
        arr[i] = i + 1;
        cout<<arr[i]<<" ";
    }
    cout<<endl;
    for (int i = 0; i < 25; i++){
        array[i] = (i + 1) * 10;
        cout<<array[i]<<" ";
    }
    cout << "\n\n--- After Swapping ---\n";
    for (int i = 0; i < 25; i++) {
        swap = arr[i];
        arr[i] = array[i];
        array[i] = swap;
    }
    cout << "First Array: ";
    for (int i = 0; i < 25; i++) {
        cout << arr[i] << " ";
    }
    cout << endl;
    cout << "Second Array: ";
    for (int i = 0; i < 25; i++) {
        cout << array[i] << " ";
    }
    cout << endl;
    return 0;
}
```

```
C:\D local\BSAI\3rd Semester'

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220 2

--- After Swapping ---
First Array: 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190
Second Array: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25

--------------------------------
Process exited after 2.116 seconds with return value 0
Press any key to continue . . .
```

rogram2.cpp

```cpp
#include<iostream>
using namespace std;
int main()
{
    int marks[5];
    int *p=marks;
    for(int i=0;i<5;i++)
    {
    cout<<"Enter marks: ";
    cin>>*(p+1);
    }
    cout<<"\nStudent Marks:";
    for(int i=0;i<5;i++)
    {
        cout<<*(p+1)<<" ";
    }
    return 0;
}
```

C:\D local\BSAI\3rd Semester'

```
Enter marks: 65
Enter marks: 54
Enter marks: 24
Enter marks: 25
Enter marks: 23
```

Program3.cpp

```cpp
#include<iostream>
using namespace std;
int main()
{
    int n;
    cout<<"Enter size: ";
    cin>>n;
    int *arr=new int[n];
    for(int i=0;i<n;i++)
    {
        cout<<"Enter value:
        cin>>arr[i];
    }
    cout<<"Array: ";
    for(int i=0;i<n;i++)
    {
        cout<<arr[i]<<" ";
}
delete[] arr;
return 0;
}
```

```
C:\D local\BSAI\3rd Semester'
Enter size: 2
Enter value: 11
Enter value: 22
Array: 11 22
--------------------------------
Process exited after 4.756 seconds with return value 0
Press any key to continue . . .
```