

Home > App Services > shop

shop | App Service logs

Web App

logs

Save Discard Send us your feedback

- Activity log
- Diagnose and solve problems
- Log stream
- Deployment
 - Deployment slots
- Settings
 - Authentication
- Monitoring
 - Logs
 - App Service logs**
- Automation
 - Tasks

Application logging ⓘ

Off File System

Quota (MB) * ⓘ

35

Retention Period (Days) * ⓘ

3

Download logs

FTP/deployment username

No FTP/deployment user set

FTP

ftp://waws-prod-yt1-057.ftp.azurewebsites.windows.net/site/wwwroot

FTPS

ftps://waws-prod-yt1-057.ftp.azurewebsites.windows.net/site/wwwroot


МодульAdd -app.la sh xAzureAzurePEREErrorEnableAzureAzureDeployAzureСписок+

az webapp log tail --name shop --resource-group myAppResourceGroup

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Switch to PowerShellRestartManage filesNew sessionEditorWeb previewSettingsHelp

2025-01-16T21:10:32.9990789Z Hibernate: select c1_0.id,c1_0.email,c1_0.enabled,c1_0.name,c1_0.password,c1_0.role,c1_0.shipping_address from client c1_0 order by c1_0.id offset ? rows fetch first ? rows only
2025-01-16T21:10:33.1955929Z Hibernate: select count(c1_0.id) from client c1_0
2025-01-16T21:10:33.1990195Z 2025-01-16T21:10:33.198Z INFO 1 --- [io-8080-exec-10] c.e.r.a.a.aspect.LoggingServices : Method getAllClients returned with result: client/clients
2025-01-16T21:09:51.7914357Z Container is starting.
2025-01-16T21:09:51.7915011Z Establishing user namespace if not established already.
2025-01-16T21:09:51.7915407Z Establishing network if not established already.
2025-01-16T21:09:51.7915789Z Mounting volumes.
2025-01-16T21:09:51.7916896Z Nested mountpoint volatile/logs
2025-01-16T21:09:51.7957123Z Nested mountpoint
2025-01-16T21:09:51.8083791Z Creating container.
2025-01-16T21:09:51.8084283Z Creating pipes for streaming container io.
2025-01-16T21:09:51.8084568Z Creating stdout named pipe at /podr/container/pipe/shop_28288650/stdout_46fa7f677f0d47a781f3e73d654d71f4.
2025-01-16T21:09:51.8118987Z Successfully created stdout named pipe at: /podr/container/pipe/shop_28288650/stdout_46fa7f677f0d47a781f3e73d654d71f4.
2025-01-16T21:09:51.8121991Z Opening named pipe /podr/container/pipe/shop_28288650/stdout_46fa7f677f0d47a781f3e73d654d71f4 for reading in non-blocking mode.
2025-01-16T21:09:51.8122598Z Successfully opened named pipe: /podr/container/pipe/shop_28288650/stdout_46fa7f677f0d47a781f3e73d654d71f4.
2025-01-16T21:09:51.8122901Z Successfully removed non-blocking flag from /podr/container/pipe/shop_28288650/stdout_46fa7f677f0d47a781f3e73d654d71f4.
2025-01-16T21:09:51.8123286Z Creating stderr named pipe at /podr/container/pipe/shop_28288650/stderr_4701c40cb8e34198b27a97217c407525.
2025-01-16T21:09:51.8124030Z Successfully created stderr named pipe at: /podr/container/pipe/shop_28288650/stderr_4701c40cb8e34198b27a97217c407525.
2025-01-16T21:09:51.8124313Z Opening named pipe /podr/container/pipe/shop_28288650/stderr_4701c40cb8e34198b27a97217c407525 for reading in non-blocking mode.
2025-01-16T21:09:51.8124737Z Successfully opened named pipe: /podr/container/pipe/shop_28288650/stderr_4701c40cb8e34198b27a97217c407525.
2025-01-16T21:09:51.8125122Z Successfully removed non-blocking flag from /podr/container/pipe/shop_28288650/stderr_4701c40cb8e34198b27a97217c407525.
2025-01-16T21:09:51.8125503Z Creating container with image: index.docker.io/ukrsite/appliancestoretestspringbootmain_app:latest from registry: index.docker.io and fully qualified image name: index.docker.io/ukrsite/appliancestoretestspringbootmain_app:latest
2025-01-16T21:09:52.1250891Z Starting container: shop_28288650.
2025-01-16T21:09:52.1461714Z Starting watchers and probes.
2025-01-16T21:09:52.1463599Z Starting metrics collection.
2025-01-16T21:09:52.1464568Z Container is running.
2025-01-16T21:09:52.1659044Z Container start method finished after 2195 ms.
2025-01-16T21:10:13.3494452Z Site startup probe succeeded after 21.1750384 seconds.
2025-01-16T21:10:13.3974177Z Site started.



Practical Task 5: Deploying a Web Application Using Azure App Services

Set up and deploy a simple web application using **Azure App Services**.

Requirements:

1. Create an Azure **App** Service (Web App) using the Azure Free Tier.
2. Select the runtime stack of your choice (e.g., .NET, Python, Node.js) during the setup.
3. Develop or use a sample web application (e.g., a "Hello World" app) and deploy it to the App Service using:
 - Azure Portal
 - Azure CLI
 - Or direct deployment from a GitHub repository.
4. Test the deployed application by accessing its URL provided by Azure App Services.
5. Enable **App Service Logs** and verify that application logs are being generated.
6. Clean up resources after completion to avoid unnecessary usage.

shop | Activity log Web App

Search

Activity Edit columns Refresh Export Activity Logs Download as CSV Insights Feedback Pin current filters Reset filters

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Microsoft Defender for Cloud
- Events (preview)
- Recommended services (preview)
- Log stream
- Deployment
- Settings
- Performance
- App Service plan
- Development Tools
- API
- Monitoring

Looking for Log Analytics? In Log Analytics you can search for performance, diagnostics, health logs, and more. Visit Log Analytics

Search Quick Insights

Management Group : None Subscription : Azure subscription 1 Event severity : All Timespan : Last 6 hours

Resource group : myAppResourceGroup Resource : shop Add Filter

6 items.

Operation name	Status	Time	Time stamp	Subscription	Event initiated by
> 'auditIfNotExists' Policy action.	Failed	40 minutes ...	Thu Jan 16 ...	Azure subscription 1	ukrsite@ukr.net
> StopWebSite	Succeeded	44 minutes ...	Thu Jan 16 ...	Azure subscription 1	
∨ Stop Web App	Succeeded	44 minutes ...	Thu Jan 16 ...	Azure subscription 1	ukrsite@ukr.net
Stop Web App	Started	44 minutes ...	Thu Jan 16 ...	Azure subscription 1	ukrsite@ukr.net
∨ CreateWebSite	Succeeded	50 minutes ...	Thu Jan 16 ...	Azure subscription 1	
CreateWebSite	Started	51 minutes ...	Thu Jan 16 ...	Azure subscription 1	

Clients list

ID ^	Name ↕	Email ↕	Shipping Address ↕	Active ↕	Operations
1	Mercury	mercury@gmail.com	123 Mercury St, Solar City, SC 12345	true	Lock
2	Venus	venus@gmail.com	456 Venus Ave, Solar City, SC 12345	true	Lock
3	Earth	earth@gmail.com	789 Earth Blvd, Solar City, SC 12345	true	Lock
4	Mars	lamGod@gmail.com	101 Mars Rd, Solar City, SC 12345	true	Lock
5	Jupiter	jupiter@gmail.com	202 Jupiter Ln, Solar City, SC 12345	true	Lock

Модуль 5Add - Ankaapp.landingMicrosoftAzure ConAzure LoTitle2 notificatClipperz

portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2Fbf75502e-bab2-4709-9623-0...

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home

Microsoft.Web-WebApp-Portal-08cd376a-acc5 | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

OverviewInputsOutputsTemplate

✓ Your deployment is complete

Deployment name: Microsoft.Web-WebApp-Portal-08cd37...

Subscription: [Azure subscription 1](#)

Resource group: [myAppResourceGroup](#)

Start time: 1/16/2025, 8:13:12 PM

Correlation ID: 73d48515-27d7-4a33-a16a-732ca603c981

Deployment details

Next steps

Manage deployments for your app. Recommended

Protect your app with authentication. Recommended

Go to resource

Give feedback

Tell us about your experience with deployment

Deployment succeeded

Deployment 'Microsoft.Web-WebApp-Portal-08cd376a-acc5' to resource group 'myAppResourceGroup' was successful.

Go to resourcePin to dashboard

Cost Management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Модуль 5Add - An...app.landinCreate WeAzure ConAzure LoaTitle2 notificatClipperz

portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > App Services >

Create Web App

BasicsDatabaseContainerNetworkingMonitor + secureTagsReview + create

Summary

Web Appby Microsoft

Free skuEstimated price - Free

Basic authentication for this app is currently disabled and may impact deployments. Click to learn more.

Details

Subscription	bf75502e-bab2-4709-9623-046fbddb39b7
Resource Group	myAppResourceGroup
Name	shop
Secure unique default hostname	Enabled
Publish	Container
Image:Tag	index.docker.io/ukrsite/appliancestoretestspringbootmain_app:latest
Server URL	https://index.docker.io

Create< PreviousNext >Download a template for automation

Модуль 5Add - An...app.landinCreate WeAzure ConAzure LoaTitle2 notificatClipperz

portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > App Services >

Create Web App

BasicsDatabaseContainerNetworkingMonitor + secureTagsReview + create

The following features are optional and billed separately. Microsoft recommends enabling them to ensure the most robust protections and capabilities to monitor and secure your web applications.

Application Insights

Azure Monitor application insights is an Application Performance Management (APM) service for developers and DevOps professionals. Enable it below to automatically monitor your application. It will detect performance anomalies, and includes powerful analytics tools to help you diagnose issues and to understand what users actually do with your app. Your bill is based on amount of data used by Application Insights and your data retention settings. [Learn more](#)

[App Insights pricing](#)

Enable Application Insights * ☒ No ☐ Yes

Application Insights code-less monitoring for Linux containers currently supports .NET, Java and Node.js applications. If your container uses a different language, consider including the Application Insights SDK in your container.

Microsoft Defender for Cloud

When you add the Defender for App Service plan to your Azure subscription, you get a cloud-native security solution that monitors logs, requests, VM instance, and more—detecting threats and ongoing attacks to your resources. [More benefits of Defender for App Service](#)

Review + create

< Previous

Next : Tags >

Модуль 5Add - An...app.landinCreate WeAzure ConAzure LoaTitle2 notificatClipperz

portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

HomeApp Services

Create Web App

BasicsDatabaseContainerNetworkingMonitor + secureTagsReview + create

Web Apps can be provisioned with the inbound address being public to the internet or isolated to an Azure virtual network. Web Apps can also be provisioned with outbound traffic able to reach endpoints in a virtual network, be governed by network security groups or affected by virtual network routes. By default, your app is open to the internet and cannot reach into a virtual network. These aspects can also be changed after the app is provisioned. [Learn more](#)

Enable public access * ? ☒ On ☐ Off

Network injection is only available in Basic, Standard, Premium, Premium V2, and Premium V3 Dedicated App Service plans.

Enable network injection ☐ On ☒ Off

Review + create

< Previous

Next : Monitor + secure >

Модуль 5Add - Ankiapp.landingCreate WeAzure ConAzure LoaTitle2 notificatClipperz

portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > App Services >

Create Web App

BasicsDatabaseContainerNetworkingMonitor + secureTagsReview + create

Select your preferred source for container images. You can change these settings and other dependencies after creating the app. [Learn more](#)

Sidecar support

☒ Enhanced configuration with sidecar support off [Learn More](#)

Image Source *

☐ Quickstart

☐ Azure Container Registry

☒ Other container registries

Docker hub options

Access Type *

☒ Public

☐ Private

Registry server URL *

https://index.docker.io

Image and tag *

ukrsite/appliancestoretestspringbootmain_app:latest

Startup Command ⓘ

Example: /bin/bash; -c; echo hello; sleep 10000

Review + create

< Previous

Next : Networking >

Модуль 5Add - Anklapp.landinCreate WeAzure ConAzure LoaTitle2 notificatClipperz

portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > App Services >

Create Web App

Service Environment.

Pricing plans

App Service plan pricing tier determines the location, features, cost and compute resources associated with your app.
[Learn more](#)

Linux Plan (Canada Central) * ⓘ(New) ASP-myAppResourceGroup-beeeCreate new

Pricing planFree F1 (Shared infrastructure)Explore pricing plans

Zone redundancy

An App Service plan can be deployed as a zone redundant service in the regions that support it. This is a deployment time only decision. You can't make an App Service plan zone redundant after it has been deployed [Learn more](#)

Zone redundancy

☐ Enabled: Your App Service plan and the apps in it will be zone redundant. The minimum App Service plan instance count will be three.

☒ Disabled: Your App Service Plan and the apps in it will not be zone redundant. The minimum App Service plan instance count will be one.

Review + create

< Previous

Next : Database >

Модуль 5Add - An...app.landinCreate WeAzure ConAzure LoTitle2 notificatClipperz

portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureUpgradeSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > App Services >

Create Web App

Subscription * ⓘAzure subscription 1

Resource Group * ⓘmyAppResourceGroup
[Create new](#)

Instance Details

Name

shop

-eugnc7dna0eea2ba.canadacentral-01.azurewebsites.net

☒ Secure unique default hostname on. [More about this update](#)

Publish *

☐ Code ☒ Container

Operating System *

☒ Linux ☐ Windows

Region *

Canada Central

Not finding your App Service Plan? Try a different region or select your App Service Environment.

Pricing plans

Review + create

< Previous

Next : Database >