

Practical Task 1: Upload and Retrieve Files with Azure Blob Storage

Use Azure Blob Storage for storing and retrieving files.

Requirements:

1. Create a new storage account in Azure.
2. Set up a Blob container named "my-container" with public access.
3. Upload a sample text file to the Blob container using the Azure portal.
4. Download the uploaded file to verify successful retrieval.
5. Use Azure Storage Explorer to manage and view blobs in your container.

Home > Storage accounts > storageaccount20250125

Storage accounts

Default Directory

+ Create ↶ Restore ...

Filter for any field...

Name ↑↓

storageaccount20250125

< Page 1 of 1 >

Overview

Blob: city.png

Save Discard Download Refresh Delete Change tier Acquire lease Break lease Give feedback

Properties

URL	https://storageacco... <div>Copy to clipboard</div>
LAST MODIFIED	1/19/2025, 7:50:04 PM
CREATION TIME	1/19/2025, 7:50:04 PM
VERSION ID	-
TYPE	Block blob
SIZE	176.85 KiB
ACCESS TIER	Hot (Inferred)
ACCESS TIER LAST MODIFIED	N/A
ARCHIVE STATUS	-
REHYDRATE PRIORITY	-
SERVER ENCRYPTED	true
ETAG	0x8DD38B1B4C258F8
VERSION-LEVEL IMMUTABILITY POLICY	Disabled
CACHE-CONTROL	
CONTENT-TYPE	image/png
CONTENT-MD5	iXfRafBQPFXHLQXgxz6D/...
CONTENT-ENCODING	
CONTENT-LANGUAGE	

Home > Storage accounts > storageaccount20250125

Storage accounts

Default Directory

CreateRestore

Filter for any field...

Name

storageaccount20250125

storageaccount20250125 | Storage browser

Storage account

Search

storageaccount20250125

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Partner solutions

Data storage

Containers

File shares

Queues

Tables

Security + networking

storageaccount20250125

Favorites

Recently viewed

Blob containers

\$logs

newcontainer

View all

File shares

Queues

Tables

Add DirectoryUploadChange access level

Blob containers > newcontainer


Authentication method: Access key (Switch to Microsoft Entra user account)



Add filter

Search blobs by prefix (c...Only show active blobs

Showing all 2 items

	Name	Last modified	Access tier
<input checked="" type="checkbox"/>	city.png	19/01/2025, 19:50:04	Hot (Inferred)
<input type="checkbox"/>	error handli...	19/01/2025, 19:40:36	Hot (Inferred)





Модуль 5Add - Ankapp.landinAzure Dev05 AzureAzure Corcity.pngAzure VMStepan

portal.azure.com/#view/Microsoft_Azure_Storage/BlobPropertiesBladeV2/storageAccountId/%2Fsubscriptions%2Fbf75502e-bab2-4...

Microsoft AzureSearch resources, services, and docs (G+)

Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > storageaccount20250125_1737307938048 | Overview > storageaccount20250125 | Containers > newcontainer >

newcontainerContainer

Search

UploadChange access level

OverviewDiagnose and solve problemsAccess Control (IAM)Settings

Authentication method: Access key (Switch to Microsoft Entra user account)Location: newcontainerSearch blobs by prefix (case-...Show deleted blobsAdd filter

Name

☐

city.png

☐

error handling.java

city.pngBlob

SaveDiscardDownloadRefreshDeleteChange tierAcquire lease

OverviewVersionsSnapshotsEditGenerate SAS

Properties

URLhttps://storageacco...

LAST MODIFIED1/19/2025, 7:50:04 PM

CREATION TIME1/19/2025, 7:50:04 PM

VERSION ID-

TYPEBlock blob

SIZE176.85 KiB

ACCESS TIERHot (Inferred)

ACCESS TIER LAST MODIFIEDN/A

ARCHIVE STATUS-

REHYDRATE PRIORITY-

SERVER ENCRYPTEDtrue

ETAG0x8DD38B1B4C258F8

VERSION-LEVEL IMMUTABILITY POLICYDisabled

CACHE-CONTROL

CONTENT-TYPEimage/png

CONTENT-MD5ixfRafBQPFXHLQXgxz6D/...

Модуль 5Add - Ankapp.landinAzure Dev05 AzureAzure CorUpload blobAzure VMStepan

portal.azure.com/#view/Microsoft_Azure_Storage/ContainerMenuBlade/~/overview/storageAccountId/%2Fsubscriptions%2Fbf75502...

Microsoft AzureSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > storageaccount20250125_1737307938048 | Overview > storageaccount20250125 | Containers >

newcontainerContainer

Search

OverviewDiagnose and solve problemsAccess Control (IAM)Settings

UploadChange access levelRefreshDeleteChange t

Authentication method: Access key (Switch to Microsoft Entra user account)
Location: newcontainer

Search blobs by prefix (case-sensitive)

Add filter

Name	Modified	Access tier	Arch
No results			

Upload blob

1 file(s) selected: error handling.java
Drag and drop files here or [Browse for files](#)

☐ Overwrite if files already exist

Advanced

Upload

Give feedback

Модуль 5Add - Ankiapp.landingAzure Dev05 AzureAzure CopistorageacAzure VMStepan

portal.azure.com/#@ukrsiteukr.onmicrosoft.com/resource/subscriptions/bf75502e-bab2-4709-9623-046fbddb39b7/resourcegroup...

Microsoft AzureSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > storageaccount20250125_1737307938048 | Overview > storageaccount20250125

storageaccount20250125 | Containers

Storage account

Search

+ ContainerChange access levelRestore containersRefreshDeleteGive feedback

Search containers by prefixShow deleted containers

Name	Last modified	Anonymous access level	Lease state
<input type="checkbox"/> \$logs	1/19/2025, 7:33:03 PM	Private	Available
<input type="checkbox"/> newcontainer	1/19/2025, 7:39:28 PM	Container	Available

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Partner solutions

Data storage

Containers

File shares

Queues

Tables

Security + networking

Модуль 5Add - Ankiapp.landingAzure Dev05 AzureAzure CopNew contAzure VMStepan

portal.azure.com/#@ukrsiteukr.onmicrosoft.com/resource/subscriptions/bf75502e-bab2-4709-9623-046fbddb39b7/resourcegroup...

Microsoft AzureSearch resources, services, and docs (G+/)Copilotukrsite@ukr.netDEFAULT DIRECTORY

Home > storageaccount20250125_1737307938048 | Overview > storageaccount20250125

storageaccount20250125 | Containers

Storage account

Search

+ ContainerChange access levelRestore containersRefreshDeleteGive

Search containers by prefix

	Name	Last modified	
<input type="checkbox"/>	\$logs	1/19/2025, 7:33:03 PM	P

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Partner solutions

Data storage

Containers

File shares

Queues

Tables

Security + networking

New container

Name *

newcontainer

Anonymous access level ⓘ

Container (anonymous read access for containers and blobs) ▾

⚠ All container and blob data can be read by anonymous request. Clients can enumerate blobs within the container by anonymous request, but cannot enumerate containers within the storage account.

Advanced

Create

Give feedback

Модуль 5Add - Ankapp.landinAzure Dev05 AzureAzure CopCreate a sAzure VMStepan

portal.azure.com/#create/Microsoft.StorageAccount-ARM

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

Home > Storage accounts >

Create a storage account

BasicsAdvancedNetworkingData protectionEncryptionTagsReview + create

Network connectivity

You can connect to your storage account either publicly, via public IP addresses or service endpoints, or privately, using a private endpoint.

Network access *

☒ Enable public access from all networks

☐ Enable public access from selected virtual networks and IP addresses

☐ Disable public access and use private access

Enabling public access from all networks might make this resource available publicly. Unless public access is required, we recommend using a more restricted access type. [Learn more](#)

Private endpoint

Create a private endpoint to allow a private connection to this resource. Additional private endpoint connections can be created within the storage account or private link center.

+ Add private endpoint

PreviousNextReview + create

Give feedback

Модуль 5Add - Ankapp.landinAzure Dev05 AzureAzure CopCreate a sAzure VMStepan

portal.azure.com/#create/Microsoft.StorageAccount-ARM

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

ukrsite@ukr.netDEFAULT DIRECTORY

HomeStorage accounts

Create a storage account

Security

Configure security settings that impact your storage account.

Require secure transfer for REST API operations

Allow enabling anonymous access on individual containers

Enable storage account key access

Default to Microsoft Entra authorization in the Azure portal

Minimum TLS version

Permitted scope for copy operations (preview)

☒

☒

☒

☐

Version 1.2

From any storage account

Hierarchical Namespace

Hierarchical namespace, complemented by Data Lake Storage Gen2 endpoint, enables file and directory semantics, accelerates big data analytics workloads, and enables access control lists (ACLs) [Learn more](#)

Enable hierarchical namespace

Access protocols

PreviousNextReview + create

Give feedback

Модуль 5Add - An...app.landinAzure Dev05 AzureAzure CopCreate a sAzure VMStepan

portal.azure.com/#create/Microsoft.StorageAccount-ARM

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

ukrsite@ukr.netDEFAULT DIRECTORY

HomeStorage accounts

Create a storage account

Subscription *Azure subscription 1

Resource group *(New) rg-dev-storageAccount

Create new

Instance details

Storage account name * storageaccount20250125

Region * (US) East US

Deploy to an Azure Extended Zone

Primary service Azure Blob Storage or Azure Data Lake Storage Gen 2

Performance *

Standard: Recommended for most scenarios (general-purpose v2 account)

Premium: Recommended for scenarios that require low latency.

Redundancy * Geo-redundant storage (GRS)

Make read access to data available in the event of regional unavailability.

PreviousNextReview + create

Give feedback