

Foundations of the Universal Quantum Foam Hypothesis (UQSH)

Ukshin Q. Rexhepi
Independent Researcher
Tübingen, Germany
ukshin.rexhepi@gmail.com

Conceptual origin: 8 November 2025
05 March 2026 on Figshare

Abstract

Modern cosmology has achieved remarkable empirical successes. The Λ CDM model reproduces with high precision large-scale structure formation, the statistical properties of the cosmic microwave background (CMB), baryon acoustic oscillations, as well as the observed accelerated expansion of the universe. Within its range of applicability, it constitutes a quantitatively extremely powerful descriptive model.

At the same time, the ontological structure of this framework remains interpretatively open. Approximately ninety-five percent of the cosmic energy content is attributed to dark matter and dark energy – components invoked to explain gravitational effects and large-scale dynamics whose microphysical nature has not yet been identified. In addition, several persistent discrepancies in precision cosmology, for example in the determination of the Hubble parameter or the amplitude of matter-density fluctuations, indicate that the current model may not yet represent a final theoretical level of description.

The present work is not intended as a refutation of the standard model. Rather, an alternative ontological interpretation of the same observational data is proposed within a unified field-mechanical framework: the Universal Quantum Foam Hypothesis (UQSH).

Within the UQSH, the universe is described as a single continuous field without an external carrier medium. Matter, radiation, and gravitation do not appear as fundamentally separate entities, but as different organizational states of this field. Stable particles correspond to persistently bound state modes of field organization. Radiation is not modeled as the transport of discrete objects through empty space, but as a spatially ordered sequence of local field reorganizations that proceed at an invariant maximal rate. Gravitation arises as large-scale geometric organization within the same medium.

From this perspective, cosmological redshift is not interpreted as metric expansion of space, but as a continuous reorganization of the internal temporal density of a propagating field dynamics. Spectral structures are understood as the stable response of bound field modes to incoming reorganizations. The cosmic background radiation does not appear as a relic of an explosive origin, but as a stationary coupling band within an ongoing reorganization process of the field.

The aim of this work is to formulate the fundamental principles of this framework coherently and with internal consistency. The focus lies on conceptual clarity rather than immediate quantitative completeness. Where possible, the formal structure of established equations is retained; their ontological interpretation is, however, reformulated.

The central thesis is deliberately stated with restraint: many cosmological observations could be interpreted consistently within a stationary continuous field model, without assuming additional ontologically independent components beyond the field itself. Whether this approach can reproduce the full quantitative performance of the Λ CDM model remains an open question and defines the main direction of future investigations.

This work presents the foundational axioms and a minimal field formulation of the Universal Quantum Foam Hypothesis (UQSH).

The framework interprets physical phenomena such as matter, radiation, and gravitation as different organizational regimes of a continuous dynamical field.

A minimal field equation and its effective gravitational limit are introduced in order to connect the ontological framework with established physical

descriptions.

This work does not claim to present a complete microscopic field theory, but formulates a minimal conceptual and mathematical framework intended to structure and interpret different physical regimes.

Notational clarification

In earlier UQSH works, the local organizational state of the field was denoted by $Qu(x, t)$.

In later works, the same quantity is presented for mathematical unification as the scalar field $\phi(x, t)$:

$$Qu(x, t) = \phi(x, t)$$

All equations can be read accordingly in this notation.

1 Definition of the fundamental field and the organizational parameter

Definition 1 – Fundamental field and the central ontological reduction

A fundamental, continuous field

$$\phi(x, t)$$

is postulated that carries the entirety of physical phenomena. This field is not to be understood as one interaction field among many, but as the ontological base structure from which all observable dynamics emerge. Matter, radiation, interactions, and gravitation therefore do not appear in this framework as independent fundamental entities, but as different organizational states or dynamics of the same continuous, dynamic, and structurable field.

Definition 2 – Local organizational/saturation parameter

The local organizational or stress state of the fundamental field is described by the value of the field

$$\phi(x, t)$$

itself.

Conceptually:

- High local amplitudes or strong gradients of ϕ correspond to highly organized field states.
- Low values correspond to weakly bound or rarefied states.
- Gradients of ϕ drive local reorganization processes in the field.

Definition 3 – Dynamical meaning

The temporal evolution of field structures proceeds through local reorganization of ϕ . The maximally possible rate of this reorganization is invariant and corresponds to the observed speed of light:

$$c = \text{maximal reorganization rate of } \phi.$$

Thus, c is not the transport speed of an object, but a structural property of the field itself.

2 Axioms of the Universal Quantum Foam Hypothesis (UQSH)

Axiom 1 – Existence of a universal continuous field

There exists exactly one fundamental, space-filling, continuous field ϕ . This field has no external carrier medium and no external embedding space. All physical phenomena are organizational states or dynamics of this field.

Axiom 2 – Ontological closure

There are no physical entities outside of ϕ . Particles, radiation, interactions, and gravitation are not independent objects, but different organizational modes of the same field.

Axiom 3 – Local reorganization dynamics

The fundamental dynamics of ϕ consists of local reorganization processes. These reorganizations occur exclusively locally and determine the temporal evolution of all field states.

Axiom 4 – Scale dependence of field organization

The observable properties of the fundamental field ϕ depend on the organizational or observational regime.

Field states may appear differently depending on spatial and temporal scale, although they arise from the same fundamental dynamics.

In particular, propagating field dynamics may appear as radiation on one scale, while on other scales they may be interpreted as persistent organizational structures of the field.

Axiom 5 – Maximal reorganization rate

There exists a universal upper bound for the rate of local field reorganization. This bound is identical to the observed speed of light c :

$$c = \text{maximal reorganization rate of } \phi$$

This invariance is structural and independent of the state of motion of local observers.

Axiom 6 – Stable bound state modes

Certain field configurations can stabilize as persistently bound state modes. Such stable modes correspond to what is observed as material particles.

Axiom 7 – Radiation as propagating limit dynamics

Radiation is not the transport of discrete objects through empty space. It is a spatially ordered sequence of local field reorganizations that propagate at the maximal rate c .

On macroscopic scales, radiation appears as freely propagating limit dynamics of the field.

Depending on the observer regime and organizational scale, such dynamics can also appear as persistent field structures, especially when they are coupled to stable organizational states of the field.

Axiom 8 – Gravitation as universal field deformation

In this framework, gravitation does not appear as an additional fundamental force, but as the geometric response of the field to stable organizational states.

Free field excitations can also produce short-lived local deformations. Such transient distortions, however, propagate onward with the dynamics of the excitation and do not generate a permanent gravitational field.

Persistent gravitational effects arise only when field organizations remain stably bound over longer times. Such stabilized organizational states correspond to what macroscopically appears as material mass.

Individual free field excitations generate only transient deformations of the field geometry. In a cosmological context, however, very many such excitations from different sources and directions overlap.

Their statistical superposition can lead to an almost isotropic background of field stresses. Such a background acts quasi-stationarily over large scales and can provide an additional contribution to the effective gravitational field geometry.

In this sense, parts of the observed dark-matter phenomenology can be interpreted as the macroscopic expression of long-lived background stresses of the field.

Axiom 9 – Energy as a measure of organization

Energy is not an independent substance, but a measure of the degree of organization or stress state of the field. Energy conservation corresponds to the local conservation of field organization:

$$\nabla_\mu T^{\mu\nu} = 0.$$

The degree of organization of the field is described by the local amplitude $\phi(x)$ as well as by its spatial gradients $\nabla\phi(x)$.

The binding energy density therefore does not arise from an independent substance, but from the structure of the field state itself. High amplitudes or strong gradients correspond to more strongly organized or bound field configurations.

Axiom 10 – Stationarity of the field medium

The field ϕ as a whole does not expand globally. Cosmological effects such as redshift arise from integrated reorganization processes within a stationary medium.

3 Ontological clarification

The UQSH postulates no ensemble of discrete particles, no background space, and no spacetime structure independent of matter.

There exists exclusively a continuous field ϕ whose organizational states represent all observable phenomena.

Objects are not independent substances. They are stably bound organizational modes of the field.

Radiation is not the transport of particles. It is a propagating limit dynamics of local reorganization.

Space is not a container. It describes the relations between coexisting field states.

Time is not an independent dimension. It parameterizes the sequence of reorganization processes within the field.

Thus, the ontology of the theory is reduced to a single entity: a structurally organizable, dynamical field.

4 Minimal structural consequences of the axioms

4.1 Existence of an invariant maximal reorganization rate

From Axiom 1 (existence of a continuous field) and Axiom 5 (existence of a maximal reorganization rate) it follows:

- There exists a universal upper bound for any local state change of the field.
- No information or structure transfer can exceed this rate.
- This rate is observer-independent.
- Transformations between reference frames must not violate this bound.

This yields the structural necessity of a Lorentz-like invariance.

4.2 Conservation structure

From Axiom 1 (field continuity) and Axiom 3 (local organization instead of substance transport) it follows:

Organization cannot disappear; it can only be redistributed or reorganized.

This implies the necessity of a local conservation equation of the form

$$\nabla_\mu T^{\mu\nu} = 0$$

not as an additional assumption, but as a consequence of the continuity of the field.

4.3 Emergence of relativistic time dilation

If every state change is bounded by the same maximal reorganization rate, it follows:

A system that is strongly reorganized internally has less available reorganization capacity for external processes.

This yields:

- slowed internal ticking of moving systems,
- gravitational time dilation in strongly deformed field regions.

4.4 Scale invariance of relative spectral structures

From Axiom 2 (structure as an organizational mode) it follows:

Relative eigenmodes of stable organization are invariant under global scale shifts.

If the global field ticking reorganizes, for instance in the sense of a redshift, absolute frequencies change, but relative eigenvalue ratios remain preserved.

This explains the preservation of atomic spectral lines and the identity of chemical signatures over cosmological distances, without assuming metric expansion of space.

4.5 Gravitation as geometric field deformation

From Axiom 7 it follows:

Every structural deformation of the field, even minimal, produces local geometric modification.

To first approximation, the gravitational effect can be described as the gradient of the organizational state:

$$\mathbf{g} \propto -\nabla\phi$$

Thus gravitational accelerations arise wherever spatial gradients in the organizational state of the field are present.

In the weak-field regime and for slowly varying organizational gradients, a Poisson-like relation emerges in the limit:

$$\nabla^2\phi \propto \rho.$$

Free oscillations or short-lived excitations of the field lead only to transient deformations that relax again after the reorganization has passed.

Persistent gravitational effects arise only when stable bound organizational modes exist that maintain a lasting distortion of the field's organizational state.

Bound states generate stable deformation patterns. Large-scale organization leads to effective field geometry.

This yields orbit curvature, gravitational lensing effects, and gravitational time dilation.

In this framework, the Einstein equations appear as a macroscopic approximation of a deeper field geometry.

4.6 Dark-matter effects as field stress states

Within the UQSH, the effective gravitational potential can be identified with the local organizational state of the field:

$$\Phi(x) = \alpha \phi(x)$$

The observed acceleration follows as

$$\vec{a}(x) = -\nabla\Phi(x) = -\alpha\nabla\phi(x)$$

where α is a dimension-dependent proportionality factor.

Additional gravitational effects usually attributed to dark matter appear in this framework as large-scale stress or organizational profiles of the field.

5 Reconstruction of known physics from field structure

The goal of this section is not to replace established theories, but to show how they can arise as effective descriptions of organized states of the field ϕ .

5.1 Scale-relative mapping operator of limit dynamics

The propagation of radiation is described as a scale-relative reorganization of a limit dynamics along a path γ .

Let Ψ_{src} be the source structure of a modulated limit dynamics. The observed structure results from a path-dependent reorganization operator:

$$\Psi_{\text{obs}} = T_{\gamma}(\Psi_{\text{src}}).$$

Conceptually, this operator can be decomposed into three coupled contributions:

$$T_{\gamma} = S_{\gamma} \circ D_{\gamma} \circ A_{\gamma},$$

where

- S_{γ} describes spectral scaling,
- D_{γ} describes temporal scaling (time dilation),
- A_{γ} describes intensity or coupling scaling.

All three are manifestations of the same field-mechanical scaling along the propagation path.

The effective scaling factor is written as a path-dependent function of the organizational parameter ϕ :

$$\sigma(\gamma) = \Sigma \left(\int_{\gamma} \Xi(\phi(x)) ds \right).$$

Thus the observed spectral shift, time dilation, and intensity change depend on the cumulative field structure along the propagation path.

5.2 Emergence of electromagnetic structure

Oscillatory limit modes

Consider small linear perturbations around a stationary background state of ϕ . If the field allows transverse, propagating limit reorganizations at maximal rate c , then the linearized dynamics must structurally correspond to a wave equation:

$$\partial_t^2 \Psi - c^2 \nabla^2 \Psi = 0$$

where Ψ describes small deviations from equilibrium. This equation is structurally equivalent to the electromagnetic vacuum wave equation.

Charge as stable local organization

If certain localized configurations of ϕ are stable and generate long-range deformation patterns in the surrounding field, they behave macroscopically like sources. In suitable limits this can reproduce effective equations such as:

$$\nabla \cdot \mathbf{E} = \rho, \quad \nabla \times \mathbf{B} - \frac{1}{c^2} \frac{\partial \mathbf{E}}{\partial t} = \mathbf{J}.$$

Charge is therefore not an independent substance, but a stable topological or geometric organizational mode of the field.

5.3 Emergence of inertia

From Axiom 4 it follows: If a bound configuration is accelerated, its internal organization must be redistributed. Acceleration therefore requires internal reorganization. Resistance to acceleration is an expression of the stability of persistent field states. A change in their macroscopic motion requires an internal reorganization of the bound field structure.

In this framework, mass appears as a persistent bound organizational form of the field. The relativistic relation

$$E = mc^2$$

can therefore be interpreted as an expression of the reorganization capacity of bound field structures: when such a structure is dissolved, its bound organization transitions into freely propagating field dynamics.

5.4 Emergence of gravitation

Persistent organization deforms the surrounding field structure. If this deformation influences the propagation of limit reorganizations, trajectories follow effective geodesics in the deformed organizational geometry.

In the weak-field regime and at low velocities, the dynamics must reduce in the limit to

$$\nabla^2\Phi = 4\pi G\rho$$

In the relativistic domain, the macroscopic limit of cumulative field deformation yields a relation structurally equivalent to

$$G_{\mu\nu} = 8\pi G T_{\mu\nu}.$$

5.5 Quantization as discrete stable modes

From Axiom 2 and Axiom 5 it follows: stability implies discrete eigenmodes. A continuous background organization allows only certain self-consistent localized solutions that correspond to quantized energy levels, stable particle states, and discrete transition frequencies.

Quantization is not postulated, but follows from the structural self-consistency of local organizational modes in the continuous field.

5.6 Cosmological redshift without metric expansion

If the global field organization relaxes along cumulative gradients, the internal ticking of propagating limit modes changes gradually.

Let the local reorganization density be described by the organizational state of the field $\phi(x)$. Then along a path:

$$\frac{df}{dr} = -\kappa f \nabla\phi(x)$$

Integration leads to an exponential decrease in frequency. In the large-scale limit, a Hubble-like relation may emerge:

$$z \approx \frac{H_{\text{eff}} r}{c},$$

where H_{eff} is an effective integrated field gradient.

The parameter κ describes an effective coupling coefficient between the local field organization and the reorganization rate of the propagating field excitation.

The frequency drift is determined by gradients of the organizational state, since only spatial differences in field organization can cause a continuous reorganization of propagating field excitations.

In a cosmological mean, the organizational gradient can be approximated as spatially constant. In this case, the frequency drift integrates to a linear distance dependence:

$$z \approx H_{\text{eff}} \frac{r}{c}$$

with an effective Hubble parameter

$$H_{\text{eff}} = c \kappa |\nabla \phi|.$$

5.7 Cosmic background as a coupling band

If field excitations reorganize over large distances, they eventually reach a frequency band in which they can still couple efficiently to the material observational regime.

This band appears observationally as the cosmic background radiation. It is not a stationary end state, but an observer-dependent transit regime of strongly reorganized field excitations within an ongoing dynamical field.

The change of the observed frequency along a propagation path can be idealized as

$$\frac{df}{dr} = -\kappa f \nabla \phi(x)$$

where κ describes an effective coupling coefficient and $\phi(x)$ denotes the local organizational state of the field.

The observed Planck spectrum of the cosmic background radiation can in this framework be interpreted as a statistical distribution of strongly reorganized field excitations within a scale-relative coupling band.

The temperature of approximately $T \approx 2,725$ K does not necessarily mark a thermal equilibrium state of an early cosmic phase, but rather the frequency range in which highly rarefied limit dynamics can still couple efficiently to our material observational regime at present.

A complete quantitative derivation of the exact temperature as well as the observed anisotropies requires a detailed dynamical modeling of large-scale field organization and remains a task for future work.

6 Mathematical structure of the field ϕ

This section does not establish a finished field theory, but defines a minimal mathematical architecture that fits the axioms and does not block later formalization.

6.1 What kind of field is ϕ ? Scalar, vector, tensor

Minimal assumption: scalar field as organizational density

The minimally consistent mathematical representation of the fundamental field is a scalar field

$$\phi \equiv \phi(x, t),$$

which locally encodes a quantity such as organizational density, degree of stress, or reorganization potential.

Extension: field with internal degrees of freedom

In order for EM-like structures and stable nodes to appear more naturally, a multi-component minimal form is plausible:

$$\phi(x, t) \in R^n.$$

This remains ontologically “one field”, but is mathematically rich enough to formulate waves, polarization states, and topological stability more precisely.

Tensorial view: geometry as a field state

Since gravitation in the UQSH is interpreted as field geometry, a representation suggests itself in which an effective metric emerges from ϕ :

$$g_{\mu\nu}^{(\text{eff})} = g_{\mu\nu}^{(\text{eff})}(\phi, \partial\phi, \dots).$$

This does not mean that spacetime is fundamental, but that measurable geometry is an effective description of the behavior of limit dynamics in the deformed field.

6.2 Internal symmetries

For ϕ to be universal, it must possess at least a class of symmetries that stabilize its dynamics.

In the stationary mean state:

- no preferred locations,
- no preferred directions.

Stable particle states become mathematically especially natural if the field possesses a phase structure or internal rotational symmetries. Then stable modes often arise as topological defects, vortices/resonances, or nested eigenmodes.

6.3 Conserved quantities

Minimally, effective conservation should emerge for:

- energy as a reorganization budget,
- momentum as directed organizational redistribution,
- “charge” as a topologically protected invariant of certain organizational nodes.

7 Relation to quantum field theory and the standard model

Quantum field theory describes nature in terms of multiple fundamental fields on a spacetime; particles appear there as quantized excitations.

The UQSH differs ontologically:

- QFT: several fundamental fields,
- UQSH: a single universal field medium ϕ .

Quantization does not appear as a primary postulate, but as an expression of stable discrete reorganization modes.

Gauge-like structures can arise from internal symmetries of ϕ : not multiple independent gauge fields, but structured couplings of different organizational sectors of the same medium.

8 Cosmological structure formation within the UQSH

Within the UQSH, cosmological structure does not arise from matter collecting in an expanding space, but through differentiation within a stationary field medium ϕ .

Nodes correspond to highly saturated organizational centers, filaments to coupled stress gradients, voids to lower-stress relaxation regions.

Structure is an emergent organizational phenomenon, not an expanding relic.

9 Time, causality, and the thermodynamic direction in a stationary field

Time is the ordered sequence of local field reorganizations. Where no reorganization occurs, no time passes.

Entropy measures the structural distribution of field organization over possible configurations, i.e. reorganization freedom.

Causality follows from the finite reorganization rate:

$$c = \text{maximal local reorganization rate of } \phi$$

Cosmic history is an ongoing field-dynamical process without an ontological beginning of time.

10 Relativity as emergent field kinematics

Lorentz invariance is preserved; only the ontological interpretation is changed: spacetime is not fundamental, but the invariance of the maximal reorganization rate.

Time dilation is reorganization slowing; length contraction is structural projection of stably bound field states relative to the maximal reorganization direction.

11 Quantum structure as a limit dynamics of the field

Discreteness arises from stability conditions of continuous field organization, not from fundamental particles.

The electron is a minimal stable organizational mode of ϕ ; charge, mass, and spin are organizational aspects (orientation asymmetry, saturation density, rotational limit structure).

Measurement is a mode transition from distributed reorganization to stable limit coupling.

12 Testable consequences and quantitative predictions

An ontological framework must not remain purely interpretive; it must generate observationally distinguishable consequences.

Possible test fields:

- path dependences of redshift (correlation with large-scale inhomogeneities),
- CMB anomalies as structural asymmetries rather than initial conditions,
- dark-matter phenomenology as field geometry without a new particle species,
- late expansion history as relaxation dynamics rather than a cosmological constant,
- possible subtle dispersion signatures for gravitational waves in regions of extreme gradients.

13 Falsifiability and critical thresholds

The approach would be challenged if:

- redshift is unambiguously demonstrated as a purely metric effect without structural deviations,

- CMB anisotropies are fully and without alternative explained by inflation,
- dark matter is directly established as a consistent, universal particle species,
- the cosmological constant is unambiguously derivable microphysically from vacuum energy.

14 Mathematical development plan

14.1 Minimal mathematical core of the UQSH

The fundamental dynamical quantity of the Universal Quantum Foam Hypothesis is described by a scalar field

$$\phi(x, t)$$

This field represents the local organizational or stress state of the underlying space field.

In earlier UQSH works, the same quantity was denoted by the symbol $Qu(x, t)$. Both notations describe the same physical content:

$$Qu(x, t) \equiv \phi(x, t).$$

The use of the ϕ notation serves exclusively for mathematical unification and follows the usual representation of scalar fields in field theory.

Dynamical field equation A minimal dynamical description of the field takes the form of a nonlinear wave equation:

$$\partial_t^2 \phi - c^2 \nabla^2 \phi + V'(\phi) = 0,$$

where $V(\phi)$ is an effective organizational potential that specifies relaxation dynamics as well as the possibility of stable organizational modes.

For small perturbations around a stationary background state, this equation reduces approximately to the linear wave equation

$$\partial_t^2 \phi - c^2 \nabla^2 \phi = 0.$$

Universal reorganization rate The propagation speed of propagating field excitations is determined by a universal maximal reorganization rate c . This rate corresponds to the speed at which local changes of the field state can be transmitted causally.

Since all field reorganizations occur within the same continuous medium, there exists no second fundamental propagation rate. Different local reorganization speeds would lead to inconsistent field evolutions and structural instabilities.

The constant c thus appears as the universal limit rate of field reorganization and corresponds macroscopically to the observed speed of light.

Propagating solutions of this equation appear on suitable scales as radiation or freely propagating field reorganization.

Scale invariance of the reorganization rate In this framework, the constant c is not a material-dependent propagation speed, but the universal limit rate of field reorganization. As such, c is scale-invariant: regardless of whether a field excitation appears as free radiation or as the internal dynamics of a bound organizational state, local reorganization processes are transmitted causally at the maximal rate c .

Why bound states cannot be moved macroscopically at c Bound organizational states (material structures) are collective patterns of field organization. Their macroscopic translation requires continuous internal reorganization that must satisfy binding conditions and stability criteria.

While local reorganization processes within the structure can still propagate at the limit rate c , the macroscopic transport speed of the entire bound pattern remains strictly below c . Moving a bound state at c would require lossless, instantaneous reorganization of the entire structure along the direction of motion and would thereby destroy the stability of the bound state.

Spherical propagation of field excitations Local reorganization events of the field generate propagating limit dynamics. Due to the isotropic structure of the underlying field medium, such excitations propagate in the simplest case spherically from the location of excitation.

Mathematically, this corresponds to the fundamental solutions of the wave equation, whose phase fronts form spherical surfaces in the isotropic limit.

Each local field reorganization therefore generates a spherically propagating limit dynamics.

Bound field organization Bound material states are interpreted as stable organizational modes of the field. A minimal structure-dependent description of bound field organization can be given by an effective binding density

$$\rho_{\text{bind}}(x) = \kappa \left(\frac{1}{2} K \phi(x)^2 + \frac{1}{2} L |\nabla \phi(x)|^2 \right)$$

The first term describes local field binding; the second describes organizational energy stored in spatial structure.

Internal dynamics of bound organizational modes Bound organizational states of the field, which macroscopically appear as material particles, constitute stable collective modes of field organization. The internal dynamics of these modes remains determined by the same fundamental reorganization rate c that also fixes the propagation of free field excitations.

Within such a bound state, local field reorganizations still propagate at the maximal reorganization rate c . The macroscopic motion of the entire organizational pattern can, however, appear significantly slower, since it is determined by the collective dynamics of the bound structure.

A reduced transport speed of material structures therefore does not represent a reduction of the fundamental reorganization rate, but follows from the geometric and dynamical organization of the underlying field modes.

Gravitational interface In the quasistatic limit, an effective gravitational potential can be identified with the field state:

$$\Phi(x) = \alpha \phi(x).$$

The resulting acceleration is

$$\vec{a}(x) = -\nabla \Phi(x) = -\alpha \nabla \phi(x).$$

Thus gravitation appears as the geometric response of the field to spatial inhomogeneities of its organizational state.

A Poisson-like relation connects bound field organization to the resulting field geometry:

$$\nabla^2\phi(x) \propto \rho_{\text{bind}}(x).$$

These relations do not constitute a complete microscopic field theory, but define a minimal formal interface between the ontological structure of the UQSH and established effective descriptions of physics.

Lagrangian formulation The dynamical field equation can be derived from a minimal Lagrangian density

$$\mathcal{L} = \frac{1}{2}(\partial_t\phi)^2 - \frac{1}{2}c^2|\nabla\phi|^2 - V(\phi)$$

Variation of the corresponding action yields the Euler–Lagrange equation

$$\partial_t^2\phi - c^2\nabla^2\phi + V'(\phi) = 0.$$

14.1 Coupling regimes and discretization

It remains to be specified how regime-internal discreteness arises mathematically, how threshold values are defined, and how coupling windows remain stable (important, among other things, for the scale-relative coupling band of the cosmic background radiation and for the invariance of spectral structures).

14.2 Numerical simulation

In the long term, the UQSH requires simulation of large-scale field gradients, modeling of saturation clusters, and comparison with observed structure formation.

15 Concluding remark

The UQSH is not a finished model. It is a coherent framework with clearly defined ontological basic assumptions.

Its viability will not be decided by rhetorical persuasiveness, but by mathematical derivability, empirical consistency, and quantitative predictive power.

If it becomes possible to describe gravitation, quantum structure, and cosmology as different regimes of a single field, this would drastically reduce the number of fundamental entities.

Whether this is possible remains an open but precisely formulable physical question.

Parts of the editorial work were carried out with the support of AI-based tools.

Citation

Rexhepi, U. Q. (2026). *Foundations of the Universal Quantum Foam Hypothesis (UQSH)*.

Ukshin Q. Rexhepi. Independent Researcher. Tübingen, Germany. <https://orcid.org/0009-0003-4145-5431>

Figshare: <https://doi.org/10.6084/m9.figshare.31549585>

Book on Amazon KDP: <https://www.amazon.com/dp/B0GPQMX92G>

References

- [1] A. Einstein, *Is the inertia of a body dependent upon its energy content?* Annalen der Physik, 18, 639–641 (1905).
- [2] E. Noether, *Invariant Variation Problems*, Nachrichten von der Gesellschaft der Wissenschaften zu Göttingen, Mathematisch-Physikalische Klasse, 235–257 (1918).
- [3] J. d’Alembert, *Research on the curve formed by a stretched string set into vibration*, Histoire de l’Académie Royale des Sciences et Belles-Lettres de Berlin (1747).
- [4] J. L. Lagrange, *Analytical Mechanics*, Paris (1788).
- [5] L. D. Landau and E. M. Lifshitz, *The Classical Theory of Fields*, Course of Theoretical Physics, Vol. 2, Pergamon Press (1975).
- [6] M. Peskin and D. Schroeder, *An Introduction to Quantum Field Theory*, Addison-Wesley (1995).