

UQSH Master Formulation

Ukshin Q. Rexhepi
Tübingen, Germany
ukshin.rexhepi@gmail.com

Conceptual origin: 8 November 2025
08 March 2026 on Figshare

UQSH Master Formulation

The Universal Quantum Foam Hypothesis (UQSH) describes physical phenomena as different projections of a single dynamic field $\phi(x, t)$, whose local organization, reorganization, and propagation generate the observable structures of physics.

Dynamic Field Equation

The fundamental dynamics of the field is described by:

$$\partial_t^2 \phi - c^2 \nabla^2 \phi + V'(\phi) = J_{\text{bind}}[\phi] - J_{\text{relax}}[\phi] + J_{\text{free}}[\phi]$$

Where:

- $J_{\text{bind}}[\phi]$ represents the local self-binding of the field (emergence of stable bound states),
- $J_{\text{relax}}[\phi]$ represents the large-scale relaxation or thinning tendency of the field,
- $J_{\text{free}}[\phi]$ represents freely propagating boundary dynamics (radiation).

Matter as Bound Field Organization

Bound material structures appear as stable organizational states of the field. An effective bound organizational density can be written as:

$$\rho_{\text{bind}}(x) = \kappa_b \left(\frac{1}{2} \phi(x)^2 + \frac{\ell^2}{2} |\nabla \phi(x)|^2 \right).$$

Persistent local maxima of this organizational density correspond to stable material structures.

Gravitation as an Organizational Gradient

Gravitation appears as a motion response to gradients of the organizational state of the field:

$$\vec{a}(x) = -\alpha \nabla \phi(x).$$

Motion thus follows the gradients of field organization instead of a separate gravitational force.

Field-Mechanical Scaling of Boundary Dynamics

The observed change in propagating signals along a path γ is described by a scale-relative reorganization factor:

$$\sigma(\gamma) = \exp \left(\int_{\gamma} \Xi(\phi(x)) ds \right).$$

Here, $\Xi(\phi)$ denotes the local reorganization tendency of the field.

Observable Projections

The field-mechanical scaling appears in the observation regime in three coupled projections:

$$\nu_{\text{obs}} = \frac{\nu_{\text{src}}}{\sigma(\gamma)},$$

$$\Delta t_{\text{obs}} = \sigma(\gamma) \Delta t_{\text{src}},$$

$$I_{\text{obs}} = I_{\text{src}} K(\gamma).$$

These three relationships correspond to the observable phenomena:

- Spectral redshift,
- Time dilation,
- Intensity decay.

Large-Scale Field Structures

Large-scale persistent organizational structures of the field can generate effective gravitational contributions that appear as Dark Matter effects:

$$\rho_{\text{DM}}^{\text{eff}}(x) = \eta_{\text{DM}} \mathcal{B}[\phi](x).$$

Here, $\mathcal{B}[\phi]$ denotes a large-scale superposition functional of the field organization.

Relaxation Regime of the Field

The large-scale relaxation dynamics of the field can be written as:

$$\mathcal{E}_{\text{relax}}(x) = \eta_{\Lambda} \mathcal{R}[\phi](x)$$

and corresponds in a cosmological context to what is conventionally interpreted as Dark Energy.

Summary

Redshift, time dilation, intensity change, gravitation, matter formation, as well as large-scale cosmological effects appear in the UQSH framework as different manifestations of the same dynamic field organization $\phi(x, t)$ and its cumulative reorganization along propagation paths.

Parts of the editorial work were carried out with the support of AI-based tools.

Citation

Rexhepi, U. Q. (2026). *UQSH Master Formulation*.

Ukshin Q. Rexhepi. Independent Researcher. Tübingen, Germany. <https://orcid.org/0009-0003-4145-5431>

Figshare: <https://doi.org/10.6084/m9.figshare.31566199>

Book on Amazon KDP: <https://www.amazon.de/dp/B0GPQMX92G>

References

[1] Einstein, A. (1915). *Die Feldgleichungen der Gravitation* (The Field Equations of Gravitation).

[2] Noether, E. (1918). *Invariante Variationsprobleme* (Invariant Variation Problems).

[3] Rexhepi, U. Q. (2026). *Foundations of the Universal Quantum Foam Hypothesis (UQSH)*.

Figshare: <https://doi.org/10.6084/m9.figshare.31539715>