```
🗗 login as: sys163006
💋 sys163006@220.149.236.2's password:
Access denied
sys163006@220.149.236.2's password:
Welcome to Ubuntu 16.04.4 LTS (GNU/Linux 4.13.0-36-generic x86 64)
 * Documentation: https://help.ubuntu.com
 * Management:
             https://landscape.canonical.com
               https://ubuntu.com/advantage
 * Support:
200 packages can be updated.
0 updates are security updates.
New release '18.04.2 LTS' available.
Run 'do-release-upgrade' to upgrade to it.
Last login: Sat Oct 5 22:33:36 2019 from 172.31.42.123
sys163006@embedded:~$ ls
a.out examples.desktop my favorite poem.txt test.c
sys163006@embedded:~$ rm a.out
svs163006@embedded:~$ rm test.c
svs163006@embedded:~$ la
.bash history .bash logout .bashrc .cache examples.desktop .local my favorite poem.txt .profile .viminfo
sys163006@embedded:~$ ls
examples.desktop my favorite poem.txt
sys163006@embedded:~$ more my favorite poem.txt
재로 걸러지는 것들에 아쉬워 마라
버려지는 것들에 아쉬워 마라
떠나가는 것들에 아쉬워 마라
인생에서 걸러지는 것들에 아쉬워 마라
남아있는 것들을 아쉬워 해라
놓을 것들을 놓을줄 아는 자가
소중한 것들을 더 소중히 할줄 안다
찌꺼기를 아쉬워 마라
아쉬움을 아쉬워 마라
                    지은이 : 이 건 욕
sys163006@embedded:~$ cat my favorite poem.txt
재로 걸러지는 것들에 아쉬워 마라
버려지는 것들에 아쉬워 마라
떠나가는 것들에 아쉬워 마라
인생에서 걸러지는 것들에 아쉬워 마라
남아있는 것들을 아쉬워 해라
놓을 것들을 놓을줄 아는 자가
소중한 것들을 더 소중히 할줄 안다
찌꺼기를 아쉬워 마라
아쉬움을 아쉬워 마라
                    지문이 : 이 건 욕
sys163006@embedded:~$ whoami
sys163006
sys163006@embedded:~$ date
2019. 10. 07. (월 ) 09:22:42 KST
sys163006@embedded:~$ vi hello.c
```

```
sys163006@embedded:~$ gcc hello.c
hello.c: In function 'main':
hello.c:3: warning: return type of 'main' is not 'int'
/tmp/cc0oT9ly.o: In function `main':
hello.c:(.text+0x24): undefined reference to 'pritnf'
collect2: ld returned 1 exit status
svs163006@embedded:~$ vi hello.c
sys163006@embedded:~$ gcc hello.c
hello.c: In function 'main':
hello.c:3: warning: return type of 'main' is not 'int'
sys163006@embedded:~$ vi hello.c
sys163006@embedded:~$ gcc hello.c
sys163006@embedded:~$ ./a.out
재 미 있 ....는 !!시 스 템 프 로 그 래 밍 !!!
sys163006@embedded:~$ 1s -1
total 28
-rwxrwxr-x 1 sys163006 sys163006 4716 10월 7 09:24 a.out
-rw-r--r-- 1 sys163006 sys163006 8980 4월 20 2016 examples.desktop
-rw-rw-r-- 1 sys163006 sys163006 95 10월 7 09:24 hello.c
-rw-rw-r-- 1 sys163006 sys163006 404 10월 5 15:03 my favorite poem.txt
sys163006@embedded:~$ mkdir test
sys163006@embedded:~$ 1s -1
total 32
-rwxrwxr-x 1 sys163006 sys163006 4716 10월 7 09:24 a.out
-rw-r--r-- 1 sys163006 sys163006 8980 4월 20 2016 examples.desktop
-rw-rw-r-- 1 sys163006 sys163006 95 10월 7 09:24 hello.c
-rw-rw-r-- 1 sys163006 sys163006 404 10월 5 15:03 my favorite poem.txt
drwxrwxr-x 2 sys163006 sys163006 4096 10월 7 09:24 test
sys163006@embedded:~$ pwd
/home/2-class/sys163006
sys163006@embedded:~$ pwd test
/home/2-class/sys163006
sys163006@embedded:~$ rmdir test
sys163006@embedded:~$ chmod g+x a.out
svs163006@embedded:~$ 1s -1
total 28
-rwxrwxr-x 1 sys163006 sys163006 4716 10월 7 09:24 a.out
-rw-r--r-- 1 sys163006 sys163006 8980 4월 20 2016 examples.desktop
-rw-rw-r-- 1 sys163006 sys163006 95 10월 7 09:24 hello.c
-rw-rw-r-- 1 sys163006 sys163006 404 10월 5 15:03 my favorite poem.txt
sys163006@embedded:~$ chmod o+w hello.c
svs163006@embedded:~$ 1s -1
total 28
-rwxrwxr-x 1 sys163006 sys163006 4716 10월 7 09:24 a.out
-rw-r--r-- 1 sys163006 sys163006 8980 4월 20 2016 examples.desktop
-rw-rw-rw- 1 sys163006 sys163006 95 10월 7 09:24 hello.c
-rw-rw-r-- 1 sys163006 sys163006 404 10월 5 15:03 my favorite poem.txt
sys163006@embedded:~$ vi test.c
sys163006@embedded:~$ gcc -S test.c
sys163006@embedded:~$ gcc -o test.out test.c
sys163006@embedded:~$ 1s
a.out examples.desktop hello.c my favorite poem.txt test.c test.out test.s
sys163006@embedded:~$ ./test.out
5
Segmentation fault (core dumped)
sys163006@embedded:~$ gcc -g -o test.out test.c
sys163006@embedded:~$ 1s
a.out examples.desktop hello.c my favorite poem.txt test.c test.out test.s
sys163006@embedded:~$ as -o test.o test.s
```

٧

```
sys163006@embedded:~$ 1s
a.out examples.desktop hello.c my favorite poem.txt test.c test.o test.out test.s
sys163006@embedded:~$ more test.s
       .file "test.c"
.globl a
       .data
       .align 4
       .type a, @object
       .size a, 16
a:
      .long 5
       .long 6
            7
       .long
      .long 8
      .section
                   .rodata
.LCO:
      .string "%d\n"
      .text
.globl main
       .type main, @function
main:
       pushl %ebp
       movl
            %esp, %ebp
       subl $8, %esp
       and1 $-16, %esp
      movl $0, %eax
       addl
            $15, %eax
       addl
            $15, %eax
       shrl $4, %eax
      sall $4, %eax
            %eax, %esp
       subl
       movl a, %eax
       movl %eax, 4(%esp)
       movl $.LCO, (%esp)
      call printf
       movl a+8, %eax
       movl %eax, 4(%esp)
       movl $.LCO, (%esp)
       call printf
      movl a, %eax
       movl
            %eax, 4(%esp)
      movl $.LCO, (%esp)
       call printf
      movl a+8, %eax
      movl %eax, 4(%esp)
       movl $.LCO, (%esp)
       call printf
       movl pa, %eax
      movl (%eax), %eax
            %eax, 4(%esp)
       movl
       movl
            $.LCO, (%esp)
       call printf
       movl pa, %eax
       addl $8, %eax
       movl
             (%eax), %eax
       movl
            %eax, 4(%esp)
       movl
            $.LCO, (%esp)
       call printf
      leave
       ret
       .size main, .-main
       .comm pa, 4, 4
```

```
.note.GNU-stack, "", @progbits
      .ident "GCC: (GNU) 3.4.6 (Debian 3.4.6-5)"
sys163006@embedded:~$ more test.o
****** test.o: Not a text file ******
sys163006@embedded:~$ hexdump test.o
0000000 457f 464c 0101 0001 0000 0000 0000 0000
0000020 02cc 0000 0000 0000 0034 0000 0000 0028
0000030 000b 0008 8955 83e5 08ec e483 b8f0 0000
0000040 0000 c083 830f 0fc0 e8c1 c104 04e0 c429
0000050 00al 0000 8900 2444 c704 2404 0000 0000
0000060 fce8 ffff alff 0008 0000 4489 0424 04c7
0000070 0024 0000 e800 fffc ffff 00al 0000 8900
0000080 2444 c704 2404 0000 0000 fce8 ffff alff
0000090 0008 0000 4489 0424 04c7 0024 0000 e800
00000a0 fffc ffff 00al 0000 8b00 8900 2444 c704
00000b0 2404 0000 0000 fce8 ffff alff 0000 0000
00000c0 c083 8b08 8900 2444 c704 2404 0000 0000
00000d0 fce8 ffff c9ff 00c3 0005 0000 0006 0000
00000e0 0007 0000 0008 0000 6425 000a 4700 4343
00000f0 203a 4728 554e 2029 2e33 2e34 2036 4428
0000100 6265 6169 206e 2e33 2e34 2d36 2935 0000
0000190 0015 0000 0000 0000 0010 0000 0011 0003
00001a0 0008 0000 0000 0000 00a3 0000 0012 0001
00001c0 0014 0000 0004 0000 0004 0000 0011 fff2
00001d0 7400 7365 2e74 0063 616d 6e69 7000 6972
00001e0 746e 0066 6170 0000 001d 0000 0801 0000
00001f0 0028 0000 0501 0000 002d 0000 0a02 0000
0000200 0032 0000 0801 0000 003d 0000 0501 0000
0000210 0042 0000 0a02 0000 0047 0000 0801 0000
0000220 0052 0000 0501 0000 0057 0000 0a02 0000
0000230 005c 0000 0801 0000 0067 0000 0501 0000
0000240 006c 0000 0a02 0000 0071 0000 0b01 0000
0000250 007e 0000 0501 0000 0083 0000 0a02 0000
0000260 0088 0000 0b01 0000 0098 0000 0501 0000
0000270 009d 0000 0a02 0000 2e00 7973 746d 6261
0000280 2e00 7473 7472 6261 2e00 6873 7473 7472
0000290 6261 2e00 6572 2e6c 6574 7478 2e00 6164
00002a0 6174 2e00 7362 0073 722e 646f 7461 0061
00002b0 6e2e 746f 2e65 4e47 2d55 7473 6361 006b
00002c0 632e 6d6f 656d 746e 0000 0000 0000 0000
00002f0 0000 0000 001f 0000 0001 0000 0006 0000
0000320 0009 0000 0040 0000 0000 0000 01e8 0000
0000330 0090 0000 0009 0000 0001 0000 0004 0000
0000340 0008 0000 0025 0000 0001 0000 0003 0000
```

```
0000390 0000 0000 0030 0000 0001 0000 0002 0000
00003e0 0000 0000 0048 0000 0001 0000 0030 0000
00003f0 0000 0000 00ec 0000 0023 0000 0000 0000
0000400 0000 0000 0001 0000 0001 0000 0011 0000
0000410 0003 0000 0000 0000 0000 0000 0278 0000
0000420 0051 0000 0000 0000 0000 0000 0001 0000
0000450 0008 0000 0004 0000 0010 0000 0009 0000
0000460 0003 0000 0000 0000 0000 0000 01d0 0000
0000480 0000 0000
0000484
sys163006@embedded:~$ objdump test.o
Usage: objdump <option(s)> <file(s)>
 Display information from object <file(s)>.
At least one of the following switches must be given:
 -a, --archive-headers Display archive header information
 -f, --file-headers
                      Display the contents of the overall file header
 -p, --private-headers Display object format specific file header contents
 -P, --private=OPT,OPT... Display object format specific contents
 -h, --[section-]headers Display the contents of the section headers
 -x, --all-headers
                     Display the contents of all headers
 -d, --disassemble
                     Display assembler contents of executable sections
 -D, --disassemble-all Display assembler contents of all sections
 -S, --source
                       Intermix source code with disassembly
 -s, --full-contents
                     Display the full contents of all sections requested
 -g, --debugging
                     Display debug information in object file
 -e, --debugging-tags Display debug information using ctags style
 -G. --stabs
                       Display (in raw form) any STABS info in the file
 -W[lLiaprmfFsoRt] or
 --dwarf[=rawline,=decodedline,=info,=abbrev,=pubnames,=aranges,=macro,=frames,
        =frames-interp,=str,=loc,=Ranges,=pubtypes,
        =gdb index,=trace info,=trace abbrev,=trace aranges,
        =addr,=cu index]
                       Display DWARF info in the file
 -t, --syms
                       Display the contents of the symbol table(s)
 -T, --dynamic-syms
                     Display the contents of the dynamic symbol table
                      Display the relocation entries in the file
 -r, --reloc
 -R, --dynamic-reloc Display the dynamic relocation entries in the file
 @<file>
                      Read options from <file>
 -v, --version
                     Display this program's version number
 -i, --info
                      List object formats and architectures supported
                       Display this information
 -H, --help
sys163006@embedded:~$ gdb test.out
GNU gdb (Ubuntu 7.11.1-0ubuntu1~16.5) 7.11.1
Copyright (C) 2016 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <a href="http://gnu.org/licenses/gpl.html">http://gnu.org/licenses/gpl.html</a>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law. Type "show copying"
and "show warranty" for details.
This GDB was configured as "x86 64-linux-gnu".
Type "show configuration" for configuration details.
For bug reporting instructions, please see:
<http://www.gnu.org/software/gdb/bugs/>.
Find the GDB manual and other documentation resources online at:
```

٧

```
<http://www.gnu.org/software/gdb/documentation/>.
For help, type "help".
Type "apropos word" to search for commands related to "word"...
Reading symbols from test.out...done.
Starting program: /home/2-class/sys163006/test.out
5
Program received signal SIGSEGV, Segmentation fault.
0x080483f7 in main () at test.c:11
11
                printf("%d\n", *pa);
(gdb) list
6
       main(){
7
                printf("%d\n", a[0]);
8
                printf("%d\n", a[2]);
9
                printf("%d\n", *a);
10
                printf("%d\n", *(a+2));
11
                printf("%d\n", *pa);
12
                printf("%d\n", *(pa+2));
13
14
(gdb) break 10
Breakpoint 1 at 0x80483dd: file test.c, line 10.
(gdb) run
The program being debugged has been started already.
Start it from the beginning? (v or n) v
Starting program: /home/2-class/sys163006/test.out
5
Breakpoint 1, main () at test.c:10
10
                printf("%d\n", *(a+2));
(gdb) y
Undefined command: "y". Try "help".
(gdb) n
11
                printf("%d\n", *pa);
(gdb) n
Program received signal SIGSEGV, Segmentation fault.
0x080483f7 in main () at test.c:11
                printf("%d\n", *pa);
(gdb) n
Program terminated with signal SIGSEGV, Segmentation fault.
The program no longer exists.
(gdb) n
The program is not being run.
(gdb) quit
sys163006@embedded:~$ whoami
sys163006
svs163006@embedded:~$ date
2019. 10. 07. (월 ) 09:35:39 KST
sys163006@embedded:~$ 1s -1
total 48
-rwxrwxr-x 1 sys163006 sys163006 4716 10월 7 09:24 a.out
-rw-r--r-- 1 sys163006 sys163006 8980 42 20 2016 examples.desktop
-rw-rw-rw- 1 sys163006 sys163006 95 10월 7 09:24 hello.c
```

V

```
-rw-rw-r-- 1 sys163006 sys163006 404 10월 5 15:03 my_favorite_poem.txt
-rw-rw-r-- 1 sys163006 sys163006 206 10월 7 09:29 test.c
-rw-rw-r-- 1 sys163006 sys163006 1156 10월 7 09:31 test.o
-rwxrwxr-x 1 sys163006 sys163006 5980 10월 7 09:30 test.out
-rw-rw-r-- 1 sys163006 sys163006 945 10월 7 09:29 test.s
sys163006@embedded:~$ rm a.out
sys163006@embedded:~$ rm hello.c
sys163006@embedded:~$ man vi
sys163006@embedded:~$ man gdb
sys163006@embedded:~$ pwd
/home/2-class/sys163006
sys163006@embedded:~$ 1s
examples.desktop my favorite poem.txt test.c test.o test.out test.s
sys163006@embedded:~$ rm test.c
sys163006@embedded:~$ rm test.o
sys163006@embedded:~$ rm test.s
sys163006@embedded:~$ rm test.out
sys163006@embedded:~$ ls
examples.desktop my favorite poem.txt
sys163006@embedded:~$ whoami
sys163006
sys163006@embedded:~$ date
2019. 10. 07. (월 ) 09:37:45 KST
sys163006@embedded:~$ sys163006@embedded:~$ as -o test.o test.s
sys163006@embedded:~$: command not found
sys163006@embedded:~$
```

٧