

SLAIF catalog refresh review

One-page offline review artifact. This version reviews supplied snapshots; live collection and apply are not implemented. Everything needed for the decision is inside this file; detailed evidence is in the expandable sections below. No external resources, no JavaScript, no network on open.

BLOCKED — 2 blocking issue(s): gate:import.pricing — pricing import plan blocked; gate:import.routes — route import plan blocked

BLOCKERS 2

REVIEW findings 0

all findings 2

Scope & baseline

Scope providers: openrouter · models: synthetic/stable-v1, synthetic/updated-v1, synthetic/new-v1 (3 considered, 3 selected)

Profile standard-v1 — /v1/chat/completions (streaming) (local models visible)

Baseline Supplied export of 2026-09-21T10:00:00+00:00 — not checked against a live database

Source evidence 15 proposed facts bound to parsed snapshot observations · 3 model(s) in official snapshots: 3 selected, 0 retained local, 0 excluded, 0 unexplained omission(s) · offline replay of supplied bytes — registered deterministic parsers, not a live retrieval

Run browser-price-change-001 · generated at 2026-09-21T12:00:00+00:00 · revision fixture-revision-180 (schema 1, renderer 180.6, policy v1) · [full identity](#)

Deterministic checks

Source evidence **VERIFIED** 1/1 ok

Schema & pricing completeness **VERIFIED** 2/2 ok

Pairing & supported capabilities **VERIFIED** 2/2 ok

Changes & reconciliation **VERIFIED** 2/2 ok

Import plan validation **BLOCKED** 1/3 ok

[Full per-gate checklist with technical detail](#) →

Providers & changes

Summary: 3 considered · 3 selected · 2 ready (all deterministic gates passed) — providers: openrouter

Provider	New	Changed	Mutations	Unchanged	Excluded	Blocked	Disappeared	Deprecated	Not fetched	In snapshot	Selected in snapshot
openrouter	1	1	1	1	0	0	0	0	0	3	3

Populations are not additive: the change columns compare the proposed bundle against the local baseline in effect at review time, while the snapshot columns replay the supplied source documents offline. 'Mutations' are existing-row updates excluded from the executable artifact (no apply operation exists in this version).

Counts (recomputed): selected 3 considered 3 ready 2 new 1 changed 1 unchanged 1 excluded 0 blocked 0 disappeared 0 deprecated 0 not fetched 0 out of scope facts 0

FX: all selected prices are EUR; no FX rows required (not an error).

Import plan BLOCKED — 2 create row(s) executable; 2 existing-row update(s) have no apply operation in this version. [plan detail](#) →

BLOCKER × 1 — gate:import.pricing — pricing import plan blocked

BLOCKER × 1 — gate:import.routes — route import plan blocked

[all 2 findings with per-item detail](#) →

What changed

Price changes (old → new, with unit and currency; source timestamps are never counted as price changes)

Provider	Model	Dimension	Old	Old currency	New	New currency	Δ (signed)	State
openrouter	synthetic/new-v1	input	—	—	0.1	EUR	—	NEW
openrouter	synthetic/new-v1	output	—	—	0.4	EUR	—	NEW
openrouter	synthetic/updated-v1	input	1	EUR	1.2	EUR	+20.000 %	CHANGED

Displayed percentages are rounded to 0.001 %; the gate decision uses the exact stored ratio, so a strictly above-threshold movement can display at the threshold value.

Route / model attribute changes (current → proposed, with reason)

Provider	Model	Changed fields (current → proposed)	Proposed route	Reason
openrouter	synthetic/updated-v1	pricing.input; route.priority	synthetic/updated-v1 via openrouter (priority 200, streaming True, visible True)	existing-row update/supersession; no apply operation exists in this version — excluded from the executable artifact

Unchanged: 1 model(s) — collapsed by default in the unchanged section; disappearance above is an observation, not a delete.

▼ New models (1)

openrouter/synthetic/new-v1 — new route + new pricing (create-only)

Field	Proposed	Provenance (derived classification)
display_name	Synthetic New-V1 (fixture)	OFFICIAL openrouter synthetic/new-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
context_length	128000	OFFICIAL openrouter synthetic/new-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
max_output_tokens	8192	OFFICIAL openrouter synthetic/new-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
supports_streaming	True	OFFICIAL openrouter synthetic/new-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
capabilities	streaming, text	OFFICIAL openrouter synthetic/new-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
deprecated	False	OFFICIAL openrouter synthetic/new-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)

▼ Changed models — excluded from executable artifacts (1)

openrouter/synthetic/updated-v1 — pricing.input; route.priority

Field	Proposed	Provenance (derived classification)
display_name	Synthetic Updated-V1 (fixture)	OFFICIAL openrouter synthetic/updated-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)

Field	Proposed	Provenance (derived classification)
context_length	128000	OFFICIAL openrouter synthetic/updated-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
max_output_tokens	8192	OFFICIAL openrouter synthetic/updated-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
supports_streaming	True	OFFICIAL openrouter synthetic/updated-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
capabilities	streaming, text	OFFICIAL openrouter synthetic/updated-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)
deprecated	False	OFFICIAL openrouter synthetic/updated-v1 openrouter_models_api https://openrouter.ai/api/v1/models retrieved 2026-09-21T11:00:00+00:00 extractor fixture-deterministic/1.0 (deterministic) evidence verified (bytes match declared digest)

▼ **Unchanged models (1) – collapsed**

Compared fields identical to the active baseline; no-op rows are excluded from the executable artifacts and aggregated by design.

Provider	Model
openrouter	synthetic/stable-v1

▼ **All warnings and findings (2)**

Severity	Code	Provider	Model	Detail
BLOCKER	gate:import.pricing	–	–	1 proposed pricing update(s) excluded – no apply operation exists in this version
BLOCKER	gate:import.routes	–	–	1 proposed route update(s) excluded – no apply operation exists in this version

▼ **Import plan detail (create-only)**

At least one execution plan is BLOCKED: existing-row updates/supersessions are not apply operations in this version. Only create rows enter the executable artifacts.

- routes: **BLOCKED** – 1 create row(s) executable, 1 row(s) require an apply operation that does not exist in this version (excluded from the executable artifact)
- pricing: **BLOCKED** – 1 create row(s) executable, 1 row(s) require an apply operation that does not exist in this version (excluded from the executable artifact)
- fx: nothing to create (NO CHANGES)

▼ **Full per-gate checklist (technical detail)**

SOURCE EVIDENCE – **VERIFIED**

VERIFIED sources – all sources fresh, official-host, evidence-verified, and deterministically parsed; proposed required facts are bound to parsed snapshot observations

PAIRING & SUPPORTED CAPABILITIES – **VERIFIED**

VERIFIED pairing – every priced selected model is paired to its route by provider + upstream model + endpoint

VERIFIED unsupported — no unsupported rows

IMPORT PLAN VALIDATION — BLOCKED

BLOCKED import.routes — 1 proposed route update(s) excluded — no apply operation exists in this version

BLOCKED import.pricing — 1 proposed pricing update(s) excluded — no apply operation exists in this version

N/A import.fx — all selected prices are EUR; no FX rows required

SCHEMA & PRICING COMPLETENESS — VERIFIED

VERIFIED schema — bundle schema v1 parsed strictly; baseline document digest-verified

VERIFIED pricing.complete — every selected priced model carries required input and output dimensions

CHANGES & RECONCILIATION — VERIFIED

VERIFIED changes — no price/FX movement above policy thresholds

VERIFIED completeness — all selected models accounted

▼ Full validator outputs (validation.json)

```
{
  "artifacts": {
    "fx_json_sha256": "37517e5f3dc66819f61f5a7bb8ace1921282415f10551d2defa5c3eb0985b570",
    "fx_rows": 0,
    "pricing_rows": 1,
    "pricing_tsv_sha256": "d23f326bd548efc636602065b493e6455d15leadb39f79345074c68d913a0b21",
    "route_rows": 1,
    "routes_tsv_sha256": "fb06790889265699106ada04ec5ef7c993f61211957897caa27621a78475d168"
  },
  "baseline": {
    "age": 7200.0,
    "documented_exported_at": "2026-09-21T10:00:00+00:00",
    "exported_at": "2026-09-21T10:00:00+00:00",
    "mode": "exported_file",
    "postgres_version": null,
    "sql_checked": true,
    "target": "slaif-synthetic-baseline"
  },
  "baseline_metadata": [],
  "counts": {
    "blocked": 0,
    "changed": 1,
    "considered": 3,
    "deprecated": 0,
    "disappeared": 0,
    "excluded": 0,
    "new": 1,
    "not_fetched": 0,
    "out_of_scope_facts": 0,
    "ready": 2,
    "selected": 3,
    "unchanged": 1
  },
  "dispositions": [
    {
      "detail": "new route + new pricing (create-only)",
      "disposition": "NEW",
      "model": "synthetic/new-v1",
      "provider": "openrouter"
    },
    {
      "detail": "all compared fields identical to the active baseline (no-op)",
      "disposition": "UNCHANGED",
      "model": "synthetic/stable-v1",
      "provider": "openrouter"
    },
    {
      "detail": "pricing.input; route.priority",
      "disposition": "CHANGED",
      "model": "synthetic/updated-v1",
      "provider": "openrouter"
    }
  ],
  "fx_comparisons": [],
  "generated_at": "2026-09-21T12:00:00+00:00",
  "import_gates": [
```

```

{
  "classifications": {
    "create": 0
  },
  "detail": "0 rows to create, 0 duplicate no-op(s), 0 update(s) excluded",
  "excluded_mutations": 0,
  "invalid_rows": 0,
  "kind": "fx",
  "plan_blocked_rows": 0,
  "plan_ready_rows": 0,
  "schema_valid": true,
  "total_rows": 0,
  "valid_rows": 0
},
{
  "classifications": {
    "create": 1
  },
  "detail": "1 rows, 0 invalid, 0 non-create, 1 update(s) excluded",
  "excluded_mutations": 1,
  "invalid_rows": 0,
  "kind": "pricing",
  "plan_blocked_rows": 0,
  "plan_ready_rows": 1,
  "schema_valid": true,
  "total_rows": 1,
  "valid_rows": 1
},
{
  "classifications": {
    "create": 1
  },
  "detail": "1 rows, 0 invalid, 0 non-create, 1 update(s) excluded",
  "excluded_mutations": 1,
  "invalid_rows": 0,
  "kind": "routes",
  "plan_blocked_rows": 0,
  "plan_ready_rows": 1,
  "schema_valid": true,
  "total_rows": 1,
  "valid_rows": 1
}
],
"per_provider": {
  "openrouter": {
    "changed": 1,
    "mutations": 1,
    "new": 1,
    "unchanged": 1
  }
},
"policy_version": 1,
"price_comparisons": [
  {
    "currency_new": "EUR",
    "currency_old": null,
    "dimension": "input",
    "model": "synthetic/new-v1",
    "new": "0.1",
    "old": null,
    "percent_change": null,
    "provider": "openrouter",
    "state": "NEW"
  },
  {
    "currency_new": "EUR",
    "currency_old": null,
    "dimension": "output",
    "model": "synthetic/new-v1",
    "new": "0.4",
    "old": null,
    "percent_change": null,
    "provider": "openrouter",
    "state": "NEW"
  },
  {
    "currency_new": "EUR",
    "currency_old": "EUR",
    "dimension": "input",
    "model": "synthetic/stable-v1",
    "new": "0.5",
    "old": "0.5",
    "percent_change": "0.000000",
    "provider": "openrouter",
    "state": "UNCHANGED"
  }
]

```

```

    },
    {
      "currency_new": "EUR",
      "currency_old": "EUR",
      "dimension": "output",
      "model": "synthetic/stable-v1",
      "new": "2",
      "old": "2",
      "percent_change": "0.000000",
      "provider": "openrouter",
      "state": "UNCHANGED"
    },
    {
      "currency_new": "EUR",
      "currency_old": "EUR",
      "dimension": "input",
      "model": "synthetic/updated-v1",
      "new": "1.2",
      "old": "1",
      "percent_change": "0.200000",
      "provider": "openrouter",
      "state": "CHANGED"
    },
    {
      "currency_new": "EUR",
      "currency_old": "EUR",
      "dimension": "output",
      "model": "synthetic/updated-v1",
      "new": "4",
      "old": "4",
      "percent_change": "0.000000",
      "provider": "openrouter",
      "state": "UNCHANGED"
    }
  ],
  "research": {
    "extractor_version": "fixture/1.0",
    "status": "NOT_RUN",
    "tool_version": "fixture/1.0"
  },
  "run_id": "browser-price-change-001",
  "source_evidence": {
    "backed_facts": [
      {
        "backed_by": [
          "openrouter|synthetic/new-v1|openrouter_models_api"
        ],
        "field": "model:capability:text",
        "independent_sources": 1,
        "model": "synthetic/new-v1",
        "observations": [
          {
            "conversion": null,
            "currency": null,
            "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
            "locator": "data[2].architecture.input_modalities + output_modalities",
            "normalized_eur": null,
            "observed_value": "true",
            "parser": "openrouter_models_api/v1",
            "retrieved_at": "2026-09-21T11:00:00+00:00",
            "source": "openrouter|synthetic/new-v1|openrouter_models_api",
            "unit": "none",
            "url": "https://openrouter.ai/api/v1/models"
          }
        ],
        "proposed": "true",
        "proposed_normalized": "true",
        "provider": "openrouter",
        "upstream_model": "synthetic/new-v1"
      }
    ],
    {
      "backed_by": [
        "openrouter|synthetic/new-v1|openrouter_models_api"
      ],
      "field": "model:context_length",
      "independent_sources": 1,
      "model": "synthetic/new-v1",
      "observations": [
        {
          "conversion": null,
          "currency": null,
          "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
          "locator": "data[2].context_length",
          "normalized_eur": null,
          "observed_value": "128000",

```

```
    "parser": "openrouter_models_api/v1",
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source": "openrouter|synthetic/new-v1|openrouter_models_api",
    "unit": "none",
    "url": "https://openrouter.ai/api/v1/models"
  }
],
"proposed": "128000",
"proposed_normalized": "128000",
"provider": "openrouter",
"upstream_model": "synthetic/new-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/new-v1|openrouter_models_api"
  ],
  "field": "model:max_output_tokens",
  "independent_sources": 1,
  "model": "synthetic/new-v1",
  "observations": [
    {
      "conversion": null,
      "currency": null,
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[2].top_provider.max_completion_tokens",
      "normalized_eur": null,
      "observed_value": "8192",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/new-v1|openrouter_models_api",
      "unit": "none",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "8192",
  "proposed_normalized": "8192",
  "provider": "openrouter",
  "upstream_model": "synthetic/new-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/new-v1|openrouter_models_api"
  ],
  "field": "pricing:input",
  "independent_sources": 1,
  "model": "synthetic/new-v1",
  "observations": [
    {
      "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
      "currency": "USD",
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[2].pricing.prompt",
      "normalized_eur": "0.100000000",
      "observed_value": "0.108",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/new-v1|openrouter_models_api",
      "unit": "per_lm_tokens",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "0.1",
  "proposed_normalized": "0.100000000",
  "provider": "openrouter",
  "upstream_model": "synthetic/new-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/new-v1|openrouter_models_api"
  ],
  "field": "pricing:output",
  "independent_sources": 1,
  "model": "synthetic/new-v1",
  "observations": [
    {
      "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
      "currency": "USD",
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[2].pricing.completion",
      "normalized_eur": "0.400000000",
      "observed_value": "0.432",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/new-v1|openrouter_models_api",
      "unit": "per_lm_tokens",
```

```
"url": "https://openrouter.ai/api/v1/models"
},
{
  "proposed": "0.4",
  "proposed_normalized": "0.400000000",
  "provider": "openrouter",
  "upstream_model": "synthetic/new-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/stable-v1|openrouter_models_api"
  ],
  "field": "model:capability:text",
  "independent_sources": 1,
  "model": "synthetic/stable-v1",
  "observations": [
    {
      "conversion": null,
      "currency": null,
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[0].architecture.input_modalities + output_modalities",
      "normalized_eur": null,
      "observed_value": "true",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
      "unit": "none",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "true",
  "proposed_normalized": "true",
  "provider": "openrouter",
  "upstream_model": "synthetic/stable-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/stable-v1|openrouter_models_api"
  ],
  "field": "model:context_length",
  "independent_sources": 1,
  "model": "synthetic/stable-v1",
  "observations": [
    {
      "conversion": null,
      "currency": null,
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[0].context_length",
      "normalized_eur": null,
      "observed_value": "128000",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
      "unit": "none",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "128000",
  "proposed_normalized": "128000",
  "provider": "openrouter",
  "upstream_model": "synthetic/stable-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/stable-v1|openrouter_models_api"
  ],
  "field": "model:max_output_tokens",
  "independent_sources": 1,
  "model": "synthetic/stable-v1",
  "observations": [
    {
      "conversion": null,
      "currency": null,
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[0].top_provider.max_completion_tokens",
      "normalized_eur": null,
      "observed_value": "8192",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
      "unit": "none",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "8192",
```

```

    "proposed_normalized": "8192",
    "provider": "openrouter",
    "upstream_model": "synthetic/stable-v1"
  },
  {
    "backed_by": [
      "openrouter|synthetic/stable-v1|openrouter_models_api"
    ],
    "field": "pricing:input",
    "independent_sources": 1,
    "model": "synthetic/stable-v1",
    "observations": [
      {
        "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
        "currency": "USD",
        "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
        "locator": "data[0].pricing.prompt",
        "normalized_eur": "0.500000000",
        "observed_value": "0.54",
        "parser": "openrouter_models_api/v1",
        "retrieved_at": "2026-09-21T11:00:00+00:00",
        "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
        "unit": "per_lm_tokens",
        "url": "https://openrouter.ai/api/v1/models"
      }
    ],
    "proposed": "0.5",
    "proposed_normalized": "0.500000000",
    "provider": "openrouter",
    "upstream_model": "synthetic/stable-v1"
  },
  {
    "backed_by": [
      "openrouter|synthetic/stable-v1|openrouter_models_api"
    ],
    "field": "pricing:output",
    "independent_sources": 1,
    "model": "synthetic/stable-v1",
    "observations": [
      {
        "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
        "currency": "USD",
        "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
        "locator": "data[0].pricing.completion",
        "normalized_eur": "2.000000000",
        "observed_value": "2.16",
        "parser": "openrouter_models_api/v1",
        "retrieved_at": "2026-09-21T11:00:00+00:00",
        "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
        "unit": "per_lm_tokens",
        "url": "https://openrouter.ai/api/v1/models"
      }
    ],
    "proposed": "2",
    "proposed_normalized": "2.000000000",
    "provider": "openrouter",
    "upstream_model": "synthetic/stable-v1"
  },
  {
    "backed_by": [
      "openrouter|synthetic/updated-v1|openrouter_models_api"
    ],
    "field": "model:capability:text",
    "independent_sources": 1,
    "model": "synthetic/updated-v1",
    "observations": [
      {
        "conversion": null,
        "currency": null,
        "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
        "locator": "data[1].architecture.input_modalities + output_modalities",
        "normalized_eur": null,
        "observed_value": "true",
        "parser": "openrouter_models_api/v1",
        "retrieved_at": "2026-09-21T11:00:00+00:00",
        "source": "openrouter|synthetic/updated-v1|openrouter_models_api",
        "unit": "none",
        "url": "https://openrouter.ai/api/v1/models"
      }
    ],
    "proposed": "true",
    "proposed_normalized": "true",
    "provider": "openrouter",
    "upstream_model": "synthetic/updated-v1"
  },
}

```

```

{
  "backed_by": [
    "openrouter|synthetic/updated-v1|openrouter_models_api"
  ],
  "field": "model:context_length",
  "independent_sources": 1,
  "model": "synthetic/updated-v1",
  "observations": [
    {
      "conversion": null,
      "currency": null,
      "digest": "bflf63790a64f4ed8779806e35a974a43c5b3fla00b9e50e66f7672e80d49056",
      "locator": "data[1].context_length",
      "normalized_eur": null,
      "observed_value": "128000",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/updated-v1|openrouter_models_api",
      "unit": "none",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "128000",
  "proposed_normalized": "128000",
  "provider": "openrouter",
  "upstream_model": "synthetic/updated-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/updated-v1|openrouter_models_api"
  ],
  "field": "model:max_output_tokens",
  "independent_sources": 1,
  "model": "synthetic/updated-v1",
  "observations": [
    {
      "conversion": null,
      "currency": null,
      "digest": "bflf63790a64f4ed8779806e35a974a43c5b3fla00b9e50e66f7672e80d49056",
      "locator": "data[1].top_provider.max_completion_tokens",
      "normalized_eur": null,
      "observed_value": "8192",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/updated-v1|openrouter_models_api",
      "unit": "none",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "8192",
  "proposed_normalized": "8192",
  "provider": "openrouter",
  "upstream_model": "synthetic/updated-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/updated-v1|openrouter_models_api"
  ],
  "field": "pricing:input",
  "independent_sources": 1,
  "model": "synthetic/updated-v1",
  "observations": [
    {
      "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
      "currency": "USD",
      "digest": "bflf63790a64f4ed8779806e35a974a43c5b3fla00b9e50e66f7672e80d49056",
      "locator": "data[1].pricing.prompt",
      "normalized_eur": "1.200000000",
      "observed_value": "1.296",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/updated-v1|openrouter_models_api",
      "unit": "per_lm_tokens",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "1.2",
  "proposed_normalized": "1.200000000",
  "provider": "openrouter",
  "upstream_model": "synthetic/updated-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/updated-v1|openrouter_models_api"
  ],

```

```
    "field": "pricing:output",
    "independent_sources": 1,
    "model": "synthetic/updated-v1",
    "observations": [
      {
        "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
        "currency": "USD",
        "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
        "locator": "data[1].pricing.completion",
        "normalized_eur": "4.000000000",
        "observed_value": "4.32",
        "parser": "openrouter_models_api/v1",
        "retrieved_at": "2026-09-21T11:00:00+00:00",
        "source": "openrouter|synthetic/updated-v1|openrouter_models_api",
        "unit": "per_lm_tokens",
        "url": "https://openrouter.ai/api/v1/models"
      }
    ],
    "proposed": "4",
    "proposed_normalized": "4.000000000",
    "provider": "openrouter",
    "upstream_model": "synthetic/updated-v1"
  }
],
"fx_backed": [
  {
    "backed_by": "ecb|EUR-USD|ecb_reference_xml",
    "derived_reciprocal": false,
    "fact_published_at": "2026-09-21T00:00:00+00:00",
    "observed_quote": "1.08",
    "pair": "EUR to USD",
    "quote_date": "2026-09-21",
    "quote_digest": "5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3",
    "quote_locator": "Cube@time=2026-09-21/Cube@currency=USD",
    "quote_parser": "ecb_reference_xml/v1",
    "quote_retrieved_at": "2026-09-21T11:00:00+00:00",
    "quote_url": "https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html",
    "rate": "1.08"
  }
],
"inventory": {
  "openrouter": {
    "evidence_models": 3,
    "excluded_ids": [],
    "explicitly_excluded_models": 0,
    "retained_local_ids": [],
    "retained_local_models": 0,
    "selected_models": 3,
    "selection_mode": "explicit_subset",
    "unexplained_omissions": 0,
    "unsupported_excluded_models": 0
  }
},
"note": "supplied/cached snapshot bytes were parsed offline with registered deterministic parsers; this proves extraction consistency against the supplied bytes, not a live retrieval that never occurred",
"scope": "offline_replay"
},
"sources": [
  {
    "age_state": "fresh",
    "classification": "OFFICIAL",
    "content_sha256": "5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3",
    "evidence_state": "verified",
    "model": "EUR-USD",
    "parse_state": "ok",
    "parsed_fx_quotes": 1,
    "parsed_models": 0,
    "parser": "ecb_reference_xml/v1",
    "provider": "ecb",
    "published_at": "2026-09-21T00:00:00+00:00",
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source_kind": "ecb_reference_xml",
    "truncated": false,
    "url": "https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html"
  },
  {
    "age_state": "fresh",
    "classification": "OFFICIAL",
    "content_sha256": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
    "evidence_state": "verified",
    "model": "synthetic/new-v1",
    "parse_state": "ok",
    "parsed_fx_quotes": 0,
    "parsed_models": 3,

```

```

    "parser": "openrouter_models_api/v1",
    "provider": "openrouter",
    "published_at": null,
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source_kind": "openrouter_models_api",
    "truncated": false,
    "url": "https://openrouter.ai/api/v1/models"
  },
  {
    "age_state": "fresh",
    "classification": "OFFICIAL",
    "content_sha256": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
    "evidence_state": "verified",
    "model": "synthetic/stable-v1",
    "parse_state": "ok",
    "parsed_fx_quotes": 0,
    "parsed_models": 3,
    "parser": "openrouter_models_api/v1",
    "provider": "openrouter",
    "published_at": null,
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source_kind": "openrouter_models_api",
    "truncated": false,
    "url": "https://openrouter.ai/api/v1/models"
  },
  {
    "age_state": "fresh",
    "classification": "OFFICIAL",
    "content_sha256": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
    "evidence_state": "verified",
    "model": "synthetic/updated-v1",
    "parse_state": "ok",
    "parsed_fx_quotes": 0,
    "parsed_models": 3,
    "parser": "openrouter_models_api/v1",
    "provider": "openrouter",
    "published_at": null,
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source_kind": "openrouter_models_api",
    "truncated": false,
    "url": "https://openrouter.ai/api/v1/models"
  }
],
"sql_checks": {
  "capture": "document",
  "checked": true,
  "note": "Baseline consumed from a supplied document: the document DECLARES a historical SQL export at its export time; consuming the file does not verify that historical SQL execution occurred, and this review does not attest it; no SQL was executed during this review.",
  "sql_executed_during_review": false
},
"state": "BLOCKED",
"state_reason": "blocked by: gate:import.pricing, gate:import.routes",
"warnings": [
  {
    "code": "gate:import.pricing",
    "detail": "1 proposed pricing update(s) excluded \u2014 no apply operation exists in this version",
    "model": null,
    "provider": null,
    "severity": "BLOCKER"
  },
  {
    "code": "gate:import.routes",
    "detail": "1 proposed route update(s) excluded \u2014 no apply operation exists in this version",
    "model": null,
    "provider": null,
    "severity": "BLOCKER"
  }
]
}
```

▼ Import gate details (schema-valid vs execution-plan-valid)

Import gate: fx	
Schema valid	yes
Rows	0
Valid / invalid	0 / 0
Classifications	create=0

Plan ready / blocked	0 / 0
Excluded mutations	0
Detail	0 rows to create, 0 duplicate no-op(s), 0 update(s) excluded

Import gate: pricing

Schema valid	yes
Rows	1
Valid / invalid	1 / 0
Classifications	create=1
Plan ready / blocked	1 / 0
Excluded mutations	1
Detail	1 rows, 0 invalid, 0 non-create, 1 update(s) excluded

Import gate: routes

Schema valid	yes
Rows	1
Valid / invalid	1 / 0
Classifications	create=1
Plan ready / blocked	1 / 0
Excluded mutations	1
Detail	1 rows, 0 invalid, 0 non-create, 1 update(s) excluded

Existing create-only execution remains unchanged. Updates/supersessions are represented as changed rows above; their apply plan is BLOCKED because no apply operation exists in this version. An empty unchanged plan is a truthful NO CHANGES result, not an invalid import.

▼ Source inventory and reconciliation (trust derived, never declared)

ecb/EUR-USD – ecb_reference_xml

URL	https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rat es/html/eurofxref-graph-usd.en.html
Derived classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Parser (registry)	ecb_reference_xml/v1
Parse	ok
Models parsed	0
FX quotes	1
Age	fresh
Retrieved	2026-09-21T11:00:00+00:00
Published	2026-09-21T00:00:00+00:00
Extractor	fixture-deterministic/1.0
Method	deterministic
Required	True
Truncated	False
SHA-256 (full)	5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3

openrouter/synthetic/new-v1 – openrouter_models_api

URL	https://openrouter.ai/api/v1/models
Derived classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)

Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Age	fresh
Retrieved	2026-09-21T11:00:00+00:00
Published	—
Extractor	fixture-deterministic/1.0
Method	deterministic
Required	True
Truncated	False
SHA-256 (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

openrouter/synthetic/stable-v1 — openrouter_models_api	
URL	https://openrouter.ai/api/v1/models
Derived classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Age	fresh
Retrieved	2026-09-21T11:00:00+00:00
Published	—
Extractor	fixture-deterministic/1.0
Method	deterministic
Required	True
Truncated	False
SHA-256 (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

openrouter/synthetic/updated-v1 — openrouter_models_api	
URL	https://openrouter.ai/api/v1/models
Derived classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Age	fresh
Retrieved	2026-09-21T11:00:00+00:00
Published	—
Extractor	fixture-deterministic/1.0
Method	deterministic
Required	True
Truncated	False
SHA-256 (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

OFFICIAL requires the exact official host for the (provider, source kind) rule, a reviewed registered deterministic parser, supplied evidence whose bytes match the declared digest, and a successful bounded parse of those bytes. A matching digest of arbitrary bytes is not content trust: a safe URL is not an authoritative source

(operator-supplied, semantic, off-host, or unverifiable-offline sources classify as REVIEW), and unsupported, contradictory, or unparseable required sources classify as BLOCKED. Supplied/cached evidence parsed offline is explicitly distinguished from live retrieval, which this process never performs.

▼ Source evidence — parsed snapshot observations (offline replay)

supplied/cached snapshot bytes were parsed offline with registered deterministic parsers; this proves extraction consistency against the supplied bytes, not a live retrieval that never occurred. Snapshot origin/retrieval claims (retrieved_at, published_at) are caller-supplied labels assessed against freshness policy; they are not authenticated retrievals.

Source parse status (registry parser, bounded deterministic parsing)

ecb/EUR-USD (ecb_reference_xml)

Parser (registry)	ecb_reference_xml/v1
Parse	ok
Models parsed	0
FX quotes	1
Classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Content digest (full)	5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3

openrouter/synthetic/new-v1 (openrouter_models_api)

Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

openrouter/synthetic/stable-v1 (openrouter_models_api)

Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

openrouter/synthetic/updated-v1 (openrouter_models_api)

Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

Proposed facts bound to parsed observations (15)

Provider/Model	Field	Proposed	Normalized (EUR)	Declared backing sources	Independent sources (distinct URLs)	State
openrouter/synthetic/new-v1 (upstream synthetic/new-v1)	model:capability:text	true	true	openrouter synthetic/new-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/new-v1 (upstream synthetic/new-v1)	model:context_length	128000	128000	openrouter synthetic/new-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/new-v1 (upstream synthetic/new-v1)	model:max_output_tokens	8192	8192	openrouter synthetic/new-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/new-v1 (upstream synthetic/new-v1)	pricing:input	0.1	0.100000000	openrouter synthetic/new-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/new-v1 (upstream synthetic/new-v1)	pricing:output	0.4	0.400000000	openrouter synthetic/new-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	model:capability:text	true	true	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	model:context_length	128000	128000	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	model:max_output_tokens	8192	8192	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	pricing:input	0.5	0.500000000	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	pricing:output	2	2.000000000	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/updated-v1 (upstream synthetic/updated-v1)	model:capability:text	true	true	openrouter synthetic/updated-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/updated-v1 (upstream synthetic/updated-v1)	model:context_length	128000	128000	openrouter synthetic/updated-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/updated-v1 (upstream synthetic/updated-v1)	model:max_output_tokens	8192	8192	openrouter synthetic/updated-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/updated-v1 (upstream synthetic/updated-v1)	pricing:input	1.2	1.200000000	openrouter synthetic/updated-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/updated-v1 (upstream synthetic/updated-v1)	pricing:output	4	4.000000000	openrouter synthetic/updated-v1 openrouter_models_api	1	BOUND (deterministic parser)

▼ Observations binding model:capability:text for openrouter/synthetic/new-v1 (1 shown)

Observation: true none

Source	openrouter synthetic/new-v1 openrouter_models_api
Locator	data[2].architecture.input_modalities + output_modalities
Observed value	true
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:context_length for openrouter/synthetic/new-v1 (1 shown)

Observation: 128000 none	
Source	openrouter synthetic/new-v1 openrouter_models_api
Locator	data[2].context_length
Observed value	128000
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:max_output_tokens for openrouter/synthetic/new-v1 (1 shown)

Observation: 8192 none	
Source	openrouter synthetic/new-v1 openrouter_models_api
Locator	data[2].top_provider.max_completion_tokens
Observed value	8192
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:input for openrouter/synthetic/new-v1 (1 shown)

Observation: 0.108 per_1m_tokens	
Source	openrouter synthetic/new-v1 openrouter_models_api
Locator	data[2].pricing.prompt
Observed value	0.108
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	0.100000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:output for openrouter/synthetic/new-v1 (1 shown)

Observation: 0.432 per_1m_tokens

Source	openrouter synthetic/new-v1 openrouter_models_api
Locator	data[2].pricing.completion
Observed value	0.432
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	0.400000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:capability:text for openrouter/synthetic/stable-v1 (1 shown)**Observation: true none**

Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].architecture.input_modalities + output_modalities
Observed value	true
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:context_length for openrouter/synthetic/stable-v1 (1 shown)**Observation: 128000 none**

Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].context_length
Observed value	128000
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:max_output_tokens for openrouter/synthetic/stable-v1 (1 shown)

Observation: 8192 none

Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].top_provider.max_completion_tokens
Observed value	8192
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:input for openrouter/synthetic/stable-v1 (1 shown)**Observation: 0.54 per_1m_tokens**

Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].pricing.prompt
Observed value	0.54
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	0.500000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:output for openrouter/synthetic/stable-v1 (1 shown)**Observation: 2.16 per_1m_tokens**

Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].pricing.completion
Observed value	2.16
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	2.000000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:capability:text for openrouter/synthetic/updated-v1 (1 shown)

Observation: true none

Source	openrouter synthetic/updated-v1 openrouter_models_api
Locator	data[1].architecture.input_modalities + output_modalities
Observed value	true
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:context_length for openrouter/synthetic/updated-v1 (1 shown)**Observation: 128000 none**

Source	openrouter synthetic/updated-v1 openrouter_models_api
Locator	data[1].context_length
Observed value	128000
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:max_output_tokens for openrouter/synthetic/updated-v1 (1 shown)**Observation: 8192 none**

Source	openrouter synthetic/updated-v1 openrouter_models_api
Locator	data[1].top_provider.max_completion_tokens
Observed value	8192
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:input for openrouter/synthetic/updated-v1 (1 shown)

Observation: 1.296 per_1m_tokens

Source	openrouter synthetic/updated-v1 openrouter_models_api
Locator	data[1].pricing.prompt
Observed value	1.296
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	1.200000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:output for openrouter/synthetic/updated-v1 (1 shown)**Observation: 4.32 per_1m_tokens**

Source	openrouter synthetic/updated-v1 openrouter_models_api
Locator	data[1].pricing.completion
Observed value	4.32
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	4.000000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

Each observation is an actual derived value from the parsed snapshot bytes: the observed value with its unit, currency and exact row/field locator, the source URL, full content digest, parser identity and retrieval time, and the exact normalization to the comparison currency. Repeated retrievals or aliases of the same official URL count as one independent source, not corroboration. Facts that could not be bound appear in the findings table with their blocker/REVIEW code; a fact with no verified supporting observation is never silently treated as verified, and a semantic label is never evidence.

FX facts bound to verified reference quotes**FX fact: EUR to USD**

Proposed rate	1.08
Observed quote	1.08
Quote locator	Cube@time=2026-09-21/Cube@currency=USD
Derivation	native quote
Quote date	2026-09-21
Fact published	2026-09-21T00:00:00+00:00
Backing source	ecb EUR-USD ecb_reference_xml
Quote URL	https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html
Quote digest (full)	5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3
Quote parser	ecb_reference_xml/v1

Inventory (independently derived from official snapshots, every identifier reconciled)

Inventory: openrouter

Selection mode	explicit_subset
Models in official snapshots	3
Selected/proposed	3
Retained local (baseline)	0
Explicitly excluded (subset)	0
Unsupported excluded	0
Unexplained omissions	0
Excluded/retained IDs	—

Every model identifier parsed from an official snapshot is reconciled into exactly one disposition. An unexplained omission under an all-eligible selection blocks the run; explicitly excluded (subset) and unsupported (text capability not observed) models are listed by name and count, not warned per row. Retained local models keep historical local state with no automatic deletion.

▼ Baseline identity (historical capture vs current checks)

Mode	exported_file
Capture path (this execution)	document
Exported at (historical capture)	2026-09-21T10:00:00+00:00
Baseline document digest verified	yes
SQL checked at document export (declared)	yes
SQL executed during this review	no
Note	Baseline consumed from a supplied document: the document DECLARES a historical SQL export at its export time; consuming the file does not verify that historical SQL execution occurred, and this review does not attest it; no SQL was executed during this review.
Target	slaif-synthetic-baseline
PostgreSQL version	—
Baseline age (seconds at run time)	7200.0

The unkeyed content digest is an integrity check on the document bytes; it is not authentication and not proof that the baseline is current, and a supplied document's capture metadata is a declaration, not an independent attestation. A connection failure must never become an empty bootstrap; bootstrap requires an explicitly empty first-install baseline.

▼ Run identity (expanded)

Run ID	browser-price-change-001
Generated at (run time)	2026-09-21T12:00:00+00:00
SLAIF revision	fixture-revision-180
Schema version	1
Renderer version	180.6
Policy version	1
Profile	standard-v1 — /v1/chat/completions (streaming) (local models visible)
Research	NOT_RUN (extractor fixture/1.0, tool fixture/1.0)
Routes artifact sha256	fb06790889265699106ada04ec5ef7c993f61211957897caa27621a78475d168
Pricing artifact sha256	d23f326bd548efc636602065b493e6455d151eadb39f79345074c68d913a0b21
FX artifact sha256	37517e5f3dc66819f61f5a7bb8ace1921282415f10551d2defa5c3eb0985b570

▼ Bundle notes

Synthetic refresh fixture: 1 unchanged, 1 changed (input +20%), 1 new. All-EUR, FX N/A.

