

SLAIF catalog refresh review

One-page offline review artifact. This version reviews supplied snapshots; live collection and apply are not implemented. Everything needed for the decision is inside this file; detailed evidence is in the expandable sections below. No external resources, no JavaScript, no network on open.

READY – all recomputed gates verified; no review findings

BLOCKERS 0

REVIEW findings 0

all findings 0

Decision – scope & baseline	
Why this state	all recomputed gates verified; no review findings
Blockers	0 finding(s)
Review findings	0 finding(s)
Selected scope	providers: openrouter; models: synthetic/stable-v1 (selected 1, considered 1, out-of-scope facts 0)
Baseline	exported_file – exported 2026-09-21T10:00:00+00:00 – target slaif-synthetic-baseline
Baseline SQL evidence	Baseline consumed from a supplied document: the document DECLARES a historical SQL export at its export time; consuming the file does not verify that historical SQL execution occurred, and this review does not attest it; no SQL was executed during this review.
Live research	NOT_RUN – live source retrieval is unavailable in this version; only supplied offline evidence is assessed
Source evidence	5 proposed facts bound to parsed snapshot observations · 3 model(s) in official snapshots: 1 selected, 1 retained local, 1 excluded, 0 unexplained omission(s) · offline replay of supplied bytes – registered deterministic parsers, not a live retrieval

Gate checklist – deterministic	
SOURCE EVIDENCE –	VERIFIED
VERIFIED	sources – all sources fresh, official-host, evidence-verified, and deterministically parsed; proposed required facts are bound to parsed snapshot observations
PAIRING & SUPPORTED CAPABILITIES –	VERIFIED
VERIFIED	pairing – every priced selected model is paired to its route by provider + upstream model + endpoint
VERIFIED	unsupported – no unsupported rows
IMPORT PLAN VALIDATION –	N/A
N/A	import.routes – no route rows proposed (NO CHANGES)
N/A	import.pricing – no pricing rows proposed (NO CHANGES)
N/A	import.fx – all selected prices are EUR; no FX rows required
SCHEMA & PRICING COMPLETENESS –	VERIFIED
VERIFIED	schema – bundle schema v1 parsed strictly; baseline document digest-verified
VERIFIED	pricing.complete – every selected priced model carries required input and output dimensions
CHANGES & RECONCILIATION –	VERIFIED
VERIFIED	changes – no price/FX movement above policy thresholds
VERIFIED	completeness – all selected models accounted

Per-provider summary

Source snapshots (offline replay of supplied documents)

Provider	models in snapshot	selected	retained local	excluded	unexplained
openrouter	3	1	1	1	0

Baseline comparison (this run)

Provider	new	changed	unchanged	excluded	blocked	disappeared	deprecated	not fetched
openrouter	0	0	1	0	0	0	0	0

Different populations, not additive: source snapshots = supplied documents replayed offline; baseline comparison = rows in effect at review time. No count is invented for a source that did not parse.

FX (current vs proposed, native → EUR)	

Run `browser-ready-001` · generated at 2026-09-21T12:00:00+00:00 (run time) · revision fixture-revision-180 (schema 1, renderer 180.5, policy v1) · profile standard-v1 /v1/chat/completions · [full identity](#).

Counts (recomputed): `selected 1` `considered 1` `ready 1` `new 0` `changed 0` `unchanged 1` `excluded 0` `blocked 0`
`disappeared 0` `deprecated 0` `not fetched 0` `out of scope facts 0`

Important findings (aggregated)

No blockers and no review findings.

Execution plan (create-only)

All executable plans are create-only and pass their import gates.

- routes: nothing to create (NO CHANGES)
- pricing: nothing to create (NO CHANGES)
- fx: nothing to create (NO CHANGES)

What changed

No price movements among comparable selected dimensions.

No route or model attribute changes.

Unchanged: 1 model(s) — collapsed by default in [the unchanged section](#); disappearance above is an observation, not a delete.

▼ Unchanged models (1) — collapsed

Compared fields identical to the active baseline; no-op rows are excluded from the executable artifacts and aggregated by design.

Provider	Model
openrouter	synthetic/stable-v1

▼ All warnings and findings (0)

None.

▼ Full validator outputs (validation.json)

```
{
  "artifacts": {
    "fx_json_sha256": "37517e5f3dc66819f61f5a7bb8ace1921282415f10551d2defa5c3eb0985b570",
    "fx_rows": 0,
    "pricing_rows": 0,
    "pricing_tsv_sha256": "4951e490dd220a5e19aa02a941c9264e84282185c5fa87dff778e5b8bc82eff3",
    "route_rows": 0,
    "routes_tsv_sha256": "368febef0f9e608c4d132428467b9ddd902a17551173579dbc9821e04e265420"
  },
  "baseline": {
    "age": 7200.0,
    "documented_exported_at": "2026-09-21T10:00:00+00:00",
    "exported_at": "2026-09-21T10:00:00+00:00",
    "mode": "exported_file",
    "postgres_version": null,
    "sql_checked": true,
    "target": "slaif-synthetic-baseline"
  },
  "baseline_metadata": [],
  "counts": {
    "blocked": 0,
    "changed": 0,
    "considered": 1,
    "deprecated": 0,
    "disappeared": 0,
    "excluded": 0,
    "new": 0,
    "not_fetched": 0,
    "out_of_scope_facts": 0,
    "ready": 1,
    "selected": 1,
```

```
"unchanged": 1
},
"dispositions": [
  {
    "detail": "all compared fields identical to the active baseline (no-op)",
    "disposition": "UNCHANGED",
    "model": "synthetic/stable-v1",
    "provider": "openrouter"
  }
],
"fx_comparisons": [],
"generated_at": "2026-09-21T12:00:00+00:00",
"import_gates": [
  {
    "classifications": {
      "create": 0
    },
    "detail": "0 rows to create, 0 duplicate no-op(s), 0 update(s) excluded",
    "excluded_mutations": 0,
    "invalid_rows": 0,
    "kind": "fx",
    "plan_blocked_rows": 0,
    "plan_ready_rows": 0,
    "schema_valid": true,
    "total_rows": 0,
    "valid_rows": 0
  },
  {
    "classifications": {},
    "detail": "0 rows, 0 invalid, 0 non-create, 0 update(s) excluded",
    "excluded_mutations": 0,
    "invalid_rows": 0,
    "kind": "pricing",
    "plan_blocked_rows": 0,
    "plan_ready_rows": 0,
    "schema_valid": true,
    "total_rows": 0,
    "valid_rows": 0
  },
  {
    "classifications": {},
    "detail": "0 rows, 0 invalid, 0 non-create, 0 update(s) excluded",
    "excluded_mutations": 0,
    "invalid_rows": 0,
    "kind": "routes",
    "plan_blocked_rows": 0,
    "plan_ready_rows": 0,
    "schema_valid": true,
    "total_rows": 0,
    "valid_rows": 0
  }
],
"per_provider": {
  "openrouter": {
    "unchanged": 1
  }
},
"policy_version": 1,
"price_comparisons": [
  {
    "currency_new": "EUR",
    "currency_old": "EUR",
    "dimension": "input",
    "model": "synthetic/stable-v1",
    "new": "0.5",
    "old": "0.5",
    "percent_change": "0.000000",
    "provider": "openrouter",
    "state": "UNCHANGED"
  },
  {
    "currency_new": "EUR",
    "currency_old": "EUR",
    "dimension": "output",
    "model": "synthetic/stable-v1",
    "new": "2",
    "old": "2",
    "percent_change": "0.000000",
    "provider": "openrouter",
    "state": "UNCHANGED"
  }
],
"research": {
  "extractor_version": "fixture/1.0",
  "status": "NOT_RUN",
  "tool_version": "fixture/1.0"
}
```

```
},
"run_id": "browser-ready-001",
"source_evidence": {
  "backed_facts": [
    {
      "backed_by": [
        "openrouter|synthetic/stable-v1|openrouter_models_api"
      ],
      "field": "model:capability:text",
      "independent_sources": 1,
      "model": "synthetic/stable-v1",
      "observations": [
        {
          "conversion": null,
          "currency": null,
          "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
          "locator": "data[0].architecture.input_modalities + output_modalities",
          "normalized_eur": null,
          "observed_value": "true",
          "parser": "openrouter_models_api/v1",
          "retrieved_at": "2026-09-21T11:00:00+00:00",
          "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
          "unit": "none",
          "url": "https://openrouter.ai/api/v1/models"
        }
      ],
      "proposed": "true",
      "proposed_normalized": "true",
      "provider": "openrouter",
      "upstream_model": "synthetic/stable-v1"
    },
    {
      "backed_by": [
        "openrouter|synthetic/stable-v1|openrouter_models_api"
      ],
      "field": "model:context_length",
      "independent_sources": 1,
      "model": "synthetic/stable-v1",
      "observations": [
        {
          "conversion": null,
          "currency": null,
          "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
          "locator": "data[0].context_length",
          "normalized_eur": null,
          "observed_value": "128000",
          "parser": "openrouter_models_api/v1",
          "retrieved_at": "2026-09-21T11:00:00+00:00",
          "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
          "unit": "none",
          "url": "https://openrouter.ai/api/v1/models"
        }
      ],
      "proposed": "128000",
      "proposed_normalized": "128000",
      "provider": "openrouter",
      "upstream_model": "synthetic/stable-v1"
    },
    {
      "backed_by": [
        "openrouter|synthetic/stable-v1|openrouter_models_api"
      ],
      "field": "model:max_output_tokens",
      "independent_sources": 1,
      "model": "synthetic/stable-v1",
      "observations": [
        {
          "conversion": null,
          "currency": null,
          "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
          "locator": "data[0].top_provider.max_completion_tokens",
          "normalized_eur": null,
          "observed_value": "8192",
          "parser": "openrouter_models_api/v1",
          "retrieved_at": "2026-09-21T11:00:00+00:00",
          "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
          "unit": "none",
          "url": "https://openrouter.ai/api/v1/models"
        }
      ],
      "proposed": "8192",
      "proposed_normalized": "8192",
      "provider": "openrouter",
      "upstream_model": "synthetic/stable-v1"
    }
  ],
  {
```

```

"backed_by": [
  "openrouter|synthetic/stable-v1|openrouter_models_api"
],
"field": "pricing:input",
"independent_sources": 1,
"model": "synthetic/stable-v1",
"observations": [
  {
    "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
    "currency": "USD",
    "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
    "locator": "data[0].pricing.prompt",
    "normalized_eur": "0.500000000",
    "observed_value": "0.54",
    "parser": "openrouter_models_api/v1",
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
    "unit": "per_lm_tokens",
    "url": "https://openrouter.ai/api/v1/models"
  }
],
"proposed": "0.5",
"proposed_normalized": "0.500000000",
"provider": "openrouter",
"upstream_model": "synthetic/stable-v1"
},
{
  "backed_by": [
    "openrouter|synthetic/stable-v1|openrouter_models_api"
  ],
  "field": "pricing:output",
  "independent_sources": 1,
  "model": "synthetic/stable-v1",
  "observations": [
    {
      "conversion": "USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)",
      "currency": "USD",
      "digest": "bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
      "locator": "data[0].pricing.completion",
      "normalized_eur": "2.000000000",
      "observed_value": "2.16",
      "parser": "openrouter_models_api/v1",
      "retrieved_at": "2026-09-21T11:00:00+00:00",
      "source": "openrouter|synthetic/stable-v1|openrouter_models_api",
      "unit": "per_lm_tokens",
      "url": "https://openrouter.ai/api/v1/models"
    }
  ],
  "proposed": "2",
  "proposed_normalized": "2.000000000",
  "provider": "openrouter",
  "upstream_model": "synthetic/stable-v1"
}
],
"fx_backed": [
  {
    "backed_by": "ecb|EUR-USD|ecb_reference_xml",
    "derived_reciprocal": false,
    "fact_published_at": "2026-09-21T00:00:00+00:00",
    "observed_quote": "1.08",
    "pair": "EUR to USD",
    "quote_date": "2026-09-21",
    "quote_digest": "5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3",
    "quote_locator": "Cube@time=2026-09-21/Cube@currency=USD",
    "quote_parser": "ecb_reference_xml/v1",
    "quote_retrieved_at": "2026-09-21T11:00:00+00:00",
    "quote_url": "https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html",
    "rate": "1.08"
  }
],
"inventory": {
  "openrouter": {
    "evidence_models": 3,
    "excluded_ids": [
      "synthetic/new-v1"
    ],
    "explicitly_excluded_models": 1,
    "retained_local_ids": [
      "synthetic/updated-v1"
    ],
    "retained_local_models": 1,
    "selected_models": 1,
    "selection_mode": "explicit_subset",
    "unexplained_omissions": 0,
    "unsupported_excluded_models": 0
  }
}

```

```
},
  "note": "supplied/cached snapshot bytes were parsed offline with registered deterministic parsers; this proves extraction consistency against the supplied bytes, not a live retrieval that never occurred",
  "scope": "offline_replay"
},
"sources": [
  {
    "age_state": "fresh",
    "classification": "OFFICIAL",
    "content_sha256": "5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3",
    "evidence_state": "verified",
    "model": "EUR-USD",
    "parse_state": "ok",
    "parsed_fx_quotes": 1,
    "parsed_models": 0,
    "parser": "ecb_reference_xml/v1",
    "provider": "ecb",
    "published_at": "2026-09-21T00:00:00+00:00",
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source_kind": "ecb_reference_xml",
    "truncated": false,
    "url": "https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html"
  },
  {
    "age_state": "fresh",
    "classification": "OFFICIAL",
    "content_sha256": "bflf63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056",
    "evidence_state": "verified",
    "model": "synthetic/stable-v1",
    "parse_state": "ok",
    "parsed_fx_quotes": 0,
    "parsed_models": 3,
    "parser": "openrouter_models_api/v1",
    "provider": "openrouter",
    "published_at": null,
    "retrieved_at": "2026-09-21T11:00:00+00:00",
    "source_kind": "openrouter_models_api",
    "truncated": false,
    "url": "https://openrouter.ai/api/v1/models"
  }
],
"sql_checks": {
  "capture": "document",
  "checked": true,
  "note": "Baseline consumed from a supplied document: the document DECLARES a historical SQL export at its export time; consuming the file does not verify that historical SQL execution occurred, and this review does not attest it; no SQL was executed during this review.",
  "sql_executed_during_review": false
},
"state": "READY",
"state_reason": "all recomputed gates verified; no review findings",
"warnings": []
}
```

▼ Import gate details (schema-valid vs execution-plan-valid)

Import gate: fx

Schema valid	yes
Rows	0
Valid / invalid	0 / 0
Classifications	create=0
Plan ready / blocked	0 / 0
Excluded mutations	0
Detail	0 rows to create, 0 duplicate no-op(s), 0 update(s) excluded

Import gate: pricing

Schema valid	yes
Rows	0
Valid / invalid	0 / 0
Classifications	—
Plan ready / blocked	0 / 0
Excluded mutations	0
Detail	0 rows, 0 invalid, 0 non-create, 0 update(s) excluded

Import gate: routes	
Schema valid	yes
Rows	0
Valid / invalid	0 / 0
Classifications	—
Plan ready / blocked	0 / 0
Excluded mutations	0
Detail	0 rows, 0 invalid, 0 non-create, 0 update(s) excluded

Existing create-only execution remains unchanged. Updates/supersessions are represented as changed rows above; their apply plan is BLOCKED because no apply operation exists in this version. An empty unchanged plan is a truthful NO CHANGES result, not an invalid import.

▼ Source inventory and reconciliation (trust derived, never declared)

ecb/EUR-USD — ecb_reference_xml	
URL	https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html
Derived classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Parser (registry)	ecb_reference_xml/v1
Parse	ok
Models parsed	0
FX quotes	1
Age	fresh
Retrieved	2026-09-21T11:00:00+00:00
Published	2026-09-21T00:00:00+00:00
Extractor	fixture-deterministic/1.0
Method	deterministic
Required	True
Truncated	False
SHA-256 (full)	5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3

openrouter/synthetic/stable-v1 — openrouter_models_api	
URL	https://openrouter.ai/api/v1/models
Derived classification	OFFICIAL
Evidence	evidence verified (bytes match declared digest)
Parser (registry)	openrouter_models_api/v1
Parse	ok
Models parsed	3
FX quotes	0
Age	fresh
Retrieved	2026-09-21T11:00:00+00:00
Published	—
Extractor	fixture-deterministic/1.0
Method	deterministic
Required	True
Truncated	False
SHA-256 (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

OFFICIAL requires the exact official host for the (provider, source kind) rule, a reviewed registered deterministic parser, supplied evidence whose bytes match the declared digest, and a successful bounded parse of those bytes. A matching digest of arbitrary bytes is not content trust: a safe URL is not an authoritative source (operator-supplied, semantic, off-host, or unverifiable-offline sources classify as REVIEW), and unsupported, contradictory, or unparseable required sources classify as BLOCKED. Supplied/cached evidence parsed offline is explicitly distinguished from live retrieval, which this process never performs.

▼ Source evidence — parsed snapshot observations (offline replay)

supplied/cached snapshot bytes were parsed offline with registered deterministic parsers; this proves extraction consistency against the supplied bytes, not a live retrieval that never occurred. Snapshot origin/retrieval claims (retrieved_at, published_at) are caller-supplied labels assessed against freshness policy; they are not authenticated retrievals.

ecb/EUR-USD (ecb_reference_xml)

Parser (registry) ecb_reference_xml/v1
Parse ok
Models parsed 0
FX quotes 1
Classification OFFICIAL
Evidence evidence verified (bytes match declared digest)
Content digest (full) 5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3

openrouter/synthetic/stable-v1 (openrouter_models_api)

Parser (registry) openrouter_models_api/v1
Parse ok
Models parsed 3
FX quotes 0
Classification OFFICIAL
Evidence evidence verified (bytes match declared digest)
Content digest (full) bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

Proposed facts bound to parsed observations (5)

Provider/Model	Field	Proposed	Normalized (EUR)	Declared backing sources	Independent sources (distinct URLs)	State
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	model:capability:text	true	true	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	model:context_length	128000	128000	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	model:max_output_tokens	8192	8192	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	pricing:input	0.5	0.500000000	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)
openrouter/synthetic/stable-v1 (upstream synthetic/stable-v1)	pricing:output	2	2.000000000	openrouter synthetic/stable-v1 openrouter_models_api	1	BOUND (deterministic parser)

▼ Observations binding model:capability:text for openrouter/synthetic/stable-v1 (1 shown)

Observation: true none

Source openrouter|synthetic/stable-v1|openrouter_models_api
Locator data[0].architecture.input_modalities + output_modalities
Observed value true
Unit none
Currency —
Normalized (EUR) —
Conversion —
URL <https://openrouter.ai/api/v1/models>
Content digest (full) bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser openrouter_models_api/v1
Retrieved 2026-09-21T11:00:00+00:00

▼ Observations binding model:context_length for openrouter/synthetic/stable-v1 (1 shown)

Observation: 128000 none

Source openrouter|synthetic/stable-v1|openrouter_models_api
Locator data[0].context_length
Observed value 128000
Unit none
Currency —
Normalized (EUR) —
Conversion —
URL <https://openrouter.ai/api/v1/models>
Content digest (full) bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056

Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding model:max_output_tokens for openrouter/synthetic/stable-v1 (1 shown)

Observation: 8192 none	
Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].top_provider.max_completion_tokens
Observed value	8192
Unit	none
Currency	—
Normalized (EUR)	—
Conversion	—
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:input for openrouter/synthetic/stable-v1 (1 shown)

Observation: 0.54 per_1m_tokens	
Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].pricing.prompt
Observed value	0.54
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	0.500000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

▼ Observations binding pricing:output for openrouter/synthetic/stable-v1 (1 shown)

Observation: 2.16 per_1m_tokens	
Source	openrouter synthetic/stable-v1 openrouter_models_api
Locator	data[0].pricing.completion
Observed value	2.16
Unit	per_1m_tokens
Currency	USD
Normalized (EUR)	2.000000000
Conversion	USD to EUR at 0.925925926 (EUR-USD, reciprocal of verified quote, quote date 2026-09-21)
URL	https://openrouter.ai/api/v1/models
Content digest (full)	bf1f63790a64f4ed8779806e35a974a43c5b3f1a00b9e50e66f7672e80d49056
Parser	openrouter_models_api/v1
Retrieved	2026-09-21T11:00:00+00:00

Each observation is an actual derived value from the parsed snapshot bytes: the observed value with its unit, currency and exact row/field locator, the source URL, full content digest, parser identity and retrieval time, and the exact normalization to the comparison currency. Repeated retrievals or aliases of the same official URL count as one independent source, not corroboration. Facts that could not be bound appear in the findings table with their blocker/REVIEW code; a fact with no verified supporting observation is never silently treated as verified, and a semantic label is never evidence.

FX facts bound to verified reference quotes

FX fact: EUR to USD	
Proposed rate	1.08
Observed quote	1.08
Quote locator	Cube@time=2026-09-21/Cube@currency=USD

Derivation	native quote
Quote date	2026-09-21
Fact published	2026-09-21T00:00:00+00:00
Backing source	ecb EUR-USD ecb_reference.xml
Quote URL	https://www.ecb.europa.eu/stats/policy_and_exchange_rates/euro_reference_exchange_rates/html/eurofxref-graph-usd.en.html
Quote digest (full)	5570b90dbf7fc69971877640bb645af43cfacd92966752c37cf7a4ee631f85a3
Quote parser	ecb_reference_xml/v1

Inventory (independently derived from official snapshots, every identifier reconciled)

Inventory: openrouter	
Selection mode	explicit_subset
Models in official snapshots	3
Selected/proposed	1
Retained local (baseline)	1
Explicitly excluded (subset)	1
Unsupported excluded	0
Unexplained omissions	0
Excluded/retained IDs	excluded: synthetic/new-v1 · retained: synthetic/updated-v1

Every model identifier parsed from an official snapshot is reconciled into exactly one disposition. An unexplained omission under an all-eligible selection blocks the run; explicitly excluded (subset) and unsupported (text capability not observed) models are listed by name and count, not warned per row. Retained local models keep historical local state with no automatic deletion.

▼ Baseline identity (historical capture vs current checks)

Mode	exported_file
Capture path (this execution)	document
Exported at (historical capture)	2026-09-21T10:00:00+00:00
Baseline document digest verified	yes
SQL checked at document export (declared)	yes
SQL executed during this review	no
Note	Baseline consumed from a supplied document: the document DECLARES a historical SQL export at its export time; consuming the file does not verify that historical SQL execution occurred, and this review does not attest it; no SQL was executed during this review.
Target	slaif-synthetic-baseline
PostgreSQL version	—
Baseline age (seconds at run time)	7200.0

The unkeyed content digest is an integrity check on the document bytes; it is not authentication and not proof that the baseline is current, and a supplied document's capture metadata is a declaration, not an independent attestation. A connection failure must never become an empty bootstrap; bootstrap requires an explicitly empty first-install baseline.

▼ Run identity (expanded)

Run ID	browser-ready-001
Generated at (run time)	2026-09-21T12:00:00+00:00
SLAIF revision	fixture-revision-180
Schema version	1
Renderer version	180.5
Policy version	1
Profile	standard-v1 — /v1/chat/completions (streaming) (local models visible)
Research	NOT_RUN (extractor fixture/1.0, tool fixture/1.0)
Routes artifact sha256	368febef0f9e608c4d132428467b9ddd902a17551173579dbc9821e04e265420
Pricing artifact sha256	4951e490dd220a5e19aa02a941c9264e84282185c5fa87dff778e5b8bc82eff3
FX artifact sha256	37517e5f3dc66819f61f5a7bb8ace1921282415f10551d2defa5c3eb0985b570

▼ Bundle notes

Synthetic refresh fixture: 1 unchanged, 1 changed (input +20%), 1 new. All-EUR, FX N/A.

