

TUGAS

KELOMPOK PERINTAH SQL(DDL)



ANGGOTA : Agis Kurniawan

Anggi Dwi Permana

1.Membuat database penilaian

```
MariaDB [(none)]> create database penilaiann;  
Query OK, 1 row affected (0.001 sec)
```

2.Menampilkan database

```
MariaDB [penilaiann]> show databases;  
+-----+  
| Database |  
+-----+  
| information_schema |  
| mahasiswa |  
| mysql |  
| pendaftaran |  
| penilaiann |  
| performance_schema |  
| phpmyadmin |  
| smkn1cisarua |  
| test |  
+-----+
```

3.Membuat tabel siswa

```
MariaDB [penilaiann]> create table siswa (  
    -> nis int (6),  
    -> nama varchar (30),  
    -> jk varchar (1),  
    -> alamat varchar (40));  
Query OK, 0 rows affected (0.014 sec)
```

- Tampilan tabel

```
MariaDB [penilaiann]> desc siswa;
```

Field	Type	Null	Key	Default	Extra
nis	int(6)	YES		NULL	
nama	varchar(30)	YES		NULL	
jk	varchar(1)	YES		NULL	
alamat	varchar(40)	YES		NULL	

```
4 rows in set (0.039 sec)
```

4.Membuata tabel guru

```
MariaDB [penilaiann]> create table guru (  
  -> id_guru varchar (10),  
  -> nama_guru varchar (30),  
  -> alamat varchar (40),  
  -> jk varchar (1));  
Query OK, 0 rows affected (0.019 sec)
```

- Tampilan tabel

```
MariaDB [penilaiann]> desc guru;
```

Field	Type	Null	Key	Default	Extra
id_guru	varchar(10)	YES		NULL	
nama_guru	varchar(30)	YES		NULL	
alamat	varchar(40)	YES		NULL	
jk	varchar(1)	YES		NULL	

```
4 rows in set (0.035 sec)
```

5. Membuat tabel mapel

```
MariaDB [penilaiann]> create table mapel (  
    -> id_mapel varchar (10),  
    -> nama_mapel varchar (20));  
Query OK, 0 rows affected (0.016 sec)
```

- Tampilan tabel

```
MariaDB [penilaiann]> desc mapel;  
+-----+-----+-----+-----+-----+-----+  
| Field      | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| id_mapel   | varchar(10)   | YES  |     | NULL    |       |  
| nama_mapel | varchar(20)   | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
2 rows in set (0.031 sec)
```

6. Membuat tabel kelas

```
MariaDB [penilaiann]> create table kelas (  
    -> id_kelas varchar (6),  
    -> nama_kelas varchar (10));  
Query OK, 0 rows affected (0.012 sec)
```

- Tampilan tabel

```
MariaDB [penilaiann]> desc kelas;  
+-----+-----+-----+-----+-----+-----+  
| Field      | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| id_kelas   | varchar(6)    | YES  |     | NULL    |       |  
| nama_kelas | varchar(10)   | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
2 rows in set (0.033 sec)
```

7. Membuat tabel jurusan

```
MariaDB [penilaiann]> create table jurusan (  
  -> id_jurusan varchar(6),  
  -> nama_jurusan varchar(10));  
Query OK, 0 rows affected (0.015 sec)
```

- Tampilan tabel

```
MariaDB [penilaiann]> desc jurusan;  
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| id_jurusan     | varchar(6)    | YES  |     | NULL    |       |  
| nama_jurusan   | varchar(10)   | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
2 rows in set (0.039 sec)
```

8. Membuat tabel nilai

```
MariaDB [penilaiann]> create table nilai (  
  -> id_nilai varchar(6),  
  -> nis int(6),  
  -> id_mapel varchar(10),  
  -> id_guru varchar(10),  
  -> id_kelas varchar(6),  
  -> id_jurusan varchar(6),  
  -> nilai_ulangan int(6),  
  -> nilai_uts int(6),  
  -> nilai_uas int(6),  
  -> nilai_akhir int(6));  
Query OK, 0 rows affected (0.015 sec)
```

- Tampilan tabel

```
MariaDB [penilaiann]> desc nilai;
```

Field	Type	Null	Key	Default	Extra
id_nilai	varchar(6)	YES		NULL	
nis	int(6)	YES		NULL	
id_mapel	varchar(10)	YES		NULL	
id_guru	varchar(10)	YES		NULL	
id_kelas	varchar(6)	YES		NULL	
id_jurusan	varchar(6)	YES		NULL	
nilai_ulangan	int(6)	YES		NULL	
nilai_uts	int(6)	YES		NULL	
nilai_uas	int(6)	YES		NULL	
nilai_akhir	int(6)	YES		NULL	

```
10 rows in set (0.041 sec)
```

S