

WAVEFORM LOGIC

A New Mathematical System Based on
Oscillation, Interference, and Resonance

Daniel Rodríguez Suárez
UltraNarrative LTD

Working Paper — March 2026

DRAFT: Not for citation without author's permission

Abstract

This paper introduces Waveform Logic, a proposed mathematical framework in which numerical quantities are represented not as discrete symbolic entities but as oscillatory waveforms characterised by frequency, amplitude, phase, and shape. Within this system, arithmetic operations are reconceived as physical wave interactions: addition corresponds to interference, multiplication to resonance, division to filtering, and negation to phase inversion. The paper sets out the foundational axioms, defines a formal notation system, and explores the theoretical consequences of grounding computation in continuous oscillatory processes rather than symbolic manipulation. Connections are drawn to Fourier analysis, signal processing, quantum mechanics, and analog computing, while the framework is positioned as a complementary ontology for mathematical description rather than a replacement for existing formalisms. The work concludes with a discussion of potential applications in neuromorphic hardware, optical computing, and physically grounded artificial intelligence.

Keywords: waveform mathematics, oscillatory computation, analog logic, signal processing, Fourier analysis, process ontology, wave interference, resonance arithmetic

Table of Contents

Abstract	2
Table of Contents	3
1. Author's Preface.....	5
2. Introduction: The Case for a New Mathematical Framework	6
2.1 The Limits of Symbolic Mathematics	7
2.2 Analog, Digital, and the Physics of Computation	7
3. Foundations of Waveform Logic.....	9
3.1 The Waveform Number	9
3.2 Primitive Definitions	9
4. Representation of Numbers as Waves	11
4.1 Natural Numbers	11
4.2 Zero	11
4.3 Negative Numbers	11
4.4 Irrational and Transcendental Numbers	12
4.5 Fractions and Rational Numbers	12
5. Operations in Waveform Logic	13
5.1 Addition as Interference	13
5.2 Multiplication as Resonance	13
5.3 Division as Filtering.....	13
5.4 Subtraction as Phase Inversion.....	14
5.5 Exponentiation as Harmonic Stacking	14
5.6 Logarithm as Frequency Extraction.....	14
6. Complex Waves and Multi-Frequency Numbers	16
7. Geometry in Wave Space.....	17
8. Waveform Algebra	18
9. Waveform Calculus	19
10. Waveform Logic Gates	20
11. Computing Through Waves	21
12. Relations to Existing Frameworks	22
12.1 Fourier Analysis and Signal Processing.....	22
12.2 Quantum Theory.....	22
12.3 Neuroscience and Neural Computation	22
13. Axioms of Waveform Logic	23
14. Formal Notation System.....	24
15. Advantages and Limitations.....	25
15.1 Potential Advantages.....	25

15.2 Current Limitations	25
16. Future Applications	26
17. Conclusion: Mathematics as Vibration	27
References	28

1. Author's Preface

Waveform Logic is a proposal for a new mathematical system in which numbers are not treated as abstract symbols but as oscillatory phenomena. In this framework, calculation is not performed through symbolic manipulation but through the interaction of waves—the constructive and destructive patterns that emerge when oscillations meet.

Traditional mathematics represents quantity through discrete notation: a numeral stands for a value, and operations are performed by rule-governed transformations of these symbols. Waveform Logic, by contrast, represents quantity through vibration, frequency, amplitude, and phase. A number, in this system, is not a mark on paper but a signal—a pattern of energy distributed across time.

The purpose of this work is not to replace existing mathematics. The symbolic tradition from Euclid through Cantor to the present day has produced an extraordinarily powerful and internally consistent architecture of thought. Rather, the aim is to introduce a complementary framework in which computation can be understood as a physical process—one that may prove especially productive in domains where continuous, parallel, and wave-based processing offers advantages over sequential symbolic manipulation.

This text defines the axioms, operations, notation, and theoretical consequences of Waveform Logic, and explores its possible applications in physics, computing, and future forms of analog and quantum calculation.

2. Introduction: The Case for a New Mathematical Framework

The history of mathematics is, in large part, a history of notation. The movement from tally marks to positional number systems, from geometric proportion to algebraic symbolism, from the infinitesimal calculus to set-theoretic foundations—each of these transitions was not merely a change in how mathematics was written but a transformation in what could be thought. Notation constrains and enables cognition.

Contemporary mathematics, for all its power, remains grounded in a fundamentally discrete and symbolic paradigm. Numbers are abstract objects manipulated according to formal rules. The physical substrate—whether ink on paper, chalk on a blackboard, or electrons in a silicon gate—is treated as incidental to the mathematics itself. This abstraction has been enormously productive. But it also conceals an assumption: that the most natural or fundamental way to represent quantity is through discrete, static symbols.

Nature, however, computes differently. Physical systems process information through continuous wave phenomena: electromagnetic radiation, acoustic vibration, quantum probability amplitudes, neural oscillations. The Fourier transform demonstrates that any signal—however complex—can be decomposed into a sum of sinusoidal components. Quantum mechanics represents states as vectors in Hilbert space, with measurement outcomes determined by wave function interference. The brain performs computation through the synchronisation and desynchronisation of oscillatory neural populations.

These observations suggest a question: what would a mathematical system look like if it took oscillation, rather than symbolic abstraction, as its primitive? What if numbers were waveforms, operations were interactions, and calculation was a transformation of physical signals?

This paper proposes such a system. Waveform Logic does not claim to supersede existing mathematics—it could not, given the proven completeness and consistency results that anchor modern formalism. Rather, it proposes an alternative ontology for mathematical description: one in which the objects of mathematics are continuous, dynamic, and physically realisable, and in which the act of computation is understood as a species of wave interaction.

2.1 The Limits of Symbolic Mathematics

Symbolic mathematics operates by encoding quantity into discrete tokens and manipulating those tokens according to syntactic rules. This approach has well-known strengths: precision, generality, and the capacity for rigorous proof. But it also has structural limitations that become visible at the boundaries of application.

First, symbolic computation is inherently sequential. Operations are performed one at a time, in a defined order. Parallelism must be artificially introduced through architectural workarounds—multi-threading, GPU arrays, distributed systems—rather than arising naturally from the formalism itself.

Second, symbolic systems struggle with certain classes of continuous and analog problems. Numerical methods for differential equations, for instance, approximate continuous dynamics through discrete time-steps, introducing truncation and rounding errors that must be carefully managed. The mathematics is exact; the computation is not.

Third, and most fundamentally, symbolic mathematics maintains a strict separation between the representation and the thing represented. The numeral ‘2’ is not two of anything; it is a mark that, by convention, denotes a quantity. This abstraction is a strength in pure mathematics, but it creates a translation problem whenever mathematics must interface with physical systems.

2.2 Analog, Digital, and the Physics of Computation

The digital computer, which implements symbolic mathematics in silicon, has dominated computation for seven decades. Its success rests on the reliability of binary switching: transistors that are either on or off, representing 1 or 0 with minimal ambiguity. Digital computation is robust, scalable, and general-purpose.

But digital computation is not the only possibility. Before the transistor age, analog computers performed calculations using continuous physical quantities: voltages, gear ratios, fluid levels. These machines were fast and naturally parallel, but lacked the precision and programmability of digital systems.

Recent developments—in optical computing, neuromorphic hardware, quantum processors, and memristive architectures—have revived interest in computation that exploits continuous physical dynamics rather than discrete symbolic manipulation.

These approaches suggest that the next generation of computational systems may operate on principles closer to wave physics than to Boolean algebra.

Waveform Logic provides a mathematical language native to such systems.

3. Foundations of Waveform Logic

The foundational principle of Waveform Logic may be stated simply:

Every number is a waveform. Every operation is an interaction. Every calculation is a transformation of oscillations.

From this principle, the system is constructed. Where conventional mathematics begins with sets and their elements, Waveform Logic begins with waveforms and their parameters. Where conventional arithmetic defines operations through axioms governing abstract quantities, Waveform Logic defines operations through the physics of wave interaction.

3.1 The Waveform Number

In Waveform Logic, a number N is defined as a quadruple:

$$N = (f, A, \varphi, S)$$

where:

f denotes the frequency of the waveform (cycles per unit time);

A denotes the amplitude (maximum displacement from equilibrium);

φ denotes the phase (angular offset at origin); and

S denotes the waveform shape (sinusoidal, square, triangular, sawtooth, or complex).

This four-parameter representation replaces the single-dimensional number line of conventional arithmetic with a multi-dimensional waveform space. Each ‘number’ in this system is not a point but a signal—a dynamic entity with internal structure.

3.2 Primitive Definitions

The following terms constitute the primitive vocabulary of Waveform Logic:

Wave: A periodic disturbance that propagates through a medium or field, characterised by frequency, amplitude, phase, and shape.

Oscillation: A single complete cycle of a wave, from equilibrium through maximum displacement, return through equilibrium, to minimum displacement, and back.

Spectrum: The set of all frequency components present in a complex waveform.

Resonance: The condition in which two or more waveforms share a frequency or harmonic relationship, producing amplification.

Interference: The combination of two or more waveforms, producing a resultant wave whose amplitude at each point is the algebraic sum of the component amplitudes.

Filter: An operation that selectively attenuates or passes specific frequency components of a waveform.

Harmonic: A frequency component that is an integer multiple of a fundamental frequency.

Carrier: A waveform that serves as the substrate for modulation by another signal.

Envelope: The function that describes the variation of amplitude over time for a wave or wave packet.

4. Representation of Numbers as Waves

The mapping of conventional numbers onto waveforms is the first technical challenge of the system. Waveform Logic proposes the following correspondence:

4.1 Natural Numbers

The natural number 1 is represented by a sinusoidal wave at a defined base frequency f_0 with unit amplitude:

$$1 \equiv (f_0, 1, 0, \text{sine})$$

Subsequent natural numbers are represented as integer multiples of the base frequency:

$$n \equiv (n \cdot f_0, 1, 0, \text{sine})$$

Thus, the natural numbers map onto the harmonic series. The number 2 vibrates at twice the base frequency; the number 3 at three times; and so on. This mapping preserves the ordinal structure of the natural numbers while embedding them in a continuous physical medium.

4.2 Zero

Zero is represented as a waveform of zero amplitude—a flat line, or equivalently, perfect destructive interference:

$$0 \equiv (f_0, 0, 0, \text{sine})$$

This definition has an important consequence: zero is not the absence of a wave, but a wave whose amplitude has been reduced to nothing. The frequency remains defined. This parallels the quantum-mechanical vacuum state, which retains structure even in the absence of particles.

4.3 Negative Numbers

Negative numbers are represented through phase inversion. A negative number is a waveform shifted by π radians (180 degrees) relative to its positive counterpart:

$$-n \equiv (n \cdot f_0, 1, \pi, \text{sine})$$

When a number and its negation are combined through interference, the result is complete destructive cancellation—zero. This provides a physically intuitive grounding for the additive inverse.

4.4 Irrational and Transcendental Numbers

Numbers such as π and $\sqrt{2}$ pose an interesting challenge for the system. In conventional mathematics, these numbers have infinite, non-repeating decimal expansions. In Waveform Logic, they are represented as waveforms whose frequency ratios to the base frequency are irrational—that is, they cannot be expressed as a ratio of two integers.

An irrational waveform, in this framework, is one that never exactly repeats. It is quasi-periodic: arbitrarily close to periodicity, but never achieving it. This representation connects to the mathematical theory of almost-periodic functions developed by Harald Bohr and Abram Besicovitch in the early twentieth century.

4.5 Fractions and Rational Numbers

Rational numbers p/q are represented as waveforms whose frequency is the ratio of two harmonics:

$$p/q \equiv ((p/q) \cdot f_0, 1, 0, \text{sine})$$

The fraction $1/2$, for instance, corresponds to a waveform at half the base frequency—a sub-harmonic. This mapping preserves the algebraic structure of the rationals while giving each fraction a distinct physical signature.

5. Operations in Waveform Logic

The core claim of Waveform Logic is that arithmetic operations can be redefined as wave interactions. This section sets out the proposed correspondences.

5.1 Addition as Interference

The addition of two waveform numbers is defined as their superposition—the pointwise sum of their amplitudes at each moment in time. This is the principle of linear superposition familiar from wave physics:

$$\mathbf{A} + \mathbf{B} \equiv \text{superposition}(\mathbf{A}, \mathbf{B})$$

When two waveforms of the same frequency and phase are combined, the result is a waveform of doubled amplitude (constructive interference). When two waveforms of the same frequency but opposite phase are combined, the result is cancellation (destructive interference). When waveforms of different frequencies are combined, the result is a complex waveform whose spectrum contains both component frequencies.

This definition of addition is inherently parallel: the operation occurs simultaneously at every point in the waveform, without the need for sequential carry propagation.

5.2 Multiplication as Resonance

Multiplication is defined as the modulation of one waveform by another—the process by which two signals interact to produce sum and difference frequencies:

$$\mathbf{A} \times \mathbf{B} \equiv \text{modulation}(\mathbf{A}, \mathbf{B})$$

In signal processing, the multiplication of two sinusoids produces sidebands at the sum and difference of their frequencies. In Waveform Logic, this frequency interaction is taken as the definition of multiplication. When a waveform at frequency $2f_0$ is modulated by a waveform at frequency $3f_0$, the result contains components at $5f_0$ and f_0 —a waveform representation that encodes the product.

This definition requires careful formalisation to ensure consistency with the expected properties of multiplication (commutativity, associativity, distributivity). The conditions under which modulation-based multiplication satisfies these algebraic requirements constitute one of the central research questions of the programme.

5.3 Division as Filtering

Division is defined as the inverse of modulation: a filtering operation that extracts a frequency component from a complex waveform:

$$\mathbf{A \div B \equiv filter(A, B)}$$

Just as conventional division asks ‘what, when multiplied by the divisor, produces the dividend?’, waveform division asks ‘what signal, when modulated by B, produces A?’ The answer is obtained by demodulation—the extraction of the original signal from the modulated composite.

5.4 Subtraction as Phase Inversion

Subtraction follows directly from the definitions of addition and negation:

$$\mathbf{A - B \equiv superposition(A, phase_invert(B))}$$

To subtract B from A, one inverts the phase of B (shifting it by π radians) and then superposes the result with A. This produces destructive interference between the components of A and B that share frequency content.

5.5 Exponentiation as Harmonic Stacking

Exponentiation is defined as the iterated application of resonance—the stacking of harmonics:

$$\mathbf{A^n \equiv n-fold\ resonance(A)}$$

Raising a waveform number to the power n corresponds to modulating the waveform with itself n times, producing a spectrum dominated by the nth harmonic. This definition connects exponentiation to the physics of overtone generation in musical and acoustic systems.

5.6 Logarithm as Frequency Extraction

The logarithm is defined as the inverse of harmonic stacking: the operation that identifies which harmonic order relates two waveforms:

$$\mathbf{log_A(B) \equiv harmonic_order(A, B)}$$

Given a base waveform A and a target waveform B, the logarithm answers the question: how many times must A be resonated with itself to produce B? This connects

the logarithm to the perception of pitch intervals in psychoacoustics, where perceived pitch is proportional to the logarithm of frequency.

6. Complex Waves and Multi-Frequency Numbers

Most quantities of practical interest cannot be represented by a single sinusoidal component. A complex waveform number is defined as a superposition of multiple frequency components:

$$\mathbf{N} = \Sigma (\mathbf{f}_i, \mathbf{A}_i, \boldsymbol{\varphi}_i, \mathbf{S}_i)$$

This is, of course, the Fourier decomposition—but reinterpreted not as a technique applied to pre-existing numbers but as the fundamental structure of numerical representation itself. In Waveform Logic, the spectrum is the number.

The implications are significant. Any computable function can, in principle, be represented as a transformation of spectra. This connects Waveform Logic to the theory of linear operators on function spaces, and in particular to the spectral theory that underpins quantum mechanics.

7. Geometry in Wave Space

If numbers are waveforms, then the spaces in which geometric reasoning takes place must also be reconceived. Waveform Logic proposes a geometry built not on points and lines but on standing waves and interference patterns.

A point in wave space is defined by the intersection of two or more standing waves—a node or antinode of constructive interference. A line is the locus of points at which a particular phase relationship holds between two wave sources. A circle is the set of points equidistant (in phase) from a central oscillator.

This wave-geometric framework bears a family resemblance to the geometries studied by physicists working on wave optics and acoustic field theory. Its mathematical formalisation within the Waveform Logic system remains an open problem and constitutes a productive direction for future research.

8. Waveform Algebra

The algebraic structure of Waveform Logic is determined by the properties of its operations under the wave interpretation. Several key questions must be addressed:

Does waveform addition (superposition) form a commutative group? The answer appears to be yes: superposition is commutative and associative, the zero-amplitude wave serves as the identity element, and phase inversion provides inverses.

Does waveform multiplication (modulation) distribute over addition? This is a more delicate question. In general, the modulation of a sum of waveforms by a third waveform does distribute across the components, owing to the linearity of the modulation operation. However, edge cases involving phase-dependent interactions require careful treatment.

The full algebraic characterisation of the waveform number system—its ring structure, field properties, and the conditions under which it is isomorphic to the real numbers—is a central task for future development.

9. Waveform Calculus

Differentiation and integration acquire natural interpretations in Waveform Logic. The derivative of a sinusoidal waveform is a phase-shifted version of itself at the same frequency but scaled amplitude. Integration reverses this process. These are well-known properties of sinusoidal functions, but within Waveform Logic they become definitional features of the calculus rather than derived results.

The Fourier transform, in this context, is not an external tool applied to waveform numbers but the fundamental bridge between the time domain and the frequency domain—between a number’s temporal behaviour and its spectral identity. This dual representation is intrinsic to the system.

10. Waveform Logic Gates

Boolean logic, the foundation of digital computation, can be reinterpreted in wave-based terms:

AND corresponds to constructive interference: two signals produce a non-zero output only when both are present and in phase.

OR corresponds to superposition: the output is non-zero when either or both inputs are present.

NOT corresponds to phase inversion: the output is the phase-inverted form of the input.

These correspondences suggest that arbitrary Boolean circuits can be implemented using wave interactions—a principle already exploited in optical computing and photonic logic gates. Waveform Logic provides a mathematical formalisation for this class of computation.

Beyond binary logic, waveform gates naturally support multi-valued and continuous logic, since wave amplitudes and phases can represent a continuum of states rather than just two. This connects to the theory of fuzzy logic and many-valued logics.

11. Computing Through Waves

If arithmetic operations are wave interactions and logic gates are interference patterns, then computation itself becomes a physical process—not a metaphor for one, but literally identical with one.

A waveform computer would process information by propagating signals through a medium designed to produce specific interference and resonance patterns. The medium could be acoustic (sound waves in a fluid or solid), electromagnetic (light in an optical waveguide), electrical (radio-frequency signals in a circuit), or quantum-mechanical (probability amplitudes in a quantum processor).

Such machines would offer several structural advantages over digital computers: inherent parallelism (all points in a wave interact simultaneously), natural handling of continuous quantities, and energy efficiency (wave interactions dissipate less energy than transistor switching, at least in principle).

The practical engineering of waveform computers presents formidable challenges, including noise management, precision control, and programmability. These challenges are not unlike those faced by current efforts in analog, neuromorphic, and quantum computing—domains in which Waveform Logic may serve as a useful theoretical framework.

12. Relations to Existing Frameworks

12.1 Fourier Analysis and Signal Processing

Waveform Logic draws heavily on the mathematics of Fourier analysis, but reverses its conceptual direction. In conventional signal processing, the Fourier transform is a tool applied to signals that are already mathematically defined. In Waveform Logic, the frequency-domain representation is the fundamental mathematical object, and the time-domain signal is one of its realisations.

This inversion of priority does not change the mathematics—the Fourier transform and its inverse remain the same—but it changes the ontology. Numbers are not abstract quantities that happen to be representable as waves; they are waves that happen to be describable by abstract quantities.

12.2 Quantum Theory

The formal structure of quantum mechanics is strikingly consonant with Waveform Logic. Quantum states are represented as vectors in a Hilbert space—a space of square-integrable functions that are, in essence, waveforms. Quantum superposition is linear superposition of wave functions. Measurement is an interference process. The Born rule connects the amplitude of a wave function to the probability of an outcome.

Waveform Logic does not claim to be a new interpretation of quantum mechanics. But it does suggest that the mathematical structures used in quantum theory—Hilbert spaces, operators, spectral decomposition—may be more fundamental than the particular physical context in which they were first developed.

12.3 Neuroscience and Neural Computation

The brain computes through the synchronisation of oscillatory neural populations. Gamma-band oscillations (30–100 Hz), theta rhythms (4–8 Hz), and alpha waves (8–12 Hz) interact through cross-frequency coupling, phase-amplitude modulation, and resonance—precisely the operations that Waveform Logic formalises. This suggests that the brain may already be performing something like waveform computation, and that Waveform Logic could provide a mathematical language for describing neural information processing.

13. Axioms of Waveform Logic

The following axioms are proposed as the foundational postulates of the system. They are stated in a style intended to be both formally precise and physically interpretable.

Axiom 1 (Waveform Existence): Every number corresponds to a unique waveform characterised by the quadruple (f, A, ϕ, S) .

Axiom 2 (Superposition): The sum of two waveform numbers is defined as the pointwise superposition of their amplitudes. Superposition is commutative, associative, and admits an identity element (the zero-amplitude waveform) and inverses (phase-inverted waveforms).

Axiom 3 (Modulation): The product of two waveform numbers is defined as their modulation—the generation of sum and difference frequency components. Modulation is commutative and associative.

Axiom 4 (Distributivity): Modulation distributes over superposition.

Axiom 5 (Phase Inversion): For every waveform number N , there exists a waveform $-N$ obtained by shifting the phase of N by π radians, such that $N + (-N) = 0$.

Axiom 6 (Filtering): For every product $A \times B = C$, there exists a filtering operation such that $C \div B = A$, provided B has non-zero amplitude.

Axiom 7 (Spectral Completeness): Every well-defined mathematical quantity can be represented as a waveform or superposition of waveforms.

Axiom 8 (Physical Realisability): Every waveform number and every waveform operation can, in principle, be instantiated in a physical medium.

These axioms require rigorous proof of consistency and, ideally, demonstration that the resulting algebraic structure is isomorphic (or at least homomorphic) to the real number field under standard arithmetic. This work remains to be completed.

14. Formal Notation System

Waveform Logic introduces the following notational conventions:

$\sim$ Waveform operator (indicates that the following expression is a waveform number)

$\oplus$ Superposition (waveform addition)

$\otimes$ Modulation (waveform multiplication)

$\div\sim$ Filtering (waveform division)

$-\sim$ Phase inversion (waveform negation)

$\int\sim$ Waveform integration

$d\sim$ Waveform differentiation

$S(\cdot)$ Spectrum function (returns the frequency-domain representation)

A complete formal notation system, including rules for parsing, precedence, and scope, will be developed in subsequent work.

15. Advantages and Limitations

15.1 Potential Advantages

Waveform Logic offers several potential advantages over purely symbolic mathematical frameworks. First, it provides an inherently parallel representation of computation, since wave interactions occur simultaneously across all points in the medium. Second, it handles continuous quantities natively, without the discretisation that introduces error in digital numerical methods. Third, it offers a natural bridge between mathematical formalism and physical implementation, potentially reducing the gap between algorithm and hardware.

15.2 Current Limitations

The framework as presented here is a working proposal, not a completed system. Several fundamental questions remain open: the rigorous demonstration of algebraic consistency; the treatment of non-linear wave interactions; the management of noise and dissipation in physical implementations; and the relationship between the computational power of waveform systems and the Church-Turing thesis. These are not objections to the programme but its research agenda.

16. Future Applications

The most immediate applications of Waveform Logic lie in three domains:

Analog and Neuromorphic Computing: Waveform Logic provides a mathematical framework for designing computation systems that exploit continuous wave dynamics—including optical neural networks, memristive crossbar arrays, and oscillator-based processors.

Quantum Computing: The formal parallels between Waveform Logic and quantum mechanics suggest that waveform-based reasoning may offer intuitive tools for designing quantum algorithms and understanding quantum error correction.

Artificial Intelligence: If neural computation is fundamentally oscillatory, then AI systems that operate on waveform principles—rather than discrete matrix multiplication—may offer advantages in energy efficiency, real-time processing, and biological plausibility.

More speculatively, Waveform Logic raises questions about the nature of mathematics itself. If computation can be grounded in physical wave processes, then the relationship between mathematics and physics may be closer than the Platonic tradition assumes. Mathematics may not describe the physical world from outside; it may be an expression of the same oscillatory dynamics that constitute the physical world.

17. Conclusion: Mathematics as Vibration

This paper has introduced Waveform Logic, a proposed mathematical system in which numbers are waveforms, operations are wave interactions, and computation is a physical process of oscillation, interference, and resonance.

The proposal is, at this stage, more architectural than demonstrative. The axioms have been stated but not fully proved consistent. The notation has been introduced but not exhaustively formalised. The connections to existing mathematics, physics, and computing have been sketched but not rigorously established. Much work remains.

But the core intuition—that mathematics might be re-grounded in continuous, oscillatory processes—is, I believe, worth pursuing. The universe is not made of symbols. It is made of vibrations, fields, and waves. A mathematics that begins from this observation, rather than abstracting away from it, may reveal structures and possibilities that the symbolic tradition, for all its extraordinary power, has not yet imagined.

This is a working draft. The author welcomes critique, collaboration, and correspondence.

Contact: daniel@ultranarrative.com

References

- Bohr, H. (1947). *Almost Periodic Functions*. Chelsea Publishing Company.
- Bracewell, R.N. (2000). *The Fourier Transform and Its Applications*, 3rd ed. McGraw-Hill.
- Bužek, V. & Hillery, M. (1996). Quantum copying: Beyond the no-cloning theorem. *Physical Review A*, 54(3), 1844–1852.
- Feynman, R.P. (1982). Simulating physics with computers. *International Journal of Theoretical Physics*, 21(6/7), 467–488.
- Friston, K. (2010). The free-energy principle: A unified brain theory? *Nature Reviews Neuroscience*, 11(2), 127–138.
- Oppenheim, A.V. & Willsky, A.S. (1997). *Signals and Systems*, 2nd ed. Prentice Hall.
- Shannon, C.E. (1948). A mathematical theory of communication. *The Bell System Technical Journal*, 27(3), 379–423.
- Whitehead, A.N. (1929). *Process and Reality: An Essay in Cosmology*. Macmillan.