

# TDTS08: Lab Report

## Lab 2: Instruction Pipelining

Name	PIN	Email
Alexander Yngve	930320-6651	aleyn573@student.liu.se
Pål Kastman	851212-7575	palka285@student.liu.se

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Pipeline basics I</b>	<b>3</b>
<b>3</b>	<b>Pipeline basics II</b>	<b>3</b>
<b>4</b>	<b>Branch prediction</b>	<b>3</b>
4.1	Description . . . . .	3
4.2	Solution . . . . .	4

## 1 Introduction

The purpose of this lab is to learn how instruction pipelining works and how branch prediction affects the performance of the pipeline.

## 2 Pipeline basics I

IF	DA	CO	FO	EX	WB
----	----	----	----	----	----

**Figure 1** – Six stage pipeline.

## 3 Pipeline basics II

When we have a short pipeline we get less time penalty due to that its only one step that needs redoing and therefore its detected earlier.

	1	2	3	4	5
1	IF	EX			
2		IF	EX		
3			IF	EX	
4				IF	EX

**Figure 2** – Ideal pipeline operation.

	1	2	3	4	5	6
1	IF	EX				
2		IF	EX			
25			IF			
4				IF	EX	
5					IF	EX

**Figure 3** – Pipeline operation during conditional jump.

## 4 Branch prediction

Here we analyze how the different branch prediction algorithms perform.

### 4.1 Description

For each predictor a benchmark was run according to the following command

```
sim-outorder -bpred predictor ~/TDTs08/bin/go.ss 3 8
```

## 4.2 Solution

The performance result can be seen in figure 4 below.



**Figure 4** – Performance of the different branch prediction algorithms