

ultrasphere and ultrasphere-harmonics: Python packages for Vilenkin–Kuznetsov–Smorodinsky polyspherical coordinates and hyperspherical harmonics methods in array API

Hiromochi Itoh¹, Kei Matsushima², and Takayuki Yamada³

¹ Department of Mechanical Engineering, Graduate School of Engineering, The University of Tokyo, Japan ² Graduate School of Advanced Science and Engineering, Hiroshima University, Japan ³ Department of Strategic Studies, Institute of Engineering Innovation, Graduate School of Engineering, The University of Tokyo

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Spherical harmonics, which are the solutions to the angular part of the laplace equation, have been widely used in various fields of science and engineering. Spherical harmonics in 3D are well-known and have various applications, and many software packages have been developed for them. Hyperspherical harmonics, which are spherical harmonics in higher dimensions, have been applied to many-body problems in quantum mechanics (Fock, 1935), representation of crystallographic textures (Bonvallet et al., 2007), description of 3D models (Bonvallet et al., 2007), representation of brain structures (Hosseini et al., 2013), representation of the Head-Related Transfer Function, which characterizes how an ear receives a sound from a point in space (Szwajkowski, 2023), and so on. However, an attempt to develop a framework which allows codes to work on both 3D and higher dimensions has not been made. Therefore, we aim to provide a unified framework for implementing spherical harmonics techniques in arbitrary dimensions and coordinate systems. Our packages would allow researchers to easily extend their work to higher dimensions, for example, from 2D to 3D and further to 4D, without having to duplicate code for each dimension.

Statement of need

ultrasphere is a Python package for Vilenkin–Kuznetsov–Smorodinsky (VKS) polyspherical coordinate systems (Cohl, 2012; Vilenkin & Klimyk, 1993). ultrasphere-harmonics implements hyperspherical harmonics methods for any type of polyspherical coordinates based on ultrasphere. While spherical harmonics in 3D itself have been widely implemented in various software packages, such as Scipy (Virtanen et al., 2020), hyperspherical harmonics are rarely implemented, and software packages which supports arbitrary VKS polyspherical coordinates are not known. To remedy this, our packages allows to convert between Cartesian coordinates and VKS polyspherical coordinates, compute hyperspherical harmonics, elementary solutions to the Helmholtz equation, hyperspherical expansion of a function, and the translational coefficients of elementary solutions of the Helmholtz equation under arbitrary VKS polyspherical coordinates and dimensions. Our package especially utilizes NetworkX (Hagberg et al., 2008) to make use of the tree structure of VKS polyspherical coordinates, which is known as To illustrate the usage of our packages, example code for solving acoustic scattering from a single sound-soft sphere using any type of VKS polyspherical coordinates is implemented in ultrasphere-harmonics as a command-line application.

Spherical expansion methods are sometimes computationally expensive, especially in higher dimensions. To utilize HPC resources, which environment is recently diversified, our api is made to be compatible with the array API standard (Meurer et al., 2023), which enables writing code which runs on multiple array libraries (e.g., NumPy(Harris et al., 2020), PyTorch(Paszke et al., 2019)) and multiple hardware (e.g., CPU, GPU). Our packages fully support vectorization to leverage the performance of these libraries.

Acknowledgements

This work used computational resources Supermicro ARS-111GL-DNHR-LCC and FUJITSU Server PRIMERGY CX2550 M7 (Miyabi) at Joint Center for Advanced High Performance Computing (JCAHPC) and TSUBAME4.0 supercomputer provided by Institute of Science Tokyo through Joint Usage/Research Center for Interdisciplinary Large-scale Information Infrastructures and High Performance Computing Infrastructure in Japan (Project ID: jh240031).

References

- Bonvallet, B., Griffin, N., & Li, J. (2007). A 3D shape descriptor: 4D hyperspherical harmonics "an exploration into the fourth dimension". *Proceedings of the IASTED International Conference on Graphics and Visualization in Engineering*, 113–116. ISBN: 9780889866270
- Cohl, H. (2012). Fourier, gegenbauer and jacobi expansions for a power-law fundamental solution of the polyharmonic equation and polyspherical addition theorems. *Symmetry, Integrability and Geometry: Methods and Applications (SIGMA)*, 9. <https://doi.org/10.3842/SIGMA.2013.042>
- Fock, V. (1935). Zur theorie des wasserstoffatoms. *Zeitschrift Für Physik*, 98(3), 145–154. <https://doi.org/10.1007/BF01336904>
- Hagberg, A. A., Schult, D. A., & Swart, P. J. (2008). Exploring network structure, dynamics, and function using NetworkX. In G. Varoquaux, T. Vaught, & J. Millman (Eds.), *Proceedings of the 7th python in science conference* (pp. 11–15).
- Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D., Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk, M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant, T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
- Hosseini, A. P., Chung, M. K., Schaefer, S. M., Reekum, C. M. van, Peschke-Schmitz, L., Sutterer, M., Alexander, A. L., & Davidson, R. J. (2013). 4D hyperspherical harmonic (HyperSPHARM) representation of multiple disconnected brain subcortical structures. *Medical Image Computing and Computer-Assisted Intervention : MICCAI ... International Conference on Medical Image Computing and Computer-Assisted Intervention*, 16(0), 598–605. https://doi.org/10.1007/978-3-642-40811-3_75
- Meurer, A., Reines, A., Gommers, R., Fang, Y.-L. L., Kirkham, J., Barber, M., Hoyer, S., Müller, A., Zha, S., Shanabrook, S., Gacha, S. J., Lezcano-Casado, M., Fan, T. J., Reddy, T., Passos, A., Kwon, H., Oliphant, T., & Standards, C. for P. D. A. (2023). Python array API standard: Toward array interoperability in the scientific python ecosystem. *Scipy*. <https://doi.org/10.25080/gerudo-f2bc6f59-001>
- Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J., Chanan, G., Killeen, T., Lin, Z., Gimelshein, N., Antiga, L., Desmaison, A., Köpf, A., Yang, E., DeVito, Z., Raison, M., Tejani, A., Chilamkurthy, S., Steiner, B., Fang, L., ... Chintala, S. (2019). PyTorch: An imperative style, high-performance deep learning library. In *Proceedings of the 33rd international conference on neural information processing systems* (pp. 8026–8037). Curran

- 87 Associates Inc.
- 88 Sz wajcowski, A. (2023). Continuous head-related transfer function representation based on
89 hyperspherical harmonics. *Archives of Acoustics*, 48(1), 127–139. <https://doi.org/10.24425/aoa.2023.144267>
- 90
- 91 Vilenkin, N. Ja., & Klimyk, A. U. (1993). *Representation of lie groups and special functions*
92 (Vol. 74). Springer Netherlands. <https://doi.org/10.1007/978-94-017-2883-6>
- 93 Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D.,
94 Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson,
95 J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., ... SciPy
96 1.0 Contributors. (2020). SciPy 1.0: Fundamental Algorithms for Scientific Computing in
97 Python. *Nature Methods*, 17, 261–272. <https://doi.org/10.1038/s41592-019-0686-2>

DRAFT