








CarrierConnector
DigitalCarrierJack.SchDoc



Encoder1
Encoder_Interface.SchDoc




Encoder2
Encoder_Interface.SchDoc



Encoder3
Encoder_Interface.SchDoc



VIN_Load
Power_Load_LEDs10mA



LOGO1



UZ Logo

INFO1

ZC_GGG
ZC_PPP
ProjectRevision
ZC_vv

ZC Serialnumber

INFO2

Project
ProjectRevision
AuthorParam
ProjectDate

Design Information

Title TopSheet.SchDoc

Revision: 04

Design Engineer: Michaela Hlatky / Tom Gaupp

Project: UZ_D_Incr_Encoder.PrjPCB

UltraZohm

www.ultrazohm.com

Date: 16.06.2026

Sheet 1 of 6



A

A

B

B






C

C




D

D

X1
HSEC8-150-01-XX-DV-A-BL-CARD



Note: place solder bump to protect EEPROM memory from write access.



Title DigitalCarrierJack.SchDoc

Revision: 04

Design Engineer: Michaela Hlatky / Tom Gaupp

Project: UZ_D_Incr_Encoder.PrjPCB


UltraZohm

www.ultrazohm.com


Date: 16.06.2026

Sheet 2 of 6



Encoder Input






Label	Pin	Encoder	Color(Kübler)
Z+	Pin3	0+	blue
Z-	Pin4	0-	red
A+	Pin8	A+	green
A-	Pin7	A-	yellow
B+	Pin5	B+	grey
B-	Pin9	B-	pink
VCC_ENC	Pin2	UB	brown
GND_ENC	Pin1	0V	white
NC	Pin6	--	



Differential to Single-Ended



Termination




Alternatives:
ISO7230
ISO7240
ISO7241

ADUM1300
ADUM1400
ADUM1401

(different package!)
ADUM1440
ADUM1441

Make sure to connect the unused input to GND



Title Encoder_Interface.SchDoc

Revision: 04

Design Engineer: Michaela Hlatky / Tom Gaupp

Project: UZ_D_Incr_Encoder.PrjPCB

UltraZohm


www.ultrazohm.com

Date: 16.06.2026


Sheet 3.1 of 6





Encoder Input






Label	Pin	Encoder	Color(Kübler)
Z+	Pin3	0+	blue
Z-	Pin4	0-	red
A+	Pin8	A+	green
A-	Pin7	A-	yellow
B+	Pin5	B+	grey
B-	Pin9	B-	pink
VCC_ENC	Pin2	UB	brown
GND_ENC	Pin1	0V	white
NC	Pin6	--	



Differential to Single-Ended



Termination




Alternatives:
ISO7230
ISO7240
ISO7241

ADUM1300
ADUM1400
ADUM1401

(different package!)
ADUM1440
ADUM1441

Make sure to connect the unused input to GND



Title Encoder_Interface.SchDoc

Revision: 04

Design Engineer: Michaela Hlatky / Tom Gaupp

Project: UZ_D_Incr_Encoder.PrjPCB

UltraZohm


www.ultrazohm.com

Date: 16.06.2026


Sheet 3.2 of 6





Encoder Input






Label	Pin	Encoder	Color(Kübler)
Z+	Pin3	0+	blue
Z-	Pin4	0-	red
A+	Pin8	A+	green
A-	Pin7	A-	yellow
B+	Pin5	B+	grey
B-	Pin9	B-	pink
VCC_ENC	Pin2	UB	brown
GND_ENC	Pin1	0V	white
NC	Pin6	--	



Differential to Single-Ended



Termination




Alternatives:
ISO7230
ISO7240
ISO7241

ADUM1300
ADUM1400
ADUM1401

(different package!)
ADUM1440
ADUM1441

Make sure to connect the
unused input to GND



Title Encoder_Interface.SchDoc

Revision: 04

Design Engineer: Michaela Hlatky / Tom Gaupp

Project: UZ_D_Incr_Encoder.PrjPCB

UltraZohm

www.ultrazohm.com

Date: 16.06.2026

Sheet 3.3 of 6



