Certification Page

This page must be the first page of your uploaded document.

Your assignment will <u>not be graded</u> without this page (completed with your full name in the area provided) as the first page of your uploaded document.

_{ı,} Ulvi Bajarani	, certify that the work I am uploading represents my owr	า
efforts, and is not copied from anyone el	se or any other resource (such as Internet). Furthermore	, I
certify that I have not let anyone copy from	om my work.	

/public html/scripts/.htaccess

```
# HTID:5712550: DO NOT REMOVE OR MODIFY THIS LINE AND THE LINES
BELOW
php value display errors 1
# DO NOT REMOVE OR MODIFY THIS LINE AND THE LINES ABOVE
HTID:5712550:
RewriteEngine On
RewriteCond %{HTTPS} off
RewriteRule ^(.*)$ https://%{REQUEST_URI} [L,R=301]
<Limit GET>
deny from all
</Limit>
/public html/scripts/sync rpi data.php
<?php
require once DIR . '/../../required/db connect.php';
$input = file get contents("php://input");
$error=0; $out ison = array(); $out ison['success'] = 1; //assume success
$SW1 status=0; $LED1 status=0;
if ($input) {
$json = json decode($input, true); //check if it json input
if (json last error() == JSON ERROR NONE) {
if (isset($json["username"]) && isset($json["password"]) && isset($json["SW1"])
&& isset($json["LED1"])) {
$in username = $ison["username"];
$in password = $json["password"]; //if the expected fields are not null, get them
\sin SW1 = \frac{1}{S} \sin["SW1"];
\sin \text{LED1} = \text{sjson}[\text{"LED1"}];
if ($stmt=$mysqli->prepare("SELECT password FROM webuser WHERE pname = ?
LIMIT 1")) {
$stmt->bind param('s', $in username);
$stmt->execute(); $stmt->store result(); //store result to get num rows etc.
$stmt->bind result($db password); //get the hashed password
$stmt->fetch();
if ($stmt->num rows == 1) { //if user exists, verify the password
if (password verify($in password, $db password)) {
$stmt->close():
if ($stmt = $mysqli->prepare("UPDATE device set status=?
where devname = 'SW1''')) { //update SW1
$stmt->bind param('i', $in SW1); $stmt->execute();
```

```
} else {\$error=1;}
$stmt->close();
if (!\$error && (\$stmt = \$mysqli->prepare("SELECT status FROM device
where devname = 'SW1'''))) { //read SW1
$stmt->execute(); $stmt->bind result($SW1 status); $stmt->fetch();
} else {$error=2;}
$stmt->close();
if (!\$error && (\$stmt = \$mysqli->prepare("SELECT status FROM device
where devname = 'LED1'"))) { //read LED1
$stmt->execute(); $stmt->bind result($LED1 status); $stmt->fetch();
} else {\$error=3;}
$stmt->close();
} else {$error=4;}
} else {$error=5;}
} else {$error=6;}
} else {$error=7;}
} else {$error=8;}
} else {$error=9;}
if ($error){
$out ison['SW1'] = $SW1 status; $out ison['LED1'] = $LED1 status;
$out ison['error'] = $error; //provide error (if any) number for debugging
echo json encode($out json); //encode the data in json format
?>
/public html/.htaccess
# HTID:14362848: DO NOT REMOVE OR MODIFY THIS LINE AND THE LINES
BELOW
php value display errors 1
# DO NOT REMOVE OR MODIFY THIS LINE AND THE LINES ABOVE
HTID:14362848:
RewriteEngine On
RewriteCond %{HTTPS} off
RewriteRule ^(.*)$ https://%{REQUEST_URI} [L,R=301]
```

/public html/quick register.php

```
<?php
require once DIR . '/../required/db connect.php';
$username = "ben";
$password = "******"; //set this to ***** when done so the script does not show the
password
if ($stmt = $mysqli->prepare("INSERT INTO webuser (pname, password) VALUES
(?,?)")) {
$hashedPassword = password hash($password, PASSWORD DEFAULT);
$stmt->bind param('ss',$username, $hashedPassword); //'ss': each s corresponds to the
type of param
$stmt->execute(); //First & 2nd params are string type
?>
/required/db config.php
<?php
define('DB HOST', 'localhost');
define('DB USER', 'id14019461 user');
define('DB PASSWORD', 'Zugzwang-1990');
define('DB DATABASE', 'id14019461 insurance');
?>
/required/db connect.php
<?php
require once 'db config.php'; //tell the script that file is in this folder (not in this script)
$mysqli = new mysqli(DB HOST, DB USER, DB PASSWORD, DB DATABASE);
?>
```

SQL Code

create table person (pname VARCHAR(30) NOT NULL, street VARCHAR(50) NOT NULL, city VARCHAR(50) NOT NULL, Primary Key (pname)); create table vehicle (year VARCHAR(4) NOT NULL, make VARCHAR(30) NOT NULL, model VARCHAR(30) NOT NULL, cost INT NOT NULL, licplate VARCHAR(7) NOT NULL, pname VARCHAR(30) NOT NULL, Primary Key (licplate,pname));

create table accident (accnum INT NOT NULL, licplate VARCHAR(7) NOT NULL, accdate date NOT NULL, pname VARCHAR(30) NOT NULL, Primary Key (accnum,licplate));

insert into person values ("marisol", "zenith", "harlingen"), ("dolly", "pstreet", "brownsville");

insert into vehicle values (2005, 'toyota', 'camry', 25000, 't123', 'marisol');

insert into vehicle values (1996, 'jeep', 'wrangler', 23000, 'm123', 'marisol');

insert into vehicle values (1997, 'suzuki', 'samurai', 25000, 'k123', 'dolly');

insert into accident values (101, 'n123', '2012/07/15', 'sunny'), (102, 'h123', '2014/04/04', 'sunny');

create table webuser (pname VARCHAR(30) NOT NULL, password VARCHAR(255) NOT NULL, Primary Key (pname));

create table device (devnum INT NOT NULL, devtype VARCHAR(10) NOT NULL, devname VARCHAR(10) NOT NULL, ctrl VARCHAR(10) NOT NULL, status INT NOT NULL, Primary Key (devnum));

insert into device values (1, 'SENSOR', 'SW1', 'RPI', 0);

insert into device values (2, 'ACTUATOR', 'LED1', 'ANDROID', 0);

FTP Detailed Information

Here you can set preferences to manage access to your website files.

By disabling this feature you will not be able to access the Web File Manager.

FTP transfer OFF

Host Name: files.000webhost.com

Port: 21

Username: abranchial-duress

Password: same as your website password

Website Name

You can change the name of your website here.

abranchial-duress.000webhostapp.com

Password

Change your website password here. This is also FTP password.

Change Password









