

AiAssessmentEndpoints.feature

Cucumber + Selenium + API Evidence + PDF por feature

Resumen Ejecutivo

8 ESCENARIOS	8 PASSED	0 FAILED	25 PASOS
0 PASOS FALLIDOS	0 EVIDENCIA UI	8 EVIDENCIA API	AiAssessmentEndpoints FEATURE

Generado: 17-05-2026, 9:55:03 a. m. | Archivo: AiAssessmentEndpoints.feature

PASSED

Escenario 1: Crear assesment con candidato y perfil de cargo

Duracion 619 ms | Pasos 4

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED

Paso 1: Context que uso el servicio "ai"

3 ms

PASSED

Paso 2: Action envio POST a "/assessments" con JSON:

604 ms

POST http://127.0.0.1:8000/assessments -> HTTP 201 (602 ms)

REQUEST BODY

```
{
  "company_id": "bdd-company",
  "job_id": "bdd-job",
  "job_profile": {
    "role_name": "Backend Developer",
    "role_type": "individual_contributor",
    "seniority": "senior",
    "years_required": 4,
    "required_stack": [
      "NestJS",
      "PostgreSQL"
    ],
    "preferred_stack": [
      "AWS"
    ],
    "tools": [
      "Docker"
    ],
    "competencies": [
      "ownership",
      "testing"
    ],
    "evaluation_weights": {
      "code": 35,
      "questions": 25,
      "experience": 10,
      "jd_fit": 10,
      "interview": 10,
      "confidence": 0,
    }
  }
}
```

RESPONSE

```
{
  "assessment_id": "6a09c893da7619616b8ee94e",
  "company_id": "bdd-company",
  "job_id": "bdd-job",
  "status": "in_progress",
  "candidate": {
    "candidate_id": "bdd-candidate",
    "name": "QA Candidate",
    "email": "candidate@ulvior.test",
    "current_company": null,
    "years_experience": 5,
    "seniority_declared": "senior",
    "target_role": "Backend Developer",
    "skills": [
      "NestJS",
      "PostgreSQL",
      "AWS"
    ],
    "tools": [
      "Docker"
    ],
    "summary": "Perfil usado para evidencia automatizada.",
    "projects": [],
    "education": [],
    "profile_completeness": 90,
    "cv_analysis_status": null,
    "cv_analysis_confidence": null
  },
  "job_profile": {
```

PASSED

Paso 3: Outcome el status HTTP debe ser uno de "200, 201"

5 ms

PASSED

Paso 4: Outcome la respuesta debe contener la propiedad "assessment_id"

3 ms

Inicio: 2026-05-17T13:54:27.872Z | Fin: 2026-05-17T13:54:28.491Z | Duracion: 619 ms

PASSED

Escenario 2: Consultas de assessment inexistente responden controladamente

Duración: 7 ms | Pasos: 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED

Paso 1: Context que uso el servicio "ai"

0 ms

PASSED

Paso 2: Action envio GET a "/assessments/bdd-missing"

6 ms

GET http://127.0.0.1:8000/assessments/bdd-missing -> HTTP 404 (4 ms)

RESPONSE

```
{
  "detail": "Assessment not found."
}
```

PASSED

Paso 3: Outcome el status HTTP debe ser uno de "200, 404"

0 ms

Inicio: 2026-05-17T13:54:28.492Z | Fin: 2026-05-17T13:54:28.499Z | Duracion: 7 ms

PASSED

Escenario 3: Consultas de assessment inexistente responden controladamente

Duración 5 ms | Pasos 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED

Paso 1: Context que uso el servicio "ai"

0 ms

PASSED

Paso 2: Action envio GET a "/assessments/bdd-missing/report"

3 ms

GET http://127.0.0.1:8000/assessments/bdd-missing/report -> HTTP 404 (2 ms)

RESPONSE

```
{
  "detail": "Assessment not found."
}
```

PASSED

Paso 3: Outcome el status HTTP debe ser uno de "200, 404"

0 ms

Inicio: 2026-05-17T13:54:28.500Z | Fin: 2026-05-17T13:54:28.503Z | Duracion: 3 ms

PASSED

Escenario 4: Consultas de assessment inexistente responden controladamente

Duración 288 ms | Pasos 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED

Paso 1: Context que uso el servicio "ai"

1 ms

PASSED

Paso 2: Action envio GET a "/assessments/candidate/bdd-candidate/best"

284 ms

GET http://127.0.0.1:8000/assessments/candidate/bdd-candidate/best -> HTTP 200 (284 ms)

RESPONSE

```
{
  "company_id": "bdd-company",
  "job_id": "bdd-job",
  "status": "in_progress",
  "candidate": {
    "candidate_id": "bdd-candidate",
    "name": "QA Candidate",
    "email": "candidate@ulvior.test",
    "current_company": null,
    "years_experience": 5,
    "seniority_declared": "senior",
    "target_role": "Backend Developer",
    "skills": [
      "NestJS",
      "PostgreSQL",
      "AWS"
    ],
    "tools": [
      "Docker"
    ],
    "summary": "Perfil usado para evidencia automatizada.",
    "projects": [],
    "education": [],
    "profile_completeness": 90,
    "cv_analysis_status": null,
    "cv_analysis_confidence": null
  },
  "job_profile": {
    "role_name": "Backend Developer",
```

PASSED Paso 3: Outcome el status HTTP debe ser uno de "200, 404"

0 ms

Inicio: 2026-05-17T13:54:28.504Z | Fin: 2026-05-17T13:54:28.790Z | Duracion: 286 ms

PASSED Escenario 5: Actualizar perfil de assessment inexistente

Duracion 9 ms | Pasos 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED Paso 1: Context que uso el servicio "ai"

0 ms

PASSED Paso 2: Action envio POST a "/assessments/bdd-missing/profile" con JSON:

8 ms

POST http://127.0.0.1:8000/assessments/bdd-missing/profile -> HTTP 422 (8 ms)

REQUEST BODY

```
{
  "candidate_id": "bdd-candidate",
  "name": "QA Candidate",
  "email": "candidate@ulvior.test",
  "years_experience": 5,
  "seniority_declared": "senior",
  "skills": [
    "NestJS",
    "PostgreSQL"
  ],
  "summary": "Actualización BDD."
}
```

RESPONSE

```
{
  "detail": [
    {
      "type": "missing",
      "loc": [
        "body",
        "candidate"
      ],
      "msg": "Field required",
      "input": {
        "candidate_id": "bdd-candidate",
        "name": "QA Candidate",
        "email": "candidate@ulvior.test",
        "years_experience": 5,
        "seniority_declared": "senior",
        "skills": [
          "NestJS",
          "PostgreSQL"
        ],
        "summary": "Actualización BDD."
      }
    }
  ]
}
```

PASSED

Paso 3: Outcome el status HTTP debe ser uno de "200, 404, 422"

0 ms

Inicio: 2026-05-17T13:54:28.792Z | Fin: 2026-05-17T13:54:28.801Z | Duracion: 9 ms

PASSED

Escenario 6: Buscar candidatos AI con payload acotado

Duracion 17.46 s | Pasos 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED

Paso 1: Context que uso el servicio "ai"

0 ms

PASSED

Paso 2: Action envio POST a "/ai/candidates/search" con JSON:

17.46 s

POST http://127.0.0.1:8000/ai/candidates/search -> HTTP 200 (17.46 s)

REQUEST BODY

```
{
  "role": "Backend Developer",
  "required_skills": [
    "NestJS",
    "PostgreSQL"
  ],
  "keywords": [
    "backend",
    "api"
  ],
  "seniority_max": "senior",
  "location": "Chile",
  "max_results": 1,
  "min_score": 0,
  "strictness": "low",
  "active_only": true,
  "refresh": false,
  "include_gitlab": false,
  "refresh_existing": false
}
```

RESPONSE

```
{
  "query_key": "44b3c53fdd7a5748da3eb0818b8f3d1beb3131a4de409878b513b63c6ebe7613",
  "total_found": 14,
  "total_returned": 1,
  "cached": false,
  "strictness": "low",
  "stage_counts": {
    "discovered": 14,
    "existing_excluded": 0,
    "new_candidates_found": 14,
    "enriched": 14,
    "after_prefilter": 4,
    "evaluated": 3,
    "after_postfilter": 3,
    "returned": 1
  },
  "results": [
    {
      "candidate_id": "34c046fb-761f-4b84-aa5d-92e389d34e4f",
      "provider": "github",
      "provider_id": "3824619",
      "username": "ljavierrodriguez",
      "profile_url": "https://github.com/ljavierrodriguez",
      "name": "Luis J. Rodriguez O.",
      "email": "ljavierrodriguez@gmail.com",
      "role": "Backend Developer",
      "company": "Freelance Developer / TI Instructor",
      "location": "Santiago, Chile",
      "seniority": "senior",
    }
  ]
}
```

PASSED

Paso 3: Outcome el status HTTP debe ser uno de "200, 500"

0 ms

Inicio: 2026-05-17T13:54:28.803Z | Fin: 2026-05-17T13:54:46.261Z | Duracion: 17.46 s

PASSED

Escenario 7: Consultar historial de búsqueda de candidatos

Duracion 66 ms | Pasos 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED

Paso 1: Context que uso el servicio "ai"

0 ms

PASSED

Paso 2: Action envio GET a "/ai/candidates/search/history"

64 ms

GET http://127.0.0.1:8000/ai/candidates/search/history -> HTTP 200 (64 ms)

RESPONSE

```
[
  {
    "id": "9aff589e-5a7b-4e6a-af8c-2f60ef4c4c86",
    "executed_at": "2026-05-17T13:54:46.138162+00:00",
    "query_key": "44b3c53fdd7a5748da3eb0818b8f3d1beb3131a4de409878b513b63c6ebe7613",
    "role": "Backend Developer",
    "required_skills": [
      "NestJS",
      "PostgreSQL"
    ],
    "seniority_max": "senior",
    "location": "Chile",
    "max_results": 1,
    "min_score": 0,
    "strictness": "low",
    "active_only": true,
    "total_found": 14,
    "total_returned": 1,
    "cached": false,
    "status": "completed",
    "stage_counts": {
      "discovered": 14,
      "existing_excluded": 0,
      "new_candidates_found": 14,
      "enriched": 14,
      "after_prefilter": 4,
      "evaluated": 3,
      "after_postfilter": 3,
      "returned": 1
    }
  }
]
```

PASSED Paso 3: Outcome el status HTTP debe ser 200

1 ms

Inicio: 2026-05-17T13:54:46.263Z | Fin: 2026-05-17T13:54:46.329Z | Duracion: 66 ms

PASSED Escenario 8: Limpiar historial de búsqueda con selector por periodo

Duracion 435 ms | Pasos 3

Tags: @ai, @AiAssessmentEndpoints, @regression

PASSED Paso 1: Context que uso el servicio "ai"

0 ms

PASSED Paso 2: Action envio POST a "/ai/candidates/search/history/cleanup" con JSON:

435 ms

POST http://127.0.0.1:8000/ai/candidates/search/history/cleanup -> HTTP 200 (435 ms)

REQUEST BODY

```
{
  "period_type": "year",
  "year": 2026
}
```

RESPONSE

```
{
  "deleted_runs": 1,
  "deleted_query_cache": 1,
  "deleted_redis_keys": 0
}
```

PASSED Paso 3: Outcome el status HTTP debe ser uno de "200, 404"

0 ms

Inicio: 2026-05-17T13:54:46.329Z | Fin: 2026-05-17T13:54:46.764Z | Duracion: 435 ms