

Cucumber Report

Apr 7, 2024, 5:14:31 PM

Start : Apr 07, 5:12:52.471 PM

End : Apr 07, 5:14:30.847 PM

Duration : 1 m 38.376 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 5
FAILED - 2
SKIPPED - 0

PASSED - 37
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login functionality</u>	11.165 s	1	1	0	0	3	3	0	0
<u>Country Functionality</u>	14.854 s	1	1	0	0	6	6	0	0
<u>Citizenship Functionality</u>	1 m 12.342 s	3	2	1	0	18	17	1	0
<u>Country Multi Scenario</u>	29.693 s	2	1	1	0	12	11	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	3	3	0	0	3	2	1	0
@Regression	5	3	2	0	3	1	2	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Login functionality</u>	1	1	0	0	11.165 s
2	<u>Country Functionality</u>	1	1	0	0	14.854 s
3	<u>Citizenship Functionality</u>	3	2	1	0	1 m 12.342 s
4	<u>Country Multi Scenario</u>	2	1	1	0	29.693 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	11.162 s
2	<u>Country Functionality</u>	<u>Create a country</u>	6	6	0	0	14.854 s
3	<u>Citizenship Functionality</u>	<u>Create a citizenship</u>	6	6	0	0	13.346 s
4	<u>Citizenship Functionality</u>	<u>Create a citizenship with parameter</u>	6	5	1	0	16.887 s
5	<u>Citizenship Functionality</u>	<u>Create a citizenship with parameter</u>	6	6	0	0	12.397 s
6	<u>Country Multi Scenario</u>	<u>Create a Country</u>	6	6	0	0	12.491 s
7	<u>Country Multi Scenario</u>	<u>Create a Country 2</u>	6	5	1	0	17.197 s

Login functionality



PASSED	DURATION - 11.165 s	Scenarios		Steps	
/ 5:12:52.471 PM // 5:13:03.636 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password


<div>PASSED</div> <div>DURATION - 11.162 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 5:12:52.474 PM // 5:13:03.636 PM /</div>			
<div>Login functionality</div>			
<div>@SmokeTest @Regression</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.884 s
2	When Enter username and password and click login button	PASSED	1.030 s
3	Then User should login successfully	PASSED	1.253 s

Country Functionality


PASSED	DURATION - 14.854 s	Scenarios		Steps	
/ 5:13:03.646 PM // 5:13:18.500 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Create a country




#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.324 s
2	When Enter username and password and click login button	PASSED	1.022 s
3	Then User should login successfully	PASSED	1.423 s
4	And Navigate to country	PASSED	1.271 s
5	When Create a country	PASSED	1.460 s
6	Then Success message should be displayed	PASSED	0.574 s

Citizenship Functionality





Create a citizenship



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.350 s
2	When Enter username and password and click login button	PASSED	1.487 s
3	Then User should login successfully	PASSED	1.244 s
4	And Navigate to CitizenShip	PASSED	1.245 s
5	When Create a citizenship	PASSED	1.242 s
6	Then Success message should be displayed	PASSED	0.562 s

Create a citizenship with parameter

<div>FAILED</div> <div>DURATION - 16.887 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:14:01.559 PM // 5:14:18.446 PM /</div>				
<div>Citizenship Functionality</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.310 s
2	When Enter username and password and click login button	PASSED	0.948 s
3	Then User should login successfully	PASSED	1.250 s
4	And Navigate to CitizenShip	PASSED	0.762 s
5	When Create a citizenship name as "ulvCTZName4" code as "ulvCTZName4"	PASSED	1.207 s
6	Then Success message should be displayed	FAILED	5.227 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)

at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)

at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)

at Pages.ParentPage.verifyContainsText(ParentPage.java:36)

at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)



at ?.Success message should be displayed(file:///E:/IntelliJ/Cucumber7-Ben/src/test/java/FeatureFiles/_05_CitizenShipParameter.feature:12)

Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=123.0.6312.106) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75d9fa43e7ff5a58657d52d837811af8, findElement {value=//div[contains(text(),'successfully')],

#	Step / Hook Details	Status	Duration
	<p>using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.106, chrome: {chromedriverVersion: 123.0.6312.105 (399174dbe6e..., userDataDir: C:\Users\V-COMP\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51927}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51927/devtoo..., se:cdpVersion: 123.0.6312.106, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 75d9fa43e7ff5a58657d52d837811af8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy25.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>at Pages.ParentPage.verifyContainsText(ParentPage.java:36)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

Create a citizenship with parameter



<div>PASSED</div>	<div>DURATION - 12.397 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:14:18.450 PM // 5:14:30.847 PM /</div>				
<div>Citizenship Functionality</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.311 s
2	When Enter username and password and click login button	PASSED	0.982 s
3	Then User should login successfully	PASSED	1.205 s
4	And Navigate to CitizenShip	PASSED	0.874 s
5	When Create a citizenship name as "ulvCTZName4" code as "ulvCTZName4"	PASSED	1.220 s
6	Then Already exist message should be displayed	PASSED	0.569 s

Country Multi Scenario



<div><div>FAILED</div><div>DURATION - 29.693 s</div></div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div>2</div></div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div>12</div></div></div>
/ 5:13:31.856 PM // 5:14:01.549 PM /					

Create a Country

<div>PASSED</div>	<div>DURATION - 12.491 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:13:31.856 PM // 5:13:44.347 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.316 s
2	When Enter username and password and click login button	PASSED	0.972 s
3	Then User should login successfully	PASSED	1.216 s
4	And Navigate to country	PASSED	0.830 s
5	When Create a country	PASSED	1.372 s
6	Then Success message should be displayed	PASSED	0.559 s

Create a Country 2

<div>FAILED</div> <div>DURATION - 17.197 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:13:44.352 PM // 5:14:01.549 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.308 s
2	When Enter username and password and click login button	PASSED	0.993 s
3	Then User should login successfully	PASSED	1.220 s
4	And Navigate to country	PASSED	0.826 s
5	When Create a country name as "ulvCon98" code as "ulvCon98Code"	PASSED	1.418 s
6	Then Success message should be displayed	FAILED	5.214 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)

at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)

at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)

at Pages.ParentPage.verifyContainsText(ParentPage.java:36)

at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)

at ?.Success message should be displayed(file:///E:/IntelliJ/Cucumber7-Ben/src/test/java/FeatureFiles/_04_CountryMultipleScenarios.feature:17)

Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=123.0.6312.106) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception> Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.

#	Step / Hook Details	Status	Duration
	<p>selenium.chrome.ChromeDriver Command: [da2e37e8e3b07c8ed1a05ee65b1c14ae, findElement {value=//div[contains(text(),'successfully')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.106, chrome: {chromedriverVersion: 123.0.6312.105 (399174dbe6e..., userDataDir: C:\Users\V-COMP\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51893}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51893/devtoo..., se:cdpVersion: 123.0.6312.106, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da2e37e8e3b07c8ed1a05ee65b1c14ae</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy25.getText(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Pages.ParentPage.verifyContainsText(ParentPage.java:36) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </p> <p>* Not displayable characters are replaced by '?'. </p>		