

Cucumber Report

Apr 7, 2024, 5:11:17 PM

Start : Apr 07, 5:09:42.060 PM

End : Apr 07, 5:11:16.974 PM

Duration : 1 m 34.914 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 5
FAILED - 2
SKIPPED - 0

PASSED - 37
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login functionality</u>	11.014 s	1	1	0	0	3	3	0	0
<u>Country Functionality</u>	12.495 s	1	1	0	0	6	6	0	0
<u>Citizenship Functionality</u>	1 m 11.390 s	3	2	1	0	18	17	1	0
<u>Country Multi Scenario</u>	29.476 s	2	1	1	0	12	11	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	3	3	0	0	3	2	1	0
@Regression	5	3	2	0	3	1	2	0





#	Feature Name	T	P	F	S	Duration
1	Login functionality	1	1	0	0	11.014 s
2	Country Functionality	1	1	0	0	12.495 s
3	Citizenship Functionality	3	2	1	0	1 m 11.390 s
4	Country Multi Scenario	2	1	1	0	29.476 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	11.011 s
2	<u>Country Functionality</u>	<u>Create a country</u>	6	6	0	0	12.494 s
3	<u>Citizenship Functionality</u>	<u>Create a citizenship</u>	6	6	0	0	12.690 s
4	<u>Citizenship Functionality</u>	<u>Create a citizenship with parameter</u>	6	5	1	0	16.864 s
5	<u>Citizenship Functionality</u>	<u>Create a citizenship with parameter</u>	6	6	0	0	12.341 s
6	<u>Country Multi Scenario</u>	<u>Create a Country</u>	6	6	0	0	12.471 s
7	<u>Country Multi Scenario</u>	<u>Create a Country 2</u>	6	5	1	0	16.999 s

Login functionality



PASSED	<i>DURATION - 11.014 s</i>	Scenarios		Steps	
/ 5:09:42.060 PM // 5:09:53.074 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password



<div>PASSED</div> <div>DURATION - 11.011 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 5:09:42.063 PM // 5:09:53.074 PM /</div>			
<div>Login functionality</div>			
<div>@SmokeTest @Regression</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.816 s
2	When Enter username and password and click login button	PASSED	1.020 s
3	Then User should login successfully	PASSED	1.235 s

Country Functionality

PASSED	<i>DURATION - 12.495 s</i>	Scenarios		Steps	
/ 5:09:53.083 PM // 5:10:05.578 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Create a country



<div>PASSED</div>	<div>DURATION - 12.494 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:09:53.084 PM // 5:10:05.578 PM /</div>				
<div>Country Functionality</div>				
<div>@SmokeTest</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.396 s
2	When Enter username and password and click login button	PASSED	0.993 s
3	Then User should login successfully	PASSED	1.199 s
4	And Navigate to country	PASSED	0.801 s
5	When Create a country	PASSED	1.375 s
6	Then Success message should be displayed	PASSED	0.568 s

Citizenship Functionality



<div><div>FAILED</div><div>DURATION - 1 m 11.390 s</div></div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div>3</div></div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div>18</div></div></div>
/ 5:10:05.584 PM // 5:11:16.974 PM /					

Create a citizenship

<div>PASSED</div>	<div>DURATION - 12.690 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:10:05.584 PM // 5:10:18.274 PM /				
Citizenship Functionality				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.268 s
2	When Enter username and password and click login button	PASSED	0.973 s
3	Then User should login successfully	PASSED	1.304 s
4	And Navigate to CitizenShip	PASSED	1.212 s
5	When Create a citizenship	PASSED	1.204 s
6	Then Success message should be displayed	PASSED	0.566 s

Create a citizenship with parameter

FAILED		DURATION - 16.864 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:10:47.764 PM // 5:11:04.628 PM /						
Citizenship Functionality						
@Regression						

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.235 s
2	When Enter username and password and click login button	PASSED	0.961 s
3	Then User should login successfully	PASSED	1.233 s
4	And Navigate to CitizenShip	PASSED	0.796 s
5	When Create a citizenship name as "ulvCTZName4" code as "ulvCTZName4"	PASSED	1.270 s
6	Then Success message should be displayed	FAILED	5.220 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)

at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)

at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)

at Pages.ParentPage.verifyContainsText(ParentPage.java:36)

at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)

at ?.Success message should be displayed(file:///E:/IntelliJ/Cucumber7-Ben/src/test/java/FeatureFiles/_05_CitizenShipParameter.feature:12)

Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:

{"method":"xpath","selector":"//div[contains(text(),'successfully')]" (Session info: chrome=123.0.6312.106) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a6324c39508d467021ac425bb576f52, findElement {value=//div[contains(text(),'successfully')],

#	Step / Hook Details	Status	Duration
	<p>using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.106, chrome: {chromedriverVersion: 123.0.6312.105 (399174dbe6e..., userDataDir: C:\Users\V-COMP\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51665}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51665/devtoo..., se:cdpVersion: 123.0.6312.106, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4a6324c39508d467021ac425bb576f52</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy25.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>at Pages.ParentPage.verifyContainsText(ParentPage.java:36)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

Create a citizenship with parameter

<div>PASSED</div> <div>DURATION - 12.341 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2.4</td></tr><tr><td>2</td><td>1.0</td></tr><tr><td>3</td><td>1.3</td></tr><tr><td>4</td><td>0.9</td></tr><tr><td>5</td><td>1.3</td></tr><tr><td>6</td><td>0.6</td></tr></tbody></table></div>	Step	Duration (s)	1	2.4	2	1.0	3	1.3	4	0.9	5	1.3	6	0.6	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step		Duration (s)															
1		2.4															
2		1.0															
3	1.3																
4	0.9																
5	1.3																
6	0.6																
<div>/ 5:11:04.633 PM // 5:11:16.974 PM /</div>																	
<div>Citizenship Functionality</div>																	
<div>@Regression</div>																	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.382 s
2	When Enter username and password and click login button	PASSED	0.947 s
3	Then User should login successfully	PASSED	1.233 s
4	And Navigate to CitizenShip	PASSED	0.809 s
5	When Create a citizenship name as "ulvCTZName4" code as "ulvCTZName4"	PASSED	1.265 s
6	Then Already exist message should be displayed	PASSED	0.561 s

Country Multi Scenario



<div><div>FAILED</div><div>DURATION - 29.476 s</div></div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div>2</div></div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div>12</div></div></div>
/ 5:10:18.280 PM // 5:10:47.756 PM /					

Create a Country

<div><div>PASSED</div><div>DURATION - 12.471 s</div></div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2.4</td></tr><tr><td>2</td><td>1.0</td></tr><tr><td>3</td><td>1.3</td></tr><tr><td>4</td><td>0.9</td></tr><tr><td>5</td><td>1.4</td></tr><tr><td>6</td><td>0.6</td></tr></tbody></table></div>	Step	Duration (s)	1	2.4	2	1.0	3	1.3	4	0.9	5	1.4	6	0.6	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step	Duration (s)																
1	2.4																
2	1.0																
3	1.3																
4	0.9																
5	1.4																
6	0.6																
/ 5:10:18.280 PM // 5:10:30.751 PM /																	
Country Multi Scenario																	
@Regression																	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.376 s
2	When Enter username and password and click login button	PASSED	0.982 s
3	Then User should login successfully	PASSED	1.190 s
4	And Navigate to country	PASSED	0.834 s
5	When Create a country	PASSED	1.362 s
6	Then Success message should be displayed	PASSED	0.568 s

Create a Country 2

<div>FAILED</div> <div>DURATION - 16.999 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:10:30.757 PM // 5:10:47.756 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.239 s
2	When Enter username and password and click login button	PASSED	0.956 s
3	Then User should login successfully	PASSED	1.194 s
4	And Navigate to country	PASSED	0.809 s
5	When Create a country name as "ulvCon98" code as "ulvCon98Code"	PASSED	1.387 s
6	Then Success message should be displayed	FAILED	5.228 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)

at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)

at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)

at Pages.ParentPage.verifyContainsText(ParentPage.java:36)

at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)

at ?.Success message should be displayed(file:///E:/IntelliJ/Cucumber7-Ben/src/test/java/FeatureFiles/_04_CountryMultipleScenarios.feature:17)

Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=123.0.6312.106) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.

#	Step / Hook Details	Status	Duration
	<p>selenium.chrome.ChromeDriver Command: [3dfb5fd6f0ab58957c78b439f24c7099, findElement {value=//div[contains(text()),'successfully']}, using=xpath]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.106, chrome: {chromedriverVersion: 123.0.6312.105 (399174dbe6e..., userDataDir: C:\Users\V-COMP\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51631}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51631/devtoo..., se:cdpVersion: 123.0.6312.106, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3dfb5fd6f0ab58957c78b439f24c7099</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy25.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>at Pages.ParentPage.verifyContainsText(ParentPage.java:36)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </p> <p>* Not displayable characters are replaced by '?'. </p>		