

Cucumber Report

Mar 28, 2024, 9:48:55 PM

Start : Mar 28, 9:47:07.632 PM

End : Mar 28, 9:48:54.047 PM

Duration : 1 m 46.415 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 5
FAILED - 2
SKIPPED - 0

PASSED - 37
FAILED - 2
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|----------------------------------|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login functionality</u> | 12.033 s | 1 | 1 | 0 | 0 | 3 | 3 | 0 | 0 |
| <u>Country Functionality</u> | 14.483 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 |
| <u>Citizenship Functionality</u> | 1 m 19.884 s | 3 | 2 | 1 | 0 | 18 | 17 | 1 | 0 |
| <u>Country Multi Scenario</u> | 33.192 s | 2 | 1 | 1 | 0 | 12 | 11 | 1 | 0 |

| Tag | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @SmokeTest | 3 | 3 | 0 | 0 | 3 | 2 | 1 | 0 |
| @Regression | 5 | 3 | 2 | 0 | 3 | 1 | 2 | 0 |





| # | Feature Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|---|----------------------------------|----------|----------|----------|----------|--------------|
| 1 | <u>Login functionality</u> | 1 | 1 | 0 | 0 | 12.033 s |
| 2 | <u>Country Functionality</u> | 1 | 1 | 0 | 0 | 14.483 s |
| 3 | <u>Citizenship Functionality</u> | 3 | 2 | 1 | 0 | 1 m 19.884 s |
| 4 | <u>Country Multi Scenario</u> | 2 | 1 | 1 | 0 | 33.192 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|---|---|---|---|---|----------|
| 1 | <u>Login functionality</u> | <u>Login with valid username and password</u> | 3 | 3 | 0 | 0 | 12.030 s |
| 2 | <u>Country Functionality</u> | <u>Create a country</u> | 6 | 6 | 0 | 0 | 14.483 s |
| 3 | <u>Citizenship Functionality</u> | <u>Create a citizenship</u> | 6 | 6 | 0 | 0 | 13.829 s |
| 4 | <u>Citizenship Functionality</u> | <u>Create a citizenship with parameter</u> | 6 | 5 | 1 | 0 | 19.148 s |
| 5 | <u>Citizenship Functionality</u> | <u>Create a citizenship with parameter</u> | 6 | 6 | 0 | 0 | 13.694 s |
| 6 | <u>Country Multi Scenario</u> | <u>Create a Country</u> | 6 | 6 | 0 | 0 | 15.034 s |
| 7 | <u>Country Multi Scenario</u> | <u>Create a Country 2</u> | 6 | 5 | 1 | 0 | 18.151 s |

Login functionality



| | | | | | |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| PASSED | DURATION - 12.033 s | Scenarios |  | Steps |  |
| / 9:47:07.632 PM // 9:47:19.665 PM / | | Total - 1 | | Total - 3 | |
| | | Pass - 1 | | Pass - 3 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Login with valid username and password


| | | | |
|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 12.030 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:47:07.635 PM // 9:47:19.665 PM /</div> | | | |
| <div>Login functionality</div> | | | |
| <div>@SmokeTest @Regression</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 4.127 s |
| 2 | When Enter username and password and click login button | PASSED | 1.136 s |
| 3 | Then User should login successfully | PASSED | 1.598 s |

Country Functionality


| | | | | | |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| PASSED | DURATION - 14.483 s | Scenarios |  | Steps |  |
| / 9:47:19.675 PM // 9:47:34.158 PM / | | Total - 1 | | Total - 6 | |
| | | Pass - 1 | | Pass - 6 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Create a country




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 1.843 s |
| 2 | When Enter username and password and click login button | PASSED | 2.218 s |
| 3 | Then User should login successfully | PASSED | 1.438 s |
| 4 | And Navigate to country | PASSED | 1.747 s |
| 5 | When Create a country | PASSED | 1.487 s |
| 6 | Then Success message should be displayed | PASSED | 0.617 s |

Citizenship Functionality





Create a citizenship



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 2.651 s |
| 2 | When Enter username and password and click login button | PASSED | 1.538 s |
| 3 | Then User should login successfully | PASSED | 1.414 s |
| 4 | And Navigate to CitizenShip | PASSED | 1.187 s |
| 5 | When Create a citizenship | PASSED | 1.338 s |
| 6 | Then Success message should be displayed | PASSED | 0.565 s |

Create a citizenship with parameter

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 19.148 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 9:48:21.200 PM // 9:48:40.348 PM / | | | | |
| Citizenship Functionality | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 2.887 s |
| 2 | When Enter username and password and click login button | PASSED | 1.418 s |
| 3 | Then User should login successfully | PASSED | 1.725 s |
| 4 | And Navigate to CitizenShip | PASSED | 1.447 s |
| 5 | When Create a citizenship name as "ulvCTZName4" code as "ulvCTZName4" | PASSED | 1.219 s |
| 6 | Then Success message should be displayed | FAILED | 5.184 s |

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)

at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)

at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)

at Pages.ParentPage.verifyContainsText(ParentPage.java:37)


at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)

at ?.Success message should be displayed(file:///E:/IntelliJ/Cucumber7-Ben/src/test/java/FeatureFiles/_05_CitizenShipParameter.feature:12)



Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be908a3b6f7aac7d22fd53a36e0984e0, findElement {using=xpath,

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>value=//div[contains(text(),'successfully')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\V-COMP\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52582}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52582/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be908a3b6f7aac7d22fd53a36e0984e0</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy24.getText(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at Pages.ParentPage.verifyContainsText(ParentPage.java:37) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | PASSED | 5.267 s |
| | screenshot name | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |

Create a citizenship with parameter



| | | | |
|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 13.694 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:48:40.353 PM // 9:48:54.047 PM /</div> | | | |
| <div>Citizenship Functionality</div> | | | |
| <div>@Regression</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 2.979 s |
| 2 | When Enter username and password and click login button | PASSED | 1.043 s |
| 3 | Then User should login successfully | PASSED | 1.591 s |
| 4 | And Navigate to CitizenShip | PASSED | 1.151 s |
| 5 | When Create a citizenship name as "ulvCTZName4" code as "ulvCTZName4" | PASSED | 1.241 s |
| 6 | Then Already exist message should be displayed | PASSED | 0.565 s |

Country Multi Scenario



| | | | | | |
|--|--|---|--|---|--|
| <div>FAILED</div> <div>DURATION - 33.192 s</div> | | <div>Scenarios</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 9:47:47.997 PM // 9:48:21.189 PM / | | | | | |
| | | | | | |

Create a Country

| | | | | |
|--|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 15.034 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 9:47:47.997 PM // 9:48:03.031 PM / | | | | |
| Country Multi Scenario | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 3.228 s |
| 2 | When Enter username and password and click login button | PASSED | 1.606 s |
| 3 | Then User should login successfully | PASSED | 1.638 s |
| 4 | And Navigate to country | PASSED | 1.447 s |
| 5 | When Create a country | PASSED | 1.373 s |
| 6 | Then Success message should be displayed | PASSED | 0.558 s |


Create a Country 2

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 18.151 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 9:48:03.038 PM // 9:48:21.189 PM / | | | | |
| Country Multi Scenario | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 2.691 s |
| 2 | When Enter username and password and click login button | PASSED | 1.086 s |
| 3 | Then User should login successfully | PASSED | 1.416 s |
| 4 | And Navigate to country | PASSED | 1.137 s |
| 5 | When Create a country name as "ulvCon98" code as "ulvCon98Code" | PASSED | 1.321 s |
| 6 | Then Success message should be displayed | FAILED | 5.213 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at Pages.ParentPage.verifyContainsText(ParentPage.java:37)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)</p> <p>at ?.Success message should be displayed(file:///E:/IntelliJ/Cucumber7-Ben/src/test/java/FeatureFiles/_04_CountryMultipleScenarios.feature:17)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=123.0.6312.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d126f0f0643a532471c619abae3af74e, findElement {using=xpath, value=//div[contains(text(),'successfully')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\V-COMP\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52534}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52534/devtoo..., se.cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d126f0f0643a532471c619abae3af74e</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy24.getText(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>at Pages.ParentPage.verifyContainsText(ParentPage.java:37)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | PASSED | 5.286 s |
| | screenshot name | | |
| |  | | |