```
#include <stdio.h>
#define size 8
#define INFINITY 10000000;
\{2,0,0,2,6,0,0,0\},\
             \{6,0,0,1,0,0,4,0\},\
             \{0,2,1,0,0,2,0,0\},\
             \{0,6,0,0,0,3,0,1\},\
             \{0,0,0,2,3,0,2,0\},\
             \{0,0,0,2,0,2,0,2\},\
             {0,0,0,0,1,0,2,0};
struct vertex info
  int length;
  int pred;
  char state;
}v[size];
int main()
{
       int i;
       for (i=0;i<size;i++)
       {
               v[i].length=INFINITY;
               v[i].pred=-1;
               v[i].state='N';
       }
       int s=0;
       int d=7;
       v[s].length=0;
       v[s].state='V';
        do
       {
               int i;
               for(i=0;i<size;i++)
```

```
{
                         if (g[s][i]!=0 &&v[i].state=='N')
           if(v[i].length > v[s].length + g[s][i]) \\
              v[i].length = g[s][i] + v[s].length;\\
                                      v[i].pred=s;
printf("\nlength[\%d]=\%d\tpred[\%d]=\%d",i,v[i].length,i,v[i].pred);\\
                         }
        }
        int min=INFINITY;
        s=0;
                for(i=0;i \le ize;i++)
        {
                         if(v[i].state=='N'&& v[i].length<min)
                         min=v[i].length;
                         s=i;
                         }
        v[s].state='V';
        }while(s!=d);
  i=size;
  int path[size];
  printf("\n\nPath=%d->",s);
  do
  {
           path[i--]=s;
         s=v[s].pred;
         printf("%d->",s);
  }while(s>0);
}
```