

Keep First Rows

FileHomeTransformAdd ColumnViewToolsHelp

Close & ApplyClose

New SourceRecent SourcesNew Query

Data source settingsData Sources

Manage ParametersParameters

Export query resultsOutput Data

Refresh PreviewQuery

PropertiesAdvanced EditorManage Query

Choose ColumnsManage Columns

Remove ColumnsManage Columns

Keep RowsReduce Rows

Remove RowsReduce Rows

Sort

Split ColumnGroup By

Data Type: TextUse First Row as HeadersReplace Values

Merge QueriesAppend QueriesCombine FilesCombine

Queries [3]

List of Orders (1)

Order Details (1)

Sales target (1)

= Table.FirstN(("#Changed Type",500))

Order ID	Order Date	CustomerName	State	City
1	01-04-2018	Bharat	Gujarat	Ahmedabad
2	01-04-2018	Pearl	Maharashtra	Pune
3	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	03-04-2018	Divsha	Rajasthan	Jaipur
5	05-04-2018	Kasheen	West Bengal	Kolkata
6	06-04-2018	Hazel	Karnataka	Bangalore
7	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	09-04-2018	Iltesh	Uttar Pradesh	Lucknow
10	09-04-2018	Yogesh	Bihar	Patna
11	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	12-04-2018	Shrichand	Punjab	Chandigarh
13	12-04-2018	Mukesh	Haryana	Chandigarh
14	13-04-2018	Vandana	Himachal Pradesh	Simla
15	15-04-2018	Bhavna	Sikkim	Gangtok
16	15-04-2018	Kanak	Goa	Goa
17	17-04-2018	Sagar	Nagaland	Kohima
18	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	20-04-2018	Sarita	Maharashtra	Pune
21	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	22-04-2018	Monisha	Rajasthan	Jaipur
23	22-04-2018	Atharv	West Bengal	Kolkata

Query Settings

PROPERTIES

APPLIED STEPS

Source

Promoted Headers

Changed Type

Kept First Rows

5 COLUMNS, 500 ROWS

Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 14:27

Inserted Merged Column

FileHomeTransformAdd ColumnViewToolsHelp

Column From ExamplesCustom ColumnInvoke Custom FunctionGeneral

Conditional ColumnIndex ColumnDuplicate Column

FormatParseFrom Text

StatisticsStandardScientificInformation

TrigonometryRoundingFrom Number

DateTimeDurationFrom Date & Time

Queries [3]

List of Orders (1)
Order Details (1)
Sales target (1)

Table.AddColumn(#"Capitalized Each Word", "Merged", each Text.Combine([City], [State]), type text)

	Order Date	CustomerName	State	City	Merged
1	01-04-2018	Bharat	Gujarat	Ahmedabad	AhmedabadGujarat
2	01-04-2018	Pearl	Maharashtra	Pune	PuneMaharashtra
3	03-04-2018	Jahan	Madhya Pradesh	Bhopal	BhopalMadhya Pradesh
4	03-04-2018	Divsha	Rajasthan	Jaipur	JaipurRajasthan
5	05-04-2018	Kasheen	West Bengal	Kolkata	KolkataWest Bengal
6	06-04-2018	Hazel	Karnataka	Bangalore	BangaloreKarnataka
7	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir	KashmirJammu and Kashmir
8	08-04-2018	Aarushi	Tamil Nadu	Chennai	ChennaiTamil Nadu
9	09-04-2018	Jitesh	Uttar Pradesh	Lucknow	LucknowUttar Pradesh
10	09-04-2018	Yogesh	Bihar	Patna	PatnaBihar
11	11-04-2018	Anita	Kerala	Thiruvananthapuram	ThiruvananthapuramKerala
12	12-04-2018	Shrichand	Punjab	Chandigarh	ChandigarhPunjab
13	12-04-2018	Mukesh	Haryana	Chandigarh	ChandigarhHaryana
14	13-04-2018	Vandana	Himachal Pradesh	Simla	SimlaHimachal Pradesh
15	15-04-2018	Bhavna	Sikkim	Gangtok	GangtokSikkim
16	15-04-2018	Kanak	Goa	Goa	GoaGoa
17	17-04-2018	Sagar	Nagaland	Kohima	KohimaNagaland
18	18-04-2018	Manju	Andhra Pradesh	Hyderabad	HyderabadAndhra Pradesh
19	18-04-2018	Ramesh	Gujarat	Ahmedabad	AhmedabadGujarat
20	20-04-2018	Sarita	Maharashtra	Pune	PuneMaharashtra
21	20-04-2018	Deepak	Madhya Pradesh	Bhopal	BhopalMadhya Pradesh
22	22-04-2018	Monisha	Rajasthan	Jaipur	JaipurRajasthan
23	22-04-2018	Bhavya	West Bengal	Kolkata	KolkataWest Bengal

Query Settings

PROPERTIES

APPLIED STEPS

SourcePromoted HeadersChanged TypeKept First RowsCapitalized Each WordInserted Merged Column

6 COLUMNS, 500 ROWS

Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 21:17

Group By

Close & Apply

New Source

Recent Sources

Enter Data

Data source settings

Manage Parameters

Export query results

Refresh Preview

Advanced Editor

Manage

Choose Columns

Remove Columns

Keep Rows

Remove Rows

Sort

Split Column

Group By

Use First Row as Headers

Replace Values

Merge Queries

Append Queries

Combine Files

Combine

Properties

Data Type: Text

Queries [5]

List of Orders (1)

Order Details (1)

Sales target (1)

Orders Data

Order Details-Grouped

Table: AddColumn(#"Changed Type1", "Profit Status", each if [Profit] < 0 then "Loss" else if [Profit] = 0 then "Zero" else "Profit")

Order ID

Amount

Profit

Quantity

Category

Sub-Category

Group By

Specify the column to group by and the desired output.

Basic

Advanced

Order ID

New column name

Order Count

Operation

Count Rows

Column

OK

Cancel

Query Settings

PROPERTIES

Name

Order Details-Grouped

All Properties

APPLIED STEPS

Source

Promoted headers

Changed column type

Changed Type

Added Custom

Changed Type1

Added Conditional Column

8 COLUMNS, 999+ ROWS

Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 2021

Manage Relationship

The screenshot displays the 'Manage relationships' window in Power BI. The window title is 'Manage relationships'. It features a toolbar with 'New relationship', 'Autodetect', 'Edit', 'Delete', and 'Filter' buttons. The main area is a table listing relationships between tables and columns.

☐	From: table (column) ↑	Relationship	To: table (column)	Status	
☐	List of Orders (1) (Order ID)	1 — 1	Order Details-Grouped (Order ...)	Active	...
☐	Order Details (1) (Category)	* — 1	Average profit by Category (C...	Active	...
☐	Order Details (1) (Order ID)	* — 1	List of Orders (1) (Order ID)	Active	...
☐	Order Details (1) (Order ID)	* — 1	Order Details-Grouped (Order ...)	Inactive	...
☐	Order Details (1) (Sub-Category)	* — 1	Total Amount (Sub-Category)	Active	...
☐	Orders Data (Category)	* — 1	Average profit by Category (C...	Active	...
☐	Orders Data (Order ID)	* — 1	List of Orders (1) (Order ID)	Active	...
☐	Orders Data (Order ID)	* — 1	Order Details-Grouped (Order ...)	Inactive	...
☐	Orders Data (Sub-Category)	* — 1	Total Amount (Sub-Category)	Active	...
☐	Sales target (1) (Category)	* — 1	Average profit by Category (C...	Active	...

On the left, a sidebar shows the 'Data' pane with a list of tables: Amount, Category, City, CustomerName, Location, Order Date, Order ID, Order ID.1, and Profit. The 'All tables' button is at the bottom.

On the right, a 'Model' pane shows a hierarchical view of the data model, including tables like 'Average profit by Category', 'List of Orders (1)', 'Order Date', 'Order ID', 'Order Details (1)', 'Order Details-Grouped', 'Orders Data', 'Sales target (1)', 'Sales target- Monthly Aggregated', and 'Total Amount'.

New Relationship

New relationship

From table: Order Details (1)

Category	Order ID	Profit	Profit Margin	Profit Status	Quantity	Sub-Category
Clothing	B-25603	1	0.08333333333...	Profit	2	Hankerc...
Clothing	B-25608	23	0.0894941634...	Profit	5	Hankerc...
Clothing	B-25615	20	0.2941176470...	Profit	5	Hankerc...

To table: Sales target (1)

Category	Month of Ord...
Furniture	18 April 2026
Furniture	18 May 2026
Furniture	18 June 2026

Cardinality: Many to many (*:*)

Cross-filter direction: Both

☒ Make this relationship active

☐ Assume referential integrity

☐ Apply security filter in both directions

Warning: This relationship has cardinality Many-Many. This should only be used if it is expected that neither column (Category and Category) contains unique values, and that the significantly different behavior of Many-Many

Save Cancel