

Power BI Assignment 1 - Data Transformation, Data Modeling

Date Of Submission: 24. 07. 2026

Name: UMayal Kasi

Preview Screen Shot:

Import Data:

Import tables List of Orders, Order Details, Sales Target into power query editor.

Data Transformation:

List of Order Tables to only the first 500 Rows.

The screenshot displays the Power Query Editor window titled 'Untitled - Power Query Editor'. The ribbon includes 'File', 'Home', 'Transform', 'Add Column', 'View', 'Tools', and 'Help'. The 'Transform' tab is active, showing options like 'Transpose', 'Reverse Rows', 'Group By', 'Use First Row as Headers', 'Count Rows', 'Data Type: Text', 'Detect Data Type', 'Rename', 'Split Column', 'Format', 'Merge Columns', 'Statistics', 'Standard', 'Scientific', 'Trigonometry', 'Rounding', 'Information', 'Date', 'Time', 'Duration', 'Run R script', and 'Run Python script'. The 'Queries [1]' pane on the left shows 'List of Orders'. The main area displays a table with 5 columns: 'Order ID', 'Order Date', 'CustomerName', 'State', and 'Order Details'. The 'Order Date' column is highlighted. The 'Applied Steps' pane on the right shows the following steps: 'Source', 'Promoted Headers', 'Changed Type', 'Kept First Rows', and 'Capitalized Each Word'. The status bar at the bottom indicates '5 COLUMNS, 500 ROWS' and 'Column profiling based on top 1000 rows'. The Windows taskbar at the bottom shows the system clock as 14:14 on 23-07-2026.

Order ID	Order Date	CustomerName	State	Order Details
B-25610	09-04-2018	Yogesh	Bihar	
B-25611	11-04-2018	Anita	Kerala	
B-25612	12-04-2018	Shrichand	Punjab	
B-25613	12-04-2018	Mukesh	Haryana	
B-25614	13-04-2018	Vandana	Himachal Pradesh	
B-25615	15-04-2018	Bhavna	Sikkim	
B-25616	15-04-2018	Kanak	Goa	
B-25617	17-04-2018	Sagar	Nagaland	
B-25618	18-04-2018	Manju	Andhra Pradesh	
B-25619	18-04-2018	Ramesh	Gujarat	
B-25620	20-04-2018	Sarita	Maharashtra	
B-25621	20-04-2018	Deepak	Madhya Pradesh	
B-25622	22-04-2018	Monisha	Rajasthan	
B-25623	22-04-2018	Atharv	West Bengal	
B-25624	22-04-2018	Vini	Karnataka	
B-25625	23-04-2018	Pinky	Jammu and Kashmir	

“Order Data” Column in the “List of Orders” Table is set to data type “Date”

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Group By Use First Row as Headers Count Rows

Table

Data Type: Text Detect Data Type Rename

Any Column

Split Column Format Text Column

Merge Columns

Statistics Standard Scientific

10² Trigonometry Rounding Information

Date Time Duration

Run R Run Python script

Scripts

Queries [1]

List of Orders

Table.FirstN("#Changed Type",500)

Order ID	Order Date	CustomerName	State
B-25610	09-04-2018	Yogesh	Bihar
B-25611	11-04-2018	Anita	Kerala
B-25612	12-04-2018	Shrichand	Punjab
B-25613	12-04-2018	Mukesh	Haryana
B-25614	13-04-2018	Vandana	Himachal Pradesh
B-25615	15-04-2018	Bhavna	Sikkim
B-25616	15-04-2018	Kanak	Goa
B-25617	17-04-2018	Sagar	Nagaland
B-25618	18-04-2018	Manju	Andhra Pradesh
B-25619	18-04-2018	Ramesh	Gujarat
B-25620	20-04-2018	Sarita	Maharashtra
B-25621	20-04-2018	Deepak	Madhya Pradesh
B-25622	22-04-2018	Monisha	Rajasthan
B-25623	22-04-2018	Atharv	West Bengal
B-25624	22-04-2018	Vini	Karnataka
B-25625	23-04-2018	Pinky	Jammu and Kashmir

5 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 14:11

Windows taskbar: 36°C, 14:14, 23-07-2026

Change the data type of “Amount” and “Target” columns to “Fixed Decimal Number”:

Change the data type of “Amount” column to “Fixed Decimal Number”:

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Enter Data

Data Sources Parameters Output Data Query

Refresh Preview Advanced Editor

Choose Remove Columns Manage Columns

Reduce Rows Sort

Split Column Group By

Data Type: Fixed decimal number

Use First Row as Headers Replace Values

Combine

Queries [3]

List of Orders

Order Details

Sales target

Table.TransformColumnTypes("#Promoted Headers",{{"Order ID", type text}, {"Amount", Currency.Type}, {"Profit", Int64.Type}, {"Quantity", Int64.Type}, {"Category", type text}, {"Sub-Category", type text}})

Order ID	Amount	Profit	Quantity
B-25601	1,275.00	-1148	
B-25601	66.00	-12	
B-25601	8.00	-2	
B-25601	80.00	-56	
B-25602	168.00	-111	
B-25602	424.00	-272	
B-25602	2,617.00	1151	
B-25602	561.00	212	
B-25602	119.00	-5	
B-25603	1,355.00	-60	
B-25603	24.00	-30	
B-25603	193.00	-166	

6 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 16:11

Windows taskbar: Brea..., 16:12, 23-07-2026

Change the data type of “Target” columns to “Fixed Decimal Number”:

The screenshot shows the Power Query Editor interface. The main area displays a table with columns: Month of Order Date, Category, and Target. The 'Target' column is highlighted, and the 'Data Type: Fixed decimal number' option is selected in the ribbon. The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list, which includes 'Changed Type'.

	Month of Order Date	Category	Target
1	01-04-2018	Furniture	10,400.00
2	01-05-2018	Furniture	10,500.00
3	01-06-2018	Furniture	10,600.00
4	01-07-2018	Furniture	10,800.00
5	01-08-2018	Furniture	10,900.00
6	01-09-2018	Furniture	11,000.00
7	01-10-2018	Furniture	11,100.00
8	01-11-2018	Furniture	11,300.00
9	01-12-2018	Furniture	11,400.00
10	01-01-2019	Furniture	11,500.00
11	01-02-2019	Furniture	11,600.00
12	01-03-2019	Furniture	11,800.00
13	01-04-2018	Clothing	12,000.00


Proper Case:

Capitalization for each word:

The screenshot shows the Power Query Editor interface. The main area displays a table with columns: Order ID, Order Date, CustomerName, and State. The 'CustomerName' column is highlighted, and the 'Data Type: Text' option is selected in the ribbon. The 'Query Settings' pane on the right shows the 'APPLIED STEPS' list, which includes 'Capitalized Each Word'.

	Order ID	Order Date	CustomerName	State
1	B-25601	01-04-2018	Bharat	Gujarat
2	B-25602	01-04-2018	Pearl	Maharashtra
3	B-25603	03-04-2018	Jahan	Madhya Pradesh
4	B-25604	03-04-2018	Divsha	Rajasthan
5	B-25605	05-04-2018	Kasheen	West Bengal
6	B-25606	06-04-2018	Hazel	Karnataka
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu
9	B-25609	09-04-2018	Jitesh	Uttar Pradesh
10	B-25610	09-04-2018	Yogesh	Bihar
11	B-25611	11-04-2018	Anita	Kerala
12	B-25612	12-04-2018	Shrichand	Punjab
13	B-25613	12-04-2018	Mukesh	Haryana
14	B-25614	13-04-2018	Vandana	Himachal Pradesh
15	B-25615	15-04-2018	Bhavna	Sikkim
16	B-25616	15-04-2018	Kanak	Goa

Merge the “City” and “State” columns :
A new column named “Location”:



Power Query Editor - Untitled - Power Query Editor

Queries [3]: List of Orders, Order Details, Sales target

Formula Bar: `= Table.CombineColumns(#"Capitalized Each Word",{"City", "State"},`

Order ID	Order Date	Customer Name	Location
1	01-04-2018	Bharat	Ahmedabad,Gujarat
2	01-04-2018	Pearl	Pune,Maharashtra
3	03-04-2018	Jahan	Bhopal,Madhya Pradesh
4	03-04-2018	Divsha	Jaipur,Rajasthan
5	05-04-2018	Kasheen	Kolkata,West Bengal
6	06-04-2018	Hazel	Bangalore,Karnataka
7	06-04-2018	Sonakshi	Kashmir,Jammu and Kashmir
8	08-04-2018	Aarushi	Chennai,Tamil Nadu
9	09-04-2018	Jitesh	Lucknow,Uttar Pradesh
10	09-04-2018	Yogesh	Patna,Bihar
11	11-04-2018	Anita	Thiruvananthapuram,Kerala
12	12-04-2018	Shrichand	Chandigarh,Punjab
13	12-04-2018	Mukesh	Chandigarh,Haryana
14	13-04-2018	Vandana	Simla,Himachal Pradesh
15	15-04-2018	Bhavna	Gangtok,Sikkim
16	15-04-2018	Kanak	Goa,Goa

Query Settings: List of Orders

APPLIED STEPS:

- Source
- Promoted Headers
- Changed Type
- Kept First Rows
- Capitalized Each Word
- Merged Columns**

4 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 16:31

A new custom column named “Profit Margin” as the %
Of “profit” divided by “amount” :

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Column From Custom Invoke Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format Merge Columns Extract Parse

Statistics Standard Scientific

Trigonometry Rounding Information

Date Time Duration

From Text From Number From Date & Time

Queries [3]

- List of Orders
- Order Details
- Sales target

Table.AddColumn("#Changed Type", "Profit Margin", each [Profit]/

City	Category	Sub-Category	Profit Margin	
1	7	Furniture	Bookcases	-0.900392157
2	5	Clothing	Stole	-0.181818182
3	3	Clothing	Hankerchief	-0.25
4	4	Electronics	Electronic Games	-0.7
5	2	Electronics	Phones	-0.660714286
6	5	Electronics	Phones	-0.641509434
7	4	Electronics	Phones	0.439816584
8	3	Clothing	Saree	0.377896613
9	8	Clothing	Saree	-0.042016807
10	5	Clothing	Trousers	-0.044280443
11	1	Furniture	Chairs	-1.25
12	3	Clothing	Saree	-0.860103627
13	3	Clothing	Trousers	0.027777778
14	4	Clothing	Stole	0.137931034
15	6	Clothing	Stole	0.336448598
16	2	Clothing	Hankerchief	0.083333333

7 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 16:47

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Added Custom

A new conditional column named "Profit Status"

The conditions are if profit < 0 the label should be "Loss"

if profit = 0 the label should be "Break - Even "

if profit > 0 the label should be "Profit"

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Column From Custom Invoke Custom Examples Column Function General

Conditional Column Index Column Duplicate Column

Format Merge Columns Extract Parse

Statistics Standard Scientific

Trigonometry Rounding Information

Date Time Duration

From Text From Number From Date & Time

Queries [3]

- List of Orders
- Order Details
- Sales target

Table.AddColumn("#Added Custom", "Profit Status", each if [Profit] < 0 then ""Loss"" else if [Profit] = 0 then ""Break-even"" else if [Profit] > 0 then ""Profit"" else null)

City	Category	Sub-Category	Profit Margin	Profit Status	
1	7	Furniture	Bookcases	-0.900392157	"Loss"
2	5	Clothing	Stole	-0.181818182	"Loss"
3	3	Clothing	Hankerchief	-0.25	"Loss"
4	4	Electronics	Electronic Games	-0.7	"Loss"
5	2	Electronics	Phones	-0.660714286	"Loss"
6	5	Electronics	Phones	-0.641509434	"Loss"
7	4	Electronics	Phones	0.439816584	"Profit"
8	3	Clothing	Saree	0.377896613	"Profit"
9	8	Clothing	Saree	-0.042016807	"Loss"
10	5	Clothing	Trousers	-0.044280443	"Loss"
11	1	Furniture	Chairs	-1.25	"Loss"
12	3	Clothing	Saree	-0.860103627	"Loss"

8 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 17:19

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Added Custom
- Added Conditional Column

Merging Data (Joins):

Merge the two tables “List of Orders” and “Order Details” in to a new single Table named “Orders Data”

The screenshot shows the Power Query Editor interface. The main area displays a table with 5 columns: Order ID, Order Date, CustomerName, Location, and Order Details. The table contains 20 rows of data. The 'Order Details' column lists various locations across India. The interface includes a ribbon with tabs like File, Home, Transform, Add Column, View, Tools, and Help. The 'Transform' tab is active, showing options like Merge Queries, Append Queries, and Combine. The 'Merge Queries' dropdown is open, showing the 'List of Orders' and 'Order Details' tables. The 'Merge Queries' button is highlighted. The 'Properties' pane on the right shows the 'Orders Data' table. The 'Applied Steps' pane shows the 'Source' step. The status bar at the bottom indicates 5 columns, 500 rows, and a preview downloaded at 2043.

Queries [4]

- List of Orders
- Order Details
- Sales target
- Orders Data

Formula Bar: `= Table.NestedJoin(#"List of Orders", {"Order ID"}, #"Order Details", {"Order ID"}, "Order Details", JoinKind.LeftOuter)`

	Order ID	Order Date	CustomerName	Location	Order Details
1	B-25601	01-04-2018	Bharat	Ahmedabad,Gujarat	Table
2	B-25602	01-04-2018	Pearl	Pune,Maharashtra	Table
3	B-25603	03-04-2018	Jahan	Bhopal,Madhya Pradesh	Table
4	B-25604	03-04-2018	Divsha	Jaipur,Rajasthan	Table
5	B-25605	05-04-2018	Kasheen	Kolkata,West Bengal	Table
6	B-25606	06-04-2018	Hazel	Bangalore,Karnataka	Table
7	B-25607	06-04-2018	Sonakshi	Kashmir,Jammu and Kashmir	Table
8	B-25608	08-04-2018	Aarushi	Chennai,Tamil Nadu	Table
9	B-25609	09-04-2018	Jitesh	Lucknow,Uttar Pradesh	Table
10	B-25610	09-04-2018	Yogesh	Patna,Bihar	Table
11	B-25611	11-04-2018	Anita	Thiruvananthapuram,Kerala	Table
12	B-25612	12-04-2018	Shrichand	Chandigarh,Punjab	Table
13	B-25613	12-04-2018	Mukesh	Chandigarh,Haryana	Table
14	B-25614	13-04-2018	Vandana	Simla,Himachal Pradesh	Table
15	B-25615	15-04-2018	Bhavna	Gangtok,Sikkim	Table
16	B-25616	15-04-2018	Kanak	Goa,Goa	Table
17	B-25617	17-04-2018	Sagar	Kohima,Nagaland	Table
18	B-25618	18-04-2018	Manju	Hyderabad,Andhra Pradesh	Table
19	B-25619	18-04-2018	Ramesh	Ahmedabad,Gujarat	Table
20	B-25620	20-04-2018	Sarita	Pune,Maharashtra	Table

5 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 2043

Handling Missing Data and Duplicate Data:

No missing data.

Remove Duplicate Data:

Order Details Table "Order ID" :

Power Query Editor interface showing a table of order details. The table has columns: Order ID, Amount, Profit, Quantity, Category, and Sub-Category. The data is filtered to show 23 rows. The interface includes a ribbon with various data transformation options and a right-hand pane for query settings and applied steps.

Order ID	Amount	Profit	Quantity	Category	Sub-Category
B-25601	1,275.00	-1148	7	Furniture	Bookcases
B-25602	168.00	-111	2	Electronics	Phones
B-25603	1,355.00	-60	5	Clothing	Trousers
B-25604	65.00	17	2	Clothing	T-shirt
B-25605	75.00	0	7	Clothing	Saree
B-25606	87.00	4	2	Clothing	Shirt
B-25607	50.00	15	4	Clothing	Leggings
B-25608	1,364.00	-1864	5	Furniture	Tables
B-25609	485.00	29	4	Electronics	Electronic G
B-25610	1,076.00	-38	4	Electronics	Printers
B-25611	160.00	-59	2	Clothing	Saree
B-25612	259.00	-55	2	Furniture	Chairs
B-25613	1,603.00	0	9	Clothing	Saree
B-25614	494.00	54	4	Furniture	Bookcases
B-25615	68.00	20	5	Clothing	Hankerchief
B-25616	42.00	12	5	Clothing	Hankerchief
B-25617	305.00	-270	5	Electronics	Electronic G
B-25618	362.00	127	1	Furniture	Bookcases
B-25619	353.00	90	8	Clothing	Saree
B-25620	193.00	46	1	Electronics	Printers
B-25621	233.00	-10	5	Electronics	Electronic G
B-25622	534.00	0	3	Clothing	Saree
B-25623	53.00	1	4	Clothing	Stole

Sorting and Filtering Data:
Sort:
Order date in descending order:

The screenshot displays the Power Query Editor interface. The ribbon at the top includes tabs for File, Home, Transform, Add Column, View, Tools, and Help. The Transform tab is active, showing various data manipulation options. The main area displays a table with the following columns: Order ID, Order Date, CustomerName, Location, and Order Details. The data is sorted by Order Date in descending order. The table contains 24 rows of data. The right-hand pane shows the Query Settings for 'Orders Data', including the Properties and Applied Steps sections. The Applied Steps section shows a single step: 'Sorted Rows'. The bottom status bar indicates 5 columns and 500 rows, with a preview downloaded at 22:26 on 23-07-2026.

Order ID	Order Date	CustomerName	Location	Order Details
1	31-03-2019	Hitika	Indore,Madhya Pradesh	Table
2	30-03-2019	Bhishm	Mumbai,Maharashtra	Table
3	29-03-2019	Pinky	Kashmir,Jammu and Kashmir	Table
4	28-03-2019	Vini	Bangalore,Karnataka	Table
5	28-03-2019	Atharv	Kolkata,West Bengal	Table
6	28-03-2019	Monisha	Jaipur,Rajasthan	Table
7	27-03-2019	Deepak	Bhopal,Madhya Pradesh	Table
8	27-03-2019	Manju	Hyderabad,Andhra Pradesh	Table
9	27-03-2019	Ramesh	Ahmedabad,Gujarat	Table
10	27-03-2019	Sarita	Pune,Maharashtra	Table
11	27-03-2019	Sagar	Kohima,Nagaland	Table
12	26-03-2019	Bhavna	Gangtok,Sikkim	Table
13	26-03-2019	Mukesh	Chandigarh,Haryana	Table
14	26-03-2019	Vandana	Simla,Himachal Pradesh	Table
15	26-03-2019	Shrichand	Chandigarh,Punjab	Table
16	26-03-2019	Kanak	Goa,Goa	Table
17	25-03-2019	Anita	Thiruvananthapuram,Kerala	Table
18	24-03-2019	Yogesh	Patna,Bihar	Table
19	23-03-2019	Jitesh	Lucknow,Uttar Pradesh	Table
20	22-03-2019	Kasheen	Kolkata,West Bengal	Table
21	22-03-2019	Divsha	Jaipur,Rajasthan	Table
22	22-03-2019	Sonakshi	Kashmir,Jammu and Kashmir	Table
23	22-03-2019	Hazel	Bangalore,Karnataka	Table
24	22-03-2019	Aarushi	Chennai,Tamil Nadu	Table

Filter the order to focus only on a specific state:
Chennai,Tamil Nadu:

The screenshot shows the Power Query Editor window titled 'Untitled - Power Query Editor'. The ribbon includes tabs for File, Home, Transform, Add Column, View, Tools, and Help. The 'Transform' tab is active, showing options like 'Filter Rows', 'Sort', 'Group By', and 'Combine'. The 'Queries' list on the left shows 'Orders Data' selected. The main area displays the M formula: `= Table.SelectRows(#"Sorted Rows", each Text.Contains([Location], "Chennai,Tamil Nadu"))`. Below the formula, a table with 5 columns and 8 rows is visible. The columns are 'Order Date', 'CustomerName', 'Location', and 'Order Details'. The 'Location' column is filtered to show only 'Chennai,Tamil Nadu'. The 'Applied Steps' pane on the right shows 'Source', 'Sorted Rows', and 'Filtered Rows'.

	Order Date	CustomerName	Location	Order Details
1	22-03-2019	Aarushi	Chennai,Tamil Nadu	Table
2	14-02-2019	Aarushi	Chennai,Tamil Nadu	Table
3	09-02-2019	Kalyani	Chennai,Tamil Nadu	Table
4	15-11-2018	Akshay	Chennai,Tamil Nadu	Table
5	21-09-2018	Dinesh	Chennai,Tamil Nadu	Table
6	11-07-2018	Surabhi	Chennai,Tamil Nadu	Table
7	23-06-2018	Amisha	Chennai,Tamil Nadu	Table
8	08-04-2018	Aarushi	Chennai,Tamil Nadu	Table

5 COLUMNS, 8 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 23:38

23:38
23-07-2026

Grouping and Aggregating Data:
Grouping Data:
Calculate the count of each order ID:

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Advanced Editor Choose Columns Remove Columns Reduce Rows Sort Split Column Group By Data Type: Whole Number Use First Row as Headers Replace Values Combine

Queries [7]

- Sales target
- List of Orders
- Order Details
- Orders Data
- List of Orders - Copy
- Sales target - Copy
- Order Details - Copy

Formula Bar: `= Table.Group("#Changed Type", {"Order ID"}, {"Count of Order ID", each Table.RowCount(_), Int64.Type})`

	Order ID	Count of Order ID
1	B-25601	4
2	B-25602	5
3	B-25603	8
4	B-25604	2
5	B-25605	1
6	B-25606	1
7	B-25607	1
8	B-25608	4
9	B-25609	2
10	B-25610	6
11	B-25611	1
12	B-25612	1
13	B-25613	1

2 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name: Order Details - Copy

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Grouped Rows

Activate Windows
Go to Settings to activate Windows.

PREVIEW DOWNLOADED AT 15:01

Windows taskbar: Type here to search, 35°C, 15:02, 24-07-2026

Calculate average profit by category:

Untitled - Power Query Editor

File Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Advanced Editor Choose Columns Remove Columns Reduce Rows Sort Split Column Group By Data Type: Decimal Number Use First Row as Headers Replace Values Combine

Queries [7]

- Sales target
- List of Orders
- Order Details
- Orders Data
- List of Orders - Copy
- Sales target - Copy
- Order Details - Copy

Formula Bar: `= Table.Group("#Changed Type", {"Category"}, {"Average Profit", each List.Average([Profit]), type nullable number})`

	Category	Average Profit
1	Furniture	9.456790123
2	Clothing	11.76290832
3	Electronics	34.07142857

2 COLUMNS, 3 ROWS Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name: Order Details - Copy

APPLIED STEPS

- Source
- Promoted Headers
- Changed Type
- Grouped Rows

Activate Windows
Go to Settings to activate Windows.

PREVIEW DOWNLOADED AT 15:05

Windows taskbar: Type here to search, 35°C, 15:05, 24-07-2026

The screenshot displays the Microsoft Power Query Editor window. At the top, the title bar reads "Untitled - Power Query Editor". The ribbon menu includes tabs for File, Home, Transform, Add Column, View, Tools, and Help. The main workspace shows a query named "Sales target - Copy" with two columns: "Month of Order Date" and "Total Amount by Month". The data is presented as a table with 12 rows, showing dates from 01-04-2018 to 01-03-2019 and corresponding total amounts ranging from 31400 to 43800.

The right-hand pane contains the "Query Settings" section, which includes "PROPERTIES" (Name: Sales target - Copy) and "APPLIED STEPS" (Source, Promoted Headers, Changed Type, Grouped Rows). A watermark "Activate Windows Go to Settings to activate Windows." is visible in the bottom right corner of the editor area.

Data Modeling:

A relationship b/w the “List of Orders” and “Order of Details”:

The screenshot displays the Power BI Desktop interface with a data model view. Two tables, 'List of Orders' and 'Order Details', are connected by a one-to-one relationship. The 'List of Orders' table has columns: CustomerName, Location, Order Date, and Order ID. The 'Order Details' table has columns: Amount, Category, Order ID, Profit, Profit Margin, Profit Status, Quantity, and Sub-Category. The relationship is active and has a cross-filter direction of 'Both'.

Relationship Properties:

Table	Column
List of Orders	Order ID

Cardinality: One to one (1:1)

Table	Column
Order Details	Order ID

Make this relationship active: Yes

Cross-filter direction: Both

Build a relationship b/w “Order of Details” and “Sales Target”:

Ensure this relationship is active:

