

STROKE PREDICTION ANALYTICS DASHBOARD

All



All



never smoked



47

Average age

2K

Total patients

90

Stroke cases


4.76%

Stroke rate

2K


Non-stroke cases

Stroke cases and Non-stroke cases



Stroke cases Non-stroke cases

Stroke rate by age group



Page 1

Page 2

Page 3

Page 4

29.94

Average bmi

107.56

Average glucose

CLINICAL RISK FACTORS

All




All




never smoked




Stroke rate by Hypertension Status




Average glucose by Stroke Status and Age Group



Stroke rate by Heart Disease Status



Count of Stroke Status by BMI Category



Age Group	Sum of Hypertension	Sum of Heart_disease	Stroke rate
0-18	0	0	
19-30	4	0	
31-45	27	1	0.67%
46-60	66	20	3.63%
61-75	75	35	8.36%
76+	60	34	22.11%
Total	232	90	4.76%

Page 1

Page 2

Page 3

Page 4

DEMOGRAPHICS AND LIFESTYLE


All

All

All


Stroke rate by Gender

Gender	Stroke rate (%)
Male	5.1
Female	4.7



Stroke rate by Smoking_status


Smoking_status	Stroke rate
formerly smoked	7.9%
smokes	5.4%
never smoked	4.8%
Unknown	3.1%



Stroke rate by Residence_type

A horizontal bar chart titled 'Stroke rate by Residence_type'. The y-axis lists two categories: 'Urban' and 'Rural'. The x-axis represents the stroke rate as a percentage, with major grid lines and labels at 0%, 2%, 4%, and 6%. The 'Urban' bar is dark blue and extends to approximately 5.2%. The 'Rural' bar is also dark blue and extends to approximately 4.6%.


Residence_type	Stroke_rate
Urban	5.2%
Rural	4.6%



Stroke cases by Work_type and Ever_married


A horizontal bar chart titled 'Stroke cases by Work_type and Ever_married'. The y-axis lists four work types: Private, Self-employed, Govt_job, and children. The x-axis represents the number of stroke cases, with major ticks at 0, 50, and 100. For each work type, there are two bars: a dark blue bar for 'No' (Ever_married) and a medium blue bar for 'Yes' (Ever_married). The 'Private' category shows the highest number of cases, with 'Yes' being significantly higher than 'No'. 'Self-employed' and 'Govt_job' show similar patterns but with lower overall counts. 'children' has the lowest counts, with 'Yes' being slightly higher than 'No'.

Work_type	No (Ever_married)	Yes (Ever_married)
Private	15	130
Self-employed	10	60
Govt_job	10	30
children	2	5



Stroke rate by Ever_married, Residence_type and Work_type

Category	Stroke Rate (approx.)
No Urban Self-employed	0.0001
No Urban Govt_job	0.0001
Yes Urban Private	0.0001
Yes Rural Govt_job	0.0001
Yes Urban Govt_job	0.0001
Yes Rural Self-employed	0.0001
Yes Urban Self-employed	0.0001
Yes Rural Private	0.0001
No Urban Private	0.0001
No Rural Self-employed	0.0001
No Rural Govt_job	0.0001
No Urban Govt_job	0.0001



Page 1

Page 2

Page 3

Page 4

KEY INSIGHTS

Age dominates every other factor — Patients 60+ show a stroke rate of about 13% against 1% for under-40s.
Age is the strongest single split in the data.

High glucose tracks with stroke, but so does age — Patients in the diabetic glucose band show a higher rate than the normal band, though that group skews older, so the two effects are not separated here.

Illness add to the risk— Among 60+ patients with hypertension or heart disease the rate is roughly double the 60+ baseline.
Both flags are self-reported binary fields by patients with no details on how bad they are or how long they have lasted.

Smoking status is the weakest signal shown — Former and current smokers differ from never-smokers by a smaller margin than age or hypertension, and about 30% of records have unknown smoking status, so read this one loosely.

Page 1

Page 2

Page 3

Page 4