

Congratulations! You passed!

Grade received 100% Latest Submission Grade 100% To pass 80% or higher

Go to next item

1.	If a library depends on another library, it forms a	1 / 1 point
	O Framework Tree	
	Dependency Tree	
	O Dependency Document	
	C Library Box	
	Correct That's correct! A dependency tree represents how libraries depend on other libraries.	
2.	How many columns does Bootstrap's responsive grid consist of?	1 / 1 point
	O 10	
	O 8	
	O 14	
	12	
	○ Correct That's correct! Bootstrap uses a 12 column responsive grid.	
3.	To change the style of a Bootstrap component, you use	1 / 1 point
	O an infix	
	a modifier	
	Correct That's correct! Modifiers are used to change a component's style.	
	To improve performance, web servers can keep a copy of dynamic content in a	1 / 1 point
7.		1 / 1 point
	Cloud Cache	
	O DOM	
	 Correct That's correct! Dynamic content can be stored in a cache and updated based on time and/or user interaction. 	
5.	What are the two main approaches for serving code and resources in a Single Page Application called? Select two.	1 / 1 point
	Packets	
	☑ Bundling	
	Correct That's correct! Assets, code and dependencies are bundled into a single file and loaded by the application.	
	☐ Code Boxing	
	✓ Code Splitting	
	Correct That's correct! Large applications can be split into multiple bundles that are loaded as required by the application.	

6.	React is a that can be used to create single page applications.	1 / 1 point
	Library Framework	
	⊙ Correct That's correct! React is a library that can be used to build single page applications.	
7.	Components allow developers to improve development efficiency by reusing code. True	1 / 1 point
	 ✓ False ✓ Correct That's correct! Components can be reused in multiple parts of your application. 	
8.	A React application is built up of a tree of components called the Component O Branch	1/1 point
	Root Hierarchy	
	O Library	
	Correct That's correct! The Component Hierarchy is a tree of components starting with the Root Component.	