

Create a Database_1use_database xCreate_the_online_sales_Table*Check_That_the_Table_Was_C...insert_datacheck_data*

Limit to 1000 rows

1 • USE sales_analysis;

2 • SELECT DATABASE();

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

DATABASE()

sales_analysis

Result Grid

Form Editor

Result 1 xRead OnlyContext Help

Output

Action Output

#	Time	Action	Message
✓ 24	09:31:33	INSERT INTO online_sales (order_id, order_date, amount, product_id) VALUES (1, '2026-01-01', 1800.00, 101...	24 row(s) affected Records: 24 Duplicates: 0 Warnings: 0
✓ 25	09:32:19	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 26	09:34:02	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned

The screenshot shows the SQL IDE interface. The main editor displays the following SQL code:

```

1 CREATE TABLE online_sales (
2     order_id INT PRIMARY KEY,
3     order_date DATE,
4     amount DECIMAL(10,2),
5     product_id INT
6 );
7

```

The 'Output' window at the bottom shows the execution results of the SQL script. It contains a table with the following data:

#	Time	Action	Message
24	09:31:33	INSERT INTO online_sales (order_id, order_date, amount, product_id) VALUES (1, '2026-01-01', 1800.00, 101...	24 row(s) affected Records: 24 Duplicates: 0 Warnings: 0
25	09:32:19	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
26	09:34:02	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned

Create a Database_1 use_database Create_the_online_sales_Table* Check_That_the_Table_Was_C... x insert_data check_data*

Limit to 1000 rows

- 1 • `SHOW TABLES;`
- 2 • `DESCRIBE online_sales;`

Result Grid Filter Rows: Export: Wrap Cell Content:

	Field	Type	Null	Key	Default	Extra
▶	order_id	int	NO	PRI	<code>NULL</code>	
	order_date	date	YES		<code>NULL</code>	
	amount	decimal(10,2)	YES		<code>NULL</code>	
	product_id	int	YES		<code>NULL</code>	

Result Grid

Form Editor

Result 2 Result 3 x

Read Only Con

Output

Action Output

#	Time	Action	Message
✓ 24	09:31:33	INSERT INTO online_sales (order_id, order_date, amount, product_id) VALUES (1, '2026-01-01', 1800.00, 101...	24 row(s) affected Records: 24 Duplicates: 0 Warnings: 0
✓ 25	09:32:19	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 26	09:34:02	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned

The screenshot shows the SQL Server Enterprise Manager interface. The main window displays a SQL script with 21 lines of code. The script is an INSERT statement into the 'online_sales' table, with columns (order_id, order_date, amount, product_id). The data is inserted in 16 rows, with the last row (16) highlighted. The 'Output' pane at the bottom shows the execution results for the script. The results are as follows:

#	Time	Action	Message
24	09:31:33	INSERT INTO online_sales (order_id, order_date, amount, product_id) VALUES (1, '2026-01-01', 1800.00, 101),	24 row(s) affected Records: 24 Duplicates: 0 Warnings: 0
25	09:32:19	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
26	09:34:02	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned

Create a Database_1 use_database Create_the_online_sales_Table* Check_That_the_Table_Was_C... insert_data check_data*

Limit to 1000 rows

```
1 • SELECT *
2 FROM online_sales;
3
4
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	order_id	order_date	amount	product_id
▶	1	2026-01-01	1800.00	101
	2	2026-01-10	8850.00	102
	3	2026-01-12	1500.00	103
	4	2026-01-22	700.00	104
	5	2026-02-10	990.00	105
	6	2026-02-15	1258.00	106

online_sales 4

Output

Action Output

#	Time	Action	Message
✓ 24	09:31:33	INSERT INTO online_sales (order_id, order_date, amount, product_id) VALUES (1, '2026-01-01', 1800.00, 101...	24 row(s) affected Records: 24 Duplicates: 0 W
✓ 25	09:32:19	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 26	09:34:02	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned



Search



Create a Database_1 use_database Create_the_online_sales_Table* Check_That_the_Table_Was_C... insert_data check_data*

```

1 • SELECT *
2   F Execute the selected portion of the script or everything, if there is no selection
3
4 • SELECT COUNT(*) AS total_orders
5   FROM online_sales;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	total_orders
▶	24

online_sales 5 Result 6 x Read Only

Output

Action Output

#	Time	Action	Message
✓ 26	09:34:02	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 29	09:36:28	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 30	09:36:28	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned

SQL File 8*

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

```
1 SELECT
2   YEAR(order_date) AS year,
3   MONTH(order_date) AS month,
4   SUM(amount) AS monthly_revenue
5 FROM online_sales
6 GROUP BY
7   YEAR(order_date),
8   MONTH(order_date)
9 ORDER BY
10  year,
11  month;
```

Result Grid

Filter Rows:

Export: | Wrap Cell Content: |

	year	month	monthly_revenue
▶	2026	1	12850.00
	2026	2	5698.00
	2026	3	5850.00
	2026	4	9350.00
	2026	5	5000.00
	2026	6	5100.00

Result 1 x

Output

Action Output

#	Time	Action	Message
✓ 27	09:34:02	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 29	09:36:28	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 30	09:36:28	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 31	09:39:14	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned

use_databaseCreate_the_online_sales_Table*Check_That_the_Table_Was_C...insert_datacheck_dataCalculate_Monthly_RevenueSQL File 9*SQLAdditions

Limit to 1000 rows

1 • SELECT

2 YEAR(order_date) AS year,

3 MONTH(order_date) AS month,

4 COUNT(DISTINCT order_id) AS order_volume

5 FROM online_sales

6 GROUP BY

7 YEAR(order_date),

8 MONTH(order_date)

9 ORDER BY

10 year,

11 month;

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Result Grid

Form Editor

Result 1

	year	month	order_volume
▶	2026	1	4
	2026	2	4
	2026	3	4
	2026	4	4
	2026	5	4
	2026	6	4

Output

Action Output

#	Time	Action	Message
✓ 28	09:34:53	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 29	09:36:28	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 30	09:36:28	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 31	09:39:14	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned
✓ 32	09:41:48	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, COUNT(DISTINCT order_id) AS ...	6 row(s) returned

Automatic con
Use the toolba
for the curren
toggle a

Read OnlyContext HelpSnippets

```
1 • SELECT
2     YEAR(order_date) AS year,
3     MONTH(order_date) AS month,
4     SUM(amount) AS monthly_revenue
5 FROM online_sales
6 GROUP BY
7     YEAR(order_date),
8     MONTH(order_date)
9 ORDER BY
10    monthly_revenue DESC
11 LIMIT 3;
```

Result Grid Filter Rows: Export: Wrap Cell Contents Fetch rows:

	year	month	monthly_revenue
▶	2026	1	12850.00
	2026	4	9350.00
	2026	3	5850.00

Result Grid

Form Editor

Result 1 x Read Only Context Help Snip

Output

Action Output

#	Time	Action	Message
✓ 29	09:36:28	SELECT * FROM online_sales LIMIT 0, 1000	24 row(s) returned
✓ 30	09:36:28	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 31	09:39:14	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned
✓ 32	09:41:48	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, COUNT(DISTINCT order_id) AS ...	6 row(s) returned
✓ 33	09:44:45	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	3 row(s) returned

```

1 • SELECT
2     YEAR(order_date) AS year,
3     MONTH(order_date) AS month,
4     SUM(amount) AS monthly_revenue,
5     COUNT(DISTINCT order_id) AS order_volume
6 FROM online_sales
7 WHERE order_date BETWEEN '2026-03-01' AND '2026-06-30'
8 GROUP BY
9     YEAR(order_date),
10    MONTH(order_date)
11 ORDER BY
12     year,
13     month;
    
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	year	month	monthly_revenue	order_volume
▶	2026	3	5850.00	4
	2026	4	9350.00	4
	2026	5	5000.00	4
	2026	6	5100.00	4

Result 1 x Read Only Context Help

Output

Action Output

#	Time	Action	Message
✓ 30	09:36:28	SELECT COUNT(*) AS total_orders FROM online_sales LIMIT 0, 1000	1 row(s) returned
✓ 31	09:39:14	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned
✓ 32	09:41:48	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, COUNT(DISTINCT order_id) AS ...	6 row(s) returned
✓ 33	09:44:45	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	3 row(s) returned
✓ 34	09:46:40	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	4 row(s) returned

SQLData | Calculate_Monthly_Revenue | Calculate_Monthly_Order_Volu... | Find_the_Top3_Months_by_Sal... | Analyze_a_Specific_Time_Peri... | Create_the_Final_ | SQLAdditions

Limit to 1000 rows

```
1 • SELECT
2     YEAR(order_date) AS year,
3     MONTH(order_date) AS month,
4     SUM(amount) AS monthly_revenue,
5     COUNT(DISTINCT order_id) AS order_volume
6 FROM online_sales
7 GROUP BY
8     YEAR(order_date),
9     MONTH(order_date)
10 ORDER BY
11     year,
12     month;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

year	month	monthly_revenue	order_volume
2026	1	12850.00	4
2026	2	5698.00	4
2026	3	5850.00	4
2026	4	9350.00	4
2026	5	5000.00	4
2026	6	5100.00	4

Result 1 x

Read Only | Context Help | Snippet

Output

#	Time	Action	Message
31	09:39:14	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned
32	09:41:48	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, COUNT(DISTINCT order_id) AS ...	6 row(s) returned
33	09:44:45	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	3 row(s) returned
34	09:46:40	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	4 row(s) returned
35	09:53:05	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned

revenue Calculate_Monthly_Order_Volu... Find_the_Top3_Months_by_Sal... Analyze_a_Specific_Time_Per... Create_the_Final_SQL_Query SQL File 13* x

The screenshot shows the Google Sheets toolbar with the 'Limit to 1000 rows' dropdown menu open. The menu is currently set to 'Limit to 1000 rows' and has a downward arrow next to it. Other icons in the toolbar include a folder, a document, a lightning bolt, a key, a clock, a hand, a red X, a checkmark, a magnifying glass, a printer, and a refresh icon.

```
1 SELECT
2     YEAR(order_date) AS year,
3     MONTH(order_date) AS month,
4     SUM(amount) AS monthly_revenue,
5     COUNT(DISTINCT order_id) AS order_volume
6 FROM online_sales
7 GROUP BY
8     YEAR(order_date),
9     MONTH(order_date)
10 ORDER BY
11     year,
12     month;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

year	month	monthly_revenue	order_volume
2026	1	12850.00	4
2026	2	5698.00	4
2026	3	5850.00	4
2026	4	9350.00	4
2026	5	5000.00	4
2026	6	5100.00	4

Result 1 x Read Only

 Action Output

#	Time	Action	Message
32	09:41:48	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, COUNT(DISTINCT order_id) AS ...	6 row(s) returned
33	09:44:45	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	3 row(s) returned
34	09:46:40	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	4 row(s) returned
35	09:53:05	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned
36	09:54:03	SELECT YEAR(order_date) AS year, MONTH(order_date) AS month, SUM(amount) AS monthly_reven...	6 row(s) returned