Real Time Data Analytics @ Uber

Ankur Bansal

Apache Big Data Europe

November 14, 2016

UBER

About Me

- Sr. Software Engineer, Streaming Team @ Uber
  - Streaming team supports platform for real time data analytics: Kafka, Samza, Flink, Pinot.. and plenty more
  - Focused on scaling Kafka at Uber’s pace
- Staff software Engineer @ Ebay
  - Build & scale Ebay’s cloud using openstack
- Apache Kylin: Committer, Emeritus PMC

Agenda

- Real time Use Cases
- Kafka Infrastructure Deep Dive
- Our own Development:
  - Rest Proxy & Clients
  - Local Agent
  - uReplicator (Mirrormaker)
  - Chaperone (Auditing)
- Operations/Tooling

Important Use Cases

Real-time Price Surging

Rider eyeballs

Open car information

KAFKA

Stream Processing

SURGE MULTIPLIERS

Real-time Machine Learning - UberEats ETD



Experimentation Platform

- Fraud detection
- Share my ETA

And many more ...

Apache Kafka is Uber’s Lifeline

Kafka ecosystem @ Uber



Kafka cluster stats

100s of billion

Messages/day

100s TB

bytes/day

Multiple data centers

Kafka Infrastructure Deep Dive

Requirements

- Scale to 100s Billions/day → 1 Trillion/day
- High Throughput (Scale: 100s TB → PB)
- Low Latency for most use cases(<5ms)
- Reliability - 99.99% (#Msgs Available /#Msgs Produced)
- Multi-Language Support
- Tens of thousands of simultaneous clients.
- Reliable data replication across DC

Kafka Pipeline



Kafka Pipeline: Data Flow



Kafka Clusters



Kafka Clusters

- Use case based clusters
  - Data (async, reliable)
  - Logging (High throughput)
  - Time Sensitive (Low Latency e.g. Surge, Push notifications)
  - High Value Data (At-least once, Sync e.g. Payments)
- Secondary cluster as fallback
- Aggregate clusters for all data topics.

Kafka Clusters

- Scale to 100s Billions/day → 1 Trillion/day
- High Throughput (Scale: 100s TB → PB)
- Low Latency for most use cases(<5ms)
- Reliability - 99.99% (#Msgs Available /#Msgs Produced)
- Multi-Language Support
- Tens of thousands of simultaneous clients.
- Reliable data replication across DC

Kafka Rest Proxy



Why Kafka Rest Proxy ?

- Simplified Client API
- Multi-lang support (Java, NodeJs, Python, Golang)
- Decouple client from Kafka broker
  - Thin clients = operational ease
  - Less connections to Kafka brokers
  - Future kafka upgrade
- Enhanced Reliability
  - Primary & Secondary Kafka Clusters

Kafka Rest Proxy: Internals



Kafka Rest Proxy: Internals



Kafka Rest Proxy: Internals

- Based on Confluent's open sourced Rest Proxy
- Performance enhancements
  - Simple http servlets on jetty instead of Jersey
  - Optimized for binary payloads.
  - Performance increase from 7K* to 45-50K QPS/box
- Caching of topic metadata.
- Reliability improvements*
  - Support for Fallback cluster
  - Support for multiple Producers (SLA based segregation)
- Plan to contribute back to community

*Based on benchmarking & analysis done in Jun '2015

Rest Proxy: performance (1 box)



Kafka Clusters + Rest Proxy

- Scale to 100s Billions/day → 1 Trillion/day
- High Throughput (Scale: 100s TB → PB)
- Low Latency for most use cases(<5ms)
- Reliability - 99.99% (#Msgs Available /#Msgs Produced)
- Multi-Language Support
- Tens of thousands of simultaneous clients.
- Reliable data replication across DC

Kafka Clients



Client Libraries

- Support for multiple clusters.
- High Throughput
  - Non-blocking, async, batching
  - <1ms produce latency for clients
  - Handles Throttling/BackOff signals from Rest Proxy
- Topic Discovery
  - Discovers the kafka cluster a topic belongs
  - Able to multiplex to different kafka clusters
- Integration with Local Agent for critical data

Client Libraries



Client Libraries



Kafka Clusters + Rest Proxy + Clients

- Scale to 100s Billions/day → 1 Trillion/day
- High Throughput (Scale: 100s TB → PB)
- Low Latency for most use cases(<5ms)
- Reliability - 99.99% (#Msgs Available /#Msgs Produced)
- Multi-Language Support
- Tens of thousands of simultaneous clients.
- Reliable data replication across DC

Local Agent


DataCenter-I
Applications
[ProxyClient]
Kafka REST
Proxy
Regional
Kafka
DataCenter-III
uReplicator
Aggregate
Kafka
DataCenter-II
Applications
[ProxyClient]
Local
Agent
Kafka REST
Proxy
Regional
Kafka
Secondary
Kafka

Local Agent

- Local spooling in case of downstream outage/backpressure
- Backfills at the controlled rate to avoid hammering infrastructure recovering from outage
- Implementation:
  - Reuses code from rest-proxy and kafka's log module.
  - Appends all topics to same file for high throughput.

Local Agent Architecture



Local Agent in Action

#1: Rest proxy data incoming traffic coming down to 0 around 8:10. Recovery around 9:10 with a spike from client libraries buffers

#2: Traffic starts moving to local agent in outage window



#3: Local agent producing to Rest proxy after recovery



Kafka Clusters + Rest Proxy + Clients + Local Agent

- Scale to 100s Billions/day → 1 Trillion/day
- High Throughput (Scale: 100s TB → PB)
- Low Latency for most use cases(<5ms)
- Reliability - 99.99% (#Msgs Available /#Msgs Produced)
- Multi-Language Support
- Tens of thousands of simultaneous clients.
- Reliable data replication across DC

uReplicator



Multi-DC data flow



Mirrormaker : existing problems



uReplicator: In-house solution



uReplicator



Kafka Clusters + Rest Proxy + Clients + Local Agent

- Scale to 100s Billions/day → 1 Trillion/day
- High Throughput (Scale: 100s TB → PB)
- Low Latency for most use cases(<5ms)
- Reliability - 99.99% (#Msgs Available /#Msgs Produced)
- Multi-Language Support
- Tens of thousands of simultaneous clients.
- Reliable data replication across DC

uReplicator

- Running in production for 1+ year
- Open sourced: https://github.com/uber/uReplicator
- Blog: https://eng.uber.com/ureplicator/

Chaperone - E2E Auditing

Chaperone Architecture



Chaperone : Track counts

Chaperone : Track Latency



Chaperone

- Running in production for 1+ year
- Planning to open source in ~2 Weeks

At-least Once Kafka

Why do we need it?



- Most of infrastructure tuned for high throughput
  - Batching at each stage
  - Ack before produce (ack'ed != committed)
- Single node failure in any stage leads to data loss
- Need a reliable pipeline for High Value Data e.g. Payments

How did we achieve it?

- Brokers:
  - min.insync.replicas=2, can only torrent one node failure
  - unclean.leader.election= false, need to wait until the old leader comes back
- Rest Proxy:
  - Partition Failover
- Improved Operations:
  - Replication throttling, to reduce impact of node bootstrap
  - Prevent catching up nodes to become ISR

Operations/Tooling

Partition Rebalancing



Cluster Broker Summary

Number of brokers: 28
Number of brokers by state:
State: ONLINE Count: 28
Leadership bytes per broker:
MAX: MIN: DIFF:
AVG: STD: STDev of AVG: 9.4948%
P50: P75: P90:
P95: P99:
Total bytes per broker:
MAX: MIN: DIFF:
AVG: STD: STDev of AVG: 3.8469%
P50: P75: P90:
P95: P99:
Number of replicas per broker:
MAX: MIN: 387 DIFF: 2712
AVG: STD: 1101 STDev of AVG: 58.7987%
P50: P75: 2043 P90: 3060
P95: P99: 3099
Broker Adjacencies: (The size of the partitions replicas intersecting any two brokers)
MAX: MIN: DIFF: 188262407823
AVG: STD: STDev of AVG: 38.0983%
P50: P75: P90: 134510858041
P95: P99:

Broker ID	Disk Bytes	Num Parts	State	Hostname
1		3042	ONLINE	localhost
2		2017	ONLINE	localhost
3		2406	ONLINE	localhost
4		2710	ONLINE	localhost
5		2874	ONLINE	localhost
6		2712	ONLINE	localhost
7		2911	ONLINE	localhost
8		2660	ONLINE	localhost
33		2714	ONLINE	localhost
34		3062	ONLINE	localhost
35		3099	ONLINE	localhost
36		3060	ONLINE	localhost
37		2021	ONLINE	localhost
38		2600	ONLINE	localhost
39		2603	ONLINE	localhost
40		2043	ONLINE	localhost
89		725	ONLINE	localhost
90		553	ONLINE	localhost
91		560	ONLINE	localhost
92		479	ONLINE	localhost
93		951	ONLINE	localhost
94		397	ONLINE	localhost
95		635	ONLINE	localhost
96		454	ONLINE	localhost
110		516	ONLINE	localhost

Partition Rebalancing

- Calculates partition imbalance and inter-broker dependency.
- Generates & Executes Rebalance Plan.
- Rebalance plans are incremental, can be stopped and resumed.
- Currently on-demand, Automated in the future.



XFS vs EXT4


cluster: kloak-dca1b
brokers: All
topic: All
DISK IOPS
SDB Utilization
100%
80%
60%
40%
20%
0%

Summary: Scale

- Kafka Brokers:
  - Multiple Clusters per DC
  - Use case based tuning
- Rest Proxy to reduce connections and better batching
- Rest Proxy & Clients
  - Batch everywhere, Async produce
  - Replace Jersey with Jetty
- XFS

Summary: Reliability

- Local Agent
- Secondary Clusters
- Multi Producer support in Rest Proxy
- uReplicator
- Auditing via Chaperone

Future Work

- Open source contribution
  - Chaperone
  - Toolkit
- Data Lineage
- Active Active Kafka
- Chargeback
- Exactly once mirroring via uReplicator

Questions ?

ankur@uber.com

Extra Slides

Kafka Durability (acks=1)



Kafka Durability (acks=1)



Kafka Durability (acks=1)



Kafka Durability (acks=1)



Kafka Durability (acks=1)



Kafka Durability (acks=1)



Distributed Messaging system



- High throughput
- Low latency
- Scalable
- Centralized
- Real-time

* Supported in Kafka 0.8+

What is Kafka?

- Distributed
- Partitioned
- Replicated
- Commit Log



What is Kafka?

- Distributed
- Partitioned
- Replicated
- Commit Log



What is Kafka?

- Distributed
- Partitioned
- Replicated
- Commit Log



What is Kafka?

- Distributed
- Partitioned
- Replicated
- Commit Log



Kafka Concepts