Software Requirements Specification Version 1.1 August 29, 2003

Web Accessible Alumni Database

Michael J. Reaves

Submitted in partial fulfillment Of the requirements of Masters Studio Project

Table of Contents

Table of Contents	11
Table of Figures	. iii
1.0. Purpose	1
1.1. Introduction	1
1.2. Scope	1
1.3. Glossary	1
1.4. References	
1.5. Document overview	
2.0. Overall description	3
2.1. System environment	3
2.2. Functional requirements definitions	3
2.3. Use cases	3
2.3.1. Use Case: Access Alumni Home Page	5
2.3.2. Use Case: Alum Chooses Survey	5
2.3.3. Use Case: Create New Entry	6
2.3.4. Use Case: Update an Entry.	
2.3.5. Use Case: Search for an Alumni/E-mail and Alumni	8
2.4. Non-functional requirements	9
3.0. Requirement specifications	10
3.1. External interface specifications	10
3.2. Functional Requirements	10
3.2.1. Access Alumni Home Page	10
3.2.2. Survey	10
3.2.3. Create a new entry	11
3.2.4 Update an Entry	12
3.2.5. Search for an Alumni/E-mail an Alumni	13
3.3. Detailed non-functional requirements	
3.4. System Evolution	16
4.0. Index	17

Table of Figures

Figure 1 System Design	. 3
Figure 2 Access Alumni Home Page	
Figure 3 Alum Selects Survey	
Figure 4 Alum Selects Create a New Entry	
Figure 5 Alum Selects Update an Entry	
Figure 6 Alum Selects Search/E-mail an Alum	

1.0. Purpose

1.1. Introduction

This Software Requirements Specification provides a complete description of all the functions and specifications of the Jacksonville State University Computing and Information Sciences (CIS) Web Accessible Alumni Database.

The expected audience of this document is the faculty of CIS, including the faculty who will use this system, Dr. Dennis Martin and studio committee members, and the developer. It will also server as a reference for Studio students.

1.2. Scope

The Jacksonville State University Computing and Information Sciences Web Accessible Alumni Database (CISWAAD) is designed to run on the departmental server and to allow alums to fill out a survey form, create a new database entry, update an existing database entry, or contact another alum. The data will be held in an Access database on the departmental server.

1.3. Glossary

Term	Definition
Alum	Graduate of Jacksonville State University
	undergraduate computer science programs.
BDE	Borland Database Engine
CI	Configuration Item
CIS	Computing and Information Sciences
Entry	Alum stored in the Alum Database
Html	Hyper text markup language
IEEE	Institute of Electrical and Electronic
	Engineers
QA	Quality assurance
SCMP	Software Configuration Management Plan
SDD	Software Design Document

SEI	Software Engineering Institute, Pittsburgh,
	Pa
SQAP	Software Quality Assurance Plan
SRS	Software Requirements Specification
Survey	Form filled out and submitted by an Alum
	using the CISWAAB.
Tbd	To be decided
Tbn	To be named
Web Site	A place on the world wide web

1.4. References

[IEEE] The applicable IEEE standards are published in "IEEE Standards Collection," 2001 edition.

[Bruade] The principal source of textbook material is "Software Engineering: An Object-Oriented Perspective" by Eric J. Bruade (Wiley 2001).

[Reaves SPMP] "Software Project Management Plan Jacksonville State University Computing and Information Sciences Web Accessible Alumni Database." Jacksonville State University, 2003.

1.5. Document overview

The remainder of this document is two chapters, the first providing a full description of the project for the owners of the CIS. It lists all the functions performed by the system. The final chapter concerns details of each of the system functions and actions in full for the software developers' assistance. These two sections are cross-referenced by topic; to increase understanding by both groups involved.

2.0. Overall description

The CISWAAD encompasses numerous files and information from the Alumni Database, as well as files on the department server system. This system will be completely web-based, linking to CISWAAD and the remote web server from a standard web browser. An Internet connection is necessary to access the system.

2.1. System environment




Figure 1 System Design

The CISWAAD web site will be operated from the departmental server. When an Alum connects to the University Web Server, the University Web Server will pass the Alum to the Departmental Server. The Departmental Server will then interact with the Alumni Database through BDE, which allows the Windows type program to transfer data to and from a database.

2.2. Functional requirements definitions

Functional Requirements are those that refer to the functionality of the system, i.e., what services it will provide to the user. Nonfunctional (supplementary) requirements pertain to other information needed to produce the correct system and are detailed separately.

2.3. Use cases

The system will consist of CIS Alumni Home page with five selections.

The first selection is to fill out a survey. The questions on the survey will be created by a designated faculty member. The survey will ask the Alum questions concerning their

degree, job experience, how well their education prepared them for their job, and what can the CIS department do to improve itself. This information will be retained on the departmental server and an e-mail will be sent to the designated faculty member.

The second selection is to the Entries section. There are two choices on this page.

One choice is to add a new entry. A form is presented to the Alum to be filled in. Certain fields in the form will be required, and list boxes will be used where appropriate. A password typed twice will be required of all new entries.

The second selection of the Entries page is to update an Alum entry. A form will be presented allowing the Alum to enter their year of graduation and then to select themselves from a list. A password will be required before the information will be presented to the Alum to be updated.

The third selection is to search or e-mail an Alum. A form will be presented requiring the requested Alum's year of graduation. The requesting Alum will search a table to see if the requested Alum is in the database, and if so non-sensitive information will be returned. At this time the Alum can select to e-mail the Alumnus or search for another Alumnus. If the Alum chooses to e-mail the Alumnus a form will be presented for the message to be entered with the sending Alum's name and e-mail. The message, with all necessary information will be forwarded to the requested Alum. The e-mail address of the requested Alum will not be seen by the sending Alum as a privacy measure.

All pages will return the Alum to the CIS Alumni Home Page.

2.3.1. Use Case: Access Alumni Home Page




Figure 2 Access Alumni Home Page

Brief Description

The Departmental Web Server is waiting on an Alum to connect.

Initial step-by-step description

For this use case to be initiated, the alum must be connected to the Internet and connected to the University Web Server.

- 1. The Alum connects to the University Web Server.
- 2. The Alum selects the Alum link on the CIS home page.
- 3. The University Web Server passes the Alum to the Alumni Home Page.

Reference SRS 3.2.1

2.3.2. Use Case: Alum Chooses Survey




Figure 3 Alum Selects Survey

Brief Description:

The Alum chooses to fill out a survey.

Initial step-by-step description:

For this use case to be initiated the Alum must be connected to the Internet and on the

CIS Alumni Home Page.

- 1. The Alum selects the "Fill out a survey" link.
- 2. The Departmental Server returns the survey form.
- 3. The Alum fills in the form.
- 4. The Alum clicks submit.
- 5. The Departmental Server retains information in the database designated faculty member will be notified.
- 6. The Departmental Server returns the Alum to the Alumni Home Page.

Reference SRS 3.2.2

2.3.3. Use Case: Create New Entry




Figure 4 Alum Selects Create a New Entry

Brief Description:

The Alum chooses to create a new entry on the Entries page.

Initial step-by-step description.

For this use case to be initiated the Alum must be connected to the Internet and on the

CIS Entries page.

- 1. The Alum selects the "Add a New Alum" link.
- 2. The Departmental Server returns the "Add a New Alum Form."
- 3. The Alum fills in the form.
- 4. The Alum can choose which fields to make public or private.
- 5. The Alum clicks submit.
- 6. The Departmental Server checks to see if all required fields contain data.
- 7. If all required fields contain data the Departmental Server adds the data to the Alum Database.
- 8. If a required filed is empty the Departmental Server returns the form to the Alum with a message.
- 9. The Departmental Server returns the Alum to the Alumni Home Page.

Reference: SRS 3.2.3

2.3.4. Use Case: Update an Entry.



Figure 5 Alum Selects Update an Entry

Brief Description:

The Alum chooses to update an existing entry in the Alumni Database.

Initial step-by-step description:

For this use case to be initiated the Alum must be connected to the Internet and on the

CIS Entries page.

- 1. The Alum chooses the "Update Alumni Information" option.
- 2. The Department Server presents the Alum with a form.
- 3. The Alum fills in the year of graduation.

- 4. The Departmental Server returns a form with all graduates from that year.
- 5. The Alum checks the correct graduate and enters his/her password
- 6. The Departmental Server searches the Alumni Database for the Alum name and password.
- 7. The Departmental Server returns the Alum's data if the password matches.
- 8. If the password does not match the Departmental Server returns an error message and returns the Alum to the previous page.
- 9. The Alum changes the appropriate fields and clicks submit.
- 10. The Departmental Server replaces the old data with the new.
- 11. The Departmental Server returns the Alum to the CIS Alumni Home Page.

Reference: SRS 3.2.4

2.3.5. Use Case: Search for an Alumni/E-mail and Alumni




Figure 6 Alum Selects Search/E-mail an Alum

Brief description:

The Alum chooses to search/e-mail Alum.

Initial step-by-step description:

For this use case to be initiated the Alum must be connected to the Internet and on the

Alumni CIS Home Page.

- 1. The Alum chooses "Search for an Alum."
- 2. The Departmental Server presents a form requesting the year of graduation.
- 3. The Alum fills in the form and clicks submit.
- 4. The Departmental Server queries the Alumni Database for the requested information.
- 5. The Departmental Server returns all Alums that graduated that year.
- 6. The Alum chooses "E-mail an Alum."
- 7. The Departmental Server presents a form.
- 8. The Alum fills in the form.
- 9. The Departmental Server checks the to see if the required fields are not empty.
- 10. The Departmental Server queries the Alumni Database for the particular Alum.
- 11. If the Alum requested is not in the Alumni Database, if there is no e-mail address for the requested Alum, or if the Alum has requested that no e-mails be forwarded, the Departmental Server will return a message that the requested Alum can not be e-mailed.
- 12. If the Alum requested is in the Alumni Database and there is an e-mail address the message along with the requested Alum's e-mail will be forwarded to the requested Alum.
- 13. The Departmental Server will return a message and return the Alum to the CIS Alumni Home Page.

Reference: SRS 3.2.5

: SKS 5.2.3

2.4. Non-functional requirements

There are requirements that are not functional in nature. Specifically, these are the constraints the system must work within.

The web site must be compatible with both the Netscape and Internet Explorer web browsers. This system will use the same type of Internet security presently being used by Jacksonville State University.

3.0. Requirement specifications

3.1. External interface specifications

None

3.2. Functional Requirements

3.2.1. Access Alumni Home Page

Use Case Name:	Access Alumni Home Page
Priority	Essential
Trigger	Menu selection
Precondition	Alum is connected to the Internet and on the
	CIS home page
Basic Path	1. University Web Server sends the Alum to
	the Departmental Server.
	2. The Departmental Server presents the
	Alum with the Alumni Home Page.
Alternate Path	N/A
Postcondition	The Alum is on the Alumni Home Page
Exception Path	If there is a connection failure the
_	Departmental Server returns to the wait state
Other	
Reference	SRS 2.3.1

3.2.2. Survey

Use Case Name:	Survey
Priority	Essential
Trigger	Selects
Precondition	The Alum is connected to the Internet and on
	the CIS Alumni Home Page
Basic Path	1. The Departmental Server presents the
	Alum with a form.
	2. The Alum fills in the form and click
	submit
	3. The Departmental Server checks to see if
	all required fields are not empty.
	4. If the required fields are not empty, the
	Departmental Server creates a new record
	in then Survey Table of the Alumni
	Database.
	5. If any of the required fields are empty,
	the Departmental Server returns a
	message and returns the Alum to the
	Survey form.

	6. The Departmental Server returns the
	Alum to the Alumni Home Page
Alternate Path	N/A
Postcondition	The survey record is created in the Survey
	Table of the Alumni Database.
Exception Path	1. If the connection is terminated before the
	form is submitted, the fields are all
	cleared and the Departmental Server is
	returned to the wait state.
Other	
Reference:	SRS 2.3.2

3.2.3. Create a new entry

Use Case Name:	Create a new entry
Priority	Essential
Trigger	Menu selection
Precondition	The Alum must be connected to the Internet and on the CIS Entries page.
Basic Path	 The Alum clicks on add a new entry. The Departmental Server returns a form. The Alum fills in the form and clicks submit. The Departmental Server checks to see if any required field is empty. If any required field is empty the Departmental Server will send a message and return the Alum to the new entry form page. If no required field is empty the Departmental Server will create a new record in the Alumni Table in the Alumni Database, and return the Alum to the CIS Alumni Home Page. The Alum may select Cancel. If the Alum selects Cancel, the form is cleared and the Alum is returned to the CIS Alumni Home page.
Alternate Path	N/A
Postcondition	A record is created in the Alumni Table of the Alumni Database.
Exception Path	1. If the connection is terminated before the

	form is submitted, the fields are cleared and the Departmental Server is returned to the wait state. 2. If the connection is terminated after the form is submitted, but before the Alum is returned to the CIS Alumni Home Page, the record is created in the Alumni Table of the Alumni Database.
Other	
Reference:	SRS 2.3.3

3.2.4 Update an Entry

Use Case Name:	Update an Entry
Priority	Essential
Trigger	Menu selection
Precondition	The Alum must be connected to the Internet and on the CIS Entries Page.
Basic Path	 The Alum clicks on update an entry link. The Departmental Server returns a form. The Alum enters his/her year of graduation. The Departmental Server queries the Alumni Database for that particular year and returns a table of all graduates from that year in a form with radio buttons and requesting their password. If the password does not match the Departmental Server returns a message and allows the Alum to try again. If after 3 tries the password does not match, the Departmental Server will return a message telling the Alum to contact the CIS designated faculty member to receive their password. If the password matches go to 8. The Departmental Server returns a form with the data for that Alum in it and a message to update the data they wish and click submit. The Departmental Server with replaces the old data with the new data and returns the Alum to the CIS Alumni Home Page.
Alternate Path	If after three attempts to match the name and

	return a message and block the Alum from
	the update section.
Postcondition	The record in the Alumni Table of the
	Alumni Database has been updated and the
	Alum is returned to the CIS Alumni Home
	Page.
Exception Path	 If the connection is terminated before the form is submitted, the fields are cleared and the Departmental Server is returned to the wait state. If the connection is terminated after the form is submitted, but before the Alum is returned to the CIS Alumni Home Page, the record in the Alumni Table of the Alumni Database is updated and the Departmental Server is returned to the wait state
Other	
Reference:	SRS 2.3.4

3.2.5. Search for an Alumni/E-mail an Alumni

Use Case Name:	Search for an Alumni
Priority	If time permits.
Trigger	Menu selection
Precondition	The Alum is connected to the Internet and on
	the CIS Alumni Home Page.
Basic Path	1. The Alum clicks on e-mail an alumni
	link.
	2. The Departmental Server returns a form.
	3. The Alum fills in the form and clicks
	submit.
	4. The Departmental Server checks to see if
	any required fields are empty.
	5. If any required fields are empty the
	Departmental Server returns a message
	and the form.
	6. If none of the required fields are empty
	the Departmental Server queries the
	Alumni Database for the requested
	Alum's entry.
	7. The Departmental Server returns the non-
	private information on the requested
	Alum and a message stating if the
	requested Alum will accept e-mails.

	8. If the requested Alum is not in the	
	Alumni Database, the Departmental	
	Server returns a message and the Alum is	
	returned to the CIS Home Page.	
	9. If the requested Alum will accept e-mails,	
	 the Alum can select E-mail this Alum. 10. If not the Alum can select Search for another Alum or return to CIS Alumni Home Page. 11. If the Alum chooses to Search for another Alum go to step 2. 12. If the Alum selects return to CIS Alumni Home Page the Departmental Server returns the Alum to the CIS Alumni 	
	Home Page.	
	13. The Departmental Server presents the	
	Alum with a form to fill out and a place	
	for the message.	
	14. The Alum selects send.	
	15. The Department Server will forward the	
	e-mail with all necessary information to	
	the requested Alum.	
	16. The Departmental Server returns a	
	message and returns the Alum to the CIS	
	Alumni Home Page	
Alternate Path	N/A	
Postcondition	The Alum receives the information on the	
	requested Alum, receives e-mail	
	confirmation message, or is returned to the	
Erropation Dath	CIS Alumni Home Page 1. If the connection is terminated before the	
Exception Path		
	information is returned, the Departmental Server is returned to the wait state.	
	2. If the connection is terminated after the	
	information is returned, the Departmental	
	Server is returned to the wait state	
Other		
Other		

3.3. Detailed non-functional requirements

_Attribute Name	Attribute Type	Attribute Size
LastName*#	String	30
FirstName*#	String	30
MaidenName*#	String	30
Address1*#	String	50
Address2#	String	50
City*#	String	30
State*#	String	2
Zip*#	Int	6
Year*#	Int	4
AdditionalDegrees#	String	50
Spouse#	String	30
Children#	String	50
CurrentEmployment#	String	50
EmailAddress#	String	20
ReceiveEmails#^	Boolean	1
Password*#	String	10
EntireRecordVisible*^	Boolean	1

Fields marked with an '*' are required fields. Fields marked with a '#' can be visible or not visible and is determined by the Alum. Fields marked with a '^' are never visible to anyone other than the Alum.

The questions that are used on the survey form will be initially created by a designated faculty member. The questions will be stored in the Question Record of the Survey Table of the Alumni Database. The responses to these questions will be stored in a record in an Answers record in the Survey Table of the Alumni Database.

Hardware: Departmental Server
Operation System Window 98 or above
Internet Connection Existing telephone lines

Code Standard The web pages will be coded in html by using Front Page.

The forms will be done in Java Server Pages.

The connection to the Alumni Database will be done with Windows RDF

Each page of the web site will be fully documented.

Performance The system should generate the records in the appropriate table of the Alumni Database 100% of the time.

3.4. System Evolution

In the future this system will be update to allow students from the Computer Masters

Program to join. If time does not permit the search/e-mail section can be done, possibly by
another Master Studio student. A report generated by the system of the responses to the
survey could be another addition to the CISWAAD in the future.

4.0. Index

Audience, 1

Borland Database Engine, 1, 3, 16

Configuration Item, 1

Customer, 3

Database, i, 2, 3, 4, 6, 7, 8, 9, 10, 11, 12, 13, 16

Developer, 1

Function, 1, 2

Institute of Electrical & Electronic Engineers, 1, 2

Non-functional, 14

Quality Assurance, 1, 2

Server, 1, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15

Software Configuration Management Plan, 1

Software Design Document, 1

Software Engineering Institute, 2

Software Project Management Plan, i, 2

Software Quality Assurance Plan, 2

Software Requirement Document, 2

System, 1, 2, 3, 9, 15, 16

Use Case, 3, 5, 6, 7, 8