
POWERBI

Screenshots of Data Transformation and Data Modelling

o Set the Order Date column to the Date data type.




```
= Table.TransformColumnTypes(#"Capitalized Each Word",{{"The date", type date}})
```

	Order ID	The date	CustomerName	State	City
1	B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2	B-25602	01-04-2018	Pearl	Maharashtra	Pune
3	B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4	B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5	B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6	B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7	B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8	B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9	B-25609	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
10	B-25610	09-04-2018	Yogesh	Bihar	Patna
11	B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12	B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13	B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14	B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15	B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16	B-25616	15-04-2018	Kanak	Goa	Goa
17	B-25617	17-04-2018	Sagar	Nagaland	Kohima
18	B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19	B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20	B-25620	20-04-2018	Sarita	Maharashtra	Pune
21	B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22	B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23	B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24	B-25624	22-04-2018	Vini	Karnataka	Bangalore


Text Formatting:

o Format the CustomerName column to proper case to ensure consistent capitalization.




	The date	CustomerName		City
	01-04-2018	Bharat		Ahmedabad
	01-04-2018	Pearl		Pune
	03-04-2018	Jahan		Bhopal
	03-04-2018	Divsha	Rajasthan	Jaipur
	05-04-2018	Kasheen	West Bengal	Kolkata
	06-04-2018	Hazel	Karnataka	Bangalore
	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
	08-04-2018	Aarushi	Tamil Nadu	Chennai
	09-04-2018	Jitesh	Uttar Pradesh	Lucknow
	09-04-2018	Yogesh	Bihar	Patna
	11-04-2018	Anita	Kerala	Thiruvananthapuran
	12-04-2018	Shrichand	Punjab	Chandigarh
	12-04-2018	Mukesh	Haryana	Chandigarh
	13-04-2018	Vandana	Himachal Pradesh	Simla

○ Change the Amount and Target columns to fixed decimal numbers.




			Profit	Quantity	Category	
1	B-2	1,275.00	-1148	7	Furniture	Bookcases
2	B-2	66.00	-12	5	Clothing	Stole
3	B-2	8.00	-2	3	Clothing	Hankerchief
4	B-2	80.00	-56	4	Electronics	Electronic Ga
5	B-2	168.00	-111	2	Electronics	Phones
6	B-2	424.00	-272	5	Electronics	Phones
7	B-2	2,617.00	1151	4	Electronics	Phones
8	B-25602	561.00	212	3	Clothing	Saree
9	B-25602	119.00	-5	8	Clothing	Saree
10	B-25603	1,355.00	-60	5	Clothing	Trousers
11	B-25603	24.00	-30	1	Furniture	Chairs
12	B-25603	193.00	-166	3	Clothing	Saree
13	B-25603	180.00	5	3	Clothing	Trousers
14	B-25603	116.00	16	4	Clothing	Stole
15	B-25603	107.00	36	6	Clothing	Stole
16	B-25603	12.00	1	2	Clothing	Hankerchief
17	B-25603	38.00	18	1	Clothing	Kurti




			Target
1		ure	10,400.00
2		ure	10,500.00
3		ure	10,600.00
4		ure	10,800.00
5		ure	10,900.00
6		ure	11,000.00
7		ure	11,100.00
8	01-11-2018	Furniture	11,300.00
9	01-12-2018	Furniture	11,400.00
10	01-01-2019	Furniture	11,500.00
11	01-02-2019	Furniture	11,600.00
12	01-03-2019	Furniture	11,800.00
13	01-04-2018	Clothing	12,000.00
14	01-05-2018	Clothing	12,000.00
15	01-06-2018	Clothing	12,000.00
16	01-07-2018	Clothing	14,000.00
17	01-08-2018	Clothing	14,000.00


4. Column Creation:

○ Merge the City and State columns to create a new column named Location in the format: City, State




○ **Create a custom column named Profit Margin calculated as: Profit / Amount (expressed as a percentage)**





conditional Column:


○ **Add a conditional column named Profit Status based on:**



6. Merging Data (Joins)


○ Merge the List of Orders and Order Details tables using Order ID.

○ Name the merged output table as Orders Data.





8. Sorting and Filtering Data


● **Sort records in the Orders Data table by Order Date in descending**



order.


Group By
Specify the columns to group by and one or more outputs.
Basic
Advanced
Order ID
Profit
Amount
Add grouping
New column name
Operation
Column
Total
Count Rows
avg profit
Average
Category
amount
Sum
Sub-Category
Add aggregation
OK
Cancel
= Table.SelectRows(#"Sorted Rows", each ([Location] = "Tamil NaduChennai"))
Queries [4]
List of Orders (2)
Order Details
Sales target
Orders data
Sort Ascending
Sort Descending
Clear Sort
Clear Filter
Remove Empty
Text Filters
Search
Madhya PradeshIndore
MaharashtraMumbai
MaharashtraPune
NagalandKohima
PunjabAmritsar
PunjabChandigarh
RajasthanJaipur
RajasthanUdaipur
SikkimGangtok
Tamil NaduChennai
Uttar PradeshAllahabad
Uttar PradeshLucknow
West BengalKolkata
List may be incomplete.
Load more
Query Settings
PROPERTIES
Name
Orders data
All Properties
APPLIED STEPS
Source
Expanded Order Details
Filtered Rows
Sorted Rows
Filtered Rows1


ueries [6]
List of Orders (2)
Order Details
Sales target
Orders data
Order Details (2)
Order Details (3)
= Table.Group(#"Filtered Rows1", {"Order ID", "Category", "Sub-Category"}, {{"Count", each Table.RowCount(_),
Category
Sub-Category
Count
avg profit category
total amt by sub category
1 Furniture Bookcases 1 -1148 1275
2 Clothing Stole 1 -12 66
3 Clothing Hankerchief 1 -2 8
4 Electronics Electronic Games 1 -56 80
5 Electronics Phones 3 256 3209
6 Clothing Saree 2 103.5 680
7 Clothing Trousers 2 -27.5 1535
8 Furniture Chairs 1 -30 24
9 Clothing Saree 1 -166 193
10 Clothing Stole 2 26 223
11 Clothing Hankerchief 1 1 12
12 Clothing Kurti 1 18 38
13 Clothing T-shirt 1 17 65
14 Clothing Saree 1 5 157
15 Clothing Saree 1 0 75
16 Clothing Shirt 1 4 87
17 Clothing Leggings 1 15 50
18 Furniture Tables 1 -1864 1364
19 Furniture Chairs 1 0 476
20 Clothing Hankerchief 1 23 257
21 Electronics Printers 1 385 856
22 Electronics Electronic Games 1 29 485
23 Clothing Saree 1 -5 25
24
Query Settings
PROPERTIES
Name
Order Details (3)
All Properties
APPLIED STEPS
Source
Promoted Headers
fixed decimal numbers
Added Custom
Changed Type
Added Conditional Col
Filtered Rows
Filtered Rows1
Grouped Rows
LUMNS, 999+ ROWS
Column profiling based on top 1000 rows
PREVIEW DOW


Close
New Query
Data Sources
Parameters
Output Data
Query
Queries [5]
List of Orders (2)
Order Details
Sales target
Orders data
Order Details (2)
= Table.Group(#"Filtered Rows", {"Order ID"}, {{"
Order ID
Count
1 B-25601 4
2 B-25602 5
3 B-25603 8
4 B-25604 2
5 B-25605 1
6 B-25606 1
7 B-25607 1
8 B-25608 4
9 B-25609 2
10 B-25610 6
11 B-25611 1
12 B-25612 1
13 B-25613 1
14 B-25614 2
15 B-25615 1
16 B-25616 4
17 B-25617 1
18 B-25618 2
19 B-25619 1
20 B-25620 1
21 B-25621 3
22 B-25622 1
23 B-25623 4
24 B-25624 1
2 COLUMNS, 500 ROWS
Column profiling based on top 1000 rows