

Table of Contents

KKD D2C App — Event-Tracking Project Context	1
0. App overview & technical context.....	1
1. Standardized event taxonomy (conventions)	2
2. Shared Data Dictionary (the data model behind every interaction)	3
3. Exhaustive Screen & Component Inventory.....	8
4. Granular User Journeys & State Changes	62
5. Complete Dynamic-Data & Property Mapping (consolidated dictionaries)	65
6. Instrumentation gaps to resolve before/while wiring tracking (checklist)	67

KKD D2C App — Event-Tracking Project Context

Purpose of this document. This is an exhaustive, granular context file describing the KKD (Katyayani Krishi Direct) D2C agri-commerce app — every screen, every interactive element, every user journey, and every dynamic data point tied to those interactions. It is written to be fed into an AI/engineering effort that will build the app's **event-tracking architecture**. Completeness is the priority: each screen is documented at the component level with the explicit user intent behind every interaction and the exact dynamic properties available at the moment of that interaction.

Grounding. Everything below is derived from a direct reading of the actual prototype HTML/JS in `screens/*.html` and `assets/*.js`. Where the prototype is missing a handler, persists nothing, or contradicts itself, it is flagged as a **Δ GAP** so instrumentation knows what must be wired before tracking will fire reliably. No screens or fields are invented.

0. App overview & technical context

- **Product.** A direct-to-farmer (D2C) commerce app for Katyayani Krishi Direct — sells crop-protection and nutrition products (pesticides, fungicides, fertilizers, herbicides, combos) plus agronomy services (expert calls, photo diagnosis, crop calendar).
- **Stack.** Static HTML/CSS/JS prototype (no backend). Each "screen" is a standalone `.html` file under `screens/`. Shared behaviour lives in `assets/*.js`. All persisted state is mock data in JS arrays + `localStorage`. Live build is served via Capacitor (APK server `.url` → `jsDelivr`) and previewed at `umarkhan-png.github.io/kkd-app-revamp/` through `viewer.html?s=<screen>.html`.

- **Languages.** UI is bilingual (Hindi/Hinglish + English); 12 languages are selectable.
- **Audience for tracking.** Product analytics / growth — funnel analysis (discover → PDP → cart → checkout → order), reward/gamification engagement, and agronomy-service usage.

Tracking-architecture implications (read first)

1. **Most product data is in markup, not data-attributes.** Only a few components (e.g. home Bestseller variant cards, categories.html .pcard) carry clean data-product-* attributes. Many cards encode product_name / price / mrp / off% / rating / size as visible text. **Recommendation:** add explicit data-product-* / data-analytics-* attributes to every commerce card before instrumenting, rather than scraping rendered text.
2. **No analytics layer exists yet.** There is no IntersectionObserver, no track() shim, no dataLayer. Impression events (*_impression, product_impression, section_view) must be **added** — they are specified here but not currently emitted.
3. **Two different PRODUCTS schemas** exist (shop.html vs categories.html) with different field names. A tracking layer must normalize them (see §2.1).
4. **Several spec-expected controls don't exist in HTML** (GPS "locate-me", save-for-later, address-type filter, sort modal, payment select/remove, settings persistence). Each is flagged $\triangle$ GAP at the point it would fire.
5. **Nested-anchor click bug.** On some cards (e.g. wishlist.html), Add/Heart buttons sit inside the with no preventDefault, so a tap both fires the action *and* navigates. Analytics handlers must stopPropagation() and fire before navigation.

1. Standardized event taxonomy (conventions)

To keep the spec consistent, all events use snake_case. The suggested events in the per-screen tables (§3) should be emitted with a **common property envelope** plus event-specific properties.

1.1 Common envelope (attach to every event)

Property	Source	Example
screen	current file	pdp
session_id	generated at splash/app_open	—
user_id / is_guest	kkd.mobile presence (set on OTP verify)	+9112345... / true
user_type	OTP routing	new returning
language	kkd.lang (default	hi

Property	Source	Example
	hi)	
active_pincode	kkd.pincode (default 452001)	452001
serviceable	pincode ≠ 123456	true
app_state	kkdAppStates()	{nonservice,bannedproduct,banneduser,codoff}
header_theme	data-theme on home	green rain festival
cart_count / cart_total	live cart	3 / 1360

1.2 Core funnel events (canonical names)

app_open → screen_view → product_impression → product_view → add_to_cart → cart_viewed → checkout_started → payment_method_selected → order_placed (success) **or** payment_failed (failure). Reward/engagement and agronomy-service events run in parallel (see §4).

2. Shared Data Dictionary (the data model behind every interaction)

2.1 Product object — two source schemas (must be normalized)

Schema A — shop.html (PRODUCTS, line ~154): home/bestseller/"shop" shape.

Field	Type	Example	Normalized name
name	string	'Humic + Fulvic'	product_name
tech	string	'Bio-stimulant'	tech_name / subtitle
size	string	'500 ml'	pack_size
price	number	276	price
compare	number	390 (0=none)	compare_at_price / MRP
rating	number	4.8	rating
category	string	'fertilizer'	category (pesticide/fungicide/fertilizer/herbicide/combo)
subcategory	string	'bio'	subcategory (bio/chemical/npk/organic/herb/combo)
bestseller	bool	true	is_bestseller

Field	Type	Example	Normalized name
crops	'all' string[]	['tomato','chilli','cotton']	crops[]
tags	string[]	['bestseller','recent','bought','mostselling','new']	tags[]
img	URL	.../Humic_1.jpg	image_url
derived	offPct = m? round((1-p/ m)*100):0	29	discount_pct

Schema B — categories.html (PRODUCTS, line ~428): catalog-browse shape.

Field	Type	Example	Normalized name
name	string	'Neem-Shield Bio'	product_name
sub	string	'Azadirachtin 1500 ppm'	tech_name
cat	string	'pesticide'	category
subs	string[]	['bio']	subcategory[]
size	string	'500 ml'	pack_size (default)
target	string	'aphid · whitefly'	use_target
price	number	285	price
mrp	number	380	compare_at_price
img	URL	../assets/AntiVirus_nobg.png	image_url
variants	object[]	[{size:'100 ml',price:358,mrp:495,off:28}]	variants[]
derived id	<cat>- <sub>-<idx>	pesticide-bio-3	sku/variant_id

⚠ Field drift: n↔name, p↔price, m↔mrp, s↔size, t↔sub. The tracking layer must map both into one canonical product object: { product_name, brand:"Katyayani", tech_name, category, subcategory, sku, pack_size, price, compare_at_price, discount_pct, rating, image_url, tags[], crops[], variants[] }.

Brand. Always "Katyayani" (single-brand catalog).

Cross-sell card shape (cart.html) — carried as data-*, not an array: data-name, data-tech, data-size, data-price, data-mrp, data-off ("23% off"), data-img.

Crop enum (home CROP_META, ~24 keys): tomato, chilli, wheat, maize, onion, potato, cotton, paddy, sugarcane, brinjal, okra, papaya, soyabean, grapes, banana ... (emoji + bg colour per crop).

2.2 Cart / order / bill model

No persisted order object — bills are computed live from DOM. Key constants:

Context	Constant	Value	Meaning
Cart (cart.html)	ITEM_DISCOUNT	300	fixed item discount ₹
	COUPON	100	applied coupon ₹ (WELCOME100)
	COIN_REDEEM	190	coins redemption (1 coin = ₹1), via #coinUse toggle
	WALLET_BAL	540	money wallet, auto-applied, capped
	cartTotal	derived	$\max(0, \sum(\text{price} \times \text{qty}) - \text{ITEM_DISCOUNT} - \text{COUPON} - \text{coins} - \text{wallet})$ (init ₹1,360)
Checkout (checkout.html)	SUBTOTAL	1900	after-coupon amount ₹
	Pay Now	-5%	$\text{round}(\text{SUBTOTAL} * 0.05) = ₹95$ instant off
	Partial	+2% coins	pay pct% now, earn 2% coins on prepaid, no instant discount
	COD	+₹95	full subtotal, forgoes the 5%
	currentMethod	paynow partial cod	data-pay
	total	derived	init ₹1,805 (Pay Now)

Canonical line-item (for cart_viewed, checkout_viewed, order_*): { product_name, brand, sku/variant_id, pack_size, unit_price, compare_at_price, quantity, line_total }. **Canonical order payload:** { order_id, order_status, order_total, item_count, items[], payment_method, partial_payment_pct?, coins_used, coins_earned, wallet_applied, coupon_code, delivery_fee, delivery_eta, refund_amount?, refund_status? }.

⚠ **COD→coin conversion is inconsistent across screens:** order-success = 2% of amount; orders list ≈ ₹28.6/coin; order-details ≈ ₹12.5/coin. Pick one rule before tracking coins_earned.

2.3 Location object

Available on add-address.html save: city (#city), state (#state), postal_code/pincode (#pin, digits-only), address_type (active .tag). Detected via locating.html: village='Mahidpur', district='Ujjain', state='Madhya Pradesh', pincode='456440'.

Property	Source	Notes
city	#city / kkd.city	manual entry
state	#state / kkd.state / kkd.district	manual or detected
postal_code/pincode	#pin / kkd.pincode	drives serviceability (123456 = not serviceable)
village	kkd.village	from GPS-detect only
country	—	⚠ no field ; hardcode "India"
latitude / longitude	—	⚠ no GPS coords captured anywhere
address_type	.tag[data-tag]	home/work/farm/shop/other
detection_method	derived	gps_auto (locating.html only) vs manual_entry (add-address) vs saved_select (addresses.html)

⚠ **GAP:** add-address.html has a .locate CSS class but **no GPS "locate-me" element or handler is rendered** — so detection_method:"gps_auto" can only originate from the (now off-chain) locating.html. add-address persists **only** pincode/city/state; #house and the tag are not saved.

2.4 localStorage keys (identity, cart, rewards, state)

Key	Type	Stores	Written/read
kkd.mobile	string	login phone; prefix routes onboarding & app-state	phone/otp/appstate
kkd.firstName / kkd.lastName	string	name (returning demo default 'Sagar')	name/otp/welcome
kkd.lang	string	language (hi default; 12 codes)	language/phone/otp/account
kkd.referCode	string	referral code at signup	phone
kkd.pincode	string	delivery pincode (123456→nonservice; default 452001)	add-address/addresses/appstate
kkd.city / kkd.state	string	address form city/state	add-address
kkd.addr	string	selected address id	addresses
kkd.altNumber	string	alternate contact (10-digit)	checkout/edit-profile
kkd.village / kkd.district	string	GPS-detected (Mahidpur/Ujjain)	locating/home
kkd.cart	JSON	cart item ids — source of	cart/appstate

Key	Type	Stores	Written/read
	string[]	truth for cart	
kkd.wallet	string(int)	money-wallet ₹ (default 540; pill hides if 0)	home
kkd.quest	JSON string[]	completed quest steps: notif/loc/cart/search/ crop	home/cart/search
kkd.coins.firstCrop	'1'	first-crop +50 reward claimed	home
kkd.coins.rewardSeen	'1'	"Your rewards" state shown once	home
kkd.ratedMap	JSON {name:rating}	buy-again per-product ratings	home
kkd.cropProb.done	'1'	home crop-problem card dismissed	home
kkd.q.<key> / kkd.q.acres.dismissed	string	inline poll answers	home
kkd.stOverride	string	manual app-state override from ?st=	appstate

⚠ There is **no kkd.coins integer key** — the coin balance lives in the DOM (#coinBalance, default 120/220 depending on screen). kkd.appState appears only in design-system docs; live code uses kkd.stOverride.

2.5 App-state machine (assets/appstate.js)

window.kkdAppStates() → { nonservice, bannedproduct, banneduser, codoff }.

State	Trigger	Effect
nonservice	kkd.pincode === '123456'	"Not serviceable", hides free-delivery, blocks checkout
bannedproduct	'chakrawarti' in kkd.cart	dims item, red banner, blocks checkout until removed
banneduser	kkd.mobile === '12345'	full-screen "Account suspended"; also forces codoff
codoff	implied by banneduser	COD payment disabled

Override via ?st=<state> (persisted to kkd.stOverride); ?st=clear resets. **Track these as super-properties** so funnel drop-off can be segmented by restriction state.

2.6 Header themes (presentational)

themes = ['green','rain','festival'] cycled by tapping the KKD logo (or long-pressing the address bar) on home.html. Track theme_changed {from_theme,to_theme}.

2.7 Shared reward/helper modules (assets/)

Module	Global	Signature	Fires
celebrate.js	kkdCelebrate	kkdCelebrate(amount, {title,prefix='+',unit='coins',lead,icon})	full-screen reward burst (2.5s). Used on coupon apply, scratch win, review submit, COD prepay, first-crop. → emit reward_celebration_shown {amount,unit,context}
verify.js	kkdVerify	kkdVerify(force?) 'genuine' 'fake'	mock QR authenticity scan → verify_product_result {result}
rate.js	kkdRate	kkdRate({name,img,rating,onSubmit(coins,rating)})	bottom-sheet review: +10 coins review / +25 testimonial → review_submit
appstate.js	kkdAppStates	kkdAppStates()	see §2.5

3. Exhaustive Screen & Component Inventory

Each screen lists **every** interactive element (tap/swipe/scroll/input/view), its explicit **user intent**, a suggested **snake_case event**, and the **dynamic data** available at that interaction. Impression/state notes follow each table. △ marks gaps where a handler/field is missing in the current prototype.

3.A Onboarding & identity

splash.html — App Launch

Element	Action	Intent	Event	Dynamic data
(none)	view	wait for load	splash_view / app_open	—

- Auto-redirect → language.html after **2500ms** (splash_auto_redirect {destination, delay_ms:2500}). This is the anonymous **session start** — emit session_start/app_open.

Language.html — Choose Language (full page)

Element	Action	Intent	Event	Dynamic data
Back → splash	tap	go back	back_tap	to: 'splash'
Language tile [data-code] ×12	tap	set UI language	language_select	lang_code (hi/en/hien/mr/gu/pa/te/ta/kn/ml/od/bn), lang_label, is_first_run:true

- Persists kkd.lang → navigates phone.html. Impression: language_screen_view.

phone.html — Enter Mobile Number

Element	Action	Intent	Event	Dynamic data
Language chip #langChipBtn	tap	open lang sheet	language_sheet_open	lang_code
Lang sheet close #langClose / backdrop #langBd	tap	dismiss	language_sheet_close	method:x_button backdrop
Lang tile [data-code] ×12	tap	change lang	language_select	lang_code
Mobile input #mobInput (tel, max 10)	input	enter phone	mobile_number_input	length; persisted kkd.mobile on submit
Referral toggle #referToggle	tap	reveal referral	referral_field_toggle	expanded
Referral input #referCode	input	enter code	referral_code_input	raw value
Referral Apply #referApply	tap	apply code	referral_code_apply	referral_code (persisted kkd.referCode)
Consent terms #consentTerm	toggle	accept T&C	consent_toggle_terms	checked

Element	Action	Intent	Event	Dynamic data
s (default ✓)				
Consent SMS #consentSms (default ✓)	toggle	authorize SMS	consent_toggle_sms	checked
Send OTP #sendOtpBtn	tap	request OTP	send_otp_tap	mobile, referral_code?, consent_terms, consent_sms

- Send OTP **gated** on both consents (button disabled until checked).
offer_banner_impression {offer: 'first_order_100_off'}. Persists kkd.mobile
→ otp.html.

otp.html — Enter OTP

Element	Action	Intent	Event	Dynamic data
Back .back-btn	tap	return to phone	back_tap	—
Language chip / sheet / tiles	tap	change lang	language_sheet_open / language_select	lang_code
"Change" → phone	tap	edit number	change_number_tap	—
OTP cells input[data-otp=1..4]	input/backspace	enter OTP	otp_digit_input	position (auto-advance)
Resend WhatsApp / SMS .resend-btn	tap	resend OTP	otp_resend	channel:whatsapp sms
Verify #verifyBtn	tap	submit OTP	otp_verify_tap → otp_verified	mobile, user_type, route, matched_prefix

- **Routing (load-bearing demo prefixes):**
kkd.mobile starts 12345... →
returning →
welcome-back.html; else
1234... → **new** →
name.html; else

'new'}').
Resend timer
30s → surfaces
WhatsApp/SM
S pills.

Element	Action	Intent	Event	Dynamic data
fallback by saved name. This is the guest→identified transition (`otp_verified {user_type:'returning'				

name.html — What's Your Name? (new users)

Element	Action	Intent	Event	Dynamic data
Back .back-btn	tap	go back	back_tap	—
Language pill →language	tap	change lang	language_change_tap	lang_code
First name #firstName	input	enter first name	first_name_input	prefilled from kkd.firstName
Last name #lastName	input	enter last name	last_name_input	prefilled
Continue #cta	tap	submit name	name_submit_tap → profile_name_saved	first_name, last_name (persisted)

- ⚠ Navigation not gated on non-empty name (empty allowed). → welcome-aboard.html.

welcome-aboard.html / welcome-back.html — Splash (no CTA)

Element	Action	Intent	Event	Dynamic data
(none)	view	acknowledge	welcome_aboard_view / welcome_back_view	first_name (from kkd.firstName; aboard falls back to "Farmer", back to "Sagar")

- Both auto-redirect after **4500ms** (guarded by !document.hidden): aboard → notifications-allow.html; back → home.html (returning users skip notifications).
⚠ welcome-back defines a .cta style but renders no tappable element.
social_proof_impression on "10 lakh+ farmers" strip.

notifications-allow.html — Notification soft-ask

Element	Action	Intent	Event	Dynamic data
Allow .allow-btn →home	tap	grant push	notification_permission_allow	source:soft_ask
Maybe later .skip-later →home	tap	postpone	notification_permission_skip	source:soft_ask

- [△](#) Both route to the same home.html; choice is not persisted — add persistence + event.notifications_prompt_view impression (3 reason rows).

permissions.html → locating.html — Location pair ([△](#) wired but dropped from live chain)

Screen	Element	Action	Event	Dynamic data
permissions	Allow Location →locating	tap	location_permission_allow	source:soft_ask (no skip control)
permissions	Back history.back()	tap	back_tap	—
locating	(none)	view	locating_view	—

- locating.html: at **2400ms** flips to "found" → writes kkd.village='Mahidpur', kkd.district='Ujjain' → location_detected {village,district,state:'Madhya Pradesh',pincode:'456440',detection_method:'gps_auto'}; auto-redirect → home.html at **5500ms** (not visibility-guarded).

tell-us.html — Crop preference picker ([△](#) filename misleading; it is NOT a survey)

Element	Action	Intent	Event	Dynamic data
Crop tile .crop-tile ×8 onclick=toggle()	tap	select crop s grow n	crop_selected/crop_deselected	crop_name (Wheat/Rice/Tomato/Chilli/Maize/Soybean/Cotton/Sugarcane), crop_name_hi, is_selected, max_selection:3
"More" tile	tap	find more crops	crop_more_tapped	△ no handler
State selector (मध्य प्रदेश)	tap	change state	state_selector_opened	state:'Madhya Pradesh' △ no handler
Skip	tap	skip	crop_selection_skipped	selected_count
Continue	tap	proceed	crop_selection_submitted	selected_crops[], state

- → permissions.html. [△](#) Count label static ("2 of 3"); pre-selected: Wheat, Tomato.

3.B Home (the hub)

home.html — Home

The single most instrumented screen. Full element inventory:

Element	Action	Intent	Event	Dynamic data
Address bar #addressBtn	tap	change location	address_bar_tap	current_address ("Indore 452001"), greeting, village (kkd.village) → addresses.html
Address bar #addressBtn	long-press 700ms	demo theme cycle	header_theme_longpress_cycle	from_theme, to_theme
KKD logo #kkdLogo	tap	cycle theme	header_theme_logo_cycle	green→rain→festival
Wallet pill #walletPill	tap	view money wallet	wallet_pill_tap	wallet_amount (kkd.wallet) → wallet.html
Coin pill #coinPill	tap	view coins	coin_pill_tap	coin_balance (#coinBalance) → coins-statement.html
Notification bell #notifBtn	tap	open notifications	notification_bell_tap	unread_count (#notifBadge=3) → notifications.html
Top status banner #topStatusBanner	tap	action alert	top_status_banner_tap	banner_state (rain/festival), href
Search field	tap	search	search_bar_tap	animated

Element	Action	Intent	Event	Dynamic data
#search-input		h		placeholder → search.html
Voice icon	tap	voice search	voice_search_tap	→ voice-search.html
Category tile .cat-tile ×6	tap	browse category	category_tile_tap	category, position → categories.html?cat=
Delivery tile .delivery-card	tap	track order	delivery_tile_tap (opens #trackSheet)	order_id (KKD-26194/26195), status, amount, item_count, eta, carousel_index
Delivery dots [data-ds-dot] / carousel	tap /swipe	switch order	delivery_carousel_dot_tap/_swipe	index, total
Track-sheet Call rider	tap	call rider	track_call_rider_tap	rider_name (Suresh Yadav), order_id → tel:
Track-sheet help / view full	tap	support / detail	track_sheet_action_tap	action → help/order-details
Quest tile #onboardingTile	tap	earn/spend coins	quest_tile_tap	state (earn/spend), quest_done_count, max_coins(95)
Quest step [data-quest]	tap	complete step	quest_step_action_tap	step_id (notif/loc/cart/search/crop), coins(10/10/1)

Element	Action	Intent	Event	Dynamic data
Quest close #questClose/ backdrop	tap	dismiss	quest_modal_close	5/10/50), kind quest_done_count
Flash-deal card ×4	tap	view flash product	product_tap	name (Chakrawarti ZC/Humic+Fu lvic 98/NPK 19-19- 19/Triple Attack), price (248/312/221/ 500), mrp, off%, size, image_url, position, source_section:flash_deals
Flash "+" .flash- add / steppers	tap	add / adjust	add_to_cart / cart_qty_change	product_name, price, qty, source_section:flash_deals
Mela carousel [data-mela- slide] ×3	tap /swipe	view campaign	promo_banner_tap/_swipe	slide_index, campaign (mela/antiviruses_bogo/fertilizer_fest), discount, href
Shop-by-Crop chip [data- crop-key] ×8	tap	select crop	crop_chip_toggle	crop_key, selected, selected_count
"All crops" #cropMoreBtn + sheet [data-sheet- crop] ×24	tap	open/toggle crops	crop_more_tap/crop_sheet_toggle	crop_key, selected_count
Crop sheet	tap	confirm	crop_selection_done	selected_cou

Element	Action	Intent	Event	Dynamic data
"Done" #cropSheetDone		confirm		amount, first_crop (→+50 coins)
Crop-products filter [data-cf]	tap	filter by crop	crop_product_filter_tap	filter (all/crop_key)
Crop-product card .cpg-card / Add .cropproduct-add	tap	view / add	product_tap/add_to_cart	product attrs, source_section:shop_by_crop
Crop "View Products" #cropViewMore	tap	see all	crop_view_products_tap	selected_count, crops, href (disabled when 0)
Wallet nudge #walletNudge	tap	spend wallet	wallet_nudge_tap	wallet_amount → categories
Bestseller card ×4	tap	view product	product_tap	name (Humic+Fulvic 98/Chakrawarti ZC/Chakraver 18.5%/Antivirus), brand:Katyayani, price (210/358/440/327), MRP, off%, size, rating (4.7/4.8/4.5/4.9), badge, stock_left, image_url, position, source_section:bestseller, data-

Element	Action	Intent	Event	Dynamic data
Bestseller "Options" .variant-btn	tap	open size picker	variant_sheet_open	variants product_name, variants[]
Bestseller Add .qty-add / steppers	tap	add / adjust	add_to_cart/cart_qty_change	product_name, price, source_section:bestseller
Variant-sheet rows [data-vs-act] / cart bar #vsCartBar	tap	add specific size / go cart	variant_add_to_cart/cart_qty_change/cart_bar_tap	variant_size, variant_price, qty, totals
Bestsellers "See all"	tap	browse all	see_all_tap	source_section:bestseller → shop.html?sort=bestsellers
Recently-viewed card .rv-card ×5 / Add .rv-add / See all	tap	review / add	product_tap/add_to_cart/see_all_tap	name (Humic/Chakrawarti ZC/NPK/Antivirus/Bhumiraja), price (276/358/330/327/245), source_section:recently_viewed
Buy-again card .ba-* ×5	tap	review	product_tap	name, ordered_on date, source_section:buy_again
Buy-again "Buy again" .ba-reorder	tap	reorder	reorder_tap	reorder_key → cart.html?reorder=
Buy-again	tap	rate	product_rating_star_tap	product_name

Element	Action	Intent	Event	Dynamic data
star .bs → #baRateBd		purchase		e, preset_rating
Rate modal stars/text/media/testimonial/submit	tap /input	submit review	review_rating_set/review_text_input/review_media_attach/testimonial_video_attach/review_submit	product_name, rating, coins_earned (+10 review / +25 testimonial)
Featured hero ×3 + carousel	tap /swipe	view featured	product_tap/carousel_swipe	name (Chakrawarti ZC/Antivirus/Humic+Fulvic), rating, source_section:featured
Acres poll .acre-opt[data-val] / close	tap	answer / dismiss	poll_answer/poll_dismiss	value (lt1/1-5/5-10/gt10), coins:20, first_answer
Engagement: crop-grow [data-reward]	tap	answer which-crop	engagement_answer	value, coins:15
Engagement: crop-problem [data-ms] + submit	tap (multi)	report problem	crop_problem_submit	problems[], coins:15 → product strip
Crop-problem rec card / Add / view all	tap	view/add fix	product_tap/add_to_cart/crop_problem_view_all	product attrs, source_section:crop_problem_rec
Engagement: testimonial #engTestiOpen + submit	tap	share story	testimonial_open/testimonial_submit	coins:30
Engagement: refer → refer	tap	invite friend	refer_invite_tap	reward: ₹50
Engagement: order-OK Yes	tap	confirm/rep	engagement_answer/order_not_ok_tap	value, coins:10; No

Element	Action	Intent	Event	Dynamic data
/ No #orderNotOkB tn		ort deliver y		→ #sorryBd
Sorry-sheet reach-out / not-now	tap	suppo rt / dismis s	support_reach_out_tap/sorry_sheet_di smis	→ help.html
Engagement: rate-purchase #engRateOpen + submit	tap	rate purch ase	rate_modal_open/review_submit	product (Humic+Fulvi c), coins:25
Engagement close .eng- close ×6	tap	dismis s widget	engagement_dismiss	widget_id
Farmer testimonial tiles ×4	tap	play testim onial	testimonial_video_tap	farmer_name, crop, location, position
Most-selling card ×4 / Add / See all	tap	view/a dd/bro wse	product_tap/add_to_cart/see_all_tap	name (Chakrawarti ZC/Humic+Ful vic/NPK/Cha kraveer), price (358/376/289/ 440), bought_last_ week, source_secti on:most_sell ing
Verify-product card onclick=kkdV erify()	tap	scan QR	verify_product_tap	shared scanner
Jump-to-top	tap	scroll top	jump_to_top_tap	—
Floating cart bar #cartBar	tap	go to cart	cart_bar_tap	cart_total, cart_count, cart_save → cart

Element	Action	Intent	Event	Dynamic data
Ask-Expert FAB #expertFab	tap	free agronomist call	ask_expert_tap	state → help.html
Bottom nav ×4	tap	switch tab	bottom_nav_tap	tab (home/crop/orders/profile)
Add-crop modal .crop-choice ×9 + Apply	tap	multi-select crops	crop_modal_apply	crops[], picked_count

Impressions/state (home): product_impression (per card into view — Δ must add observer), section_view per section, quest_step_completed (persist kkd. quest), quest_all_completed/rewards_state_shown (kkd.coins.rewardSeen), first_crop_reward_earned (+50, coin-fly), theme_changed, cart_count_changed (bumpCart/unbumpCart), scroll_state_changed (body.scrolled/at-end), poll_answered_state (persist kkd.q.*), app_state_overlay (banneduser suspended / nonservice red greeting).

3.C Discovery (search & catalog)

search.html — Unified Search

Element	Action	Intent	Event	Dynamic data
Back .back	tap	exit	search_dismissed	fallback home.html
Search input #q	input	type query	search_query_typed	search_query, query_length
Clear #clearBtn	tap	reset	search_query_cleared	prior query
Voice mic #voiceBtn	tap	voice search	voice_search_opened	(inline overlay, auto-cancels 4s)
Voice cancel #voiceCancel / backdrop	tap	abort	voice_search_cancelled	dismiss_method
Recent chip .chip[data-q] / remove /	tap	rerun/delete/wipe	recent_search_tapped/_removed /recent_searches_cleared	search_query, source_section:recent_searches, position

Element	Action	Intent	Event	Dynamic data
CLEAR				
Recently-viewed card .rv-card →pdp / VIEW ALL	tap	reopen product	product_card_tapped/recently_viewed_view_all_tapped	product_name, price, image_url, source_section:recently_viewed, position
Trending chip .chip.trend[data-q]	tap	explore trend	trending_search_tapped	search_query, source_section:trending_in_area, position
Crop-engagement chip .scrop-chip / dismiss	tap	answer / skip	crop_engagement_answered/_dismissed	crop_value, reward_coins:15
Ask-expert tile →help	tap	request call	ask_expert_tapped	source_section:search, call_type:video
Category tile .cat-tile	tap	browse category	category_tile_tapped	category, position (⚠ grid empty in markup)
Smart-suggest row .suggest-row →categories	tap	refine query	search_suggestion_tapped	search_query, suggestion_kind (crop/category/disease), suggestion_label, position. ⚠ query NOT passed as param on nav — log before navigating
Product-hit row .sugg-row[data-name] →pdp	tap	open product	search_result_tapped	search_query, product_name (data-name), subtitle, price, discount, image_url, position, source_section:top_results
Empty-state categories	tap	fallback browse	zero_results_browse_categories_tapped	search_query

Element	Action	Intent	Event	Dynamic data
link				
				States: search_idle_shown (first_time vs returning), search_live_state_entered, search_suggestions_returned/_empty, search_results_returned {result_count,result_names[]}, search_zero_results, search_result_impression. Writes kkd.quest+='search' at query length ≥2.

voice-search.html — Voice (Listening)

Element	Action	Intent	Event	Dynamic data
Close X	tap	abort	voice_search_closed	method:back
Language toggle (हिंदी ▼)	tap	switch recog lang	voice_language_toggled	current_language: hi
Mic/waveform	view	listening indicator	voice_listening_active	animation only
Transcript .hi	view	see recognized speech	voice_transcript_updated	transcript (mocked), state:listening
"Tap to Stop" →shop	tap	finish & see results	voice_search_submitted	transcript → shop.html

- ⚠ Only a "listening" state exists (no idle/processing/error/no-speech). Separate from the inline overlay in search.html.

categories.html — Shop by Category / Catalog

Params: ?cat=<slug> (preselect category), ?view=recent (first 6 as "Recently viewed").

⚠ ?sort= is **not** implemented; no Sort modal exists.

Element	Action	Intent	Event	Dynamic data
Back	tap	leave	categories_dismissed	—
Header search →search	tap	switch to search	search_opened_from_categories	—
Top category [data-cat] ×5	tap	switch category	category_selected	category_slug, category_label, position
Subcate	tap	narrow	subcategory_selected	subcategory_key,

Element	Action	Intent	Event	Dynamic data
category .subcat-button[data-sub]				label, icon
Filter pill #filterFilterBtn + quick-jumps [data-jump-filter]	tap	open filter	filter_sheet_opened/filter_quickjump_tapped	filter_section (crop/rating)
Filter tab [data-ftab]	tap	switch filter section	filter_section_viewed	tags/crop/rating/price/discount/packSize/stock
Filter option [data-fopt]	tap	toggle value	filter_value_toggled	filter_section, filter_value, now_selected. Values — Tags: bestseller/new/monthly selling/top rated; Crop: 9 crops; Rating: 5/4plus/3plus/2plus/1plus; Discount: 10/20/30/40; Pack: 100ml...10kg; Stock: instock/outofstock
Price inputs #pminInput/#pmaxInput + slider #psMin/#psMax	input/drag	set price range	price_filter_input/_slider_changed	min,max (0–3000)
Filter Clear / Apply / close	tap	reset/commit/discard	filters_cleared_all/filter_sheet_applied/filter_sheet_closed	applied_filters snapshot
Applied-	tap	remove	applied_filter_removed/filters_closed	filter_id,

Element	Action	Intent	Event	Dynamic data
filter chip X [data-aclose] / Clear all		one / all	opened_all	filter_label
Product card .product → pdp	tap	open PDP	product_card_tapped	product_name, subtitle (sub), pack_size, target, price, compare_at_price (mrp), discount_pct (offPct), rating, category, subcategory, sku (<cat>-<sub>-<idx>), image_url, position, source_section, applied_filters, has_variants
Add .product -action[data-act=inc] / steppers	tap	add / adjust	add_to_cart/cart_qty_incremented/_decremented	product_name, sku, price, position, applied_filters, new_qty
"N Options" .variant -btn + rows [data-vs-act] + close	tap	open/adjust variant	variant_sheet_opened/variant_add_to_cart/variant_qty_changed/variant_sheet_closed	variant_size, variant_price, variant_mrp, variant_off, variant_key, new_qty
Floating cart bar #cartBar	tap	go to cart	cart_bar_tapped	cart_total, cart_count
Bottom nav ×4	tap	navigate	bottom_nav_tapped	tab

- States: category_page_loaded {cat,view,active_sub}, product_list_rendered {result_count,category,subcategory,applied_filters}, zero_results_state, product_impression per .pcard, filter_applied/filter_cleared, applied_chips_updated, category_strip_compacted, cart_bar_shown/_compacted, cart_updated. ⚠ **Stock filter is UI-only** (not applied to results).

3.D Product Detail Page

pdp.html — Product Detail Page

Params: ?p=chakrawarti swaps identity to "Chakrawarti ZC" (banned-in-state demo); default = "Humic". App-state overlays via kkdAppStates().

Element	Action	Intent	Event	Dynamic data
Back	tap	leave PDP	pdp_back	product_name, has_history
Search icon →search	tap	find another	pdp_search_open	product_name
Share	tap	share product	product_share	product_name, slug, price, image_url
Image carousel #imgScroll	swipe	view photos	product_image_swipe	image_index (0–3), image_url, total:4
Carousel dots #imgDots	view	position	product_image_view	active_index
BESTSELLER badge / rating pill / "Highly viewed today"	view	impression	badge_impression/social_proof_view	badge_type, rating:4.6, review_count:2020, type:live_viewers
Category badge "Fertilizer" →categories	tap	browse category	pdp_category_tap	category
ADD #addBtn	tap	add to cart	add_to_cart	product_name, brand:Katyayani, category:Fertilizer,

Element	Action	Intent	Event	Dynamic data
				selected_pack_size (default 500 ml), price (curPrice 276), compare_at_price (520), discount_pct (28), image_url, quantity, rating:4.6, review_count:2020
Qty stepper #addDec/#addVal/#addInc	tap	adjust qty per variant	cart_qty_change	selected_pack_size, new_qty, price, direction, removed(qty→0)
Sticky ADD #stickyAddBtn	tap	add from sticky bar	add_to_cart	source:sticky_header, selected_pack_size, price
Pack-size tiles .var ×7	tap	select variant	variant_changed	selected_pack_size (100ml...10L), price, per_litre_rate, is_bestseller (500ml), is_oos (2L stock 0), is_low_stock (250ml=4 / 500ml=2), position
"More / +5 sizes" #moreSizes + all-sizes sheet ×12 + close	tap	see all sizes / select	all_sizes_sheet_open/variant_changed/all_sizes_sheet_close	visible_count:7, total_count:12, up to 100 L
Variant "cheaper per	view	upsell nudge	variant_upsell_impression	cheaper_pack_size,

Element	Action	Intent	Event	Dynamic data
unit" arrow .vk- arrow				cheaper_per_litre
Trust badge "i" (7-Day Return) + policy link + close	tap	see return policy	trust_detail_open/policy_open/ trust_detail_close	trust_type:return , doc:returns
Delivery "Change" →addresses + delivery card	tap/view	change address / ETA	delivery_address_change/delivery_eta_view	current_address ("Mahidpur, Ujjain · 456440") , deliv_date ("Tomorrow, 28 May"), cutoff, pincode, serviceable
Crop chips .pc- chip ×4 + dismiss	tap	personal ize / earn	crop_preference_select/crop_wid get_dismiss	crop (Wheat/Cotton/T omato/Other), reward_coins:15 (→kkdCelebrate)
How-to-use video .video- card	tap	watch usage video	how_to_video_play	video_label, duration "1:24", product_name
Technical/Dose/Disease tabs .tab	tap	view spec section	tab_view	tab_id (technical/dose/ disease)
Description collapsible details.kkd- collapse	toggle	expand/ collapse	description_toggle	open_state
Farmer testimonial tiles #pdpTestiRow	tap/s croll	view / load more	testimonial_view/testimonial_lo ad_more	farmer_name, crop·location, quote
Reviews "View all" photos #viewAllPhotos	tap	open gallery grid	review_gallery_open	photo_count, video_count

Element	Action	Intent	Event	Dynamic data
Customer media .cust-tile / row scroll	tap/scroll	open lightbox / load more	review_media_view/review_media_load_more	media_url, is_video, duration, position
Lightbox prev/next/swipe/grid cell/close	tap/swipe	navigate / open / exit	review_media_nav/review_media_view/review_media_close	direction, current_index, total, is_video
Review filter pills ×5	tap	filter reviews	review_filter	filter (All 2020 / Most helpful / With photos 412 / 5★ / Critical) △ static
In-review photos #reviewListItem	tap	open in lightbox	review_media_view	media_url, reviewer_name, position
"View more" reviews #viewMoreBtn	tap	load 5 more	reviews_load_more	batch_size:5, total_shown
Rating histogram	view	breakdown	rating_breakdown_view	avg:4.6, total:2020, dist(72/18/6/2/2)
FAQ buttons ×3	tap	read Q&A	faq_expand	question △ static
Ask Expert banner →advisory	tap	book call	expert_cta_tap	placement:pdp, product_name
Floating cart bar #cartBar	tap	go to cart	cart_bar_tap	cart_count, cart_total (sums all variants)
Banned-product sheet "Got it" #banClose	tap	acknowledge	banned_product_dismiss	product_name:Chakrawarti ZC, state:Madhya Pradesh

- **product_view** (load): product_name, technical_name, brand:Katyayani, category, default_pack_size:500ml, price:276, MRP:520, discount_pct:28, save_amount:144, rating:4.6, review_count:2020, image_url, badges:[bestseller], live_viewers:true, source. States: variant_changed, add_to_cart+cart_count (per-variant cart map)

supports multiple sizes), add_blocked_oos (2L), tab_view, sticky_header_shown/scroll_past_gallery (threshold 280px), add_blocked_banned (nonservice/bannedproduct). [⚠](#) **No "you may also like" cross-sell section exists** — do not invent xsell events here.

3.E Cart, Checkout & payment outcomes

cart.html — Shopping Cart

Element	Action	Intent	Event	Dynamic data
Back	tap	leave	cart_back_tapped	—
Line item .cart-item[data-item]	view	see contents	cart_viewed	item_count(3), line_items[{product_name, brand:Katyayani, sku (humic/chakrawarti/npk), tech_name, pack_size (500ml/100ml/1kg), unit_price (276/358/330), compare_at_price (390/495/—), discount_pct (29%/28%), quantity (2/3/1), line_total}, subtotal(2300), coupon_code(WELCOME100), coupon_value(100), item_discount(300), coins_used(0/190), wallet_applied(≤540), delivery_fee(FREE), grand_total(1360)

Element	Action	Intent	Event	Dynamic data
Qty +/- .qty button (min 1)	tap	adjust quantity	cart_qty_increased/_decreased	, total_saved(520) line-item + new_quantity, new_line_total, recomputed totals
Remove .trash-btn	tap	drop item	cart_item_removed	removed {product_name,sku,qty,line_total}, new item_count; persists kkd.cart
Line item → PDP	tap	inspect	cart_item_tapped	sku, product_name <u>△</u> no anchor/handler wired
Reward meter #pmeter	tap	unlock free gift	cart_reward_meter_tapped	reward_product ("Humic 50 ml"), threshold_remaining(₹300), progress_pct, unlocked
Coupon card #couponCard	tap	open coupon sheet	cart_coupon_sheet_opened	current coupon_code
Coupon code input/check #coupInput/#coupCheck	input/tap	enter manual code	cart_coupon_code_entered	typed code <u>△</u> no validation handler
Coupon tile Apply	tap	apply coupon	coupon_applied	coupon_code (WELCOME100/HUMIC50/KKD200), coupon_value (100/50/200), is_max_saving
Coupon tile	view	see	cart_coupon_locked_viewed	coupon_code

Element	Action	Intent	Event	Dynamic data
(ineligible)		locked offers		(KISAN500/CROP300), lock_reason
Remove coupon #removeCoupon / sheet close	tap	drop / dismiss	coupon_removed/cart_coupon_sheet_closed	coupon_code, coupon_value
Coins toggle #coinUse	toggle	redeem coins	coins_redeem_toggled	coins_on, coins_balance(1240), coins_used(190), recomputed grand_total
Wallet tile .wallet -apply	view	wallet deduction	cart_wallet_auto_applied	wallet_applied(540), remaining(0)
Bill rows .bill - row/.bill-total	view	understand pricing	cart_bill_viewed	full bill breakdown
Deliver-to "Change" →addresses	tap	change address	cart_address_change_tapped	delivery_date, recipient ("Ramesh Patel · Mahidpur, Ujjain · 456440")
Checkout CTA #checkoutButton	tap	begin checkout	checkout_started (opens cross-sell sheet)	full cart payload
Cross-sell "Add" .xsell-add ×3	tap	add upsell	cross_sell_item_added	product_name (Antivirus/Bhumiraja/Chakraveer 18.5%), pack_size, unit_price (327/245/440),

Element	Action	Intent	Event	Dynamic data
				compare_at_price, discount, saving, deal_type (hot/combo/best); appends real row
Cross-sell threshold strip / Continue #xsellContinue →checkout / close	view /tap	hit free-ship / proceed / skip	cross_sell_threshold_viewed/checkout_proceeded/cross_sell_sheet_dismissed	threshold_remaining, item_count, grand_total

- States: cart_viewed (quest+='cart'), coupon_applied→kkdCelebrate(save,{prefix:'₹',icon:'fa-tag'}), coupon_removed, coins_redeem_toggled (bill recalc), cross_sell_item_added (mutates cart, toast), app-state: cart_nonserviceable_shown, cart_banned_product_blocked (CTA→"Remove restricted item"). ⚠ **No save-for-later control**; ⚠ line-item→PDP not wired.

checkout.html — Checkout

Element	Action	Intent	Event	Dynamic data
Back (load)	tap / view	leave / begin payment	checkout_back_tapped / checkout_viewed	— item_count(3), subtotal/SUBTOTAL(1900), item_discount(300), coupon (WELCOME100/100), coins_used(190), wallet_applied(≤540), delivery_fee(FREE), payment_method(paynow), grand_total(1805). ⚠ line_items not rendered here — carry from cart

Element	Action	Intent	Event	Dynamic data
Alt-number #altNum	input	faster delivery	alt_number_entered	alt_number (persisted kkd.altNumber at len 10)
Deliver-to "Change" →addresses	tap	edit addresses	checkout_address_change_tapped	delivery_date, recipient
Pay Now [data-pay=paynow] (default)	select	prepay & save 5%	payment_method_selected	payment_method: paynow, prepaid_discount(95), pay_now_amount(1805), is_recommended
Partial [data-pay=partial] + %- pills .pp-opt (10/25/50/75)	select /tap	pay part now	payment_method_selected/partial_payment_pct_selected	payment_method: partial, partial_payment_pct, prepaid_amount, on_delivery_amount, coins_earned (2% of prepaid)
COD [data-pay=cod] + switch link #codSwitchPay	select /tap	pay on arrival / switch	payment_method_selected/cod_switch_to_paynow_tapped	payment_method: cod, cod_amount(1900) , cod_extra(95)
Coins toggle #coinUse	toggle	redeem coins	coins_redeem_toggled	coins_used(190), recomputed grand_total. <u>△</u> standalone coin section removed; shown as bill row, auto-applied
Wallet tile .wallet-apply	view	wallet deduction (mandate)	checkout_wallet_auto_applied	wallet_applied(≤540), remaining

Element	Action	Intent	Event	Dynamic data
Bill rows #billTotal etc	view	understand and pricing	checkout_bill_viewed	items_total(2300), item_discount(300), coupon(100), prepaid_extra_off(95, Pay Now only), coins_used(190), wallet_applied(540), delivery FREE, grand_total
Place-order #placeOrderBtn	tap	submit order	place_order_tapped → order_placed	payment_method, partial_payment_pct?, grand_total, coins_used, wallet_applied, prepaid_discount → order-success.html?mode=<method>

- States: checkout_viewed (default paynow), payment_method_selected recalculation (Pay Now -95 / Partial split only / COD discloses +95), partial_payment_pct_selected (split only, total unchanged), cod_switch_to_paynow. App-state: checkout_nonserviceable_shown (CTA→"Change address"), checkout_banned_product_blocked (CTA disabled), checkout_cod_disabled_shown (auto-switches to Pay Now).

error-payment.html — Payment Failed

Element	Action	Intent	Event	Dynamic data
(load)	view	see failure	payment_failed	order_amount(₹1,900), payment_method ("UPI · oksbi"), failure_reason ("Insufficient balance") ⚠ all static
Retry →checkout	tap	retry payment	payment_retry_tapped	previous_method, failure_reason, order_amount
Use COD instead →checkout	tap	switch to COD	payment_change_method_tapped	new_method:cod (⚠ both route to checkout)
Contact	tap	get	payment_support_tapped	order_amount,

Element	Action	Intent	Event	Dynamic data
support →help		support		failure_reason

- This is the **failure terminal** of the checkout funnel (vs order_placed success).
Properties: failure_reason, payment_method, order_amount.

empty-cart.html — Empty Cart

Element	Action	Intent	Event	Dynamic data
(load)	view	realize empty	empty_cart_viewed	item_count:0, cart_state:empty
Back →home	tap	leave	empty_cart_back_tapped	—
Shop-now →shop	tap	start shopping	shop_now_tapped	source:empty_cart
Voice tile →voice-search / Photo tile →photo-diagnosis	tap	discover	empty_cart_voice_search_tapped/empty_cart_photo_diagnosis_tapped	source:empty_cart
Bottom nav ×4	tap	navigate	nav_tab_tapped	tab (home/crops/news→shop/advisor)

3.F Post-purchase (success, orders, tracking, returns, refunds)

order-success.html — Order Confirmed

Params: ?mode=paynow|cod|partial&welcome=1.

Element	Action	Intent	Event	Dynamic data
Order hero +	view	see confi	order_confirmed_viewed	order_id ("KKD-26194-

Element	Action	Intent	Event	Dynamic data
pill		information		7821"), order_status:confirmed, payment_method
ETA row / thumbs / payment row	view	know arrival / items / payment	delivery_eta_viewed/order_items_viewed/payment_summary_viewed	eta ("Wed, 4 Jun · by 7 PM"), address, delivery_fee:FREE, item_count:3, order_total:₹1,805, items[{Humic}, {Chakrawarti},{NPK}], payment_status, amount_paid, amount_due (partial: ₹475/₹1,425)
4-step tracker	view	track progress	mini_tracker_viewed	order_status:packing, steps[], status_banner
COD-due strip #payCODBtn (cod/partial)	tap	clear COD early, earn coins	cod_pay_strip_tapped	order_id, cod_due (cod ₹1,900 / partial ₹1,425), coins_offered: +38
COD sheet: amount #codInput / Full #codF	input/tap	prepare COD	cod_amount_edited/cod_pay_full_selected/cod_pay_method_selected/cod_payment_confirmed/cod_sheet_dismissed	amount_paid, coins_earned (=round(amt×0.02)), selected_method (upi/cards/net banking),

Element	Action	Intent	Event	Dynamic data
ull / metho d radios / confir m #codP ayCon firm/ close				order_id
Scratch tile #scratchTile + canvas + close	tap/ swipe	reveal reward	scratch_card_opened/scratch_card_scratched/ scratch_reward_revealed/scratch_card_dismissed	max_reward ₹200, cleared_pct (reveal >0.45), cashback "₹150"
Coins tile →coins- state ment	tap	view wallet	coins_wallet_opened	coins_earned: +36
Whats App updates / Share cards	tap	opt-in / refer	whatsapp_updates_tapped/referral_share_tapped	phone, referral_offer "₹100 off"
Continue →home / Track →order- details	tap	keep shopping / track	continue_shopping_tapped/track_order_tapped	order_id, order_status
Welcome overlay	view	greet returning	welcome_back_shown	first_name

Element	Action	Intent	Event	Dynamic data
---------	--------	--------	-------	--------------

y
(?welcome=1)

- **order_placed/order_confirmed** payload: {order_id, order_status:confirmed→packing, order_total:1805, item_count:3, items[], payment_method, amount_paid, amount_due, coins_earned:36, delivery_eta, delivery_fee:FREE}. Scratch reveal >45% → scratch_reward_revealed {cashback:150} → kkdCelebrate. COD confirm → status amber→emerald "Payment received".

orders.html — My Orders

Element	Action	Intent	Event	Dynamic data
Back / Summary strip	tap /view	go back / life time status	orders_back_tapped/orders_summary_viewed	total_order_s:12, delivered: 9, lifetime_saved:₹4,180
Search #ordSearchInput / clear	input/tap	find order	order_search/order_search_cleared	query, results_count (matches order_id+product_name)
Order card .ord-link →order-details	tap	open details	order_card_tapped	order_id (KAT-2026-04-1284/1198/1102), order_status (transit/delivered), order_total (1430/698/1205), item_coun

Element	Action	Intent	Event	Dynamic data
				t, order_saved, delivery_eta
COD pay banner.cod-trigger	tap	pay COD, earn coins	cod_pay_banner_tapped	order_id, cod_amount:1430, coins_offered:+50
Reorder →cart?reorder=	tap	rebuy	reorder_tapped	order_id
Rate .rate-trigger	tap	rate products	rate_order_opened	order_id, products[{ name,size, img}]
Invoice →order-details?invoice=	tap	get invoice	invoice_opened	order_id
COD sheet amount/confirm	input/tap	pay COD	cod_amount_edited/cod_payment_confirmed	amount_paid, coins_earned (≈₹28.6/coin)
Rate sheet: stars/review/media/testimonial/submit	tap/inputs	rate products	product Rated/product_review_written/rating_media_attached/testimonial_uploaded/ratings_submitted	product_name, rating, coins_earned, testimonial +25
Bottom nav ×4	tap	navigate	bottom_nav_tapped	tab

-  Tab filters (all/active/delivered) exist only as a visual toggle, not wired to filtering.
Ratings submit → kkdCelebrate, removes Rate button.

order-details.html — Order Details

Params: ?state=delivered|transit&id=<order_id>&payment=partial&invoice=<id>.

Element	Action	Intent	Event	Dynamic data
Back →orders / Status hero / Order-ID	tap	return	details_back_tapped/order_status_viewed/order_id_viewed	order_id (default KAT- 2026- 04- 1198), order_status, delivered_on / eta
Kebab #kebabButton → Cancel #cancelOrderBtn (transit) / Invoice / Support	tap	menu action	order_menu_opened/cancel_order_started/invoice_download_tapped/support_contact_tapped	order_id
Timeline (Placed/ Packed/ Dispatched/Delivered)	view	track	timeline_viewed	steps + timestamps, current_step
Product row →pdp	tap	view product	product_opened	product_name, source: order_details
Itemized	view	view	bill_viewed	items[{

Element	Action	Intent	Event	Dynamic data
bill	evaluate	if charges		Humic+ Fulvic, sku:humic, size:1L, price:376, qty:2, line:752},{Antivirus, sku:antivirus, 250ml, 327, 3, 981}}, subtotal:1733, delivery:FREE, coins_used:50, coins_value:-₹5, order_total:1728
Per-product star .star-btn → kkdRate / submit	tap	rate product	product Rated/product review submitted	product_name, sku (data-key), rating, coins_earned (+10/+25)
Per-	tap	reorder	product_reorder_tapped	sku

Element	Action	Intent	Event	Dynamic data
product Reorder .prod-reorder →cart?reorder=	product	buy 1 item		
Address / Payment row / invoice chip	view	confirm	address_viewed/payment_viewed/invoice_download_tapped	name "Sagar Patel", payment_method UPI, bank "HDFC ••7842", txn_id
Partial COD strip #payCodButton + sheet	tap	pay COD balance	cod_pay_strip_tapped/cod_amount_edited/cod_payment_confirmed	advance_paid, cod_due (₹628/transaction ₹1,287), coins_offered: +50, coins_earned (≈₹12.5/coin)
Unboxing video #unboxVideo / Verify #verifyCard (kkdVerify)	input	proof / authenticate	unboxing_video_attached/verify_product_tapped	order_id

Element	Act io n	Int ent	Event	Dynami c data
Need help #helpRow + channels	tap	contact support	support_sheet_opened/support_channel_tapped	channel (call 1800 270 0300 / email / chat / whatsa pp +91 96964 00400)
Sticky Return CTA #returnC ta (delivere d, 7-day) / Reorder	tap	start return / rebuy all	return_initiate_started/reorder_tapped	order_i d, days_le ft
Return flow: T&C agree/pro ceed, type seg, product checkbo x + qty, reason, desc, voice, proof, submit	tap/ input	full return /repla ce	return_terms_agreed/return_form_opened/return_type _selected/return_product_selected/return_qty_chang ed/return_reason_selected/return_description_enter ed/return_voice_recorded/return_proof_attached/retu rn_submitted	choice (return/ replace), product s[{{sku,q ty}}, reason (Damag ed/Wro ng/Not as describ ed/Miss ing/Qua lity/Oth er), proof_c ount
Return	tap	view	return_status_opened	product

Element	Action	Intent	Event	Dynamic data
details [data-ret-details]	tap	view R&R timeline		_name, return_choice
Cancel flow: confirm → reason → submit	tap/confirm	cancel_order	cancel_order_confirmed/cancel_reason_selected/cancel_submitted	reason, refund_amount (advance ₹70), refund_method:UPI

- ?state=transit → Dispatched current, total ₹1,430, partial (advance 10% ₹143, COD due ₹1,287), hides Return CTA. Return submit → success card + per-row .ret-status banner + 4-step return timeline. Cancel → "advance refunded to UPI in 3–5 days" → orders.html.

track-order.html — Track Order

Element	Action	Intent	Event	Dynamic data
Back / Map / timeline	tap/view	track	track_back_tapped/track_map_viewed/track_timeline_viewed	order_id KKD-26194-7821, order_status:out_for_delivery, distance "8 km", eta "12 hrs", courier:Delhivery, 5 steps
Map call / sticky "Call delivery partner"	tap	call agent	delivery_agent_called	order_id, agent_name "Suresh K.", agent_phone, source (map/sticky_cta)

refund-status.html — Refund Status

Element	Action	Intent	Event	Dynamic data
Back / SLA card / timeline / method card	tap/view	track refund	refund_back_tapped/refund_summary_viewed/refund_timeline_viewed/refund_method_viewed	order_id KKD-26190-3344, refund_amount ₹509, refund_status processing/ initiated, expected_by "Sat 17 May", method "Original payment · COD", destination "UPI 98XXX@ok sbi", reason "Wrong product delivered", 4 steps
"Need help with this refund?"	tap	support	refund_help_tapped	order_id, refund_amount, refund_status

empty-orders.html — No Orders

Element	Action	Intent	Event	Dynamic data
(load) / Shop-	view/tap	first-purchase	empty_orders_viewed/shop_now_tapped	order_count:0, first_order_offer

Element	Action	Intent	Event	Dynamic data
now →shop / Back / nav		e nudge		"₹100", source:empty_order

3.G Address & location

addresses.html — Saved Addresses

Element	Action	Intent	Event	Dynamic data
Back	tap	leave	address_book_back_tapped	—
Address card .addr-card[data-id,data-pin]	tap	select active delivery addresses	address_selected	address_id (home/farm/shop/field), pincode (452001/453555/452002/123456), address_type, is_default (home), serviceable (false for 123456), detection_method:saved_select
Edit .addr-act →add-address?edit=1	tap	modify	address_edit_tapped	address_id, pincode, address_type
Delete .addr-act.del	tap	remove	address_delete_tapped	⚠ no handler wired
Add-new .add-btn →add-address	tap	create	add_address_cta_tapped	source:address_book

- address_selected persists kkd.addr+kkd.pincode, clears kkd.stOverride, history.back() after 180ms. serviceability_state_resolved {serviceable,pincode}. ⚠ The 123456 card renders NOT-SERVICEABLE on load (non_serviceable_card_impression). ⚠ No address-type filter tabs exist — Home/Farm/Shop/Field are individual cards.

add-address.html — Add / Edit Address

Params: ?edit=1 → edit mode (prefills house/pin/city/state, retitles).

Element	Action	Intent	Event	Dynamic data
Back	tap	abandon	add_address_back_tapped	mode, fields_filled
Address text area #house	input	enter street/house/landmark	address_line_entered	house text, length, detection_method:manual_entry
Pincode #pin (tel, 6)	input	postal code	pincode_entered	postal_code (digits), length
City #city / State #state	input	enter city/state	city_entered/state_entered	city, state
Save-as tags .tag[data-tag] (home default)	tap	label address	address_tag_selected	address_type (home/work/farm/shop/other)
Default checkbox #defaultCheck (default ✓)	toggle	set default	default_address_toggled	is_default
Save #addrSave	tap	persist	address_saved	address_type, pincode, city, state, house, is_default, mode, detection_method:manual_entry

- ⚠ **No GPS/locate-me element** (.locate class unused) → gps_auto impossible here.
- ⚠ Persists **only** pincode/city/state (not house/tag). ⚠ No country/lat/long fields. ⚠ No serviceability check or validation at save — resolved later in addresses.html.

3.H Account, profile & settings

account.html — Profile Hub

Element	Action	Intent	Event	Dynamic data
Back / profile header / completion meter	tap/view	identity & completeness	nav_back/profile_header_viewed/profile_completion_viewed	user_name "Ramesh Patel", phone, member_since "Apr

Element	Action	Intent	Event	Dynamic data
				2026", completion_ pct:75
Edit pill → edit-profile	tap	edit profile	profile_edit_tapped	completion_ pct:75
Menu rows (Addresses/Language/Refer/Krishi Coins/Scratch cards/Wallet/Settings/Know-app/About)	tap	navigate	menu_row_tapped	row, destination, meta (saved_count:2, coins_balance:1240, pending_scratch:1, wallet_balance:540, reward_per_friend:50)
Language row	tap	change lang	menu_row_tapped	current_language_label "हिंदी", lang_code (kkd.lang)
Verify-product onclick=kkdVerify()	tap	scan QR	verify_product_opened	action:scan_qr
Help row #helpBtn (sheet) + channels + close	tap	support	help_sheet_opened/help_channel_tapped/help_sheet_dismissed	channel (call 1800270030 0 / email care@... / live_chat / whatsapp +91 96964 00400)
Sign-out #signoutBtn (sheet) + confirm/cancel	tap	sign out	signout_sheet_opened/signout_confirmed/signout_cancelled	destination: splash
Legal rows →policy?doc=	tap	read policy	legal_doc_tapped	doc (privacy/ter

Element	Action	Intent	Event	Dynamic data
Bottom nav ×4	tap	switch tab	bottom_nav_tapped	ms/returns) tab

edit-profile.html — Edit Profile

Element	Action	Intent	Event	Dynamic data
Back / Change photo	tap	cancel / avatar	nav_back/avatar_change_tapped	initials "RP"
Inputs: first/last name, mobile, alt number #altNumber, email, village/city	input	edit fields	profile_field_edited	field, value (prefilled: Ramesh/Patel/+91 98765 43210/Indore, MP), alt persisted kkd.altNumber
Save #saveBtn	tap	persist	profile_save_tapped → profile_updated	fields_changed[]

settings.html — App Settings

Element	Action	Intent	Event	Dynamic data
Back / Theme row	tap	leave / change theme	nav_back/theme_row_tapped	current_theme "Light"
Toggles: order updates / price alerts / crop calendar reminders / promotions /	tap	toggle notification	setting_toggled	setting, value (initial on/on/on/off /on). Δ in- memory only, not persisted

Element	Action	Intent	Event	Dynamic data
WhatsApp				
Legal links / Delete account / Version	tap/view	policy / delete / build	legal_doc_tapped/delete_account_tapped/app_version_viewed	doc, version "KKD v1.0", build "2026.05.14" △ delete has no confirmation

notifications.html — Notifications

Element	Action	Intent	Event	Dynamic data
Back / Mark all read	tap	leave / clear unread	nav_back/notifications_mark_all_read	unread_count_before:1
Notification items (order_delivered / crop_reminder / coins_credited / price_drop)	tap	open relevant page	notification_tapped	type, unread, order_id/crop/coins/product_name+discount_pct, group (today/this_week), time_ago, destination

- notification_read per unread tap + bulk; notification_impression per item.

wishlist.html — Wishlist

Element	Action	Intent	Event	Dynamic data
Back →account / header	tap/view	return / size	nav_back/wishlist_viewed	saved_count_label:5, items_rendered:3
Product tile →pdp ×3	tap	open PDP	wishlist_item_tapped	product_name (Humic+Fulvic 98/Chakrawarti/Antivirus), brand:Katyayani, sku, price (376/358/327),

Element	Action	Intent	Event	Dynamic data
				compare_at_price (520/—/—), discount_pct
Heart button	tap	remove	wishlist_item_removed	product_name, sku, price
ADD button	tap	move to cart	wishlist_item_moved_to_cart	product_name, sku, price, compare_at_price

-  Heart/ADD nested inside with no preventDefault — fire event + stopPropagation before nav.

refer.html — Refer & Earn

Element	Action	Intent	Event	Dynamic data
Back / hero / code #ref Code	tap /view	offer / own code	nav_back/referral_offer_viewed/referral_code_view	coins_per_friend:60, friend_discount:100, referral_code "KRIYUMT"  account row says ₹50 — mismatch
Copy #copyBtn / Share #shareBtn / WhatsApp	tap	copy / share	referral_code_copied/referral_shared	referral_code, share_channel (copy/native_share/what sapp)
Milestone / stats / lead	view	progress / standing	referral_milestone_viewed/referral_stats_viewed/referral_earnings_viewed/leaderboard_viewed/leaderboard_own_rank_viewed	progress_pct:60 (3/5), referrals_count:3, pending:1, coins_this_

Element	Action	Intent	Event	Dynamic data
erbo ard / own- rank				month:180, lifetime:540, rank:24

saved-payments.html — Saved Payments

Element	Action	Intent	Event	Dynamic data
Back →account	tap	return	nav_back	—
UPI card (Default) / COD card	tap/view	select/view	payment_method_tapped	method_type (upi handle "ramesh@oksbi" / cod), is_default
Add new (sticky)	tap	add method	payment_method_add_tapped	surface:sticky_cta

-  Cards have no select/remove handlers (display-only);
payment_method_selected/_removed need handlers added.

signout-confirm.html — Sign Out (standalone sheet)

Element	Action	Intent	Event	Dynamic data
(slide-up) / Yes →splash / Cancel history.b ack()	view/ tap	confi rm / abor t	signout_sheet_opened/signout_confirme d/signout_cancelled	surface:standalo ne_page, destination:spla sh

3.I Rewards, coins & feedback

wallet.html — Wallet (money)

Element	Action	Intent	Event	Dynamic data
Back / Balance hero	tap/ view	lea ve / fun ds	wallet_back_tapped/wallet_balance_viewed	wallet_money _balance:540, lifetime_receiv ed:3180
Refund txn	tap/ view	ins pec	wallet_transaction_tapped/wallet_refund_det ail_viewed/wallet_refund_detail_closed	transaction_id (KAT-2026-05-

Element	Action	Intent	Event	Dynamic data
row .txn[data-i] + detail sheet + close		refund		1284), transaction_amount (330/512/405), type:refund, date, item_count, has_penalty, per-item {product_name,qty,refund}

-  No redeem CTA (read-only refund ledger). No coins here.

[scratch-cards.html](#) — Scratch Cards

Element	Action	Intent	Event	Dynamic data
Summary strip	view	totals	scratch_summary_viewed	to_scratch_count:1, scratched_count:4, total_won:180
To-scratch tile .sc-tile[data-prize...]	tap	start scratching	scratch_card_opened	reward_amount (data-prize ₹150), reward_label, reward_sub, reward_date
Scratch canvas #scratchCanvas	drag/scratch	reveal (>0.45)	scratch_card_scratching→scratch_reward_revealed	reward_amount, cleared_pct, reward_unit (₹/coins), won, input_type
Overlay close / backdrop	tap	abandon	scratch_card_dismissed	reward_amount, was_revealed:false
Scratched-history card .sc-won	view	review past	scratched_history_viewed	reward_amount (₹100/50/₹30), reward_type (cashback/krishi_coins/missed), won_status, date
Bottom nav ×4	tap	navigate	nav_tab_tapped	destination

- Reveal auto-credits (no Claim button) → reward_credited + kkdCelebrate.
scratch_todo_emptied when none left.

coins-statement.html — Coins

Element	Action	Intent	Event	Dynamic data
Back / Balance hero	tap/view	leave / balance	coins_back_tapped/coins_balance_viewed	coins_balance:120, coins_worth_rupees:120, rate:1
Activity rows (earn/spend)	view	review history	coins_statement_row_viewed	transaction_title (First-order bonus/Enabled notifications/Added first crop/Redeemed at checkout), type (earn/redeem), amount (+100/+10/+50/-40), date, order_id

- ⚠ Rows non-interactive (impression-only); no filter control.

rate-app.html — Rate the App

Params: ?rate=fork|happy|feedback|thanks.

Element	Action	Intent	Event	Dynamic data
Fork options (Loving it!/It's okay/Needs work)	tap	sentiment	rate_sentiment_selected	sentiment (happy/okay/unhappy)
Maybe later / Not now / backdrop	tap	dismiss	rate_dismissed	view
Star selector #happyStars .stars ×5	tap	set rating	rating_value_selected	rating_value (1-5, default 5)
Play Store CTA	tap	go to store	app_store_redirect	rating_value, store:play_store ⚠ code

Element	Action	Intent	Event	Dynamic data
Feedback tags .fb-tag ×9 + textarea + screenshot	tap/input	issue reasons	feedback_tag_toggled/feedback_text_entered/feedback_screenshot_attached	only closes sheet tag_label (9 issues), selected_tags[], feedback_text
Submit feedback / Back / Done	tap	send / nav	feedback_submitted/feedback_back_tapped/rate_flow_closed	sentiment:unhappy, selected_tags[], feedback_text

- States: rate_sheet_opened {view}, rating_submitted, survey_completed, rate_thanks_shown.

know-your-app.html — Know Your App (static feature list)

Element	Action	Intent	Event	Dynamic data
Back / feature rows ×6 / help hint	tap/view	learn capability	know_app_back_tapped/feature_card_viewed/help_hint_viewed	feature_title (6 capabilities), feature_index (0–5)

- ⚠ No stepper/next/skip — single static list.

3.J Crop & agronomy services

crop-detail.html — My Crops (Crop Guide)

The only screen with true dynamic rendering (CROPS, products P, problems PROB).

Element	Action	Intent	Event	Dynamic data
Back / crop chip .crop-chip / Add-crop chip /	tap	leave / switch / add	nav_back/crop_selected/add_crop_sheet_opened	crop_name, crop_key (userCrops default)

Element	Action	Intent	Event	Dynamic data
empty CTA				['cotton','wheat'])
Identity hero / chips / 2x2 stats	view	identify / scope	crop_identity_viewed/crop_stats_viewed	sci_name "Gossypium hirsutum", chips (Fiber/Kharif/C R-8/180 days), stages:9, issues:47, products:313, duration:180d
Growth-stage accordion .vstg-head	tap	expand stage	crop_stage_toggled	crop_name, growth_stage, stage_index, day_range, stage_pct, issue_count, is_current_stage
Disease block .prob-block	view	learn disease	disease_viewed	disease_name , severity (high/med), crop_name, growth_stage, disease_image
"Show recommended products (n)".rp-toggle	tap	reveal products	disease_products_toggled	disease_name , severity, product_count , open
Recommended-product row .prod-row →pdp	tap	open PDP	recommended_product_clicked	product_name , product_tech ("Thiamethoxam 25% WG"), pack, use, product_type (chem/bio), price,

Element	Action	Intent	Event	Dynamic data
"Add" .product-price .add	tap	add to cart	add_to_cart	disease_name, crop_name, growth_stage product_name, tech, pack, price, type, disease_name, crop_name, growth_stage △ in-place "Added ✓" only, no real cart write
Ask Expert banner →advisory	tap	contact agronomist	expert_contact_initiated	expert_channel:video, source:crop-detail
Add-crop sheet: tile .pick[data-k] + Done #addApply + close	tap	multi-select crops	add_crop_toggled/crops_updated/add_crop_sheet_dismissed	crop_key, selected_crops[], crop_count
Bottom nav ×4	tap	navigate	nav_tab_selected	tab

crop-calendar.html — Crop Calendar

Element	Action	Intent	Event	Dynamic data
Back / hero / progress	tap/view	leave / orient	nav_back/crop_calendar_viewed	crop_name:Chilli, day_current:47, day_total:110, acres:2, location:Indore, progress_pct:43
Stage rows (Sowing✓/Vegetative✓/Flowering-Active/Fruiting/Harvest)	view	lifecycle	crop_stage_viewed	growth_stage, stage_status (done/active/upcoming), day_range,

Element	Action	Intent	Event	Dynamic data
Task "Spray Chakrawarti · Today" →pdp (DUE)	tap	buy task product	task_product_clicked	is_active task_name, task_status:due, growth_stage:Flowering
"Flowering Kit" card →pdp	tap	buy stage kit	stage_kit_clicked	kit_name, product_count:2, price ₹685, savings ₹50, growth_stage

- ⚠ Other tasks static (no checkbox wiring); only the two are real.

my-crop.html — My Crop Dashboard

Element	Action	Intent	Event	Dynamic data
Header "+"	tap	add crop	add_crop_clicked	source:my-crop_header ⚠ no handler
Crop card (Chilli/Tomato) →crop-calendar	tap	open calendar	my_crop_card_clicked	crop_name, growth_stage, day, acres, sown, days_left
Today's task "Buy now" →pdp / "Done"	tap	buy / complete	task_buy_clicked/task_marked_done	task "Spray Chakrawarti", crop_name, growth_stage ⚠ Done no handler
Recommended cards →pdp / carousel	tap/swipe	open / browse	recommended_product_clicked/recommended_carousel_scrolled	product_name, price (Antivirus 327/Chakrawarti 358/Bhannaat 334), recommendation_context, position
Mandi rate rows	view	market price	mandi_rate_viewed	commodity, market:Indore, price, change

Element	Action	Intent	Event	Dynamic data
Bottom nav ×4	tap	navigate	nav_tab_selected	(Tomato ₹18/kg +₹2; Chilli ₹85/kg –₹4) tab

[advisory.html](#) — Advisory Hub

Element	Action	Intent	Event	Dynamic data
"Call an expert" hero →doctor-call	tap	talk to agronomist	expert_contact_initiated	expert_channel: call, meta "Avg pickup 90 sec · Free 5 min"
Photo diagnosis →photo-diagnosis / Voice →voice-search	tap	diagnose / ask	photo_diagnosis_opened/voice_search_opened	source:advisory
Article rows ×4 →doctor-call	tap	read/answers	advisory_article_clicked	article_id (chilli-yellow-mosaic etc.), crop_name, problem_title, answer_count
Bottom nav ×4	tap	navigate	nav_tab_selected	tab

[doctor-call.html](#) — Voice Call In-Progress

Element	Action	Intent	Event	Dynamic data
Calling state	view	connecting	expert_call_connecting	expert_name "डॉ. प्रिया शर्मा", rating:4.9 , calls:214

Element	Action	Intent	Event	Dynamic data
				0, role, langs, call_timer
Mute / End → advisory / Speaker	tap	mute / hang up / toggle	call_mute_toggled/expert_call_ended/call_speaker_toggled	muted, duration △ speaker no handler

[photo-diagnosis.html](#) — Photo Diagnosis

Element	Action	Intent	Event	Dynamic data
Back / captured image / result card	tap/view	await / see result	nav_back/diagnosis_analyzing/diagnosis_result_viewed	disease_name "Chilli Yellow Mosaic Virus", confidence:94, crop_name:Chilli
Recommended (Antivirus) / Alternative (Triple Attack) →pdp	tap	view treatment	recommended_product_clicked	product_name, brand:Katyayani, pack, price (₹327/₹509), mrp, rank (primary/alternative), disease_name, diagnosis_confidence:94
Sticky camera / CTA "कार्ट में डालें · ₹327" →cart	tap	retake / add to cart	diagnosis_photo_capture/add_to_cart	product_name:Antivirus, price:327, disease_name, diagnosis_confidence △ camera no handler

[help.html](#) — Help & Support

Element	Action	Intent	Event	Dynamic data
Back /	tap	leave /	nav_back/ai_chat_opened	expert_channel:ai,

Element	Action	Intent	Event	Dynamic data
Ask-AI hero #askAiCta		open AI chat		assistant "Krishi AI"
AI input/sent + chip + attach + voice	input/tap	ask AI	ai_message_sent/ai_chip_tapped/ai_attach_clicked/ai_voice_clicked	query_text , chip_label (Check price/Disease help/Dose calculator/Order status)
AI product cards →pdp / Add .add b / close	tap	view / add suggested	ai_product_clicked/add_to_cart/ai_chat_closed	product_name, pack, use, price, mrp, source:ai_chat
"Call an expert" video row + confirm + connect + disc	tap	video call	expert_contact_initiated/video_call_confirmed/video_call_cancelled/video_call_connected/video_call_ended	expert_channel:video, expert_name "Dr. R. Verma", role, duration

Element	Action	Intent	Event	Dynamic data
connect				
Call us tel: / WhatsApp / Email to:	tap	contact	expert_contact_initiated	expert_channel (call/what sapp/email), hours, toll_free
Bottom nav ×4	tap	navigate	nav_tab_selected	tab

4. Granular User Journeys & State Changes

4.1 Onboarding → Home (identity acquisition)

```

splash (app_open, session_start)
  → language (language_select)
    → phone (consent gating → send_otp_tap)
      → otp (otp_verified) ← GUEST→IDENTIFIED transition
        └─ mobile 1234... (new) → name (profile_name_saved) → welcome-ab
oard → notifications-allow (allow/skip) → home
      └─ mobile 12345... (returning) → welcome-back → home

```

State changes: kkd.mobile set at phone; user_type resolved at OTP by prefix;

kkd.firstName/lastName at name; push-permission choice at notifications-allow (△ not persisted). Returning users skip name + notifications. (The tell-us → permissions → locating crop/GPS branch is wired but **dropped from the live chain**; if re-enabled it writes kkd.village/district and emits location_detected.)

4.2 Discover → PDP → Cart (core commerce funnel)

```

home —product_tap (source_section: bestseller|most_selling|flash_deals|recently_viewed|buy_again|featured|shop_by_crop)—
search —search_results_returned → search_result_tapped—
      |
categories —category_selected → filter_value_toggled → product_card_tapped—
      |

```

```
crop-detail / crop-calendar / my-crop / photo-diagnosis —recommended_product
_clicked—|
```



```
pdp (product_view)
```

```
| variant_changed (pack-size, price, per-litre)
```

```
| add_to_cart {selected_pack_size, price, qty}
```



```
cart (cart_viewed)
```

Critical property to preserve: source_section / source — *where the product was clicked from* (best-seller banner vs search vs category grid vs crop recommendation). This is the single most valuable attribution dimension and must ride on product_tap → product_view → add_to_cart.

State changes en route:

- **Variant selection (PDP):** variant_changed swaps price, per-litre rate, stock state; OOS size (2 L) → add_blocked_oos; the cart is a **per-variant map** so the same product can be in cart at multiple pack sizes.
- **Restriction overlays:** if app_state.bannedproduct (or ?p=chakrawarti) → add_blocked_banned (add intercepted by a "not available in your state" sheet); if app_state.nonservice → delivery shows "Not serviceable".

4.3 Cart → Quantity/Coupon/Coins → Checkout → Order

```
cart (cart_viewed)
├─ cart_qty_increased/_decreased → bill recompute (subtotal, grand_total)
├─ cart_item_removed → persist kkd.cart; if empties → empty-cart (empty_cart_viewed)
├─ coupon_applied (WELCOME100/HUMIC50/KKD200) → kkdCelebrate; grand_total ↓
├─ coins_redeem_toggled → coin row + wallet re-cap; grand_total ↓
├─ checkout_started → cross-sell sheet (cross_sell_item_added*) → checkout_proceeded
▼
  checkout (checkout_viewed, default payment_method=paynow)
    ├─ payment_method_selected: paynow (-5% ₹95) | partial (% split + 2% coins) | cod (+₹95)
    │   └─ codoff state → COD disabled, auto-switch to paynow (checkout_cod_disabled_shown)
    └─ partial_payment_pct_selected (10/25/50/75) → split recompute (total unchanged)
        ├─ coins_redeem_toggled / wallet auto-applied (mandatory)
        └─ place_order_tapped → order_placed
            └─ SUCCESS → order-success.html?mode=<method> (order_confirmed)
```

└ FAILURE → error-payment.html (payment_failed {failure_reason, payment_method, order_amount})

Guest vs identified at checkout: the user is already identified (OTP happened pre-home); alternate number capture (alt_number_entered, persisted kkd.altNumber) is the only new identity write here.

Address auto-fill vs manual (state change detail):

- **saved_select** — picking a card in addresses.html sets active kkd.pincod/kkd.addr and resolves serviceability instantly (123456 → not serviceable). This is how delivery address changes from cart/checkout/PDP "Change" links.
- **manual_entry** — typing in add-address.html; persists pincod/city/state only; no serviceability check at save time.
- **gps_auto** — only locating.html produces coordinates-free village/district detection; ⚠ no lat/long is ever captured, and the in-form GPS button doesn't exist.

4.4 Payment success vs failure (terminal states)

Outcome	Screen	Event	Key properties	Next
Success	order-success.html	order_confirmed	order_id, order_total, items[], payment_method, amount_paid, amount_due (partial/cod), coins_earned, delivery_eta	scratch reward → scratch_reward_revealed; COD prepay → cod_payment_confirmed; → home / order-details
Failure	error-payment.html	payment_failed	failure_reason ("Insufficient balance"), payment_method ("UPI · oksbi"), order_amount	payment_retry_tapped → re-enters checkout

4.5 Post-purchase lifecycle

order-success → orders (list) → order-details

- └ track-order (track_timeline_viewed, delivery_agent_called)
- └ COD prepay (cod_payment_confirmed) – on success / orders / details
- └ rate products (product_rated → review_submit, kkdRate, +10/+25 coins)
- └ reorder (reorder_tapped → cart?reorder=)
- └ return/replace (return_submitted {choice, products[], reason, proof}) → return timeline

- cancel (cancel_submitted {reason, refund_amount})
- refund-status (refund_timeline_viewed {refund_amount, refund_status})

4.6 Rewards & gamification (parallel loop)

- **Earn-coins quest (home):** 5 steps (notif 10 / loc 10 / cart 15 / search 10 / crop 50) persisted to kkd.quest; all-done → "Your rewards" (kkd.coins.rewardSeen), first-crop → +50 (first_crop_reward_earned).
- **Reviews:** +10 coins (text) / +25 (video testimonial) via kkdRate/inline modals on home buy-again, orders, order-details.
- **Scratch cards:** reveal >45% auto-credits cashback/coins (scratch_reward_revealed → kkdCelebrate).
- **Referral:** share code KRIYUMT (referral_shared {channel}); milestone progress to 5.
- **Coins economy:** 1 coin = ₹1; earned at order/notifications/first-crop/reviews/COD-prepay; redeemed at checkout (auto ₹190). ⚠ Balance is DOM-only (no canonical store).

4.7 Agronomy services (engagement, non-commerce)

advisory hub → **call** (doctor-call, expert_call_*), **photo diagnosis** (diagnosis_result_viewed → recommended product → add_to_cart), **AI chat** (help.html Krishi AI → ai_product_clicked/add_to_cart), **video call** (help.html), **crop guide** (crop-detail disease → recommended product). Every service path is designed to funnel back into add_to_cart — track expert_channel (call/video/whatsapp/email/ai/advisory) and the service→cart conversion.

5. Complete Dynamic-Data & Property Mapping (consolidated dictionaries)

5.1 Product interaction properties (every product_* / add_to_cart)

Property	Always available?	Source
product_name	yes	markup / n/name
brand	yes (constant)	"Katyayani"
tech_name / subtitle	usually	t/sub
category	yes on catalog	cat
subcategory	catalog	sub/subs
sku / variant_id	catalog (<cat>-<sub>-<idx>), PDP cart map	⚠ home cards lack stable sku — add one

Property	Always available?	Source
selected_pack_size	PDP/variant	.var, variants[]
price	yes	p/price/data-price
compare_at_price (MRP)	usually	m/mrp/data-mrp
discount_pct	derived	offPct/data-off
quantity	cart/PDP	qty stepper
image_url	yes	img/data-img
rating / review_count	home/PDP	markup
position / index	yes	DOM order
source_section	critical	bestseller / most_selling / flash_deals / recently_viewed / buy_again / featured / shop_by_crop / crop_problem_rec / search:top_results / category_grid / ai_chat / photo_diagnosis / crop_guide
applied_filters	categories	filter Set snapshot
tags[] / crops[]	catalog	tags/crops

5.2 Cart / Checkout properties

item_count, line_items[] ({product_name, brand, sku, pack_size, unit_price, compare_at_price, quantity, line_total}), subtotal, item_discount (300), coupon_code + coupon_value, coins_used (190), wallet_applied (≤540), delivery_fee (FREE), grand_total, total_saved, payment_method (paynow/partial/cod), partial_payment_pct (10/25/50/75), prepaid_discount (95), cod_extra (95), coins_earned.

5.3 Order / Return / Refund properties

order_id (KKD-26194-7821 / KAT-2026-04-1198 ...), order_status (confirmed/packing/transit/out_for_delivery/delivered), order_total, item_count, items[], payment_method, amount_paid, amount_due, coins_used (50→₹5), coins_earned, delivery_eta, courier (Delhivery), agent_name/agent_phone, return_choice (return/replace), return_reason, proof_count, refund_amount (₹509), refund_status, refund_method, expected_by, sla (3–5 days).

5.4 Location properties

city, state, pincode/postal_code, village, district, address_type (home/work/farm/shop/other/field), is_default, serviceable (pincode≠123456), detection_method (gps_auto / manual_entry / saved_select). △ country absent (use "India"); △ latitude/longitude never captured.

5.5 Reward / engagement properties

coins_balance (DOM), wallet_money_balance (540), lifetime_received (3180), reward_amount, reward_type (cashback/krishi_coins/missed), rating_value (1–5), review_text, selected_tags[], referral_code (KRIYUMT), referrals_count (3), share_channel (copy/native_share/whatsapp), quest_step_id, coins_earned, expert_channel (call/video/whatsapp/email/ai/advisory).

6. Instrumentation gaps to resolve before/while wiring tracking (checklist)

1. **Add a track() shim + dataLayer** — none exists; every event here is currently un-emitted.
 2. **Add data-product-* (incl. stable sku) to every commerce card**, especially on home.html, so product events don't scrape rendered text.
 3. **Add IntersectionObserver** for product_impression / section_view (no impression tracking exists).
 4. **Fix nested-anchor clicks** (wishlist.html Add/Heart, and audit others) — stopPropagation() + fire event before navigation.
 5. **Pass search_query on search-suggestion navigation** (search.html → categories.html currently loses it).
 6. **Wire missing handlers** flagged ⚠: address delete, save-for-later, settings persistence, saved-payment select/remove, my-crop "+"/task-Done, call speaker, AI attach/voice, photo-diagnosis camera, cart line-item→PDP.
 7. **Normalize the two PRODUCTS schemas** (§2.1) into one canonical product object.
 8. **Reconcile contradictory constants** before they pollute funnels: referral reward (₹50 vs 60 coins), COD→coin rates (2% vs ₹28.6 vs ₹12.5/coin), and the coin balance source-of-truth (DOM #coinBalance 120 vs 220).
 9. **Decide canonical names** where the prototype routes are placeholders (e.g. several "news"/"shop" nav targets point at shop.html, which is otherwise deprecated).
 10. **Treat app-state (nonservice/bannedproduct/banneduser/codoff) as super-properties** so blocked-checkout drop-off is segmentable.
-

Generated from a screen-by-screen reading of the KKD app prototype (screens/.html, assets/*.js). Treat the per-screen tables in §3 as the authoritative element inventory and the §5 dictionaries as the property contract for the event schema.*