



HTML & CSS

Lecture 3





TABLE OF CONTENT

- ▶ Second CSS way
- ▶ CSS selectors
- ▶ Height/width
- ▶ Margin, padding and border





Second CSS way

Add separated CSS

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <title>Document</title>
5     <style>
6         h1{
7             color: red;
8             font-size: 40px;
9         }
10    </style>
11 </head>
12 <body>
13
14     <h1>Hello, World!</h1>
15
16 </body>
17 </html>
```

To add separated CSS into your HTML document you should add style element in your HTML file




Css selectors

Css selectors

CSS selectors are used to "find" the HTML elements you want to style.

Simple CSS selectors:

- **Type**
- **Class**
- **Id**



Select by Type

- The element selector selects HTML elements based on the element name.
- Here, all <p> elements on the page will be center-aligned, with a red text-color:

```
p {  
text-align: center;  
color: red;  
}
```

Code

```
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <title>Document</title>
5     <style>
6       p{
7         color: red;
8         text-align: center;
9       }
10    </style>
11  </head>
12  <body>
13    <p>1 Lorem ipsum dolor sit amet.</p>
14    <p>1 Lorem ipsum dolor sit amet.</p>
15    <p>1 Lorem ipsum dolor sit amet.</p>
16  </body>
17 </html>
18
```



Editor

Result



1 Lorem ipsum dolor sit amet.

1 Lorem ipsum dolor sit amet.

1 Lorem ipsum dolor sit amet.



Browser



Select by Id

- The id selector uses the id attribute of an HTML element to select a specific element.
- The id of an element is unique within a page, so the id selector is used to select one unique element!
- **Note:** An id name cannot start with a number!

- The CSS rule below will be applied to the HTML element with

id="para1":

```
#para1 {
```

```
text-align: center;
```

```
color: red;
```

```
}
```

Code



```
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <title>Document</title>
5     <style>
6       #para1{
7         color: red;
8         text-align: center;
9       }
10    </style>
11  </head>
12  <body>
13    <p id="para1">1 Lorem ipsum dolor sit amet.</p>
14    <p>1 Lorem ipsum dolor sit amet.</p>
15    <p>1 Lorem ipsum dolor sit amet.</p>
16  </body>
17 </html>
18
```



Editor

Result



1 Lorem ipsum dolor sit amet.

1 Lorem ipsum dolor sit amet.

1 Lorem ipsum dolor sit amet.



Browser

Select by Class

- The class selector selects HTML elements with a specific class attribute.
- **Note:** A class name cannot start with a number!
- In this example all HTML elements with class="center" will be red and centered:

```
.center {  
    text-align: center;  
    color: red;  
}
```


Code

```
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <title>Document</title>
5     <style>
6       .center{
7         color: red;
8         text-align: center;
9       }
10    </style>
11  </head>
12  <body>
13    <p class="center">1 Lorem ipsum dolor sit amet.</p>
14    <p class="center">1 Lorem ipsum dolor sit amet.</p>
15    <p>1 Lorem ipsum dolor sit amet.</p>
16  </body>
17 </html>
18
```



Editor

Result



Browser






**Height/width
(max-min)**

Height and Width Property

The CSS height and width properties are used to set the height and width of an element.



CSS height and width Values

- The **height** and **width** properties do not include padding, borders, or margins. It sets the height/width of the area inside the padding, border, and margin of the element.
- The height and width properties may have the following values:
- **auto** - This is default. The browser calculates the height and width
- **length** - Defines the height/width in px, cm etc.
- **%** - Defines the height/width in percent of the containing block

Code

```
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <title>Document</title>
5     <style>
6       .block-yellow{
7         height: 150px;
8         width: 500px;
9         background-color: yellow;
10      }
11      .block-green{
12        height: 150px;
13        width: 500px;
14        background-color: green;
15      }
16    </style>
17  </head>
18  <body>
19    <div class="block-yellow"></div>
20    <div class="block-green"></div>
21  </body>
22 </html>
23
```



Editor

Result



Browser






Margin, border and padding

Margin, border and Padding

The CSS Margin , border and padding properties are used to set the content style of an element.



THANK YOU!

“don't stop when you're tired
stop when you are done.”

