Requirements

– Create tables using migrations below
– Ensure all tables have silo_id and account_id
– Add Image Upload Input on (Clients, Leads, Users, My Account Pages)
– Add File Upload input for documents page should be able to upload
– Add Table Image display for list data (index pages)
– Add country and timezone lists to select drop down
– alter default fields for register form to (first_name, last_name) and user table / model / auth
– make sidebar avatar real from user->avatar column
– set price columns to $0.00 dollar sign in label 0 as default

Access / Deny Permissions (for sidebar / pages / actions)

- **super-admin**
  - **silos**
  - **leads**
  - **clients**
  - **projects**
  - **project-tasks**
  - **documents**
  - **users**
- **admin**
  - **leads**
  - **clients**
  - **projects**
  - **project tasks**
  - **documents**
  - **users**
- **users**
  - **leads**
  - **clients**
  - **projects**
  - **project tasks**
  - **documents**

- When users login they should only be able to view content related to their own silo_id and user_id
- Only admin and super admins should be able to view all data. For all users.

Migrations

```bash
#!/usr/bin/env bash

php artisan make:migration:schema create_data_countries_table --schema="code:string:nullable,
alpha2:string:nullable, alpha3:string:nullable, langCS:string:nullable, langDE:string:nullable,
langEN:string:nullable, langES:string:nullable, langFR:string:nullable, langIT:string:nullable,
langNL:string:nullable" --model=0
php artisan migrate
php artisan backpack:crud dataCountry

php artisan make:migration:schema create_sales_leads_table --schema="silo_id:integer:unsigned,
account_id:integer:unsigned, first_name:string:nullable, last_name:string:nullable, avatar:string:nullable,
company_name:string:nullable, job_position:string:nullable, website:string:nullable, email:string:nullable,
skype:string:nullable, country:string:nullable, timezone:string:nullable, source:string:nullable,
notes:text:nullable, status:string:nullable" --model=0
php artisan migrate
php artisan backpack:crud salesLead

php artisan make:migration:schema create_sales_clients_table --schema="silo_id:integer:unsigned,
```

```
account_id:integer:unsigned, first_name:string:nullable, last_name:string:nullable, avatar:string:nullable,
company_name:string:nullable, job_position:string:nullable, website:string:nullable, email:string:nullable,
skype:string:nullable, country:string:nullable, timezone:string:nullable, source:string:nullable,
notes:text:nullable, status:string:nullable" --model=0
php artisan migrate
php artisan backpack:crud salesClient

php artisan make:migration:schema create_sales_projects_table --schema="silo_id:integer:unsigned,
account_id:integer:unsigned, client_id:integer:unsigned, website:string:nullable, title:string:nullable,
description:text:nullable, notes:text:nullable, status:string:nullable" --model=0
php artisan migrate
php artisan backpack:crud salesProject

php artisan make:migration:schema create_sales_project_tasks_table --schema="silo_id:integer:unsigned,
account_id:integer:unsigned, project_id:integer:unsigned, title:string:nullable, description:text:nullable,
price_quote:string:nullable, price_actual:string:nullable, task_completion_status:string:nullable,
client_payment_status:string:nullable, sales_person_payment_status:string:nullable" --model=0
php artisan migrate
php artisan backpack:crud salesProjectTask

php artisan make:migration:schema create_sales_documents_table --schema="silo_id:integer:unsigned,
account_id:integer:unsigned, project_id:integer:unsigned, project_task_id:integer:unsigned,
title:string:nullable, description:text:nullable, attachment:string:nullable, read_status:string:nullable"
--model=0
php artisan migrate
php artisan backpack:crud salesDocument

php artisan make:migration:schema create_sales_silos_table --schema="title:string:nullable,
description:text:nullable" --model=0
php artisan migrate
php artisan backpack:crud salesSilo

php artisan make:migration:schema create_users_table
--schema="first_name:string:nullable,last_name:string:nullable,email:string:nullable,password:string:nullable,
country:string:nullable,city:string:nullable,timezone:string:nullable,avatar:string:nullable,total_earnings:string:
nullable,total_leads:string:nullable,total_clients:string:nullable,total_projects:string:nullable,total_project_task
s:string:nullable" --model=0
php artisan migrate
php artisan backpack:crud users

# CRUD::resource('/silos', 'SalesSiloCrudController');
# CRUD::resource('/leads', 'SalesLeadCrudController');
# CRUD::resource('/clients', 'SalesClientCrudController');
# CRUD::resource('/projects', 'SalesProjectCrudController');
# CRUD::resource('/project-tasks', 'SalesProjectTaskCrudController');
# CRUD::resource('/documents', 'SalesDocumentCrudController');
# CRUD::resource('/users', 'UsersCrudController');
```