

Js program to find question and remainder

Code:

```
<html>

  <head>

    <title>Js program to find question and remainder</title>

  </head>

  <body>

    <script type="text/Javascript">

var a,b,question,remainder

a=prompt("Enter a nos:")
b=prompt("Enter a nos:")
question=a/b
remainder=a%b


document.write("<b>Question of a/b is</b> : "+ question+"<br>")
document.write("<b>remainder of a%b is</b> : "+ remainder)


    </script>

  </body>

</html>
```

Output:





Js program to swap two numbers two numbers with using third variables

Code:

```
<html>
  <head>
    <title>Js program to swap two numbers two numbers with using third
variables</title>
  </head>
  <body>
    <script type="text/Javascript">
var a,b,c
a=prompt("Enter a nos a:")
b=prompt("Enter a nos b:")
c=a
    a=b
```

b=c

```
document.write("<b>Swap a nos is</b> : "+ a+"<br>")
```

```
document.write("<b>Swap b nos is</b> : "+ b+"<br>")
```



```
document.write("<b>Swap c nos is</b> : "+ c+"<br>")
```

```
</script>
```

```
</body>
```

```
</html>
```


Output:



Js program to swap two numbers two numbers with using third variables

Code:

```
<html>
  <head>
    <title>Js program to swap two numbers two numbers with using third
variables</title>
  </head>
  <body>
    <script type="text/Javascript">
      var a,b
      a=10
      b=20
      a=a+b
      b=a-b
      a=a-b
      document.write("<b>After swap</b> : a="+ a +"<br>" )
      document.write("<b>after swap</b> : b="+ b )
    </script>
  </body>
</html>
```



After swap : a=20
after swap : b=10

