

OPERATING SYSTEM

```
#include<stdio.h>
```

```
int main()  
{
```

```
    int count,j,n,time,remain,flag=0,time_quantum;  
    int wait_time=0,turnaround_time=0,at[10],bt[10],rt[10];  
    printf("Enter Total Process:\t ");  
    scanf("%d",&n);  
    remain=n;  
    for(count=0;count<n;count++)  
    {  
        printf("Enter Arrival Time and Burst Time for Process Process  
Number %d :",count+1);  
        scanf("%d",&at[count]);  
        scanf("%d",&bt[count]);  
        rt[count]=bt[count];  
    }  
    printf("Enter Time Quantum:\t");  
    scanf("%d",&time_quantum);  
    printf("\n\nProcess\t|Turnaround Time|Waiting Time\n\n");  
    for(time=0,count=0;remain!=0;)  
    {  
        if(rt[count]<=time_quantum && rt[count]>0)  
        {  
            time+=rt[count];  
            rt[count]=0;  
            flag=1;  
        }  
        else if(rt[count]>0)  
        {  
            rt[count]-=time_quantum;  
            time+=time_quantum;  
        }  
        if(rt[count]==0 && flag==1)  
        {  
            remain--;  
            printf("P[%d]\t|\t%d\t|\t%d\n",count+1,time-at[count],time-  
at[count]-bt[count]);  
            wait_time+=time-at[count]-bt[count];  
            turnaround_time+=time-at[count];
```

```

        scanf("%d",&bt[count]);
        rt[count]=bt[count];
    }
    printf("Enter Time Quantum:\t");
    scanf("%d",&time_quantum);
    printf("\n\nProcess\t|Turnaround Time|Waiting Time\n\n");
    for(time=0,count=0;remain!=0;)
    {
        if(rt[count]<=time_quantum && rt[count]>0)
        {
            time+=rt[count];
            rt[count]=0;
            flag=1;
        }
        else if(rt[count]>0)
        {
            rt[count]-=time_quantum;
            time+=time_quantum;
        }
        if(rt[count]==0 && flag==1)
        {
            remain--;
            printf("P[%d]\t|\t%d\t|\t%d\n",count+1,time-at[count],time-at[count]-
bt[count]);
            wait_time+=time-at[count]-bt[count];
            turnaround_time+=time-at[count];
            flag=0;
        }
        if(count==n-1)
            count=0;
        else if(at[count+1]<=time)
            count++;
        else
            count=0;
    }
    printf("\nAverage Waiting Time= %f\n",wait_time*1.0/n);
    printf("Avg Turnaround Time = %f",turnaround_time*1.0/n);

    return 0;
}

```

```
Enter Total Process:      4
Enter Arrival Time and Burst Time for Process Process Number 1 :1
5
Enter Arrival Time and Burst Time for Process Process Number 2 :2
6
Enter Arrival Time and Burst Time for Process Process Number 3 :3
7
Enter Arrival Time and Burst Time for Process Process Number 4 :4
1
Enter Time Quantum:      4
```

```
Process |Turnaround Time|Waiting Time
```

P[4]		9		8
P[1]		13		8
P[2]		14		8
P[3]		16		9

```
Average Waiting Time= 8.250000
```

```
Avg Turnaround Time = 13.000000
```

```
...Program finished with exit code 0
```

```
Press ENTER to exit console.□
```