UMassAmherst | Manning College of Information & Computer Sciences

Programming Methodology

Lab 13: Final Review

Wednesday, May 7th, 2025

Weekly Lab Agenda

- Go over reminders/goals
- Review past material
- Work in groups of 2-3 to solve a few exercises
    - Lab leaders will assign new groups this week
- Discussion leaders will walk around and answer questions
- Solutions to exercises will be reviewed as a class
- Attendance taken at the end

Reminders

- Great job this semester everyone, you should be proud of your hard work!
- Office hours will continue to happen as scheduled.
  - Exceptions will be announced on campuswire.
- Exam Logistics:
  - Wednesday May 13th 6pm - 8pm in ILC N151.
  - Make sure to check SPIRE on exam day in case there is a last minute location change!
- Please fill out the <u>SRTI course survey</u>, this really helps make the class better!
- HW9 is due tomorrow midnight
- HW8 Self Eval on gradescope is due Friday at midnight

Today's Goals

- Practice working with program correctness
- Practice working with asynchronous programming

Exercise: Program Correctness

The following code should partition the given array in-place such that all odd numbers come before all even numbers.

First, write the invariants which satisfy the high-level algorithm.

Then, fill in the code to satisfy the invariants.

```javascript
function partition_even_odd(arr) {
  if (arr.length === 0) { return; }
  let low = ???;
  let high = ???;
  // low/high form a window, the outside of which is partitioned;
  // the window shrinks iteratively until everything is partitioned
  while (???) {
    if (???) {
      // swap arr[low] and arr[high]
      ???
    }
    if (???) {
      // update low
      ???
    }
    if (???) {
      // update high
      ???
    }
  }
}
```

Exercise 2: Async

Write a function asyncPosMap(*arr*: T[], *f*: T => Promise(number)): Promise<T[]>. This function takes a generic array, *arr* and an asynchronous function *f*, and returns a new Promise. That promise should be fulfilled with a new array containing the elements of *arr* that for which f resolved to a positive number. The promise should reject if at any point *f* rejects. Ensure that calls to f occur asynchronously, by using Promise.all.

Fall 2022 Midterm 2 Makeup - 20pts

Anonymous Lab Feedback

UMassAmherst | Manning College of Information & Computer Sciences

https://forms.gle/5FGu6nCx9xKFFVVEA