
Shape: 100 A->B trees over a patients
p-value
carriers a (100/a trees each)
MAESTRI
per-tree null
tree counts
pooled trees


Competition: 1 patient M x A->B, 100 patients B->A
p-value
trees M of the A->B patient
MAESTRI: B->A
per-tree null: B->A
tree counts: B->A
pooled trees: B->A
MAESTRI: A->B
tree counts: A->B
pooled trees: A->B


Duplication: every tree copied M times
p-value
copies M
MAESTRI: s_exp
MAESTRI: s_theta, theta=1
MAESTRI: s_theta, any tree
per-tree null: s_exp
per-tree null: s_theta, theta=1
per-tree null: s_theta, any tree


Ambiguity: every order present (theta = observed pi)
p-value
patients n
MAESTRI, {A->B, B->A}: A->B
per-tree null, {A->B, B->A}: A->B
MAESTRI, 6 chains: A->B->C
per-tree null, 6 chains: A->B->C


Resolution: 2 A->B, 1 B->A, m with A,B in one node
p-value
same-node patients m
no resolution (MAESTRI): A->B
same node = both orders: A->B
same node = majority order: A->B
same node resolved, then tested: A->B
no resolution (MAESTRI): B->A
same node = both orders: B->A
same node = majority order: B->A
same node resolved, then tested: B->A