Cody / Codex Connection Atlas

A visual journey from the code on Cody to the PC you choose.

ONE CODE.

YOUR CODEX.

See it on Cody. Enter it in Codex.
Let the two sides confirm the connection.



CODY'S CODEX PLUGIN

CCP is the local companion inside Codex on your Windows PC.

14 visual pages / English / A4 landscape / space to write

FIRST IMPRESSIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

01 / The whole journey

Five screen identities. One deliberate choice. Then Cody looks for the paired PC.



12 Show the code

Read it here.
Enter it on the PC.

13 Setup confirmed

Both sides have
kept the link.

16 Idle

A short pause
with Cody.

14 Find your PC

Only the saved
PC is accepted.

15 CCP is ready

The companion
can be reached.


You act — Cody / PC responds — Waiting / recovery

FLOW NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

02 / Before you connect

Cody and your Windows PC need to be on the same local network.



09

Cody is online

DEVICE

Wi-Fi setup complete

PC

Codex open

PLUGIN

CCP installed and running

SETUP NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

03 / Read the code on Cody

Screen 12 gives you the six characters that identify this pairing attempt.



12 / CONNECT CODEX

LOOK AT THE DISPLAY

K	7	M	4	Q	2

EXAMPLE CODE

Read the current code from your own Cody.
Keep the pairing screen visible while you use Codex.

DISPLAY / READABILITY NOTES

WHAT SHOULD BE CLEARER?

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

04 / Enter it in Codex

Use Codex on the PC you want Cody to remember.



IN YOUR CODEX CHAT

"Pair my Cody using this code: K7M4Q2"

CCP discovers the matching device and asks it to pair.

PC EXPERIENCE

Illustrative conversation and example code; the actual Codex UI may differ.

WORDS I WOULD USE

Copyright umbertogiacobbi.biz 2026 - confidential

05 / Both sides confirm

The pairing is complete after Cody and CCP have both saved their connection.

CODY

Keeps the PC

Cody remembers which PC was selected.

Saved

CODEX / CCP

Keeps this Cody

The plugin saves the matching connection.

Both confirmed



13

You're all set.

WAIT FOR THE CONFIRMATION

Screen 12 advances on its own.
Screen 13 is the visible result of the completed pairing.

CONFIRMATION NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

06 / A moment with Cody

Tap Let's go. Screen 16 stays in Idle for ten active seconds, for now.



13
Tap Let's go

16
Idle / 10 seconds

14
Search begins

Idle remains visible throughout this interval.




PACING / FEELING NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

07 / Looking for the paired PC

Screen 14 waits for the same PC that completed pairing.



14

Looking for your PC...

If the paired PC is unavailable, Cody keeps looking.
Wi-Fi alone does not complete this step.

WHILE WAITING

Keep Codex and CCP available on the paired PC.

NOTES

WAITING EXPERIENCE


Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

08 / 100 PCs. One chosen connection.

You choose by pairing from your Codex PC. Cody then remembers that relationship.



ONE NETWORK



100 PCs / 1 paired

Other PCs stay outside this connection.


Cody follows the saved pairing, regardless of which PC answers first.

SHARED OFFICE / MANY-PC NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

09 / Connected means CCP is ready

Screen 15 confirms that the paired Codex companion is reachable.



15 / CONNECTED


You can see that Cody has found its PC.
Project, chat and task interactions are the next product stage.

READY STATE NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

10 / The PC goes away and returns

The live connection can disappear while the saved pairing remains.



15
Connected

14
Looking again

15
Connected again

Keep the saved pairing

Wait on the same network

Resume when reachable

RECOVERY / EXPECTATIONS

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

11 / When the code does not pair

Keep the next action simple and show success only when pairing completes.

CHECK THE CODE

Read it again

Use the six characters currently shown on Cody.

CODE EXPIRED

Tap Retry on Cody

A fresh attempt shows a new code.

MATCH IS UNCLEAR

Wait for a fresh code

Let the attempt expire, then tap Retry. CCP leaves the choice unresolved.




If the PC cannot see Cody, check the shared network and that CCP is running.

ERROR WORDING / RETRY NOTES

Copyright umbertogiacobbi.biz 2026 - confidential

12 / Who does what?

Follow the rows from top to bottom. Arrows show who hands the next step to whom.



HANDOFF NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

13 / Sketch the next refinement

Use this page to mark decisions, redraw a moment, or capture what feels unclear.

DEVICE

PC / CODEX

CONNECTION FLOW

DECISIONS TO KEEP

OPEN QUESTIONS

Visual references: Cody Planning Atlas v1 and Navigation Atlas v1. Connection flow: current CCP source checkpoint.
AI-generated concept scenes and illustrative screen layouts; device, PC and LAN behavior still require runtime validation.

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

Startup: two saved decisions

Local Wi-Fi/IP first. Then the retained Codex pairing. Public Internet is not required.

1 / No saved Wi-Fi profile

A valid absent-profile observation opens 04 > 05 > 06 > 07 > 09. Debug may show 39 before 09. Continue: 10 > 36 > 11 (skin), then the Codex decision.

2 / Saved Wi-Fi; waiting for the network


42 / No connection keeps the profile while the Wi-Fi owner reconnects. Network setup reopens 04-09; Later returns to Idle. Invalid/stale data shows UNAVAILABLE.

3 / LAN ready; no saved Codex pairing

40 / Connect Codex? Yes starts the code on 12. No returns to 16 / Idle without a settings write or CCP request. The next boot may ask again.

4 / LAN ready; saved Codex pairing

Adopt the saved attempt and search on 14. Only authenticated READY enters 15. A retained identity alone never means the PC is connected.



40 / Explicit Yes or No

Illustrative UI. Choice controls do not start pairing until the user acts.

Reopen setup from Cody

Hold the visible character still for 1.5 seconds. No button-based factory reset is added.

41 / Setup

Connect Codex opens a fresh display-code attempt. Network setup reopens 04-09. Left Back returns to Idle. Opening or leaving the menu erases no Wi-Fi, skin or pairing.

Keep the gesture deliberate


Available from stable Idle, PC search/connected and terminal CCP errors. Moving more than 12 px, a sample gap over 250 ms, rotation or a lifecycle interruption cancels the hold. Busy work and active provisioning are excluded; release before choosing.

PWR / existing policy

Single: standby/wake; active Debug defaults to screenshot countdown. Long release: standby. Debug double within 500 ms, or a continuous 3-second hold: restart preserving data.

BOOT / existing policy

Short: restore a dim/sleeping panel first, otherwise toggle fullscreen/status arcs. Hold 3 seconds: Debug restart; Release has no firmware reset action. Saved Wi-Fi and CCP survive restart.



41 / Reversible setup access

Illustrative UI. A true factory erase is a separate explicitly requested operation.

Errata and corrections

Revision date: 09 October 2026 / CODY-SETUP-20261009

Original analysis gap

The initial analysis omitted startup with Wi-Fi already configured but no saved Codex pairing, and did not define a reversible user entry to setup. This was an original analysis gap (buco di analisi iniziale), now addressed in source.

Affected original pages and screen IDs

Original pages 02 (whole journey), 03 (prerequisites), 04 (code), 07-08 (Idle/search), 11 (returning PC) and 13 (owners); screens 11-16.

Corrections

Add 40 / optional Yes-No Codex choice, 41 / character-hold Setup, and 42 / reconnect wait. 09 means local Wi-Fi/IP; 11 selects a skin. No/Later performs no persistence or new CCP request. Saved pairing returns to 14 and requires authenticated READY for 15. PWR/BOOT do not clear pairing.

Preservation

All 14 previous pages, earlier corrections, bookmarks and unrelated content are retained. This dated addendum supersedes only the cited startup/setup/install statements; the original numbering stays stable.

Evidence and limits

Firmware source implementation and static integration review completed. PDF pages rendered and visually reviewed. No firmware tests, validation scans, configure/build/size, simulator execution, device pairing/input, flash or erase accompanied this revision. Runtime validation is pending.

Setup after standby

Hold Cody for 1.5 seconds to choose Network setup or Connect Codex.

04-06 / Escape the network loop


After inactivity, Welcome previously sent its first touch straight back to Let's pair. Welcome now opens 41 on a stationary tap release. A character hold also opens 41 from timeout Welcome, Let's pair or the installation QR page when no operation is busy.

35B / Wake, then hold

A finger already down during wake starts its 1.5-second hold only on a fresh acquired sample with the restored visible character. Hidden standby/wake time never counts. Movement over 12 px, report gaps over 250 ms or rotation cancel the hold. Release before choosing.

41 / Two explicit destinations

Upper Connect Codex opens 12 and its six-character CCP code using the local Wi-Fi/IP connection. Lower Network setup explicitly opens 04-09. No Internet probe is required. Active provisioning, worker admission and pending cancellation block menu access.



41 / Same choices after wake

Illustrative UI. Existing credentials and retained CCP pairing are preserved.

Errata and corrections

Revision date: 09 October 2026 / recovery correction

Original analysis gap

The first analysis did not reconcile the legacy Welcome timeout/touch path with reopening setup after standby. This was an original analysis gap (buco di analisi iniziale).

Affected pages and screens

Previous setup addendum: page 16. Affected screen IDs: 04, 05, 06, 12, 35B and 41. Earlier dated errata remain intact.

Corrections

Timeout Welcome tap release and stationary character holds on resting 04-06 reopen 41. A hold spanning wake starts only after visible restoration. Connect Codex goes to 12; Network setup goes to 04-09. Busy work and pending cleanup cannot be bypassed.

Evidence and limits

A user-authorized 90-second passive serial capture confirmed LAN/DHCP, Welcome inactivity return and standby. No Connect Codex press occurred in that capture; the initial wrong-selection report remains unresolved. The correction has static source review; corrected physical behavior still needs observation.


Preservation

All 17 preceding pages, prior errata and unrelated content are retained. This addendum supersedes only the cited escape/gesture behavior. Saved credentials are not erased.

Cody action language

IMPORTANT UI DECISION / approved 09 October 2026 / binding for future screens





Layout rule

Two actions: rounded cards side by side. Three: the same pair plus one centered action below. One: a wide centered capsule with its icon left of the label.

Shared visual language

Dark restrained gradients, thin semantic borders, white labels and action icons. Teal: affirmative/Codex; blue: network; graphite: No/Later/Options; amber: Retry/Cancel.

Circular geometry

Keep Back separate at the left. Share rendering and touch bounds in every orientation. QR pages keep the quiet zone and use the compact single-action variant.

Options and touch continuity

Setup keeps Network setup and Connect Codex distinct. Options opens screen 10.

41 / Setup

Left card: Connect Codex. Right card: Network setup. Centered third action: Options. Options opens 10 / Make it yours, then 36 and 11 / skin. Done returns to Setup; Back retraces this local preferences path. No network or Codex association is erased or implicitly started.

40 / Connect Codex? and 42 / No connection

Yes/No and Network setup/Later are side by side, with purpose-specific icons and colors. Their existing explicit backend admission stays intact. Screen IDs 05-15 and 36 share the action styling where an action is present.

Observed freeze / original cause

An authorized 90-second reset/capture recorded Yes at 16497 ms, entry to Connect Codex at 16498 ms, then a CST9217 report with fifteen FF bytes and ACK=FF at 17112 ms (expected AB). ESP_ERR_INVALID_RESPONSE stopped the renderer. LAN/IP was ready.

Scoped runtime correction

The touch owner still rejects malformed reports and publishes the real error. After startup only, that acquisition error is optional for rendering. Discard queued gesture reports, cancel the gesture and require a real acquired release before another press. No release is invented. Startup, transport, lock and route failures remain terminal.

Evidence boundary

Native source integration and approved mockups are documented here. The underlying cause of the FF report and corrected physical touch/standby behavior remain unverified. A successful build/flash alone does not establish those outcomes.

Errata and corrections

Revision date: 09 October 2026 / important UI decision and touch correction

Important design decision

The user approved the two-column pair plus centered third action, and the wide single action with icon to the left. These are binding layouts from this revision onward. Gradients, icons and semantic colors are required across Cody screens.

Affected original material

Original pages 02 (whole journey), 03 (prerequisites), 04 (code), 07-08 (Idle/search), 11 (returning PC) and 13 (owners); screens 11-16. Also affected: screens 05-15, 35B, 36 and 40-42. Earlier stacked-blue control illustrations are superseded only in their action layout/styling.

Original analysis gaps

The initial analysis omitted Options re-entry and did not distinguish an optional malformed runtime touch report from renderer failure. This was a buco di analisi iniziale. Options now opens 10 and returns to Setup after preferences/skin.

Corrections and limits

Yes/No become horizontal and semantic. The measured invalid touch report retains its original error while rendering continues with interrupted gestures. Hardware FF root cause and physical corrected behavior remain open.

Preservation

All 19 preceding pages, earlier errata and unrelated content remain unchanged. Approved images are design references, not physical device screenshots.