# Cody / Planning Atlas

Screen journeys, a reusable character and the shared color system.

## REVIEW FIRST.

## PROTOTYPE NEXT.

A working atlas for the round display: first boot, essential OOBE, everyday use and future interactions.

Every screen has a writing area. Use it to review copy, touch targets, transitions and the character's response before implementation.



466 x 466

**CURRENT FOCUS**

Character rig, composable expressions and local UI. HTTP, PC integration and voice remain future design work.

A4 LANDSCAPE / ENGLISH / v1

38 entries + layout variants + expressions + 256 slots

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Screen inventory

Thirty-eight entries, with pause/end and sleep/wake expanded into separate review views.


| | |
|---|---|
| 01 | Sleeping |
| 02 | Waking up |
| 03 | Ready |
| 04 | Hi, I'm Cody! |
| 05 | Let's pair |
| 06 | Scan to install |
| 07 | Pairing... |
| 08 | Try again |
| 09 | You're online. |
| 10 | Make it yours |
| 11 | Cody's color |
| 12 | Connect Codex |
| 13 | You're all set. |
| 14 | Looking for your PC... |
| 15 | Connected |
| 16 | Idle |
| 17 | Project active |
| 18 | Working... |
| 19 | Response ready |
| 20 | Paused / Session ended |
| 21 | PR pending |
| 22 | Checking... |
| 23 | Checks failed |
| 24 | Failed checks |
| 25 | Error details |
| 26 | Question |
| 27 | Choose an option |
| 28 | Recording... |
| 29 | Transcribing... |
| 30 | Review transcript |
| 31 | Reply sent |
| 32 | Connection lost |
| 33 | Low battery |
| 34 | Charging |
| 35 | Sleep / Wake |
| 36 | Settings |
| 37 | Rig view |
| 38 | Expression channels |


Future connection, work, PR and voice screens are visual plans, not implemented integrations.

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# The circle is usable space

Plan both the central square and the rounded regions.




## CANVAS

466 x 466; center (233, 233); radius 233.

## SAFE SQUARE

320 x 320 at (73, 73); bounds [73, 393).

## BACK ICON

60 x 60 at (10, 203); center (40, 233).

## ROUNDED REGIONS

73 px beside the square at its midline; about 9.38 px at its top and bottom.

## ROTATION

Shared display/touch coordinates at 0/90/180/270 degrees. Back stays on the visual left.

## NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Boot checkpoints

Three minimal frames make startup progress visible.

## 01 / Sleeping



Eyes closed. The first visible checkpoint starts once display, touch and saved orientation are ready.

NOTES

## 02 / Waking up



Eyes half open at a real intermediate startup boundary. This is not a measured 50% timer.

NOTES

## 03 / Ready



Eyes open when startup completes. This does not imply a network or PC connection.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Meet Cody and start pairing

A short introduction leads to one clear QR action.

## 04 / Hi, I'm Cody!




A minimal introduction. Cody fills the display before setup begins.

NOTES

## 05 / Let's pair




Explain the next QR step in one short message. Show QR is the primary action.

NOTES

## 06 / Scan to install




Install the pairing app, then continue. This sample QR uses an intentionally invalid example address.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Complete network setup

Waiting, retry and confirmation each have a clear purpose.


## 07 / Pairing...




Wait for setup on the phone. Keep cancellation available and show the real connection state.

NOTES


## 08 / Try again




A recoverable pairing failure. Retry returns to the relevant setup step.

NOTES

## 09 / You're online.




Confirm Wi-Fi association. The PC connection is a separate later milestone.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Preferences and PC setup

Make Cody yours, then plan the future PC connection.

## 10 / Make it yours




Wake, rotation and sound preferences. Manual 0/180 controls are shown in this compact setup view.

NOTES

## 11 / Cody's color




Choose Blue or Mint. The character engine shares one rig across both accent palettes.

NOTES

## 12 / Connect Codex




Finish setup on the PC. This atlas plans the screen; connection features are outside the current PoC.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Connect and return

First-run completion and later connection states.

## 13 / You're all set.




Show this confirmation only after the future application handshake succeeds.

NOTES


## 14 / Looking for your PC...




The network is available while the application connection is still pending.

NOTES

## 15 / Connected




A brief connection confirmation, followed by the active project or idle view.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Cody in everyday use

One reusable character, independent activity and expression channels.


## 16 / Idle




Breathing, gaze and occasional blinks. Expressions combine independently instead of replacing the whole face.

NOTES

## 17 / Project active




Project, branch and accent identify the selected context. Branch changed is a variant of this layout.

NOTES

## 18 / Working...




The same layout supports Reading, Editing and Running. Activity does not force one exclusive expression.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Respond, pause and rest

Activity status remains distinct from success or connection health.


## 19 / Response ready




Invite the user to read the response. This event alone does not certify task or test success.

NOTES

## 20A / Paused




Work has paused. Cody relaxes while preserving the selected project and any pending interaction.

NOTES

## 20B / Session ended




The session is over. Cody returns to rest; connection and battery remain separate states.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Follow a pull request

Future result views use concise status and verified progress.


## 21 / PR pending




A pull request is waiting for results. All project and PR values in this atlas are illustrative.

NOTES


## 22 / Checking...




Show a count only when real progress is available. The sample here is 3 of 6 checks.

NOTES

## 23 / Checks failed




Summarize the failures and offer Details. A worried expression supports the explicit status text.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Read details and open a question

Content gets the central area when it needs to be read.


## 24 / Failed checks




A readable list of failures leads to the selected log. Content scrolls in one main region.

NOTES


## 25 / Error details




Give the log the central area. A small mascot can yield all its space when reading needs it.

NOTES

## 26 / Question




A compact attention cue opens the full question. Later activity must not dismiss an unanswered question.


NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Choose or speak

Explicit choices and a future voice flow share the same interaction model.

## 27 / Choose an option




Select an answer, read its description, then confirm explicitly. No answer is chosen on timeout.

NOTES

## 28 / Recording...




Push to talk with elapsed duration. The waveform in this planning view is illustrative.

NOTES

## 29 / Transcribing...




Show a distinct waiting state after recording, with cancellation available.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Review, acknowledge and recover

A reply is deliberate; connection loss preserves pending context.

## 30 / Review transcript




Read before sending. Record again returns to capture and avoids requiring a tiny on-device keyboard.

NOTES

## 31 / Reply sent




A short acknowledgment after the future receiver confirms delivery, then return to context.

NOTES

## 32 / Connection lost




Keep pending content intact while reconnecting. Do not infer connection health from facial expression.


NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Battery and sleep

Device state changes the presentation without discarding useful content.


## 33 / Low battery




A real low-charge event adds a compact notice. On question screens it must preserve the question.

NOTES

## 34 / Charging




Show charging as an independent device indicator. Energy and facial channels can still vary.

NOTES

## 35A / Sleep



Eyes close while the mouth and cloud continue a slow animated breath, before any display-off policy.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Wake, settings and the rig

The first PoC focuses on local UI and the reusable character.

## 35B / Wake



Eyes reopen and attention returns. Restore the previous useful screen after the wake transition.

NOTES


## 36 / Settings




Revisit OOBE preferences later. Brightness and additional controls can be reviewed during planning.

NOTES

## 37 / Rig view




Illustrative anchor overlay: cloud lobes, face center and facial anchors. Final topology is still to be designed.


NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Inspect the composed expression

Debug shows the same evaluated pose that the character renderer uses.

## 38 / Expression channels




## ONE CHARACTER, MANY CHANNELS

### Inputs

Valid local events: motion, touch, orientation, charge and time since interaction.

### Expressive state

Energy, drowsiness, alertness, tension and mood can coexist.

### Independent motion

Breathing, gaze and blinking compose with the selected expression.

### Shared geometry

Rig anchors and curve handles come from the same evaluated pose.

### Preview controls

Synthetic examples are confined to a clearly labelled desktop preview.

NOTES

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Expression combinations / 01

Illustrative moments made from independent channels; these are not exclusive face states.



## Calm

Relaxed brows + open eyes + gentle smile.

Slow breath; occasional blink.

NOTES



## Curious

Raised brow + shifted gaze + small open mouth.

Keep the body breathing independently.

NOTES



## Happy

Smiling eyes + lifted brows + open smile.

A brief response can settle back into idle.

NOTES



## Focused

Attentive eyes + gathered brows + quiet mouth.

Subtle breath keeps the pose alive.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Expression combinations / 02

Illustrative moments made from independent channels; these are not exclusive face states.



## Afraid

Wide eyes + worried brows + breathing mouth.

Alertness rises quickly, then eases down.

NOTES



## Stressed

Tense brows + tired eyes + a tight mouth.

Tension can coexist with low energy.

NOTES



## Sleeping

Closed eyelids + relaxed brows + open mouth.

Slow breath continues with closed eyes.

NOTES



## Drowsy

Half-closed eyes + relaxed brows + open mouth.

A surprise may briefly reopen the eyelids.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# The shared palette / all 256 slots

Exact RGB888 design swatches and indices from palette256.json.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 000 #000000 | 001 #FFFFFF | 002 #F4F6FA | 003 #04101A | 004 #0B1118 | 005 #111A24 | 006 #182330 | 007 #203040 | 008 #2A3C4D | 009 #35495B | 010 #40576A | 011 #4D6477 | 012 #5B7184 | 013 #6B8092 | 014 #7D91A2 | 015 #92A3B2 |
| 016 #A5B4C1 | 017 #B9C6D1 | 018 #CBD6DF | 019 #DCE4EA | 020 #75CBF3 | 021 #74CAF3 | 022 #73CAF3 | 023 #72C9F3 | 024 #71C9F2 | 025 #70C8F2 | 026 #6FC7F2 | 027 #6EC7F2 | 028 #6DC6F2 | 029 #6CC6F2 | 030 #6BC5F1 | 031 #6AC4F1 |
| 032 #69C4F1 | 033 #68C3F1 | 034 #67C3F1 | 035 #66C2F1 | 036 #66C2F1 | 037 #65C1F0 | 038 #64C0F0 | 039 #63C0F0 | 040 #62BFF0 | 041 #61BFF0 | 042 #60BEF0 | 043 #5FBDEF | 044 #5EBDEF | 045 #5DBCEF | 046 #5CBCEF | 047 #5BBBEF |
| 048 #5ABAEF | 049 #59BAEE | 050 #58B9EE | 051 #57B9EE | 052 #56B8EE | 053 #55B7EE | 054 #54B6EE | 055 #53B6ED | 056 #52B5ED | 057 #51B4ED | 058 #50B3ED | 059 #4FB2EC | 060 #4DB2EC | 061 #4CB1EC | 062 #4BB0EC | 063 #4AAFEC |
| 064 #49AEEB | 065 #48AEEB | 066 #47ADEB | 067 #46ACEB | 068 #45ABEA | 069 #44AAEA | 070 #43A9EA | 071 #42A9EA | 072 #41A8E9 | 073 #40A7E9 | 074 #3FA6E9 | 075 #3EA5E9 | 076 #3CA5E9 | 077 #3BA4E8 | 078 #3AA3E8 | 079 #39A2E8 |
| 080 #38A1E8 | 081 #37A1E7 | 082 #36A0E7 | 083 #359FE7 | 084 #9EF0D8 | 085 #9CEFD7 | 086 #9AEFD6 | 087 #97EED6 | 088 #95EED5 | 089 #93EDD4 | 090 #91ECD3 | 091 #8EECD2 | 092 #8CEBD2 | 093 #8AEBD1 | 094 #88EAD0 | 095 #85E9CF |
| 096 #83E9CE | 097 #81E8CD | 098 #7FE8CD | 099 #7CE7CC | 100 #7AE6CB | 101 #78E6CA | 102 #76E5C9 | 103 #74E5C9 | 104 #71E4C8 | 105 #6FE3C7 | 106 #6DE3C6 | 107 #6BE2C5 | 108 #68E2C5 | 109 #66E1C4 | 110 #64E1C3 | 111 #62E0C2 |
| 112 #5FDFC1 | 113 #5DDFC1 | 114 #5BDEC0 | 115 #59DEBF | 116 #57DDBE | 117 #54DCBD | 118 #52DCBD | 119 #50DBBC | 120 #4EDBBB | 121 #4BDABA | 122 #49D9B9 | 123 #47D9B8 | 124 #45D8B8 | 125 #42D8B7 | 126 #40D7B6 | 127 #3ED6B5 |
| 128 #3CD6B4 | 129 #39D5B4 | 130 #37D5B3 | 131 #35D4B2 | 132 #FF9385 | 133 #FE9183 | 134 #FE8E81 | 135 #FD8C7F | 136 #FC8A7D | 137 #FC877B | 138 #FB8579 | 139 #FA8377 | 140 #FA8075 | 141 #F97E73 | 142 #F87C71 | 143 #F8796F |
| 144 #F7776D | 145 #F7746B | 146 #F67269 | 147 #F57067 | 148 #F56D65 | 149 #F46B63 | 150 #F36961 | 151 #F3665F | 152 #F2645D | 153 #F1625B | 154 #F15F59 | 155 #F05D57 | 156 #F8D989 | 157 #F6D685 | 158 #F5D281 | 159 #F3CF7D |
| 160 #F1CC79 | 161 #F0C875 | 162 #EEC571 | 163 #ECC26D | 164 #EBBE68 | 165 #E9BB64 | 166 #E7B860 | 167 #E6B45C | 168 #E4B158 | 169 #E2AE54 | 170 #E1AA50 | 171 #DFA74C | 172 R #000000 | 173 R #000000 | 174 R #000000 | 175 R #000000 |
| 176 R #000000 | 177 R #000000 | 178 R #000000 | 179 R #000000 | 180 R #000000 | 181 R #000000 | 182 R #000000 | 183 R #000000 | 184 R #000000 | 185 R #000000 | 186 R #000000 | 187 R #000000 | 188 R #000000 | 189 R #000000 | 190 R #000000 | 191 R #000000 |
| 192 R #000000 | 193 R #000000 | 194 R #000000 | 195 R #000000 | 196 R #000000 | 197 R #000000 | 198 R #000000 | 199 R #000000 | 200 R #000000 | 201 R #000000 | 202 R #000000 | 203 R #000000 | 204 R #000000 | 205 R #000000 | 206 R #000000 | 207 R #000000 |
| 208 R #000000 | 209 R #000000 | 210 R #000000 | 211 R #000000 | 212 R #000000 | 213 R #000000 | 214 R #000000 | 215 R #000000 | 216 R #000000 | 217 R #000000 | 218 R #000000 | 219 R #000000 | 220 R #000000 | 221 R #000000 | 222 R #000000 | 223 R #000000 |
| 224 R #000000 | 225 R #000000 | 226 R #000000 | 227 R #000000 | 228 R #000000 | 229 R #000000 | 230 R #000000 | 231 R #000000 | 232 R #000000 | 233 R #000000 | 234 R #000000 | 235 R #000000 | 236 R #000000 | 237 R #000000 | 238 R #000000 | 239 R #000000 |
| 240 R #000000 | 241 R #000000 | 242 R #000000 | 243 R #000000 | 244 R #000000 | 245 R #000000 | 246 R #000000 | 247 R #000000 | 248 R #000000 | 249 R #000000 | 250 R #000000 | 251 R #000000 | 252 R #000000 | 253 R #000000 | 254 R #000000 | 255 R #000000 |

172 allocated slots / 84 reserved black slots / R = reserved, not an extra black role

Design colors are sRGB. Several entries may map to the same RGB565 word; 256 slots do not imply 256 unique colors.

NOTES


Copyright umbertogiacobbi.biz 2026 - confidential

# Color roles and soft gradients

The cloud and filled controls share the blue ramp.

| | | | | |
|---|---|---|---|---|
| 00-03 | **Fixed** |  | 4 slots | Black, highlights, near-white text, near-black ink |
| 04-19 | **Neutrals** |  | 16 slots | Surfaces, borders and secondary text |
| 20-83 | **Blue** |  | 64 slots | Default Cody and button gradient |
| 84-131 | **Mint** |  | 48 slots | Personalization allocation |
| 132-155 | **Coral** |  | 24 slots | Cheeks and error emphasis |
| 156-171 | **Gold** |  | 16 slots | Optional future status allocation |
| 172-255 | **Reserved** |  | 84 slots | Unallocated; stored as black |

BLUE ANCHORS `#75CBF3 -> #56B8EE -> #359FE7`

The RGB565 table occupies 512 bytes. Artwork studies are full-color references; runtime quantization remains future work.

NOTES

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Decisions before the PoC

Use this page to capture choices after reviewing the atlas.

- [ ] Cloud silhouette, anchor count and stable point names
- [ ] Eye, brow, mouth and breathing channels to prototype first
- [ ] Expression limits and event-to-expression mappings
- [ ] Screen copy, button sizes and use of rounded regions
- [ ] Palette allocation, font sizes and note-worthy color changes

Sources: approved OOBE v5, original journey references, repository layout rule and palette256.json.

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Separate app installation from pairing

A01 supplements the printed atlas. Existing pages and screen IDs stay in place.

| REQUESTED BY | AFFECTED BASE PAGES | PRINT ONLY THIS PAGE |
|---|---|---|
| **Umberto Giacobbi (project owner)** | **05 / 06 / 21** | **23 / keep the existing printout** |

## 06 / REVISED




Installation QR. Remove the visible 'Scan to install' title. Pair Cody opens the device QR.

## 06-bis / NEW




Device QR. Scan it inside the provisioning app. Back stops the active BLE session and returns to 06.

## WHY THIS CHANGE

The installation link downloads the app. A second QR identifies Cody for Wi-Fi provisioning over BLE. One QR cannot express both steps clearly.

## UPDATED JOURNEY

05 Show QR -> 06
06 Pair Cody -> 06-bis
Credentials received -> 07
Failure -> 08 / Retry -> 06-bis
Wi-Fi connected + IP -> 09

## SHARED ACTION BUTTON

Reuse one capsule control: Blue / Primary, Mint / Success, Gold / Warning, Coral / Danger, Neutrals / Secondary. Use the palette roles on base page 21; Retry stays Primary.

QR drawings are illustrative. Firmware must supply the real app URL and device-session payload.

06-bis is a screen ID, not a PDF page number. This addendum records the owner's requested design change.

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# A02 / Screen 11 becomes Cody's look

One scrollable single-choice list changes the live preview above it.




SCREEN 11 / REVISED

Affected historical pages: 02 inventory and 07 OOBE layouts. The old Blue/Mint color chips are superseded; their printed pages remain historical.

## Five authored looks



**Pearl Mist** DEFAULT

cody.skin.pearl_mist.v1



**Aurora Veil**

cody.skin.aurora_veil.v1



**Cosmic Stardust**

cody.skin.cosmic_stardust.v1



**Enchanted Mosaic**

cody.skin.enchanted_mosaic.v1



**Dreamwave**

cody.skin.dreamwave.v1

### Interaction contract

Drag vertically to scroll. Tap one row to select exactly one look. The preview changes immediately. The user sees the cool name; firmware stores only the stable internal ID. Back or Done returns to the caller. No color editor, mixing or texture controls are added.


Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# A03 / Pull requests become status-only

Screens 21-24 stay concise and read-only; screen 25 is retired.

PRINT PAGE 25 ONLY

## 21 / PR pending





Observe only. No PR action is offered.

## 22 / Checks running





Show a count only when the exact total is known.

## 23 / Checks failed




One explicit action opens the failure list.

## 24 / Failed checks




### READ-ONLY CONTRACT

Screen 22 briefly changes to 'All checks passed' before returning to screen 17. Screen 24 lists real failed check names and uses the fixed lateral Back control. It has no View log button and no selectable log rows.

**25 / RETIRED** — Raw logs and stack traces stay on the PC. Cody does not merge, approve, close, rerun or comment on a PR.

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# A04 / Pairing handoff and continued setup

One temporary Debug screen; all other steps keep their existing atlas IDs.

PRINT PAGE 26 ONLY

## 39 / Pairing debug

DEBUG ONLY




### PAIRING SUCCESS CONTRACT

A healthy current Wi-Fi/IP handoff writes cody_firstboot=false and reads it back before any success UI. Debug builds then show screen 39. One awake tap dismisses it. Release builds contain no screen-39 route and go directly to 09.

#### SCREENS 04-09 / CONFIG_LUNASHELL_CODY_FORCE_FIRST_BOOT=n

Accepts y/n; Cody profile default: n. y replays first setup at each boot, even when cody_firstboot=false; n follows the saved value. The override does not change flash.

### SCREEN 11 / REVISED INTERACTION

Use the five-look selector shown on planning page 24. Remove Back. Pearl Mist remains visibly selected by default, but Done starts disabled. The user must tap one row explicitly; tapping Pearl Mist itself is a valid confirmation. The selector remains reusable from screen 36 later.

### FIRST-RUN ORDER

09 **You're online** → 10 **Make it yours** → 36 **Settings** → 11 **Cody's look**

12 **Connect Codex** → 13 **All set** → 14 **Looking for PC** → 15 **Connected**

#### SCREEN 12 / CONFIG_LUNA_SHELL_CODY_ENABLE_CODEX=y

Controls Codex connection setup. Explicitly configured y and currently always enabled; n skips 12, from 11 to 13.

Umberto Giacobbi | hello@umbertogiacobbi.biz
Copyright umbertogiacobbi.biz 2026 - confidential

# Startup: two saved decisions

Local Wi-Fi/IP first. Then the retained Codex pairing. Public Internet is not required.

### 1 / No saved Wi-Fi profile

A valid absent-profile observation opens 04 > 05 > 06 > 07 > 09. Debug may show 39 before 09. Continue: 10 > 36 > 11 (skin), then the Codex decision.

### 2 / Saved Wi-Fi; waiting for the network


42 / No connection keeps the profile while the Wi-Fi owner reconnects. Network setup reopens 04-09; Later returns to Idle. Invalid/stale data shows UNAVAILABLE.

### 3 / LAN ready; no saved Codex pairing

40 / Connect Codex? Yes starts the code on 12. No returns to 16 / Idle without a settings write or CCP request. The next boot may ask again.

### 4 / LAN ready; saved Codex pairing

Adopt the saved attempt and search on 14. Only authenticated READY enters 15. A retained identity alone never means the PC is connected.




### 40 / Explicit Yes or No

Illustrative UI. Choice controls do not start pairing until the user acts.

# Reopen setup from Cody

Hold the visible character still for 1.5 seconds. No button-based factory reset is added.

### 41 / Setup

Connect Codex opens a fresh display-code attempt. Network setup reopens 04-09. Left Back returns to Idle. Opening or leaving the menu erases no Wi-Fi, skin or pairing.

### Keep the gesture deliberate


Available from stable Idle, PC search/connected and terminal CCP errors. Moving more than 12 px, a sample gap over 250 ms, rotation or a lifecycle interruption cancels the hold. Busy work and active provisioning are excluded; release before choosing.

### PWR / existing policy

Single: standby/wake; active Debug defaults to screenshot countdown. Long release: standby. Debug double within 500 ms, or a continuous 3-second hold: restart preserving data.

### BOOT / existing policy

Short: restore a dim/sleeping panel first, otherwise toggle fullscreen/status arcs. Hold 3 seconds: Debug restart; Release has no firmware reset action. Saved Wi-Fi and CCP survive restart.




### 41 / Reversible setup access

Illustrative UI. A true factory erase is a separate explicitly requested operation.

# Errata and corrections

Revision date: 09 October 2026 / CODY-SETUP-20261009

**Original analysis gap**

The initial analysis omitted startup with Wi-Fi already configured but no saved Codex pairing, and did not define a reversible user entry to setup. This was an original analysis gap (buco di analisi iniziale), now addressed in source.

**Affected original pages and screen IDs**

Original pages 02 (inventory), 07 (preferences/PC setup) and 26 (A04 handoff); screens 04-16, 35B, 36. The inventory gains 40, 41 and 42.

**Corrections**

Add 40 / optional Yes-No Codex choice, 41 / character-hold Setup, and 42 / reconnect wait. 09 means local Wi-Fi/IP; 11 selects a skin. No/Later performs no persistence or new CCP request. Saved pairing returns to 14 and requires authenticated READY for 15. PWR/BOOT do not clear pairing.

**Preservation**

All 26 previous pages, earlier corrections, bookmarks and unrelated content are retained. This dated addendum supersedes only the cited startup/setup/install statements; the original numbering stays stable.

**Evidence and limits**

Firmware source implementation and static integration review completed. PDF pages rendered and visually reviewed. No firmware tests, validation scans, configure/build/size, simulator execution, device pairing/input, flash or erase accompanied this revision. Runtime validation is pending.

# Setup after standby

Hold Cody for 1.5 seconds to choose Network setup or Connect Codex.

### 04-06 / Escape the network loop


After inactivity, Welcome previously sent its first touch straight back to Let's pair. Welcome now opens 41 on a stationary tap release. A character hold also opens 41 from timeout Welcome, Let's pair or the installation QR page when no operation is busy.

### 35B / Wake, then hold

A finger already down during wake starts its 1.5-second hold only on a fresh acquired sample with the restored visible character. Hidden standby/wake time never counts. Movement over 12 px, report gaps over 250 ms or rotation cancel the hold. Release before choosing.

### 41 / Two explicit destinations

Upper Connect Codex opens 12 and its six-character CCP code using the local Wi-Fi/IP connection. Lower Network setup explicitly opens 04-09. No Internet probe is required. Active provisioning, worker admission and pending cancellation block menu access.




### 41 / Same choices after wake

Illustrative UI. Existing credentials and retained CCP pairing are preserved.

# Errata and corrections

Revision date: 09 October 2026 / recovery correction

**Original analysis gap**

The first analysis did not reconcile the legacy Welcome timeout/touch path with reopening setup after standby. This was an original analysis gap (buco di analisi iniziale).

**Affected pages and screens**

Previous setup addendum: page 28. Affected screen IDs: 04, 05, 06, 12, 35B and 41. Earlier dated errata remain intact.

**Corrections**

Timeout Welcome tap release and stationary character holds on resting 04-06 reopen 41. A hold spanning wake starts only after visible restoration. Connect Codex goes to 12; Network setup goes to 04-09. Busy work and pending cleanup cannot be bypassed.

**Evidence and limits**

A user-authorized 90-second passive serial capture confirmed LAN/DHCP, Welcome inactivity return and standby. No Connect Codex press occurred in that capture; the initial wrong-selection report remains unresolved. The correction has static source review; corrected physical behavior still needs observation.

**Preservation**

All 29 preceding pages, prior errata and unrelated content are retained. This addendum supersedes only the cited escape/gesture behavior. Saved credentials are not erased.